

A CENSUS OF THE VASCULAR PLANTS OF TASMANIA, INCLUDING MACQUARIE ISLAND

MF de Salas & ML Baker

2018 edition

Tasmanian Vascular Plant Census 2018

A Census of the Vascular Plants of Tasmania, including Macquarie Island.

2018 edition

MF de Salas and ML Baker

Postal address:

Tasmanian Herbarium
PO Box 5058
UTAS LPO
Sandy Bay, Tasmania 7005
Australia

Street address:

College Road
Sandy Bay, Tasmania 7005
Australia

© Tasmanian Herbarium, Tasmanian Museum and Art Gallery

Published by the Tasmanian Herbarium, Tasmanian Museum and Art Gallery

GPO Box 1164
Hobart, Tasmania 7001
Australia
www.tmag.tas.gov.au

Cite as: de Salas, M.F. and Baker, M.L. (2018) *A Census of the Vascular Plants of Tasmania, including Macquarie Island*.
(Tasmanian Herbarium, Tasmanian Museum and Art Gallery, Hobart) www.tmag.tas.gov.au

ISBN 978-1-921599-85-9 (PDF)

Introduction

The *Census of the Vascular Plants of Tasmania* is a checklist of every native and naturalised vascular plant taxon for which there is physical evidence of its presence in Tasmania. It includes the correct nomenclature and authorship of the taxon's name, as well as the reference of its original publication.

According to this *Census*, the Tasmanian flora contains 2727 vascular plants, of which 1921 (70%) are considered native and 806 (30%) have naturalised from elsewhere. Among the native taxa, 532 (28%) are endemic to the State. Forty-seven of the State's exotic taxa are considered sparingly naturalised, and are known only from a small number of populations. Twenty-three native taxa are recognised as extinct, whereas eight naturalised taxa are considered to have either not persisted in Tasmania or have been eradicated. The sub-antarctic Macquarie Island, considered part of Tasmania, supports 49 species of vascular plants, of which 42 are considered native and seven naturalised. For some basic statistics on the Tasmanian flora see Tables 1–3.

Four new native species are recognised in the 2018 edition (Appendix 1a). The names of several taxa have changed since the previous edition (Appendix 1b), including two species of *Billardiera* now considered to be just synonyms of *B. macrantha*. Finally, several taxa have had their status changed since the previous edition (Appendix 1c), including *Veronica notabilis*, which was previously considered extinct but for which modern Tasmanian collections have recently been located. No taxa have been removed from this edition of the *Census*.

The *Census* incorporates every name (including synonyms) used to refer to Tasmanian plants in the major taxonomic publications about Tasmania, and aims to account for every species name attributed to Tasmania, whether erroneously or correctly. Names from the following publications have been included: Jacques-Julien Houtou de Labillardière's *Novae Hollandiae Plantarum Specimen* (1804-1807), Robert Brown's *Prodromus Florae Novae Hollandiae et Insulae van-Diemen* (1810), Joseph Dalton Hooker's *The Botany of the Antarctic Voyage of H. M. Discovery Ships Erebus and Terror in the Years 1839 - 1843 Under the Command of Captain Sir James Clark Ross. Part III: Flora Tasmaniae* (1855-1859, complete work published in 1860), all volumes of George Bentham's *Flora Australiensis* (1863-1878) and Leonard Rodway's *The Tasmanian Flora* (1903). In addition, all names used in Cheeseman's (1919) *The Vascular Flora of Macquarie Island* have been accounted for in the Macquarie Island section.

The classification systems used in this *Census* has been updated to follow APG IV (2016) for flowering plants (Angiosperms) and follows McCarthy (1998) for conifers, ferns and their allies. In contrast, the system used to arrange the botanical collections of the Tasmanian Herbarium and in the *Flora of Australia* series, which is published by the Australian Biological Resources Study (ABRS), follows Cronquist (1981), and the *Flora of Tasmania Online* (Duretto 2009+) follows the older APG II (2003) system. To determine the families in which genera are placed in this edition, please refer to Appendix 2 at the end of this document.

This census also serves as an index to *The Student's Flora of Tasmania* (Curtis 1963, 1967, 1979; Curtis & Morris 1975, 1994). Species accounts can be found in *The Student's Flora of Tasmania* by referring to the volume and page number reference that is given in the far right column (e.g. 3:539). Families with accounts completed in the *Flora of Tasmania Online* (Duretto 2009+) are highlighted at the family entry (e.g. FTO 1).

Acknowledgments

This checklist was developed using BRAHMS (Botanical Research And Herbarium Management System) database management system. The authors would like to thank the BRAHMS team for making possible (and infinitely easier) the publication of an annual up-to-date census. In addition the authors would like to thank the APC (Australian Plant Census) group, whose work brings to our attention a myriad of taxonomic updates we might otherwise miss. We would like to thank Lynette Cave of the Tasmanian Herbarium for her assistance in checking the validity and publication details of numerous taxa. Mark Wapstra (ECOtas) provided useful comments on a draft of this publication and for these we are grateful.

TABLE 1: SOME BASIC STATISTICS ON THE STATUS OF TASMANIAN VASCULAR PLANTS

		Native		Naturalised
		non-endemic	endemic	
Dicotyledons	1744	800	364	580
Monocotyledons	863	492	151	220
Gymnosperms	15	2	9	4
Pteridophytes	105	95	8	2
TOTAL	2727	1389	532	806

TABLE 2: SOME BASIC STATISTICS ON THE STATUS OF MACQUARIE ISLAND VASCULAR PLANTS

		Native		Naturalised
		non-endemic	endemic	
Dicotyledons	24	20	1	3
Monocotyledons	20	13	3	4
Gymnosperms	0	0	0	0
Pteridophytes	5	5	0	0
Total	49	38	4	7

TABLE 3: STATISTICS OF TASMANIAN AND MACQUARIE ISLAND VASCULAR PLANT FAMILIES AND GENERA

	Tasmanian families	Tasmanian genera	Macquarie Island families	Macquarie Island genera
Dicotyledons	103	553	13	19
Monocotyledons	39	243	4	12
Gymnosperms	3	10	0	0
Pteridophytes	26	43	5	5
Total	171	849	22	36

Symbols used in species list

- e endemic in Tasmania
- t within Australia, occurs only in Tasmania
- x considered by the Tasmanian Herbarium to be extinct or eradicated in Tasmania or Macquarie Island
- i introduced and naturalised in Tasmania
- # sparingly naturalised or known from only one or two populations or collections
- * doubtfully naturalised: collections exist but no evidence exists to establish if a taxon is naturalised in Tasmania
- n a change since the 2017 edition (see Appendix I for summary)

no symbol indicates that the taxon is native both in Tasmania and the Australian mainland

NOTE: The 2018 *Census* no longer includes information on the listing status of species listed on the *Tasmanian Threatened Species Protection Act 1995*, the *Commonwealth Environment Protection and Biodiversity Conservation Act 1999*, or the *Tasmanian Weed Management Act 1999*. For this information please refer to current legislation.

TABLE OF CONTENTS

A CENSUS OF THE VASCULAR PLANTS OF TASMANIA, INCLUDING MACQUARIE ISLAND..... 1

Introduction..... 3

Acknowledgments..... 4

Table 1: Some basic statistics on the status of
Tasmanian vascular plants..... 4

Table 2: Some basic statistics on the status of
Macquarie Island vascular plants 4

Table 3: Statistics of Tasmanian and Macquarie
Island vascular plant families and genera..... 4

Symbols used in species list..... 5

TABLE OF CONTENTS 6

Tasmanian Vascular Plant Census 9

Basal angiosperms 9

Hydatellaceae FTO 1 9

Magnoliids 9

Atherospermataceae FTO 3 9

Lauraceae FTO 5 9

Monimiaceae FTO 4 9

Winteraceae FTO 2 9

Eudicots..... 9

Acanthaceae FTO 120..... 9

Adoxaceae 9

Aizoaceae FTO 101..... 9

Amaranthaceae FTO 98..... 10

Apiaceae (Umbelliferae) 12

Apocynaceae 13

Aquifoliaceae 13

Araliaceae..... 13

Asclepidaceae..... 14

Asteraceae (Compositae) 14

Basellaceae FTO 99..... 29

Berberidaceae FTO 46 29

Betulaceae 29

Bignoniaceae FTO 121 30

Boraginaceae 30

Brassicaceae (Cruciferae) 30

Campanulaceae..... 33

Cannabaceae 34

Caprifoliaceae 34

Caryophyllaceae 34

Casuarinaceae FTO 67 36

Celastraceae..... 37

Cistaceae 37

Convolvulaceae FTO 111 37

Crassulaceae 38

Cucurbitaceae FTO 65 38

Cunoniaceae FTO 72 39

Dilleniaceae FTO 92 39

Dipsacaceae FTO 134..... 40

Donatiaceae FTO 126..... 40

Droseraceae FTO 96 40

Elaeocarpaceae FTO 71 40

Elatinaceae FTO 76 41

Ericaceae FTO 105 41

Escalloniaceae FTO 131 47

Euphorbiaceae 47

Fabaceae (Leguminosae)..... 47

Frankeniaceae FTO 93..... 55

Fumariaceae FTO 45 55

Gentianaceae 55

Geraniaceae FTO 54 56

Goodeniaceae FTO 129..... 57

Griselinaceae FTO 136..... 57

Grossulariaceae FTO 50 57

Gunneraceae FTO 49 57

Gyrostemonaceae FTO 83 57

Haloragaceae 57

Hypericaceae..... 58

Lamiaceae (Labiatae) 59

Lentibulariaceae FTO 119..... 60

Linaceae FTO 77 60

Loganiaceae..... 60

Lythraceae FTO 55 60

Malvaceae 60

Mazaceae 61

Menyanthaceae FTO 128 61

Myrsinaceae 62

Myrtaceae FTO 57 62

Nothofagaceae 65

Nyctaginaceae FTO 101.1 65

Oleaceae FTO 113 65

Onagraceae..... 65

Orobanchaceae..... 66

Oxalidaceae FTO 70 67

Papaveraceae FTO 44 67

Passifloraceae FTO 81 68

Phrymaceae	68	Burmanniaceae FTO 16.....	89
Phyllanthaceae.....	68	Campynemataceae	89
Phytolaccaceae.....	68	Centrolepidaceae	89
Picodendraceae.....	68	Colchicaceae.....	89
Pittosporaceae FTO 138.....	68	Commelinaceae	90
Plantaginaceae	69	Cymodoceaceae	90
Plumbaginaceae FTO 94.....	71	Cyperaceae	90
Polemoniaceae FTO 102.....	71	Haemodoraceae	95
Polygalaceae FTO 60.....	71	Hemerocallidaceae.....	95
Polygonaceae FTO 95.....	71	Hyacinthaceae	96
Portulacaceae FTO 100.....	73	Hydrocharitaceae.....	96
Proteaceae FTO 48.....	73	Hypoxidaceae.....	96
Ranunculaceae FTO 47	75	Iridaceae	97
Resedaceae FTO 84.....	77	Juncaceae	98
Rhamnaceae.....	77	Juncaginaceae.....	99
Rosaceae	78	Laxmanniaceae	99
Rubiaceae	79	Luzuriagaceae	100
Rutaceae FTO 87.....	81	Melanthiaceae.....	100
Salicaceae FTO 80.....	82	Orchidaceae	100
Santalaceae FTO 91	83	Poaceae (Gramineae)	110
Sapindaceae FTO 86.....	83	Posidoniaceae.....	125
Scrophulariaceae	83	Potamogetonaceae.....	125
Solanaceae FTO 112.....	84	Restionaceae.....	126
Stylidiaceae FTO 127.....	84	Ruppiaceae	127
Tetracarpaeaceae FTO 52.....	85	Typhaceae	127
Theophrastaceae FTO 103.....	85	Xanthorrhoeaceae	127
Thymelaeaceae FTO 89	85	Xyridaceae	127
Tropaeolaceae FTO 82	86	Zosteraceae.....	127
Ulmaceae FTO 63.....	86	Gymnosperms	127
Urticaceae FTO 64.....	86	Cupressaceae	127
Valerianaceae FTO 135.....	86	Pinaceae	128
Verbenaceae.....	86	Podocarpaceae.....	128
Violaceae FTO 79.....	86	Pteridophytes.....	128
Zygophyllaceae FTO 58	87	Adiantaceae.....	128
Monocots.....	87	Aspleniaceae	128
Agapanthaceae	87	Athyriaceae	129
Alismataceae.....	87	Azollaceae	129
Alliaceae	87	Blechnaceae	129
Alstroemeriaceae.....	87	Culcitaceae.....	130
Amaryllidaceae.....	87	Cyatheaceae	130
Aponogetonaceae	87	Dennstaedtiaceae	130
Araceae.....	87	Dicksoniaceae	131
Asparagaceae.....	88	Dryopteridaceae.....	131
Asphodelaceae.....	88	Equisetaceae	131
Asteliaceae.....	88	Gleicheniaceae	131
Blandfordiaceae	88	Grammitidaceae.....	132

Hemionitidiaceae.....	132	Ranunculaceae FTO 47.....	137
Hymenophyllaceae.....	132	Rosaceae.....	137
Isoetaceae.....	133	Rubiaceae.....	137
Lindsaeaceae.....	133	Monocots.....	137
Lycopodiaceae.....	133	Cyperaceae.....	137
Marsileaceae.....	134	Juncaceae.....	137
Ophioglossaceae.....	134	Orchidaceae.....	137
Osmundaceae.....	134	Poaceae (Gramineae).....	137
Polypodiaceae.....	134	Pteridophytes.....	138
Psilotaceae.....	134	Blechnaceae.....	138
Pteridaceae.....	135	Dryopteridaceae.....	138
Schizaeaceae.....	135	Gleicheniaceae.....	138
Selaginellaceae.....	135	Grammitidaceae.....	138
Thelypteridaceae.....	135	Hymenophyllaceae.....	138
Macquarie Island Vascular Plant Census.....	136	Lycopodiaceae.....	138
Eudicots.....	136	APPENDIX 1: CHANGES IN THE CENSUS	
Apiaceae (Umbelliferae).....	136	BETWEEN THE 2017 AND 2018 EDITIONS.....	139
Araliaceae.....	136	Ia: Taxa new to the Tasmanian Census.....	139
Asteraceae (Compositae).....	136	Ib: Taxa that have changed names between 2017	
Brassicaceae (Cruciferae).....	136	and 2018.....	139
Caryophyllaceae.....	136	Ic: Taxa that have changed status between 2017	
Crassulaceae.....	136	and 2018.....	140
Haloragaceae.....	136	Id: Taxa now not considered to be part of the	
Onagraceae.....	136	Tasmanian Flora.....	140
Plantaginaceae.....	137	APPENDIX 2. FAMILY PLACEMENT OF	
Polygonaceae FTO 95.....	137	GENERA IN THIS CENSUS.....	144
Portulacaceae FTO 100.....	137		

Tasmanian Vascular Plant Census

BASAL ANGIOSPERMS

HYDATELLACEAE		FTO 1
	Hydatella filamentosa (Rodway) W.M.Curtis = Trithuria filamentosa	4b:361
e	Trithuria filamentosa Rodway, Pap. & Proc. Roy. Soc. Tasmania 1897: 48 (1898)	4b:361
	Trithuria submersa Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 79 (1858)	4b:360

MAGNOLIIDS

ATHEROSPERMATACEAE		FTO 3
	Atherosperma moschatum Labill. subsp. moschatum , Nov. Holl. Pl. 2: 74, t.224 (1806)	3:594
LAURACEAE		FTO 5
	Cassytha glabella R.Br. f. dispar (Schltdl.) J.Z.Weber, J. Adelaide Bot. Gard. 3: 209 (1981)	3:597
	Cassytha glabella R.Br. f. glabella , Prodr. Fl. Nov. Holland. 404 (1810)	3:597
	Cassytha melantha R.Br., Prodr. Fl. Nov. Holland. 404 (1810)	3:597
e	Cassytha pedicellosa J.Z.Weber, J. Adelaide Bot. Gard. 3: 214 (1981)	
	Cassytha pubescens R.Br., Prodr. Fl. Nov. Holland. 404 (1810)	3:597
MONIMIACEAE		FTO 4
	Hedycarya angustifolia A.Cunn., Ann. Nat. Hist. Ser. I 1: 215 (1838)	3:595
WINTERACEAE		FTO 2
	Drimys aromatica (R.Br. ex DC.) F.Muell. = Tasmannia lanceolata	
	Drimys lanceolata (Poir.) Baill. = Tasmannia lanceolata	1:25
	Tasmannia aromatica R.Br. ex DC. = Tasmannia lanceolata	
	Tasmannia lanceolata (Poir.) A.C.Sm., Taxon 18: 287 (1969)	1:25

EUDICOTS

ACANTHACEAE		FTO 120
i	Acanthus mollis L., Sp. Pl. 2: 639 (1753)	3:539
ADOXACEAE		
	Sambucus gaudichaudiana DC., Prodr. [A. P. de Candolle] 4: 322 (1830)	2:265
i	Sambucus nigra L., Sp. Pl. 1: 269 (1753)	2:265
n i #	Viburnum tinus L., Sp. Pl. 1: 267 (1753)	
AIZOACEAE		FTO 101
	Aptenia cordifolia (L.f.) Schwantes = Mesembryanthemum cordifolium	
i #	Carpobrotus aequilaterus (Haw.) N.E.Br., J. Bot. 66: 324 (1928)	
i	Carpobrotus edulis (L.) N.E.Br., Gen. S. Afr. Fl. Pl. 249 (1926)	2:238
	Carpobrotus rossii (Haw.) Schwantes, Gartenflora 77: 68 (1928)	2:238
	Disphyma australe (Aiton) N.E.Br. sensu Curtis (1963) = Disphyma crassifolium subsp. clavellatum (misapplied in Tasmania)	2:239

	Disphyma crassifolium (L.) L.Bolus subsp. clavellatum (Haw.) Chinnock, Fl. S. Austral., ed. 4, 1: 194 (1986)	2:239
i	Drosanthemum candens (Haw.) Schwantes, Z. Sukkulantenk. 3: 29 (1927)	
i	Galenia pubescens (Eckl. & Zeyh.) Druce var. pubescens , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 624 (1917)	2:241
	<i>Galenia secunda</i> (L.f.) Sond. sensu Curtis (1963) = Galenia pubescens var. pubescens (misapplied in Tasmania)	2:241
i	Lampranthus glaucus (L.) N.E.Br., Gard. Chron. 87: 212 (1930)	2:240
	<i>Mesembryanthemum aequilaterale</i> Haw. sensu Rodway (1903) = Carpobrotus rossii (misapplied in Tasmania)	2:238
	<i>Mesembryanthemum australe</i> Sol. sensu Rodway (1903) = Disphyma crassifolium subsp. clavellatum (misapplied in Tasmania)	2:239
i #	Mesembryanthemum cordifolium L.f., Suppl. Pl. 260 (1782)	
i	Mesembryanthemum crystallinum L., Sp. Pl. 1: 480 (1753)	
	<i>Tetragonia expansa</i> Murray = Tetragonia tetragonoides	2:240
	Tetragonia implexicoma (Miq.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 148 (1856)	2:241
	Tetragonia tetragonoides (Pall.) Kuntze, Revis. Gen. Pl. 1: 264 (1891)	2:240
AMARANTHACEAE		FTO 98
	Alternanthera denticulata R.Br., Prodr. Fl. Nov. Holland. 417 (1810)	3:568
	<i>Alternanthera sessilis</i> (L.) R.Br. ex DC. sensu Hooker (1860) = Alternanthera denticulata (misapplied in Tasmania)	
i	Amaranthus albus L., Syst. Nat., ed. 10: 1268 (1759)	
i	Amaranthus deflexus L., Mant. Pl. 2: 295 (1771)	3:567
	<i>Amaranthus graecizans</i> L. subsp. <i>silvestris</i> (Vill.) Brenan previously listed as naturalised but insufficient evidence exists to support this	
	<i>Amaranthus hybridus</i> L. sensu Curtis (1967) = Amaranthus powellii (misapplied in Tasmania)	3:566
i	Amaranthus powellii S.Watson, Proc. Amer. Acad. Arts. 10: 347 (1875)	3:566
	<i>Amaranthus retroflexus</i> L. sensu Curtis (1967) = Amaranthus powellii (misapplied in Tasmania)	3:566
	<i>Amaranthus spinosus</i> L. previously listed as naturalised but insufficient evidence exists to support this	
	<i>Arthrocnemum arbuscula</i> (R.Br.) Moq. = Tecticornia arbuscula	3:577
?i	Atriplex australasica Moq., Chenop. Monogr. Enum. 59 (1840)	
t	Atriplex billardierei (Moq.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 215 (1853)	3:575
	Atriplex cinerea Poir., Encycl. (Lamarck) Suppl. 1: 471 (1811)	3:574
	<i>Atriplex halimus</i> L. sensu Brown (1810) = Atriplex cinerea (misapplied in Tasmania)	
	<i>Atriplex hastata</i> L. sensu Curtis (1967) = Atriplex prostrata (misapplied in Tasmania)	3:575
i	Atriplex hortensis L., Sp. Pl. 2: 1053 (1753)	3:576
	Atriplex paludosa R.Br. subsp. paludosa , Prodr. Fl. Nov. Holland. 406 (1810)	3:574
i	Atriplex patula L., Sp. Pl. 2: 1053 (1753)	3:575
	<i>Atriplex patula</i> L. var. <i>angustifolia</i> Rodway a name of uncertain application	
	<i>Atriplex patula</i> L. var. <i>littoralis</i> Rodway a name of uncertain application	
i	Atriplex prostrata Boucher ex DC., Fl. Franc. (DC. & Lamarck), ed. 3, 3: 387 (1805)	3:575
?i #	Atriplex semibaccata R.Br., Prodr. Fl. Nov. Holland. 406 (1810)	
	Atriplex suberecta I.Verd., Bothalia 6: 418 (1954)	
i *	<i>Bassia scoparia</i> (L.) A.J.Scott	

i	Beta vulgaris L. subsp. maritima (L.) Arcang., Comp. Fl. Ital. [Arcangeli]: 593 (1882)	3:573
i	Chenopodium album L., Sp. Pl. 1: 219 (1753)	3:571
	Chenopodium ambiguum R.Br. = Chenopodium glaucum	
	Chenopodium baccatum Labill. sensu Labillardiere (1806) = Rhagodia candolleana (misapplied in Tasmania)	
	Chenopodium capitatum (L.) Ambrosi sensu Buchanan (2009) = Chenopodium foliosum (misapplied in Tasmania)	
x	Chenopodium erosum R.Br., Prodr. Fl. Nov. Holland. 407 (1810)	
	Chenopodium foliosum (Moench) Asch. previously listed as naturalised but insufficient evidence exists to support this	
	Chenopodium furfuraceum Moq. = Rhagodia candolleana subsp. candolleana	
?i	Chenopodium glaucum L., Sp. Pl. 1: 220 (1753)	3:572
	Chenopodium glaucum L. subsp. ambiguum (R.Br.) Murr & Thell. ex Thell. = Chenopodium glaucum	
i	Chenopodium murale L., Sp. Pl. 1: 219 (1753)	3:572
	Chenopodium pumilio R.Br. = Dysphania pumilio	3:573
i	Chenopodium vulvaria L., Sp. Pl. 1: 220 (1753)	
i	Dysphania glomulifera (Nees) Paul G.Wilson subsp. glomulifera , Nuytsia 4: 183 (1983)	
i	Dysphania pumilio (R.Br.) Mosyakin & Clemants, Ukrayins'k. Bot. Zhurn. 59: 382 (2002)	3:573
	Einadia nutans (R.Br.) A.J.Scott subsp. nutans , Feddes Repert. 89: 3 (1978)	3:570
	Hemichroa pentandra R.Br., Prodr. Fl. Nov. Holland. 409 (1810)	3:576
	Ptilotus spathulatus (R.Br.) Poir., Encycl. (Lamarck) Suppl. 4: 620 (1816)	3:567
	Rhagodia baccata (Labill.) Moq. sensu Curtis (1967) = Rhagodia candolleana (misapplied in Tasmania)	3:570
	Rhagodia billardierei R.Br. sensu Brown (1810) = Rhagodia candolleana (misapplied in Tasmania)	
	Rhagodia billardierei R.Br. var. congesta (Hook.f.) Benth. = Chenopodium murale	
	Rhagodia candolleana Moq. subsp. candolleana , Chenop. Monogr. Enum. 10 (1840)	3:570
	Rhagodia nutans R.Br. = Einadia nutans	3:570
	Salicornia arbuscula R.Br. = Tecticornia arbuscula	
	Salicornia australis Sol. ex Benth. nom. illeg. = Sarcocornia quinqueflora subsp. quinqueflora	
	Salicornia blackiana Ulbr. = Sarcocornia blackiana	3:579
	Salicornia indica R.Br. sensu Brown (1810) = Sarcocornia quinqueflora (misapplied in Tasmania)	
	Salicornia quinqueflora Bunge ex Ung.-Sternb. = Sarcocornia quinqueflora	3:578
	Salsola australis R.Br., Prodr. Fl. Nov. Holland. 411 (1810)	
	Salsola kali L. sensu Buchanan (2005) = Salsola australis (misapplied in Tasmania)	
	Salsola tragus L. sensu Buchanan (2009) = Salsola australis (misapplied in Tasmania)	
	Sarcocornia blackiana (Ulbr.) A.J.Scott, Bot. J. Linn. Soc. 75: 369 (1978)	3:579
	Sarcocornia quinqueflora (Bunge ex Ung.-Sternb.) A.J.Scott subsp. quinqueflora , Bot. J. Linn. Soc. 75: 368 (1978)	3:578
	Sarcocornia quinqueflora (Bunge ex Ung.-Sternb.) A.J.Scott subsp. tasmanica Paul G.Wilson, Nuytsia 3: 74 (1980)	3:578
	Sclerostegia arbuscula (R.Br.) Paul G.Wilson = Tecticornia arbuscula	3:577
	Suaeda australis (R.Br.) Moq., Ann. Sci. Nat. (Paris) 23: 318 (1831)	3:580
i	Suaeda maritima (L.) Dumort. subsp. maritima , Fl. Belg. (Dumortier): 22 (1827)	
	Tecticornia arbuscula (R.Br.) K.A.Sheph. & Paul G.Wilson, Austral. Syst. Bot. 20: 325 (2007)	3:577

	Threlkeldia diffusa R.Br., Prodr. Fl. Nov. Holland. 410 (1810)	3:577
	Trichinium spathulatum R.Br. = Ptilotus spathulatus	
APIACEAE (UMBELLIFERAE)		
	Aciphylla procumbens (F.Muell.) Benth. = Anisotome procumbens	2:261
	Actinotus bellidioides (Hook.f.) Benth., Fl. Austral. 3: 369 (1867)	2:253
e	Actinotus moorei F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1894: 52 (1896)	2:254
e	Actinotus suffocatus (Hook.f.) Rodway, Pap. & Proc. Roy. Soc. Tasmania 1893: 180 (1894)	2:254
	Aegopodium podagraria L. previously listed as naturalised but insufficient evidence exists to support this	
i	Ammi majus L., Sp. Pl. 1: 243 (1753)	
e	Anisotome procumbens (F.Muell.) C.J.Webb, Fl. & Fauna Alpine Australasia: 395 (1986)	2:261
i	Anthriscus caucalis M.Bieb., Fl. Taur.-Caucas. 1: 230 (1808)	
	Apium annuum P.S.Short, J. Adelaide Bot. Gard. 1: 230 (1979)	
	Apium australe Thouars sensu Bentham (1867) misapplied to A. annuum , A. insulare & A. prostratum	
	Apium insulare P.S.Short, J. Adelaide Bot. Gard. 1: 228 (1979)	
	Apium prostratum Labill. ex Vent. subsp. prostratum var. filiforme (A.Rich.) Kirk, Stud. Fl. New Zealand 196 (1899)	2:255
	Apium prostratum Labill. ex Vent. subsp. prostratum var. prostratum , Jard. Malmaison 2: t.81 (1805)	2:255
	Azorella dichopetala Benth. nom. illeg. = Dichosciadium ranunculaceum	
	Azorella saxifraga (Hook.f.) Benth. = Oschatzia saxifraga	2:251
	Caldasia brachycarpa Hook.f. = Oreomyrrhis eriopoda	
	Caucalis infesta Curtis = Torilis arvensis	
	Centella cordifolia (Hook.f.) Nannf., Svensk Bot. Tidskr. 18: 418 (1924)	2:247
i	Conium maculatum L., Sp. Pl. 1: 243 (1753)	2:254
	Crantzia lineata Nutt. sensu Bentham (1867) = Lilaeopsis polyantha (misapplied in Tasmania)	
i	Cyclosporum leptophyllum (Pers.) Sprague ex Britton & P.Wilson, Bot. Porto Rico 6: 52 (1925)	
	Daucus brachiatus Sieber ex DC. = Daucus glochidiatus	
i	Daucus carota L., Sp. Pl. 1: 242 (1753)	2:262
	Daucus glochidiatus (Labill.) Fisch., C.A.Mey. & Avé-Lall., Index Seminum [St. Petersburg] 9, Suppl. 11 (1844)	2:262
	Daucus pusillus Michx. sensu Hooker (1860) = Daucus glochidiatus (misapplied in Tasmania)	
e	Dichosciadium ranunculaceum (F.Muell.) Domin var. tasmanicum (Hook.f.) Domin, Repert. Spec. Nov. Regni Veg. 5: 105 (1908)	2:250
e	Diplaspis cordifolia (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 157 (1856)	2:252
e	Diplaspis hydrocotyle Hook.f., London J. Bot. 6: 469 bis (1847)	2:251
	Eryngium ovinum A.Cunn., Geogr. Mem. New South Wales [Field] 358 (1825)	2:252
	Eryngium rostratum Cav. sensu Curtis (1963) = Eryngium ovinum (misapplied in Tasmania)	2:252
	Eryngium vesiculosum Labill., Nov. Holl. Pl. 1: 73 t.98 (1805)	2:252
i	Foeniculum vulgare Mill., Gard. Dict., ed. 8, no.1 (1768)	2:259
	Lilaeopsis brownii A.W.Hill = Lilaeopsis polyantha	2:260
	Lilaeopsis gunnii A.W.Hill = Lilaeopsis polyantha	
t	Lilaeopsis novae-zelandiae (Gand.) A.W.Hill, J. Linn. Soc. Bot.47: 549 (1927)	

	Lilaeopsis polyantha (Gand.) H.Eichler, Taxon 12: 296 (1963)	2:260
	Lilaeopsis sp. West Coast (A.Moscal 5655) Tas Herbarium = Lilaeopsis novae-zelandiae	
	Oreomyrrhis andicola (Kunth) Endl. ex Hook.f. sensu Bentham (1867) misapplied to O. ciliata , O. eriopoda & O. sessiliflora	
	Oreomyrrhis argentea (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 162 (1856)	2:257
	Oreomyrrhis brachycarpa (Hook.f.) Hook.f. = Oreomyrrhis eriopoda	
	Oreomyrrhis ciliata Hook.f., London J. Bot. 6: 471 bis (1847)	2:258
	Oreomyrrhis eriopoda (DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 162 (1856)	2:257
e	Oreomyrrhis gunnii Mathias & Constance, Univ. Calif. Publ. Bot. 27: 395 (1955)	2:258
e	Oreomyrrhis sessiliflora Hook.f., London J. Bot. 6: 471 bis (1847)	2:258
e	Oschatzia saxifraga (Hook.f.) Walp., Ann. Bot. Syst. (Walpers) I: 340 (1848)	2:251
i	Pastinaca sativa L., Sp. Pl. I: 262 (1753)	2:261
i	Petroselinum crispum (Mill.) Fuss, Fl. Transsilv. 254 (1866)	2:256
	Scandix glochidiata Labill. = Daucus glochidiatus	
i	Scandix pecten-veneris L., Sp. Pl. I: 256 (1753)	2:259
	Torilis arvensis (Huds.) Link possibly recorded in error	
i	Torilis nodosa (L.) Gaertn., Fruct. Sem. Pl. I: 82, t.20 (1788)	2:262
	Xanthosia dissecta Hook.f., Icon. Pl. 4: t.302 (1841)	2:250
	Xanthosia montana Sieber ex DC. = Xanthosia pilosa	
	Xanthosia pilosa Rudge, Trans. Linn. Soc. London 10: 301 (1811)	2:249
	Xanthosia pusilla Bunge sensu Curtis (1963) = Xanthosia tasmanica (misapplied in Tasmania)	2:250
	Xanthosia tasmanica Domin, Repert. Spec. Nov. Regni Veg. 4: 298 (1907)	2:250
	Xanthosia ternifolia J.M.Hart & Henwood, Austral. Syst. Bot. 13: 256 (2000)	
	Xanthosia tridentata DC., Prodr. [A. P. de Candolle] 4: 75 (1830)	2:249
APOCYNACEAE		
	Alyxia buxifolia R.Br., Prodr. Fl. Nov. Holland. 470 (1810)	3:472
	Lyonsia straminea R.Br. sensu Rodway (1903) = Parsonsia brownii (misapplied in Tasmania)	
	Parsonsia brownii (Britten) Pichon, Notul. Syst. (Paris) 14: 10 (1950)	3:473
	Parsonsia straminea (R.Br.) F.Muell. sensu Curtis (1967) = Parsonsia brownii (misapplied in Tasmania)	2:473
i	Vinca major L., Sp. Pl. I: 209 (1753)	3:472
AQUIFOLIACEAE		
i	Ilex aquifolium L., Sp. Pl. I: 125 (1753)	
ARALIACEAE		
	Didiscus humilis Hook.f. f. breviscapis Domin = Trachymene humilis subsp. breviscapa	
	Didiscus humilis Hook.f. f. humilis = Trachymene humilis subsp. humilis	
	Didiscus pilosus Hook.f. nom. illeg. = Trachymene composita	
i	Hedera helix L., Sp. Pl. I: 202 (1753)	
	Hydrocotyle asiatica L. sensu Rodway (1903) = Centella cordifolia (misapplied in Tasmania)	
	Hydrocotyle callicarpa Bunge, Pl. Preiss. [J.G.C.Lehman] I: 283 (1845)	2:246
	Hydrocotyle capillaris F.Muell. ex Klatt, Linnaea 29: 707 (1859)	2:247
	Hydrocotyle comocarpa F.Muell., Vict. Naturalist 3: 127 (1887)	
	Hydrocotyle foveolata H.Eichler, Suppl. Black's Fl. S. Austral., ed. 2, 248 (1965)	
	Hydrocotyle hirta R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 204 (1820)	2:245

	Hydrocotyle javanica Thunb. sensu Curtis (1963) = Hydrocotyle hirta (misapplied in Tasmania)	2:245
	Hydrocotyle laxiflora DC., Prodr. [A. P. de Candolle] 4: 61 (1830)	2:246
	Hydrocotyle muscosa R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 208 (1820)	2:246
	Hydrocotyle peduncularis R.Br. ex A.Rich. = Hydrocotyle sibthorpioides	
	Hydrocotyle pterocarpa F.Muell., Defin. Austral. Pl. 46 (1855)	2:246
	Hydrocotyle sibthorpioides Lam., Encycl. (Lamarck) 3: 153 (1789)	2:245
	Hydrocotyle tasmanica Hook.f. a name of uncertain application	
	Hydrocotyle tripartita R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 209 (1820)	
	Hydrocotyle vagans Hook.f. a name of uncertain application	
	Nothopanax gunnii (Hook.f.) Seem. = Pseudopanax gunnii	2:264
	Panax gunnii Hook.f. = Pseudopanax gunnii	
	Panax sambucifolius Sieber ex DC. sensu Benth. (1867) = Polyscias Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
	Panax sambucifolius Sieber ex DC. = Polyscias sambucifolia	
	Polyscias sp. Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
	Polyscias aff. sambucifolia 'Douglas-Denison' (R.B.Schahinger HO526133) = Polyscias Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
i	Polyscias sambucifolia (Sieber ex DC.) Harms, Nat. Pflanzenfam. [Engler & Prantl] III 8: 45 (1894)	
e	Pseudopanax gunnii (Hook.f.) K.Koch, Wochenschr. Gärtnerei Pflanzenk. 2: 366 (1859)	2:264
	Trachymene anisocarpa (Turcz.) B.L.Burtt sensu Curtis (1963) = Trachymene composita (misapplied in Tasmania)	2:248
	Trachymene australis Benth. nom. illeg. = Trachymene composita	
	Trachymene composita (Domin) B.L.Burtt var. composita , J. Bot. 79: 45 (1941)	2:248
	Trachymene composita (Domin) B.L.Burtt var. robertsonii (Domin) J.M.Hart, Austral. Syst. Bot. 19: 40 (2006)	
	Trachymene humilis (Hook.f.) Benth. subsp. breviscapa (Domin) P.S.Short, Muelleria 6: 166 (1986)	2:248
	Trachymene humilis (Hook.f.) Benth. subsp. humilis , Fl. Austral. 3: 351 (1867)	2:248
ASCLEPIDACEAE		
i	Gomphocarpus fruticosus (L.) W.T.Aiton subsp. fruticosus , Hortus Kew. (W.T.Aiton), ed. 2, 2: 80 (1811)	
ASTERACEAE (COMPOSITAE)		
e	Abrotanella forsteroides (Hook.f.) Benth., Fl. Austral. 3: 554 (1867)	2:359
e	Abrotanella scapigera (F.Muell.) Benth., Fl. Austral. 3: 554 (1867)	2:359
i	Achillea distans Waldst. & Kit. ex Willd., Sp. Pl., ed. 4 [Willdenow] 3: 2207 (1800)	2:351
i	Achillea millefolium L., Sp. Pl. 2: 899 (1753)	2:351
	Achillea tanacetifolia All. = Achillea distans	2:351
	Actites megalocarpus (Hook.f.) Lander, Telopea 1: 130 (1976)	2:390
	Allittia cardiocarpa (F.Muell. ex Benth.) P.S.Short, Muelleria 20: 55 (2004)	2:296
i	Ammobium alatum R.Br., Bot. Mag. 51: t.2459 (1824)	2:343
	Ammobium calyceroides (Cass.) Anderb. = Nablonium calyceroides	2:349
	Angianthus eriocephalus (A.Gray) Benth. = Angianthus preissianus	2:344
	Angianthus preissianus (Steetz) Benth., Fl. Austral. 3: 566 (1867)	2:344
i	Anthemis arvensis L., Sp. Pl. 2: 894 (1753)	2:352

i	Anthemis cotula L., Sp. Pl. 2: 894 (1753)	2:352
	<i>Anthemis nobilis</i> L. = Chamaemelum nobile	2:352
	<i>Anthemis tinctoria</i> L. = <i>Cota tinctoria</i>	2:352
	<i>Apalochlamys billardierei</i> DC. = Apalochlamys spectabilis	
	Apalochlamys spectabilis (Labill.) Steud., Nomencl. Bot. [Steudel], ed. 2, 1: 255 (1840)	2:340
i	Arctium minus (Hill) Bernh., Syst. Verz. (Bernhardi) 154 (1800)	2:375
i	Arctotheca calendula (L.) K.Lewin, J. S. African Bot. 8: 284 (1942)	2:374
i	Arctotheca populifolia (P.J.Bergius) Norl., Aquilo, Ser. Bot. 6: 84 (1967)	
i	Arctotis stoechadifolia P.J.Bergius, Descr. Pl. Cap. 324 (1767)	2:374
	Argentipallium dealbatum (Labill.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:330
	Argentipallium obtusifolium (Sond.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:329
e	Argentipallium × spiceri (F.Muell.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:329
	Argyrotegium fordianum (M.Gray) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	
	Argyrotegium mackayi (Buchanan) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	2:320
	Argyrotegium nitidulum (Hook.f.) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	
	Argyrotegium poliochlorum (N.G.Walsh) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	2:320
	<i>Aster aculeatus</i> Labill. = Olearia ramulosa	
	<i>Aster argophyllus</i> Labill. = Olearia argophylla	
	<i>Aster microphyllus</i> Labill. nom. illeg. = Olearia lepidophylla	
	<i>Aster myrsinoides</i> Labill. = Olearia myrsinoides	
	<i>Aster phlogopappus</i> Labill. = Olearia phlogopappa	
	<i>Aster ramulosus</i> Labill. = Olearia ramulosa	
	<i>Aster stellulatus</i> Labill. = Olearia stellulata	
	<i>Aster subulatus</i> Michx. = Symphotrichum subulatum	2:299
	<i>Aster viscosus</i> Labill. = Olearia viscosa	
	Bedfordia arborescens Hochr., Candollea 5: 332 (1934)	
e	Bedfordia linearis (Labill.) DC. subsp. linearis , Prodr. [A. P. de Candolle] 6: 441 (1838)	2:371
e	Bedfordia linearis (Labill.) DC. subsp. oblongifolia Orchard var. curvifolia Orchard, Muellera 19: 93 (2004)	2:371
e	Bedfordia linearis (Labill.) DC. subsp. oblongifolia Orchard var. oblongifolia , Muellera 19: 90 (2004)	2:371
e	Bedfordia linearis (Labill.) DC. × B. salicina (Labill.) DC.	
e	Bedfordia salicina (Labill.) DC., Prodr. [A. P. de Candolle] 6: 441 (1838)	2:371
	<i>Bellis aculeata</i> Labill. = Brachyscome aculeata	
	<i>Bellis graminea</i> Labill. = Brachyscome graminea	
i	Bellis perennis L., Sp. Pl. 2: 886 (1753)	2:299
	<i>Bellis stipitata</i> Labill. = Lagenophora stipitata	
i	Berkheya rigida (Thunb.) Bolus & Wolley-Dod, Trans. S.African. Philos. Soc. 14: 289 (1904)	
	<i>Brachyglottis brunonis</i> (Hook.f.) B.Nord. = Centropappus brunonis	2:365
	Brachyscome aculeata (Labill.) Less., Syn. Gen. Compos. 192 (1832)	2:296
	<i>Brachyscome angustifolia</i> A.Cunn. ex DC. = Brachyscome graminea	2:295
	<i>Brachyscome cardiocarpa</i> F.Muell. ex Benth. = Allittia cardiocarpa	2:296
	Brachyscome ciliaris (Labill.) Less., Syn. gen. Compos. 192 (1832)	2:298

	Brachyscome ciliaris (Labill.) Less. var. robusta Benth. = Brachyscome rigidula	
	Brachyscome decipiens Hook.f., London J. Bot. 6: 114 (1847)	2:295
	Brachyscome diversifolia (Graham ex Hook.) Fisch. & C.A.Mey., Index Seminum [St. Petersburg (Petropolitanus)] 2: 31 (1835)	2:297
	Brachyscome diversifolia (Graham ex Hook.) Fisch. & C.A.Mey. var. maritima Benth. = Brachyscome diversifolia	2:297
	Brachyscome graminea (Labill.) F.Muell., Fragm. (Mueller) 1(3): 49 (1858)	2:295
	Brachyscome linearifolia DC. sensu Hooker (1860) = Allittia cardiocarpa (misapplied in Tasmania)	
	Brachyscome nivalis F.Muell. var. alpina sensu Curtis (1963) = Brachyscome radicans (misapplied in Tasmania)	2:297
	Brachyscome parvula Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 185 (1856)	2:298
	Brachyscome perpusilla (Steetz) J.M.Black, Fl. S. Austral. [J.M. Black] 4: 587 (1929)	
	Brachyscome pumila Walp. sensu Hooker (1860) a name of uncertain application	
	Brachyscome radicans Steetz, Pl. Preiss. [J.G.C.Lehman] 1: 429 (1845)	2:295
t	Brachyscome radicata Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 127 (1852)	2:298
	Brachyscome rigidula (DC.) G.L.Davis, Proc. Linn. Soc. New South Wales 73: 219 (1948)	2:298
	Brachyscome scapiformis DC. = Brachyscome spathulata	2:296
	Brachyscome scapiformis DC. var. tenuiscapa (Hook.f.) Benth. = Brachyscome tenuiscapa	
	Brachyscome sieberi DC. var. gunnii DC. = Brachyscome aculeata	
	Brachyscome spathulata Gaudich., Voy. Uranie, Bot. 468 (1830)	
	Brachyscome spathulata Gaudich. subsp. glabra (DC.) H.M.Stace = Brachyscome spathulata	2:296
	Brachyscome stricta DC. = Brachyscome aculeata	2:296
	Brachyscome tadgellii Tovey & P.Morris sensu Buchanan 1995 previously recorded in error	
e	Brachyscome tasmanica P.S.Short, J. Adelaide Bot. Gard. 28: 160 (2014)	
e	Brachyscome tenuiscapa Hook.f., London J. Bot. 6: 114 (1847)	2:294
	Brachyscome tenuiscapa Hook.f. var. pubescens (Benth.) G.L.Davis sensu Buchanan (1989) = Brachyscome staceae (N.S.W., previously recorded in error)	2:294
	Bracteantha bicolor (Lindl.) Anderb. & Haegi = Xerochrysum bicolor	2:331
	Bracteantha bracteata (Vent.) Anderb. & Haegi = Xerochrysum bracteatum	
	Bracteantha palustris Flann = Xerochrysum palustre	
	Bracteantha papillosa (Labill.) Anderb. & Haegi = Xerochrysum papillosum	2:331
	Bracteantha subundulata (Sch.Bip.) Paul G.Wilson = Xerochrysum subundulatum	2:330
	Cacalia linearis Labill. = Bedfordia linearis	
	Cacalia salicina Labill. = Bedfordia salicina	
	Calea aculeata Labill. = Cassinia aculeata	
	Calea spectabilis Labill. = Apalochlamys spectabilis	
i	Calendula arvensis L., Sp. Pl., ed. 2, 2: 1303 (1763)	2:372
i	Calendula officinalis L., Sp. Pl. 2: 921 (1753)	2:373
	Calocephalus brownii (Cass.) F.Muell. = Leucophyta brownii	2:345
	Calocephalus citreus Less., Syn. Gen. Compos. 271 (1832)	2:346
	Calocephalus lacteus Less., Syn. Gen. Compos. 271 (1832)	2:345
	Carduus arvensis (L.) Robson = Cirsium arvense	
	Carduus lanceolatus L. = Cirsium vulgare	

	Carduus marianus L. = Silybum marianum	
i	Carduus nutans L., Sp. Pl. 2: 821 (1753)	
	Carduus pratensis Huds. sensu Rodway (1903) = Cirsium vulgare (misapplied in Tasmania)	
i	Carduus pycnocephalus L., Sp. Pl., ed. 2, 2: 1151 (1763)	
i	Carduus tenuiflorus Curtis, Fl. Londin. (Curtis) 2(6): t.169 (1793)	2:376
i	Carthamus lanatus L., Sp. Pl. 2: 830 (1753)	2:380
i	Carthamus tinctorius L., Sp. Pl. 2: 830 (1753)	
	Cassinia aculeata (Labill.) R.Br. subsp. aculeata , Trans. Linn. Soc. London 12: 127 (1817)	2:339
	Cassinia longifolia R.Br. sensu Curtis (1963) = Cassinia trinerva (misapplied in Tasmania)	2:340
	Cassinia rugata N.G.Walsh, Muelleria 7: 141 (1990)	
	Cassinia spectabilis (Labill.) R.Br. = Apalochlamys spectabilis	2:340
	Cassinia trinerva N.A.Wakef., Vict. Naturalist 68: 69 (1951)	2:340
e	Celmisia asteliifolia Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 35 (1844)	2:310
	Celmisia longifolia Cass. sensu Curtis (1963) = Celmisia asteliifolia (misapplied in Tasmania)	2:310
	Celmisia longifolia Cass. var. saxifraga Benth. = Celmisia saxifraga	
e	Celmisia saxifraga (Benth.) W.M.Curtis, Taxon 17: 467 (1968)	2:310
i *	Centaurea calcitrapa L.	2:379
i *	Centaurea cyanus L.	
	Centaurea jacea L. sensu Buchanan (2007) = Centaurea moncktonii (misapplied in Tasmania)	2:378
i	Centaurea melitensis L., Sp. Pl. 2: 917 (1753)	2:380
i	Centaurea × moncktonii C.E.Britton, Rep. Bot. Soc. Exch. Club Brit. Isles 1920, 6: 172 (1921)	2:378
	Centaurea nigra L. sensu Buchanan (2007) = Centaurea moncktonii (misapplied in Tasmania)	2:379
	Centaurea solstitialis L. previously listed as naturalised but insufficient evidence exists to support this	2:379
	Centipeda cunninghamii (DC.) A.Braun & Asch., Index Seminum Hort. Bot. Berol. App. 6 (1867)	
	Centipeda elatinoides (Less.) Benth. & Hook.f. ex O.Hoffm., Nat. Pflanzenfam. [Engler & Prantl] 4(5): 280 (1892)	2:358
	Centipeda minima (L.) A.Braun & Asch. sensu Curtis (1963) = Centipeda elatinoides (misapplied in Tasmania)	2:358
e	Centropappus brunonis Hook.f., London J. Bot. 6: 124 (1847)	2:365
i	Chamaemelum nobile (L.) All., Fl. Pedem. 1: 185 (1785)	2:352
	Chondrilla juncea L. sensu Curtis (1963) anecdotal, possibly recorded in error	2:388
i	Chrysanthemoides monilifera (L.) Norl. subsp. monilifera , Stud. Calendulae 1: 374 (1943)	2:373
	Chrysanthemum leucanthemum L. = Leucanthemum vulgare	2:353
	Chrysanthemum parthenium (L.) Bernh. = Tanacetum parthenium	2:353
	Chrysocephalum apiculatum (Labill.) Steetz subsp. apiculatum , Pl. Preiss. [J.G.C.Lehman] 1: 474 (1845)	2:332
	Chrysocephalum baxteri (A.Cunn. ex DC.) Anderb., Compositae Newslett. 19: 22 (1991)	2:328
	Chrysocephalum semipapposum (Labill.) Steetz subsp. asperum (Steetz) Paul G.Wilson, Nuytsia 27: 70 (2016)	
	Chrysocephalum semipapposum (Labill.) Steetz subsp. lineare Paul G.Wilson, Nuytsia 27: 67 (2016)	
	Chrysocephalum semipapposum (Labill.) Steetz subsp. semipapposum , Pl. Preiss. [J.G.C.Lehman] 1: 474 (1845)	2:332
	Chrysocoma cinerea Labill. = Ozothamnus turbinatus	

	Chrysocoma reticulata Labill. = Ozothamnus reticulatus	
	Chrysocoma squamata Labill. = Leptorhynchos squamatus	
i	Cichorium intybus L., Sp. Pl. 2: 813 (1753)	2:380
i	Cirsium arvense (L.) Scop. var. arvense , Fl. Carniol., ed. 2, 2: 126 (1772)	2:377
i	Cirsium vulgare (Savi) Ten., Fl. Napol. 5: 209 (1836)	2:376
	Cnicus arvensis (L.) Roth = Cirsium arvense	2:377
	Conyza albida Willd. ex Spreng. = Conyza sumatrensis	2:315
i	Conyza bonariensis (L.) Cronquist, Bull. Torrey Bot. Club 70: 632 (1943)	2:315
i	Conyza canadensis (L.) Cronquist, Bull. Torrey Bot. Club 70: 632 (1943)	2:314
	Conyza chilensis Spreng. = Conyza primulifolia	2:314
	Conyza floribunda Kunth sensu Curtis (1963) = Conyza sumatrensis (misapplied in Tasmania)	2:315
i x	Conyza primulifolia (Lam.) Cuatrec. & Lourteig, Phytologia 58: 475 (1985)	2:314
	Conyza scabiosifolia J.Rémy = Conyza primulifolia	2:314
i	Conyza sumatrensis (Retz.) E.Walker, J. Jap. Bot. 46(3): 72 (1971)	2:315
	Coronidium gunnianum (Hook.) N.G.Walsh, Muelleria 32: 20 (2014)	
	Coronidium sp. Lowland Swamps (V.Stajsic 4226) Vic Herbarium = Coronidium gunnianum	
	Coronidium monticola N.G.Walsh, Muelleria 32: 21 (2014)	
	Coronidium scorpioides (Labill.) Paul G.Wilson, Nuytsia 18: 326 (2008)	2:328
	Cota tinctoria (L.) J.Gay formerly considered naturalised though no evidence exists to support this	2:352
	Cotula alpina (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 192 t.51A (1856)	2:356
	Cotula australis (Sieber ex Spreng.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) I: 128 (1852)	2:356
i	Cotula coronopifolia L., Sp. Pl. 2: 892 (1753)	2:356
	Cotula coronopifolia L. var. integrifolia (Hook.f.) Rodway = Cotula coronopifolia	
	Cotula filicula (Hook.f.) Benth. = Leptinella filicula	2:357
	Cotula filifolia Thunb. sensu Rodway (1903) = Cotula vulgaris var. australasica (misapplied in Tasmania)	
	Cotula integrifolia Hook.f. nom. illeg. = Cotula coronopifolia	
	Cotula longipes (Hook.f.) W.M.Curtis = Leptinella longipes	2:357
	Cotula reptans (Benth.) Benth. = Leptinella reptans	2:357
	Cotula reptans (Benth.) Benth. var. major Benth. = Leptinella longipes	
	Cotula vulgaris Levyns var. australasica J.H.Willis, Vict. Naturalist 73: 201 (1957)	2:355
	Craspedia alpina Backh. ex Hook.f. = Craspedia macrocephala	2:347
	Craspedia coolaminica J.Everett & Joy Thomps. = Craspedia gracilis	
e	Craspedia cynurica Rozefelds & A.M.Buchanan, Kanunnah 4: 106 (2011)	
e	Craspedia glabrata (Hook.f.) Rozefelds, Telopea 9: 814 (2002)	2:347
e	Craspedia glauca (Labill.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 441 (1826)	2:347
	Craspedia glauca (Labill.) Spreng. var. glabrata Hook.f. ex W.M.Curtis nom. inval. = Craspedia glabrata	2:347
	Craspedia glauca (Labill.) Spreng. var. gracilis W.M.Curtis nom. inval. = Craspedia gracilis	2:347
	Craspedia glauca (Labill.) Spreng. var. macrocephala W.M.Curtis nom. inval. = Craspedia macrocephala	2:347
	Craspedia gracilis Hook.f., London J. Bot. 6: 118 (1847)	
e	Craspedia macrocephala Hook., Bot. Mag. 62: t. 3415 (1835)	2:347

- Craspedia paludicola** J.Everett & Doust, *Teloepa* 5: 35 (1992)
- e **Craspedia preminghana** Rozefelds, *Teloepa* 9: 816 (2002)
- Craspedia richea* Cass. nom. illeg. = **Craspedia glauca**
- Craspedia richea* Cass. var. *alpina* (Backh. ex Hook.f.) Benth. = **Craspedia macrocephala**
- Craspedia richea* Cass. var. *glabrata* Hook.f. = **Craspedia glabrata**
- Craspedia richea* Cass. var. *gracilis* (Hook.f.) Hook.f. = **Craspedia gracilis**
- Craspedia richea* Cass. var. *linearis* Hook.f. = **Craspedia gracilis**
- Craspedia richea* Cass. var. *macrocephala* (Hook.) Benth. = **Craspedia macrocephala**
- e **Craspedia rosulata** Rozefelds & A.M.Buchanan, *Kanunnah* 4: 111 (2011)
- i **Crepis capillaris** (L.) Wallr., *Erst. Beitr. Fl. Hercyn.* 287 (1840) 2:384
- Crepis nicaeensis* Baldinger & Pers. sensu Curtis (1963) recorded in error 2:384
- i **Crepis setosa** Haller f., *Arch. Bot. (Leipzig)* 1(2): 1 (1797) 2:384
- Cryptostemma calendula* (L.) R.Br. = **Arctotheca calendula**
- Cymbonotus lawsonianus* Gaudich. sensu Curtis (1963) = **Cymbonotus preissianus** (misapplied in Tasmania) 2:373
- Cymbonotus preissianus** Steetz, *Pl. Preiss* 1: 486 (1845) 2:373
- i x **Cynara cardunculus** L. subsp. **flavescens** Wiklund, *Bot. J. Linn. Soc.* 109: 120 (1992)
- i **Delairea odorata** Lem., *Ann. Sci. Nat., Bot., sér. 3, 1*: 380 (1844) 2:367
- i **Dimorphotheca fruticosa** (L.) DC., *Prodr. [A. P. de Candolle]* 6: 71 (1838)
- i **Dittrichia graveolens** (L.) Greuter, *Exsicc. Genav. Conserv. Bot. Distrib. Fasc.* 4: 71 (1973) 2:348
- Erechtites argutus* (A.Rich.) DC. = **Senecio glomeratus** subsp. **glomeratus**
- Erechtites gunnii* Hook.f. = **Senecio gunnii**
- Erechtites hispidula* (A.Rich.) DC. = **Senecio hispidulus**
- Erechtites prenathoides* (A.Rich.) DC. = **Senecio prenanthoides**
- Erechtites quadridentata* (Labill.) DC. = **Senecio quadridentatus**
- Erechtites quadridentata* (Labill.) DC. var. *glabrescens* (DC.) Benth. sensu Bentham (1867) = **Senecio quadridentatus** (misapplied in Tasmania)
- Erechtites quadridentata* (Labill.) DC. var. *gunnii* (Hook.f.) Benth. = **Senecio gunnii**
- Erigeron bellidioides* (Hook.f.) S.J.Forbes & D.I.Morris = **Pappochroma bellidioides**
- Erigeron gunnii* (Hook.f.) F.Muell. ex Hook.f. = **Pappochroma gunnii**
- Erigeron gunnii* (Hook.f.) F.Muell. ex Hook.f. var. *bellidioides* (Hook.f.) Hook.f. = **Pappochroma bellidioides**
- i **Erigeron karvinskianus** DC., *Prodr. [A. P. de Candolle]* 5: 285 (1836) 2:312
- Erigeron linifolius* Willd. = **Conyza bonariensis**
- Erigeron mucronatus* DC. = **Erigeron karvinskianus** 2:312
- Erigeron pappocromus* Labill. = **Pappochroma pappocromum** 2:311
- Erigeron pappocromus* Labill. var. *billardieri* Benth. = **Pappochroma pappocromum** 2:311
- Erigeron pappocromus* Labill. var. *gunnii* Benth. = **Pappochroma gunnii** 2:312
- Erigeron pappocromus* Labill. var. *oblongatus* Benth. = **Pappochroma tasmanicum**
- Erigeron pappocromus* Labill. var. *stellatus* (Hook.f.) Benth. = **Pappochroma stellatum**
- Erigeron stellatus* (Hook.f.) W.M.Curtis = **Pappochroma stellatum** 2:312
- Erigeron tasmanicus* (Hook.f.) Hook.f. = **Pappochroma tasmanicum** 2:312
- Erigeron trigonus* S.J.Forbes & D.I.Morris = **Pappochroma trigonum**

	<i>Euchiton argentifolius</i> (N.A.Wakef.) Anderb. = Argyrotegium mackayi	2:320
	<i>Euchiton collinus</i> Cass. = Euchiton japonicus	2:319
	<i>Euchiton fordianus</i> (M.Gray) P.S.Short = Argyrotegium fordianum	
	Euchiton involucratus (G.Forst.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	2:318
	Euchiton japonicus (Thunb.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	2:319
t	Euchiton lateralis (C.J.Webb) Breitw. & J.M.Ward, New Zealand J. Bot. 36: 303 (1998)	
	Euchiton limosus (D.G.Drury) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	
e	Euchiton litticola A.M.Buchanan, Pap. & Proc. Roy. Soc. Tasmania 133: 115 (1999)	
	<i>Euchiton poliochlorus</i> N.G.Walsh = Argyrotegium poliochlorum	2:320
	Euchiton sphaericus (Willd.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	
	Euchiton traversii (Hook.f.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	2:320
	Euchiton umbricola (J.H.Willis) Anderb., Opera Bot. 104: 167 (1991)	2:319
	<i>Eupatorium ferrugineum</i> Labill. = Ozothamnus ferrugineus	
	<i>Eupatorium rosmarinifolium</i> Labill. = Ozothamnus rosmarinifolius	
	<i>Eurybia alpina</i> Hook.f. = Olearia tasmanica	
	<i>Eurybia argophylla</i> (Labill.) Cass. = Olearia argophylla	
	<i>Eurybia ciliata</i> Benth. = Olearia ciliata	
	<i>Eurybia ericoides</i> Steetz = Olearia ericoides	
	<i>Eurybia erubescens</i> Sieber ex DC. = Olearia erubescens	
	<i>Eurybia floribunda</i> Hook.f. = Olearia floribunda	
	<i>Eurybia fulvida</i> Cass. nom. illeg. = Olearia stellulata	
	<i>Eurybia glandulosa</i> (Labill.) DC. = Olearia glandulosa	
	<i>Eurybia gunniana</i> DC. = Olearia phlogopappa subsp. gunniana	
	<i>Eurybia ledifolia</i> DC. = Olearia ledifolia	
	<i>Eurybia linearifolia</i> DC. = Olearia axillaris	
	<i>Eurybia linifolia</i> Hook.f. = Olearia glutinosa	
	<i>Eurybia lirata</i> (Sims) DC. = Olearia lirata	
	<i>Eurybia myrsinoides</i> (Labill.) Nees = Olearia myrsinoides	
	<i>Eurybia obcordata</i> Hook.f. = Olearia obcordata	
	<i>Eurybia persoonioides</i> DC. = Olearia persoonioides	
	<i>Eurybia pinifolia</i> Hook.f. = Olearia pinifolia	
	<i>Eurybia ramulosa</i> (Labill.) DC. = Olearia ramulosa	
	<i>Eurybia viscosa</i> (Labill.) Cass. = Olearia viscosa	
i	Euryops abrotanifolius (L.) DC., Prodr. [A. P. de Candolle] 6: 443 (1838)	2:372
e	Ewartia catipes (DC.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 2: 238 (1910)	2:322
e	Ewartia meredithiae (F.Muell.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 2: 240 (1910)	2:322
e	Ewartia planchonii (Hook.f.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 3: 253 (1911)	2:321
	<i>Felicia erigeroides</i> DC. sensu Raphael (1955) = Erigeron karvinskianus (misapplied in Tasmania)	
	<i>Filago gallica</i> L. = Logfia gallica	2:315
i	Galinsoga parviflora Cav., Icon. [Cavanilles] 3: 41 t.281 (1795)	2:349
i	Gamochaeta calviceps (Fernald) Cabrera, Bol. Soc. Argent. Bot. 9: 368 (1961)	
i	Gamochaeta purpurea (L.) Cabrera, Bol. Soc. Argent. Bot. 9: 377 (1961)	2:321
i	Gazania linearis (Thunb.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 624 (1917)	

Gnaphalium alpigenum F.Muell. ex Hook.f. nom. illeg. = Euchiton umbricola	
Gnaphalium apiculatum Labill. = Chrysocephalum apiculatum	
Gnaphalium argentifolium N.A.Wakef. = Argyrotegium mackayi	2:320
Gnaphalium candidissimum Lam. = Vellereophyton dealbatum	2:318
Gnaphalium collinum Labill. var. collinum = Euchiton japonicus	2:319
Gnaphalium collinum Labill. var. monocephalum Hook.f. = Euchiton lateralis	2:319
Gnaphalium fordianum M.Gray = Argyrotegium fordianum	
Gnaphalium indicum L. recorded in error	
Gnaphalium indutum Hook.f. subsp. indutum , London J. Bot. 6: 121 (1847)	2:320
Gnaphalium involucreatum G.Forst. = Euchiton involucreatus	2:318
Gnaphalium japonicum Thunb. = Euchiton japonicus	
Gnaphalium japonicum Thunb. var. radicans = Argyrotegium mackayi	
Gnaphalium luteo-album L. = Helichrysum luteoalbum	2:318
Gnaphalium planchonii Hook.f. = Ewartia planchonii	
Gnaphalium polycaulon Pers. sensu Buchanan (2009) recorded in error	
Gnaphalium purpureum L. = Gamochoaeta purpurea	2:321
Gnaphalium semipapposum Labill. = Chrysocephalum semipapposum	
Gnaphalium supinum L. sensu Curtis (1963) = Argyrotegium poliochlorum (misapplied in Tasmania)	2:320
Gnaphalium traversii Hook.f. = Euchiton traversii	2:320
Gnaphalium umbricola J.H.Willis = Euchiton umbricola	2:319
Hedypnois cretica (L.) Dum.Cours. = Leontodon rhagadioloides	2:382
Hedypnois rhagadioloides (L.) F.W.Schmidt = Leontodon rhagadioloides	2:382
Helichrysum acuminatum DC. = Xerochrysum subundulatum	2:330
Helichrysum adenophorum F.Muell. recorded in error	
Helichrysum antennarium (DC.) F.Muell. ex Benth. = Ozothamnus antennaria	2:336
Helichrysum apiculatum (Labill.) D.Don = Chrysocephalum apiculatum	2:332
Helichrysum argophyllum (A.Cunn. ex DC.) N.A.Wakef. = Ozothamnus argophyllum	2:335
Helichrysum baccharioides F.Muell. nom. illeg. = Ozothamnus hookeri	
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. = Ozothamnus rodwayi	2:337
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. var. backhousii = Ozothamnus rodwayi var. rodwayi	2:337
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. var. kingii W.M.Curtis = Ozothamnus rodwayi var. kingii	2:337
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. var. oreophilum W.M.Curtis = Ozothamnus rodwayi var. oreophilus	2:337
Helichrysum baxteri A.Cunn. ex DC. = Chrysocephalum baxteri	2:328
Helichrysum bicolor Lindl. = Xerochrysum bicolor	2:331
Helichrysum bracteatum (Vent.) Andrews = Xerochrysum bracteatum	
Helichrysum bracteatum (Vent.) Andrews var. albidum DC. = Xerochrysum papillosum (Tasmanian material)	
Helichrysum bracteolatum (Hook.f.) Benth. = Ozothamnus gunnii	
Helichrysum cinereum (Labill.) Benth. = Ozothamnus turbinatus	
Helichrysum costatifructum R.V.Sm. = Ozothamnus costatifructum	2:332

	Helichrysum dealbatum Labill. = Argentipallium dealbatum	2:330
	Helichrysum dendroideum N.A.Wakef. = Ozothamnus ferrugineus	2:335
	Helichrysum ericeteum W.M.Curtis = Ozothamnus ericifolius	2:334
	Helichrysum expansifolium (P.Morris & J.H.Willis) N.T.Burb. = Ozothamnus expansifolius	2:337
	Helichrysum gunnii (Hook.f.) Benth. = Ozothamnus gunnii	2:333
	Helichrysum hookeri (Sond.) Druce = Ozothamnus hookeri	2:337
	Helichrysum ledifolium (A.Cunn. ex DC.) Benth. = Ozothamnus ledifolius	2:334
	Helichrysum leucopsideum DC., Prodr. [A. P. de Candolle] 6: 193 (1838)	2:331
	Helichrysum luteoalbum (L.) Rchb., Handb. Gewächsk., ed. 2, 2: 1460 (1829)	2:318
	Helichrysum lycopodioides (Hook.f.) Benth. = Ozothamnus lycopodioides	2:338
	Helichrysum milliganii Hook.f. = Xerochrysum milliganii	2:330
	Helichrysum obcordatum (DC.) Benth. = Ozothamnus obcordatus	2:336
	Helichrysum obtusifolium F.Muell. & Sond. ex Sond. = Argentipallium obtusifolium	2:329
	Helichrysum papillosum Labill. = Xerochrysum papillosum	2:331
	Helichrysum paraliium (N.T.Burb.) W.M.Curtis = Ozothamnus turbinatus	2:333
	Helichrysum pleurandroides F.Muell. sensu Buchanan et al. (1989) = Ozothamnus ericifolius	2:334
e	Helichrysum pumilum Hook.f. var. pumilum , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 213 (1856)	2:330
e	Helichrysum pumilum Hook.f. var. spathulatum A.M.Buchanan, Pap. & Proc. Roy. Soc. Tasmania 121: 54 (1987)	2:330
	Helichrysum purpurascens (DC.) W.M.Curtis = Ozothamnus purpurascens	2:334
	Helichrysum reticulatum (Labill.) Benth. = Ozothamnus reticulatus	2:332
	Helichrysum rosmarinifolium (Labill.) Benth. = Ozothamnus rosmarinifolius	2:335
	Helichrysum rutidolepis DC. sensu Buchanan et al (1989) = Coronidium gunnianum & C. monticola (misapplied in Tasmania)	
	Helichrysum scorpioides Labill. = Coronidium scorpioides	2:328
	Helichrysum scutellifolium (Hook.f.) F.Muell. = Ozothamnus scutellifolius	2:338
	Helichrysum selaginoides (Sond. & F.Muell.) Benth. = Ozothamnus selaginoides	2:339
	Helichrysum semipapposum (Labill.) DC. = Chrysocephalum semipapposum	2:332
	Helichrysum spiceri F.Muell. = Argentipallium spiceri	2:329
	Helichrysum thyrsoideum (DC.) P.Morris & J.H.Willis = Ozothamnus thyrsoideus	2:335
	Helipterum albicans (A.Cunn.) DC. var. incanum (Hook.) Paul G.Wilson = Leucochrysum albicans var. tricolor	2:324
	Helipterum anthemoides (Sieber ex Spreng.) DC. = Rhodanthe anthemoides	2:324
	Helipterum australe (A.Gray) Druce = Triptilodiscus pygmaeus	
	Helipterum demissum (A.Gray) Druce = Hyalosperma demissum	2:325
	Helipterum exiguum F.Muell. = Hyalosperma demissum	
	Helipterum incanum DC. nom. illeg., nom. superfl. = Leucochrysum albicans var. tricolor	
	Helminthia echioides (L.) Gaertn. = Helminthotheca echioides	
i	Helminthotheca echioides (L.) Holub, Folia Geobot. Phytotax. 8: 176 (1973)	2:383
	Hieracium aurantiacum L. subsp. carpathicola Nägeli & Peter = Pilosella aurantiaca subsp. aurantiaca	2:385
	Hieracium brunneocroceum Pugsley = Pilosella aurantiaca subsp. aurantiaca	2:385
	Hieracium pilosella L. = Pilosella officinarum subsp. officinarum	

	Hyalosperma demissum (A.Gray) Paul G.Wilson, Nuytsia 7: 85 (1989)	2:325
i	Hypochaeris glabra L., Sp. Pl. 2: 811 (1753)	2:386
i	Hypochaeris radicata L., Sp. Pl. 2: 811 (1753)	2:385
	<i>Inula graveolens</i> (L.) Desf. = Dittrichia graveolens	2:348
	Isoetopsis graminifolia Turcz., Bull. Soc. Imp. Naturalistes Moscou 24: 175 t.3 (1851)	2:360
	<i>Ixiolaena supina</i> F.Muell. = Leiocarpa supina	2:341
	<i>Ixodia achlaena</i> D.I.Morris = Odixia achlaena	
	<i>Ixodia angusta</i> (N.A.Wakef.) N.T.Burb. = Odixia angusta	2:343
i	Lactuca saligna L., Sp. Pl. 2: 796 (1753)	2:388
i *	<i>Lactuca serriola</i> L. f. <i>integrifolia</i> (Gray) S.D.Prince & R.N.Carter	2:389
i	Lactuca serriola L. f. <i>serriola</i> , Cent. Pl. 2: 29 (1756)	
	<i>Lagenophora billardierei</i> Cass. = Lagenophora stipitata	
	<i>Lagenophora emphysopus</i> Hook.f. nom. illeg. = Solenogyne gunnii	
	Lagenophora gracilis Steetz, Pl. Preiss. [J.G.C.Lehman] 1: 431 (1845)	
	<i>Lagenophora gunniana</i> Steetz = Lagenophora huegelii	
	Lagenophora huegelii Benth., Enum. Pl. [Endlicher]: 59 (1837)	2:290
	<i>Lagenophora latifolia</i> Hook.f. = Lagenophora stipitata	
	Lagenophora montana Hook.f., London J. Bot. 6: 113 (1847)	
	Lagenophora stipitata (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 630 (1917)	2:290
i	Lapsana communis L. subsp. communis , Sp. Pl. 2: 811 (1753)	
i t	Lasioospermum bipinnatum (Thunb.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 631 (1917)	2:350
	Leiocarpa supina (F.Muell.) Paul G.Wilson, Nuytsia 13: 604 (2001)	2:341
	<i>Leontodon hirtus</i> L. sensu Rodway (1903) = Leontodon saxatilis (misapplied in Tasmania)	
	<i>Leontodon leysseri</i> (Wallr.) Beck sensu Curtis (1963) = Leontodon saxatilis (misapplied in Tasmania)	2:386
i	Leontodon rhagadioloides (L.) Enke & Zidorn, Organisms Diversity Evol. 12: 14 (2012)	2:382
i	Leontodon saxatilis Lam., Fl. Franç. (Lamarck) 2: 115 (1779) (as "1778")	2:386
	<i>Leontodon taraxacoides</i> (Vill.) Mérat = Leontodon saxatilis	2:386
	Leptinella filicula (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 194 (1856)	2:357
	<i>Leptinella intricata</i> Hook.f. = Leptinella reptans	
	Leptinella longipes Hook.f., London J. Bot. 6: 117 (1847)	2:357
	Leptinella reptans (Benth.) D.G.Lloyd & C.J.Webb, New Zealand J. Bot. 25: 103 (1987)	2:357
	Leptorhynchus elongatus DC., Prodr. [A. P. de Candolle] 6: 160 (1838)	2:323
	<i>Leptorhynchus linearis</i> Less. sensu Curtis (1963) = Leptorhynchus nitidulus (misapplied in Tasmania)	2:323
	Leptorhynchus nitidulus DC., Prodr. [A. P. de Candolle] 6: 160 (1838)	2:323
	Leptorhynchus squamatus (Labill.) Less. subsp. alpinus Flann, Austral. Syst. Bot. 15: 217 (2002)	2:323
	Leptorhynchus squamatus (Labill.) Less. subsp. squamatus , Syn. Gen. Compos. 273 (1832)	2:323
i	Leucanthemum × superbum (Bergmans ex J.W.Ingram) D.H.Kent, Watsonia 18: 89 (1990)	
i	Leucanthemum vulgare Lam., Fl. Franç. (Lamarck) 2: 137 (1779) (as "1778")	2:353
	Leucochrysum albicans (A.Cunn.) Paul G.Wilson subsp. tricolor (DC.) N.G.Walsh, Muelleria 34: 13 (2015)	2:324
	Leucophyta brownii Cass., Dict. Sci. Nat., ed. 2 [F.Cuvier] 26: 159 (1823)	2:345
i	Logfia gallica (L.) Coss. & Germ., Ann. Sci. Nat., Bot., sér. 2, 20: 291 (1843)	2:315
i *	<i>Matricaria chamomilla</i> L.	

	Matricaria chamomilla L. sensu de Salas & Baker 2014 = Matricaria discoidea (misapplied in Tasmania)	
i	Matricaria discoidea DC., Prodr. [A. P. de Candolle] 6: 50 (1838)	2:354
	Matricaria matricarioides (Less.) Porter = Matricaria discoidea	2:354
	Matricaria perforata Mérat = Tripleurospermum maritimum subsp. inodorum	
	Matricaria recutita L. sensu de Salas & Baker 2014 = Matricaria chamomilla (misapplied in Tasmania)	
	Microseris forsteri Hook.f. nom. illeg. = Microseris lanceolata	
	Microseris lanceolata (Walp.) Sch.Bip., Jahresber. Pollichia 22-24: 310 (1866)	2:381
	Microseris scapigera (Sol. ex A.Cunn.) Sch.Bip. sensu Curtis (1963) = Microseris lanceolata (misapplied in Tasmania)	2:381
	Microseris walteri Gand., Bull. Soc. Bot. France 65: 52 (1918)	
	Millotia muelleri (Sond.) P.S.Short, Muelleria 7: 246 (1990)	
	Millotia tenuifolia Cass. var. tenuifolia , Ann. Sci. Nat. (Paris) 17: 417 (1829)	2:342
	Myriogyne minuta (G.Forst.) Less. sensu Bentham (1867) = Centipeda elatinoides (misapplied in Tasmania)	
e	Nablonium calyceroides Cass., Dict. Sci. Nat., ed. 2 [F.Cuvier] 34: 101 (1825)	2:349
e	Odixia achlaena (D.I.Morris) Orchard, Brunonia 4: 194 (1982)	
e	Odixia angusta (N.A.Wakef.) Orchard, Brunonia 4: 194 (1982)	2:343
	Olearia algida N.A.Wakef., Vict. Naturalist 73: 97 (1956)	2:308
	Olearia alpina (Hook.f.) W.M.Curtis nom. illeg. = Olearia tasmanica	2:304
e	Olearia archeri Lander, Muelleria 7: 117 (1989)	
	Olearia argophylla (Labill.) F.Muell. ex Benth., Fl. Austral. 3: 470 (1867)	2:303
	Olearia axillaris (DC.) F.Muell. ex Benth., Fl. Austral. 3: 475 (1867)	2:307
	Olearia ciliata (Benth.) F.Muell. ex Benth., Fl. Austral. 3: 488 (1867)	2:309
e	Olearia ericoides (Steetz) N.A.Wakef., Vict. Naturalist. 73: 97 (1956)	2:307
	Olearia erubescens (DC.) Dippel, Handb. Laubholz 1: 290 (1889)	2:303
	Olearia floribunda (Hook.f.) Benth., Fl. Austral. 3: 477 (1867)	2:308
	Olearia glandulosa (Labill.) Benth., Fl. Austral. 3: 483 (1867)	2:309
	Olearia glutinosa (Lindl.) Benth., Fl. Austral. 3: 482 (1867)	2:309
	Olearia gunniana (DC.) Hook.f. ex Hook. = Olearia phlogopappa subsp. gunniana	
e	Olearia hookeri (Sond.) Benth., Fl. Austral. 3: 483 (1867)	2:309
	Olearia lanceolata (Benth.) D.I.Morris sensu Morris (1977) = Olearia archeri (misapplied in Tasmania)	
e	Olearia ledifolia (DC.) Benth., Fl. Austral. 3: 472 (1867)	2:305
	Olearia lepidophylla (Pers.) Benth., Fl. Austral. 3: 477 (1867)	2:308
	Olearia lirata (Sims) Hutch., Gard. Chron., Ser. 3, 61: 14 fig.4 (1917)	2:306
	Olearia myrsinoides (Labill.) F.Muell. ex Benth., Fl. Austral. 3: 470 (1867)	2:303
	Olearia myrsinoides (Labill.) F.Muell. ex Benth. var. erubescens (DC.) Benth. = Olearia erubescens	
e	Olearia obcordata (Hook.f.) Benth., Fl. Austral. 3: 471 (1867)	2:304
e	Olearia persoonioides (DC.) Benth., Fl. Austral. 3: 471 (1867)	2:304
	Olearia persoonioides (DC.) Benth. var. alpina (Hook.f.) Benth. = Olearia tasmanica	
	Olearia persoonioides (DC.) Benth. var. lanceolata Benth. sensu Morris (1977) = Olearia archeri	
e	Olearia phlogopappa (Labill.) DC. subsp. angustifolia (Hook.f.) Messina, Austral. Syst. Bot. 26: 57 (2013)	2:306
e	Olearia phlogopappa (Labill.) DC. subsp. gunniana (DC.) Messina, Austral. Syst. Bot. 26: 60 (2013)	2:306

	Olearia phlogopappa (Labill.) DC. subsp. insularis Messina, Austral. Syst. Bot. 26: 63 (2013)	
e	Olearia phlogopappa (Labill.) DC. subsp. phlogopappa , Prodr. [A. P. de Candolle] 5: 272 (1836)	2:306
	Olearia phlogopappa (Labill.) DC. subsp. salicina (Hook.f.) Messina, Austral. Syst. Bot. 26: 63 (2013)	2:306
e	Olearia phlogopappa (Labill.) DC. subsp. subrepanda (DC.) Messina, Austral. Syst. Bot. 26: 67 (2013)	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>angustifolia</i> (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. angustifolia	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>brevipes</i> (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. gunniana	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>microcephala</i> (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. gunniana	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>salicifolia</i> (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. salicina	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>subrepanda</i> (DC.) J.H.Willis = Olearia phlogopappa subsp. subrepanda	2:306
e	Olearia pinifolia (Hook.f.) Benth., Fl. Austral. 3: 471 (1867)	2:305
	Olearia ramulosa (Labill.) Benth., Fl. Austral. 3: 476 (1867)	2:307
e	Olearia rugosa (F.Muell. ex W.Archer bis) Hutch. subsp. intermedia Messina, Austral. Syst. Bot. 26: 76 (2013)	
	Olearia stellulata (Labill.) DC., Prodr. [A. P. de Candolle] 5: 272 (1836)	2:305
	<i>Olearia stellulata</i> (Labill.) DC. var. <i>lirata</i> (Sims) Benth. = Olearia lirata	
	<i>Olearia stellulata</i> (Labill.) DC. var. <i>quercifolia</i> (Sieber ex DC.) Benth. sensu Bentham (1867) = Olearia rugosa subsp. intermedia (misapplied in Tasmania)	
e	Olearia tasmanica W.M.Curtis, Vict. Naturalist 87: 251 (1970)	2:304
	Olearia viscosa (Labill.) Benth., Fl. Austral. 3: 468 (1867)	2:302
i	Onopordum acanthium L., Sp. Pl. 2: 827 (1753)	2:377
i x	Onopordum acaulon L., Sp. Pl., ed. 2, 2: 1159 (1763)	
	<i>Osteospermum fruticosum</i> (L.) Norl. = Dimorphotheca fruticosa	
e	Ozothamnus antennaria (DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 203 (1856)	2:336
	Ozothamnus argophyllus (A.Cunn. ex DC.) Anderb., Opera Bot. 104: 89 (1991)	2:335
	<i>Ozothamnus backhousei</i> Hook.f. nom. illeg. = Ozothamnus rodwayi	
n	<i>Ozothamnus bracteolatus</i> Hook.f. = Ozothamnus gunnii	2:333
n e	Ozothamnus buchananii Puttock ex de Salas & Schmidt-Leb., Phytotaxa 358: 134–135 (2018)	
	<i>Ozothamnus cinereus</i> (Labill.) Sw. = Ozothamnus turbinatus	2:333
	<i>Ozothamnus cinereus</i> (Labill.) Sw. var. <i>bracteolatus</i> (Hook.f.) Rodway = Ozothamnus gunnii	
e	Ozothamnus costatifructus (R.V.Sm.) Anderb., Opera Bot. 104: 89 (1991)	2:332
e	Ozothamnus ericifolius Hook.f., London J. Bot. 6: 119 (1847)	2:334
e	Ozothamnus × expansifolius (P.Morris & J.H.Willis) Anderb., Opera Bot. 104: 89 (1991)	2:337
	Ozothamnus ferrugineus (Labill.) Sweet, Hort. Brit. [Sweet] 1: 221 (1826)	2:335
	<i>Ozothamnus ferrugineus</i> DC. var. <i>gravesii</i> Rodway = Ozothamnus argophyllus	
n e	Ozothamnus floribundus de Salas & Schmidt-Leb., Phytotaxa 358: 135 (2018)	
n e	Ozothamnus gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 205 (1856)	2:333
e	Ozothamnus hookeri Sond., Linnaea 25: 509 (1853)	2:337
e	Ozothamnus ledifolius (A.Cunn. ex DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 204 (1856)	2:334

e	Ozothamnus lycopodioides Hook.f., London J. Bot. 6: 119 (1847)	2:338
	Ozothamnus obcordatus DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	2:336
e	Ozothamnus purpurascens DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	
n	Ozothamnus purpurascens DC. sensu de Salas & Baker (2017) and earlier authors = Ozothamnus reflexus (misapplied in Tasmania)	2:334
e	Ozothamnus reflexifolius Leeson & Rozefelds, Austral Syst. Bot. 16: 319 (2003)	
n e	Ozothamnus reflexus (N.T.Burb.) de Salas & Schmidt-Leb., Phytotaxa 358: 133 (2018)	2:334
e	Ozothamnus reticulatus (Labill.) DC., Prodr. [A. P. de Candolle] 6: 164 (1838)	2:332
e	Ozothamnus rodwayi Orchard var. kingii (W.M.Curtis) P.S.Short, Muelleria 7: 522 (1992)	2:337
e	Ozothamnus rodwayi Orchard var. oreophilus (W.M.Curtis) P.S.Short, Muelleria 7: 522 (1992)	2:337
e	Ozothamnus rodwayi Orchard var. rodwayi , Muelleria 7: 522 (1992)	2:337
	Ozothamnus rosmarinifolius (Labill.) Sweet, Hort. Brit. [Sweet] 1: 221 (1826)	2:335
	Ozothamnus rosmarinifolius (Labill.) Sweet var. ericifolius (Hook.f.) Rodway = Ozothamnus ericifolius	
e	Ozothamnus scutellifolius Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 202 (1856)	2:338
e x	Ozothamnus selaginoides Sond. & F.Muell., Linnaea 25: 510 (1853)	2:339
	Ozothamnus thyrsoideus DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	2:335
	Ozothamnus turbinatus DC., Prodr. [A. P. de Candolle] 6: 164 (1838)	2:333
	Pappochroma bellidioides (Hook.f.) G.L.Nesom, Phytologia 85: 277 (1998)	
e	Pappochroma gunnii (Hook.f.) G.L.Nesom, Phytologia 76: 426 (1994)	2:312
e	Pappochroma pappocromum (Labill.) G.L.Nesom, Phytologia 85: 278 (1998)	2:311
e	Pappochroma stellatum (Hook.f.) G.L.Nesom, Phytologia 85: 278 (1998)	2:312
	Pappochroma tasmanicum (Hook.f.) G.L.Nesom, Phytologia 76: 426 (1994)	2:312
e	Pappochroma trigonum (S.J.Forbes & D.I.Morris) G.L.Nesom, Phytologia 85: 279 (1998)	
	Paquerina graminea (Labill.) Cass. ex Less. = Brachyscome graminea	2:295
	Petasites fragrans (Vill.) C.Presl = Petasites pyrenaicus	2:360
i	Petasites pyrenaicus (L.) G.López, Anales Jard. Bot. Madrid 42: 343 (1986)	2:360
	Picris angustifolia DC. subsp. angustifolia , Prodr. [A. P. de Candolle] 7: 130 (1838)	2:383
	Picris angustifolia DC. subsp. merxmulleri Lack & S.Holzappel, Willdenowia 23: 190 (1993)	2:383
	Picris echioides L. = Helminthotheca echioides	2:383
	Picris hieracioides L. sensu Curtis (1963) = Picris angustifolia (misapplied in Tasmania)	2:383
i	Pilosella aurantiaca (L.) F.W.Schultz & Sch.Bip. subsp. aurantiaca , Flora 42: 426 (1862)	2:385
i x	Pilosella officinarum Vaill. subsp. officinarum , Königl. Akad. Wiss. Paris Anat. Abh. 5: 703 (1754)	
	Podolepis acuminata R.Br. = Podolepis jaceoides	
	Podolepis decipiens Jeanes, Muelleria 33: 26 (2015)	
	Podolepis jaceoides (Sims) Voss, Vilm. Blumengärtn., ed. 3, 1: 537 (1894)	2:348
	Podosperma angustifolia Labill. = Podotheca angustifolia	2:341
?x	Podotheca angustifolia (Labill.) Less., Syn. Gen. Compos. 272 (1832)	2:341
	Pseudognaphalium luteoalbum (L.) Hilliard & B.L.Burt = Helichrysum luteoalbum	2:318
e	Pterygopappus lawrencei Hook.f., London J. Bot. 6: 120 (1847)	2:316
	Raoulia catipes (DC.) Hook.f. = Ewartia catipes	
	Raoulia meredithae (F.Muell.) Rodway = Ewartia meredithae	
	Raoulia planchonii (Hook.f.) Benth. = Ewartia planchonii	

	Rhagadiolus hedypnis (L.) All. = Leontodon rhagadioloides	
	Rhodanthe anthemoides (Sieber ex Spreng.) Paul G.Wilson, Nuytsia 8: 386 (1992)	2:324
	Richea glauca Labill. = Craspedia glauca	
	Rutidosia multiflora (Nees) B.L.Rob. = Siloxerus multiflorus	2:342
	Rutidosia pumilo Benth. = Siloxerus multiflorus	
	Scleroleima forsteroides Hook.f. = Abrotanella forsteroides	
i	Scorzonera laciniata L. var. laciniata , Sp. Pl. 2: 791 (1753)	
e	Senecio albogilvus I.Thomps., Muelleria 20: 130 (2004)	2:364
i	Senecio angulatus L.f., Suppl. Pl. 369 (1782)	
	Senecio australis Willd. sensu Rodway (1903) = Senecio linearifolius (misapplied in Tasmania)	
	Senecio biserratus Belcher, Ann. Missouri Bot. Gard. 43: 43 (1956)	2:368
	Senecio campylocarpus I.Thomps., Muelleria 20: 139 (2004)	
	Senecio capillifolius Hook.f. = Senecio pinnatifolius var. capillifolius	2:365
	Senecio centropappus F.Muell. = Centropappus brunonis	2:365
i	Senecio elegans L., Sp. Pl. 2: 869 (1753)	2:366
	Senecio extensus I.Thomps., Muelleria 19: 150 (2004)	
x	Senecio georgianus DC., Prodr. [A. P. de Candolle] 6: 371 (1838)	
	Senecio glandulosus (A.Cunn. ex DC.) Sch.Bip. = Senecio campylocarpus	
	Senecio glomeratus Desf. ex Poir. subsp. glomeratus , Encycl. (Lamarck) Suppl. 5: 130 (1817)	2:370
	Senecio glomeratus Desf. ex Poir. subsp. longifructus I.Thomps., Muelleria 19: 148 (2004)	2:370
	Senecio gunnii (Hook.f.) Belcher, Ann. Missouri Bot. Gard. 43: 60 (1956)	2:370
	Senecio hispidissimus I.Thomps., Muelleria 19: 138 (2004)	
	Senecio hispidulus A.Rich., Voy. Astrolabe 2: 94 t.34 (1834)	2:370
i	Senecio jacobaea L., Sp. Pl. 2: 870 (1753)	2:366
	Senecio lautus G.Forst. ex Willd. sensu Curtis (1963) = Senecio pinnatifolius (sensu lato, misapplied in Tasmania)	2:365
e	Senecio leptocarpus DC., Prodr. [A. P. de Candolle] 6: 372 (1838)	2:364
	Senecio linearifolius A.Rich. var. arachnoideus I.Thomps., Muelleria 20: 98 (2004)	2:366
	Senecio linearifolius A.Rich. var. denticulatus I.Thomps., Muelleria 20: 93 (2004)	2:366
	Senecio linearifolius A.Rich. var. latifolius I.Thomps., Muelleria 20: 96 (2004)	2:366
	Senecio linearifolius A.Rich. var. linearifolius , Voy. Astrolabe 2: 129 (1834)	2:366
	Senecio longipilus I.Thomps., Muelleria 19: 193 (2004)	
x	Senecio macrocarpus F.Muell. ex Belcher, Muelleria 5: 119 (1983)	
	Senecio microbasis I.Thomps., Muelleria 19: 175 (2004)	
	Senecio mikanioides Otto ex Harv. = Delairea odorata	2:367
	Senecio minimus Poir., Encycl. (Lamarck) Suppl. 5: 130 (1817)	2:368
	Senecio odoratus Hornem., Enum. Pl. Hort. Hafn. Suppl. [1809] (1809)	2:367
	Senecio × orarius J.M.Black, Trans. & Proc. Roy. Soc. South Australia 52: 230 (1928)	
e	Senecio papillosus F.Muell., Trans. & Proc. Philos. Inst. Victoria 2: 69 (1857)	2:363
	Senecio pectinatus DC. var. leptocarpus = Senecio leptocarpus	
	Senecio pectinatus DC. var. major F.Muell. ex Belcher recorded in error	
	Senecio pectinatus DC. var. ochroleucus F.Muell. = Senecio albogilvus	2:364
e	Senecio pectinatus DC. var. pectinatus , Prodr. [A. P. de Candolle] 6: 372 (1838)	2:364

	Senecio pectinatus DC. var. pleiocephalus Benth. sensu Rodway (1903) = Senecio pinnatifolius var. alpinus (misapplied in Tasmania)	
	Senecio phelleus I.Thomps., Muelleria 19: 171 (2004)	
	Senecio pinnatifolius A.Rich. var. alpinus (Ali) I.Thomps., Muelleria 21: 53 (2005)	2:365
e	Senecio pinnatifolius A.Rich. var. capillifolius (Hook.f.) I.Thomps., Muelleria 21: 51 (2005)	2:365
	Senecio pinnatifolius A.Rich. var. lanceolatus (Benth.) I.Thomps., Muelleria 21: 49 (2005)	2:365
	Senecio pinnatifolius A.Rich. var. maritimus (Ali) I.Thomps., Muelleria 21: 54 (2005)	2:365
	Senecio pinnatifolius A.Rich. var. pinnatifolius , Voy. Astrolabe 2: 117 (1834)	2:365
	Senecio pinnatifolius A.Rich. var. pleiocephalus (Rodway) Belcher = Senecio pinnatifolius var. alpinus	
	Senecio prenanthoides A.Rich., Voy. Astrolabe 2: 96 (1834)	
e	Senecio primulaefolius F.Muell., Trans. & Proc. Philos. Inst. Victoria 2: 69 (1857)	2:364
	Senecio psilocarpus Belcher & Albr., Muelleria 8: 113 (1994)	
	Senecio quadridentatus Labill., Nov. Holl. Pl. 2: 48 t.194 (1806)	2:369
e	Senecio spathulatus A.Rich. var. spathulatus , Voy. Astrolabe 2: 125 (1834)	2:364
	Senecio squarrosus A.Rich., Voy. Astrolabe 2: 107 t.35 (1834)	2:369
e x	Senecio tasmanicus I.Thomps., Muelleria 19: 158 (2004)	
	Senecio vagus F.Muell. subsp. vagus , Trans. & Proc. Philos. Soc. Victoria 1: 46 (1855)	
	Senecio velleioides A.Cunn. ex DC., Prodr. [A. P. de Candolle] 6: 374 (1838)	2:365
i	Senecio vulgaris L., Sp. Pl. 2: 867 (1753)	2:367
?i #	Sigesbeckia orientalis L., Sp. Pl. 2: 900 (1753)	
	Siloxerus multiflorus Nees, Pl. Preiss. [J.G.C.Lehman] 2: 244 (1845)	2:342
i	Silybum marianum (L.) Gaertn., Fruct. Sem. Pl. 2: 378 t.162 (1791)	2:378
	Skirrhophorus eriocephalus Hook.f. ex A.Gray = Angianthus preissianus	
	Solenogyne bellioides Cass. var. gunnii (Hook.f.) G.L.Davis = Solenogyne gunnii	2:292
	Solenogyne dominii L.G.Adams, Brunonia 2: 58 (1979)	
	Solenogyne gunnii (Hook.f.) Cabrera, Blumea 14: 307 (1966)	2:292
i	Soliva sessilis Ruiz & Pav., Syst. Veg. Fl. Peruv. Chil. 225 (1798)	2:358
i	Soliva valdiviana Phil., Linnaea 33: 168 (1864)	
i	Sonchus asper (L.) Hill, Herb. Brit. 1: 47 t.34 (1769)	2:390
	Sonchus asper (L.) Hill subsp. glaucescens (Jord.) Ball = Sonchus asper	
	Sonchus hydrophilus Boulos, Suppl. Black's Fl. S. Austral. 331 (1965)	
	Sonchus megalocarpus (Hook.f.) J.M.Black = Actites megalocarpus	2:390
i	Sonchus oleraceus L., Sp. Pl. 2: 794 (1753)	2:389
i	Symphyotrichum novi-belgii (L.) G.L.Nesom, Phytologia 77: 287 (1995) (as "1994")	
i	Symphyotrichum subulatum (Michx.) G.L.Nesom, Phytologia 77: 293 (1995) (as "1994")	2:299
i t	Tanacetum cinerariifolium (Trevir.) Sch.Bip., Tanaceteeen: 58 (1844)	
i	Tanacetum parthenium (L.) Sch.Bip., Tanaceteeen: 55 (1844)	2:353
i	Tanacetum vulgare L., Sp. Pl. 2: 844 (1753)	2:360
	Taraxacum aristum G.E.Haglund & Markl., Bot. Not. 117: 197 (1964)	
	Taraxacum cygnorum Hand.-Mazz., Monogr. Taraxacum: 55 (1907)	
	Taraxacum dens-leonis Desf. sensu Rodway (1903) = Taraxacum officinale (misapplied in Tasmania)	
	Taraxacum kok-saghyz L.E.Rodin previously listed as naturalised but insufficient evidence exists to support this	2:387

i	Taraxacum officinale F.H.Wigg., Prim. Fl. Holsat. 56 (1780)	2:387
i	Tolpis barbata (L.) Gaertn., Fruct. Sem. Pl. 2: 372 (1791)	2:381
	Tolpis umbellata Bertol. = Tolpis barbata	2:381
i	Tragopogon porrifolius L. subsp. porrifolius , Sp. Pl. 2: 789 (1753)	2:390
	Tripleurospermum inodorum (L.) Sch.Bip. = Tripleurospermum maritimum subsp. inodorum	
i	Tripleurospermum maritimum (L.) W.D.J.Koch subsp. inodorum (L.) Appleg., Taxon 51: 760 (2002)	
	Triptilodiscus pygmaeus Turcz., Bull. Soc. Imp. Naturalistes Moscou 24: 66 (1851)	
i t	Urospermum dalechampii (L.) F.W.Schmidt, Samml. Phys.-Oekon. Aufsätze 1: 275 (1795)	2:391
i	Vellereophyton dealbatum (Thunb.) Hilliard & B.L.Burt, Bot. J. Linn. Soc. 82: 210 (1981)	2:318
	Vittadinia australasica (Turcz.) N.T.Burb. var. oricola N.T.Burb., Brunonia 5: 44 (1982)	
	Vittadinia australis A.Rich. sensu Bentham (1867) misapplied to V. australasica and V. cuneata	
	Vittadinia australis A.Rich. var. megacephala F.Muell. ex Benth. = Vittadinia megacephala	
e	Vittadinia burbidgeae A.M.Gray & Rozefelds, Kanunnah 1: 9 (2005)	
	Vittadinia cuneata DC. var. cuneata , Prodr. [A. P. de Candolle] 5: 281 (1836)	2:313
	Vittadinia gracilis (Hook.f.) N.T.Burb., Brunonia 5: 54 (1982)	2:313
	Vittadinia megacephala (F.Muell. ex Benth.) J.M.Black recorded in error	2:314
	Vittadinia muelleri N.T.Burb., Proc. Linn. Soc. New South Wales 93: 440 fig.ID (1969)	
	Vittadinia scabra DC. sensu Hooker (1860) = Vittadinia cuneata (misapplied in Tasmania)	
	Vittadinia triloba (Gaudich.) DC. sensu Curtis (1963) = Vittadinia cuneata (misapplied in Tasmania)	2:313
	Vittadinia triloba (Gaudich.) DC. var. lanuginosa J.M.Black sensu Curtis (1963) = Vittadinia gracilis (misapplied in Tasmania)	2:313
	Vittadinia triloba (Gaudich.) DC. var. megacephala (F.Muell. ex Benth.) Ewart = Vittadinia megacephala	2:314
i	Xanthium spinosum L., Sp. Pl. 2: 987 (1753)	2:349
e	Xerochrysum alpinum Paul G.Wilson, Nuytsia 28: 36 (2017)	
	Xerochrysum bicolor (Lindl.) R.J.Bayer, Kew Bull. 56: 1014 (2001)	2:331
	Xerochrysum bracteatum (Vent.) Tzvelev, Novosti Sist. Vyssh. Rast. 27: 151 (1990)	
e	Xerochrysum collierianum A.M.Buchanan, Muelleria 20: 49 (2004)	
e	Xerochrysum milliganii (Hook.f.) Paul G.Wilson, Taxon 64: 106 (2015)	2:330
	Xerochrysum palustre (Flann) R.J.Bayer, Kew Bull. 56: 1014 (2001)	
	Xerochrysum papillosum (Labill.) R.J.Bayer, Kew Bull. 56: 1015 (2001)	2:331
	Xerochrysum subundulatum (Sch.Bip.) R.J.Bayer, Kew Bull. 56: 1015 (2001)	2:330
i	Xerochrysum viscosum (Sieber ex DC.) R.J.Bayer, Kew Bulletin 56: 1015 (2001)	
	BASELLACEAE	FTO 99
i *	Anredera cordifolia (Ten.) Steenis	3:580
	BERBERIDACEAE	FTO 46
i	Berberis darwinii Hook., Icon. Pl. 7: t.672 (1844)	
	BETULACEAE	
	Alnus cordata (Loisel.) Duby previously listed as naturalised but insufficient evidence exists to support this	3:645
i *	Alnus glutinosa (L.) Gaertn.	
i	Betula pendula Roth, Tent. Fl. Germ. 1: 405 (1788)	

BIGNONIACEAE		FTO 121
	Pandorea pandorana (Andrews) Steenis, Bull. Jard. Bot. Buitenzorg 10: 198 (1928)	3:538
BORAGINACEAE		
i	Amsinckia calycina (Moris) Chater, Bot. J. Linn. Soc. 64: 380 (1971)	3:489
	<i>Amsinckia hispida</i> (Ruiz & Pav.) I.M.Johnst. = Amsinckia calycina	3:489
i	Anchusa arvensis (L.) M.Bieb., Fl. Taur.-Caucas. 1: 123 (1808)	
	<i>Anchusa sempervirens</i> L. = Pentaglottis sempervirens	3:491
n	<i>Austrocynoglossum latifolium</i> (R.Br.) Popov ex R.R.Mill = Hackelia latifolia	3:488
i	Borago officinalis L., Sp. Pl. 1: 137 (1753)	3:490
i	Buglossoides arvensis (L.) I.M.Johnst., J. Arnold Arbor. 35: 42 (1954)	3:494
	Cynoglossum australe R.Br., Prodr. Fl. Nov. Holland. 495 (1810)	3:489
	<i>Cynoglossum latifolium</i> R.Br. = Hackelia latifolia	3:488
n	<i>Cynoglossum suaveolens</i> R.Br. = Hackelia suaveolens	3:488
i	Echium candicans L.f., Suppl. Pl. 131 (1782)	
	<i>Echium lycopsis</i> L. sensu Curtis (1967) = Echium plantagineum (misapplied in Tasmania)	3:495
i	Echium plantagineum L., Mant. Pl. 2: 202 (1771)	3:495
i	Echium vulgare L., Sp. Pl. 1: 139 (1753)	3:495
	<i>Exarrhena suaveolens</i> R.Br. = Myosotis exarrhena	
n	Hackelia latifolia (R.Br.) Dimon & M.A.M.Renner, Aust. Syst. Bot. 30: 121–122 (2017)	3:488
n	Hackelia suaveolens (R.Br.) Dimon & M.A.M.Renner, Aust. Syst. Bot. 30: 122 (2017)	3:488
	<i>Lithospermum arvense</i> L. = Buglossoides arvensis	3:494
i t	Lithospermum officinale L., Sp. Pl. 1: 132 (1753)	3:494
	<i>Lycopsis arvensis</i> L. = Anchusa arvensis	
i	Myosotis arvensis (L.) Hill, Veg. Syst. 7: 55 (1764)	
	Myosotis australis R.Br., Prodr. Fl. Nov. Holland. 495 (1810)	3:492
	<i>Myosotis caespitosa</i> Schultz = Myosotis laxa subsp. caespitosa	3:493
i	Myosotis discolor Pers., Syst. Veg., ed. 15 (J.A.Murray) 190 (1798)	3:493
	Myosotis exarrhena F.Muell., Syst. Census Austral. Pl. Suppl. 4: 7 (1889)	3:492
i	Myosotis laxa Lehm. subsp. caespitosa (Schultz) Hyl. ex Nordh., Norsk. Fl. (Nordhagen): 529 (1940)	3:493
i	Myosotis scorpioides L., Sp. Pl. 1: 131 (1753)	3:492
	<i>Myosotis suaveolens</i> (R.Br.) Poir. = Myosotis exarrhena	3:492
i	Myosotis sylvatica Hoffm., Deutschl. Fl. (Hoffm.): 61 (1791)	3:493
i	Nonea lutea (Desr.) Rchb. ex A.DC., Prodr. [A. P. de Candolle] 10: 28 (1846)	
i	Pentaglottis sempervirens (L.) Tausch ex L.H.Bailey, Man. Cult. Pl., ed. 2: 837 (1949)	3:491
i	Phacelia tanacetifolia Benth., Edwards's Bot. Reg. 20: t.1696 (1835)	3:486
	<i>Symphytum peregrinum</i> Ledeb. = Symphytum uplandicum	3:490
i *	<i>Symphytum</i> × <i>uplandicum</i> Nyman	3:490
BRASSICACEAE (CRUCIFERAE)		
	<i>Alyssum maritimum</i> (L.) Lam. = Lobularia maritima	1:45
i	Arabidopsis thaliana (L.) Heynh., Fl. Sachsen 1: 538 (1842)	1:50
x	Ballantinia antipoda (F.Muell.) E.A.Shaw, Contr. Gray Herb. 205: 161 (1974)	1:42
e	Barbarea australis Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 14 (1852)	1:47
i	Barbarea intermedia Boreau, Fl. Centre France [Boreau] 2: 48 (1840)	1:48

i	Barbarea verna (Mill.) Asch., Fl. Brandenburg 1: 36 (1860)	1:48
	<i>Barbarea vulgaris</i> W.T.Aiton sensu Bentham (1863) = Barbarea australis (partly misapplied in Tasmania)	
i #	Brassica × juncea (L.) Czern., Conspect. Pl. Chark. 8 (1859)	
i	Brassica × napus L., Sp. Pl. 2: 666 (1753)	1:34
i	Brassica nigra (L.) W.D.J.Koch, Deutschl. Fl. (Röhling), ed. 3, 4: 713 (1833)	1:35
i *	<i>Brassica oleracea</i> L.	
i	Brassica rapa L., Sp. Pl. 2: 666 (1753)	1:34
	<i>Brassica sinapistrum</i> Boiss. = Sinapis arvensis	
i	Brassica tournefortii Gouan, Ill. Observ. Bot. 3: 44, t.20A (1773)	
i	Cakile edentula (Bigelow) Hook., Fl. Bor.-Amer. (Hooker) 1: 59 (1830)	1:38
i	Cakile maritima Scop. subsp. maritima , Fl. Carniol., ed. 2, 2: 35 (1772)	1:38
	<i>Camelina alyssum</i> (Mill.) Thell. sensu Curtis (1975) = Camelina sativa (misapplied in Tasmania)	1:51
i	Camelina sativa (L.) Crantz, Stirp. Austr. Fasc.1: 17 (1762)	1:51
	<i>Capsella antipoda</i> F.Muell. = Ballantinia antipoda	
	<i>Capsella australis</i> (Hook.f.) Benth. = Ballantinia antipoda	
i	Capsella bursa-pastoris (L.) Medik., Pfl.-Gatt. 1: 85 (1792)	1:43
	<i>Capsella elliptica</i> C.A.Mey. nom. illeg. = Hornungia procumbens	
	<i>Capsella procumbens</i> (L.) Fr. = Hornungia procumbens	
	<i>Capsella tasmanica</i> (Hook.) F.Muell. ex B.D.Jacks. = <i>Hutchinsia tasmanica</i>	1:43
	Cardamine astoniae I.Thomps., Muellera 9: 156 (1996)	
	<i>Cardamine</i> aff. <i>corymbosa</i> Hook.f. sensu Hewson (1982) = Cardamine papillata	
	<i>Cardamine dictyosperma</i> Hook. = Rorippa dictyosperma	
i	Cardamine flexuosa With., Arr. Brit. Pl., ed. 3, 3: 578 (1796)	
	Cardamine franklinensis I.Thomps., Muellera 9: 152 (1996)	
	Cardamine gunnii Hewson, Fl. Australia 8: 390 (1982)	1:46
	<i>Cardamine heterophylla</i> Hook. = Cardamine gunnii	1:46
i	Cardamine hirsuta L., Sp. Pl. 2: 655 (1753)	1:46
	<i>Cardamine hirsuta</i> L. var. <i>parvifolia</i> Rodway a name of uncertain application	
	<i>Cardamine hirsuta</i> L. var. <i>tenuifolia</i> (Hook.) Rodway = Cardamine tenuifolia	
	<i>Cardamine intermedia</i> Hook. sensu Curtis (1956) = Cardamine lilacina	
	Cardamine lilacina Hook., Companion Bot. Mag. 1: 273 (1836)	
	Cardamine papillata I.Thomps., Muellera 9: 161 (1996)	
	Cardamine paucijuga Turcz., Bull. Soc. Imp. Naturalistes Moscou 27(2): 295 (1854)	
	<i>Cardamine pratensis</i> L. sensu Hooker (1860) = Cardamine tenuifolia (misapplied in Tasmania)	
	<i>Cardamine pratensis</i> L. var. <i>lilacina</i> (Hook.) Hook.f. = Cardamine lilacina	
	<i>Cardamine radicata</i> Hook.f. = Pachycladon radicans	
	<i>Cardamine stylosa</i> DC. = Rorippa gigantea	
	Cardamine tenuifolia Hook., J. Bot. (Hooker) 1: 247 (1837)	1:46
	Cardamine tryssa I.Thomps., Muellera 18: 27 (2004)	
	<i>Cardaria draba</i> (L.) Desv. = Lepidium draba	1:42
	<i>Carrichtera annua</i> (L.) DC. previously listed as naturalised but insufficient evidence exists to support this	
	<i>Cheesmania radicata</i> (Hook.f.) O.E.Schulz = Pachycladon radicans	1:47

	Coronopus didymus (L.) Sm. = Lepidium didymum	1:41
	Coronopus squamatus (Forssk.) Asch. = Lepidium coronopus	1:41
	Cuphonotus antipodus (F.Muell.) J.M.Black = Ballantinia antipoda	1:42
i	Diplotaxis muralis (L.) DC., Syst. Nat. [Candolle] 2: 634 (1821)	1:36
i	Diplotaxis tenuifolia (L.) DC., Syst. Nat. [Candolle] 2: 632 (1821)	1:36
	Draba muralis L. sensu Curtis & Morris (1975) and earlier = Draba nemorosa (misapplied in Tasmania)	1:45
i	Draba muralis L., Sp. Pl. 2: 642 (1753)	1:45
i t	Draba nemorosa L., Sp. Pl. 2: 643 (1753)	1:45
i	Erophila verna (L.) Chevall. subsp. praecox (Steven) Walters, Feddes Repert. Spec. Nov. Regni Veg. 69: 57 (1964)	1:45
i	Erophila verna (L.) Chevall. subsp. verna , Fl. Gén. Env. Paris 2: 898 (1827)	1:45
	Eruca sativa Mill. previously listed as naturalised but insufficient evidence exists to support this	
	Eruca vesicaria (L.) Cav. subsp. sativa (Mill.) Thell. = Eruca sativa	
	Geococcus pusillus J.Drumm. ex Harv., Hooker's J. Bot. Kew Gard. Misc. 7: 52 (1855)	1:50
i	Hirschfeldia incana (L.) Lagr.-Foss., Fl. Tarn Garonne: 19 (1847)	1:35
i	Hornungia procumbens (L.) Hayek, Repert. Spec. Nov. Regni Veg. Beih. 30: 480 (1925)	1:44
	Hutchinsia australis Hook.f. = Ballantinia antipoda	
	Hutchinsia tasmanica Hook. a name of uncertain application	
	Hymenolobus procumbens (L.) Nutt. = Hornungia procumbens	1:44
i	Lepidium africanum (Burm.f.) DC., Syst. Nat. [Candolle] 2: 522 (1821)	
i	Lepidium bonariense L., Sp. Pl. 2: 645 (1753)	
i	Lepidium campestre (L.) W.T.Aiton, Hortus Kew. (W.T.Aiton), ed. 2, 4: 88 (1812)	1:40
i	Lepidium coronopus (L.) Al-Shehbaz, Novon 14: 156 (2004)	1:41
	Lepidium cuneifolium DC. = Lepidium foliosum	
	Lepidium desvauxii Thell., Neue Denkschr. Allg. Schweiz. Ges. Gesamten Naturwiss. 41: 307 (1906)	1:39
i	Lepidium didymum L., Mant. Pl. 1: 92 (1767)	1:41
i	Lepidium draba L., Sp. Pl. 2: 645 (1753)	1:42
t	Lepidium flexicaule Kirk, Trans. & Proc. New Zealand Inst. 14: 380 (1882)	
	Lepidium foliosum Desv., J. Bot. (Desvaux) 3: 164, 180 (1815)	1:39
	Lepidium halmaturinum J.M.Black = Lepidium desvauxii	1:39
	Lepidium heterophyllum Benth. previously listed as naturalised but insufficient evidence exists to support this	1:40
	Lepidium hyssopifolium Desv., J. Bot. (Desvaux) 3: 179 (1815)	
i	Lepidium latifolium L., Sp. Pl. 2: 644 (1753)	1:41
	Lepidium praetervisum Domin = Lepidium desvauxii	1:39
	Lepidium pseudotasmanicum Thell., Neue Denkschr. Allg. Schweiz. Ges. Gesamten Naturwiss. 41: 307 (1906)	1:39
	Lepidium ruderales L. sensu Bentham (1863) = Lepidium foliosum (misapplied in Tasmania)	
i	Lepidium sativum L., Sp. Pl. 2: 644 (1753)	1:40
	Lepidium squamatum Forssk. = Lepidium coronopus	1:41
	Lepidium tasmanicum Thell. a name of uncertain application	

i	Lobularia maritima (L.) Desv., J. Bot. (Desvaux) 3: 162 (1815)	1:45
i	Lunaria annua L., Sp. Pl. 2: 653 (1753)	
i	Matthiola incana (L.) W.T.Aiton, Hortus Kew. (W.T.Aiton), ed. 2, 4: 119 (1812)	
i	Nasturtium microphyllum Boenn. ex Rchb., Fl. Germ. Excurs. 2: 683 (1830)	1:49
i	Nasturtium officinale W.T.Aiton, Hortus Kew., (W.T.Aiton), ed. 2, 4: 110 (1812)	1:49
	Nasturtium palustre (L.) DC. = Rorippa palustris	
	Nasturtium terrestre (With.) Aiton = Rorippa palustris	
e	Pachycladon radicans (Hook.f.) Heenan & A.D.Mitch., New Zealand J. Bot. 40: 558 (2002)	1:47
i *	Raphanus maritimus Sm.	1:37
i	Raphanus raphanistrum L., Sp. Pl. 2: 669 (1753)	1:37
i	Rapistrum rugosum (L.) All., Fl. Pedem. 1: 257 t.78 (1785)	1:37
	Rorippa dictyosperma (Hook.) L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 97 (1962)	1:49
	Rorippa gigantea (Hook.) Garn.-Jones, New Zealand J. Bot. 16: 119 (1978)	1:48
	Rorippa islandica (Oeder) Borbás sensu Curtis & Morris (1975) = Rorippa palustris (misapplied in Tasmania)	1:48
	Rorippa microphylla (Boenn. ex Rchb.) H.Hyl. = Nasturtium microphyllum	1:49
	Rorippa nasturtium-aquaticum (L.) Hayek = Nasturtium officinale	1:49
i	Rorippa palustris (L.) Besser, Enum. Pl. [Besser]: 27 (1822)	1:48
	Rorippa stylosa (DC.) Allan = Rorippa gigantea	1:48
i #	Rorippa sylvestris (L.) Besser, Enum. Pl. [Besser]: 27 (1822)	
	Senebiera coronopus (L.) Poir. = Lepidium coronopus	
	Senebiera didyma (L.) Pers. = Lepidium didymum	
i	Sinapis alba L., Sp. Pl. 2: 668 (1753)	
i	Sinapis arvensis L., Sp. Pl. 2: 668 (1753)	1:35
i	Sisymbrium irio L., Sp. Pl. 2: 659 (1753)	
i	Sisymbrium officinale (L.) Scop., Fl. Carniol., ed. 2, 2: 26 (1772)	1:50
i	Sisymbrium orientale L., Cent. Pl. 2: 24 (1756)	1:50
	Stenopetalum lineare R.Br. ex DC., Syst. Nat. [Candolle] 2: 513 (1821)	1:44
i t	Teesdalia nudicaulis (L.) W.T.Aiton, Hortus Kew. (W.T.Aiton), ed. 2, 4: 83 (1812)	1:43
i *	Thlaspi arvense L.	
	Thlaspi tasmanicum (Hook.) Hook.f. = <i>Hutchinsia tasmanica</i>	

CAMPANULACEAE

Campanula gracilis G.Forst. var. littoralis (Labill.) R.Br. = **Wahlenbergia gymnoclada**

Campanula gracilis G.Forst. var. vincaeflora R.Br. = **Wahlenbergia gracilis**

Campanula littoralis Labill. = **Wahlenbergia gymnoclada**

i *	Campanula rapunculoides L.	2:410
	Isotoma fluviatilis (R.Br.) F.Muell. ex Benth. subsp. australis McComb, Contr. New South Wales Natl. Herb. 4: 109 (1970)	2:411
	Lobelia alata Labill. = Lobelia anceps	2:414
	Lobelia anceps L.f., Suppl. Pl. 395 (1782)	2:414
	Lobelia browniana Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 5: 71 (1819)	
	Lobelia cuneiformis Labill. = Lobelia anceps	
	Lobelia dentata Cav., Icon. Pl. 6: 14, t. 522 (1800)	

i #	Lobelia erinus L., Sp. Pl. 2: 932 (1753)	
	Lobelia fluviatilis R.Br. = Isotoma fluviatilis	
	Lobelia gibbosa Labill., Nov. Holl. Pl. 1: 50, t.71 (1805)	2:414
	Lobelia gibbosa Labill. var. browniana (Schult.) F.M.Bailey = Lobelia browniana	
	Lobelia irrigua R.Br., Prodr. Fl. Nov. Holland. 563 (1810)	2:412
	Lobelia pedunculata R.Br., Prodr. Fl. Nov. Holland. 563 (1810)	2:413
	Lobelia platycalyx (F.Muell.) F.Muell. = Lobelia irrigua	
	Lobelia pratioides Benth., Fl. Austral. 4: 131 (1868)	2:415
	Lobelia rhombifolia de Vriese, Pl. Preiss. [J.G.C.Lehman] 1: 397 (1845)	2:414
	Lobelia simplicicaulis R.Br., Prodr. Fl. Nov. Holland. 564 (1810)	
	Lobelia surrepens Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 237 (1856)	2:412
	Pratia irrigua (R.Br.) Benth. = Lobelia irrigua	2:412
	Pratia pedunculata (R.Br.) Benth. = Lobelia pedunculata	2:413
	Pratia platycalyx (F.Muell.) Benth. = Lobelia irrigua	2:412
	Pratia surrepens (Hook.f.) E.Wimm. = Lobelia surrepens	2:412
	Wahlenbergia ceracea Lothian, Victorian Nat. 72: 166 (1956)	2:407
	Wahlenbergia consimilis Lothian = Wahlenbergia stricta	2:408
	Wahlenbergia gracilentia Lothian, Proc. Linn. Soc. New South Wales 71: 217 (1947)	2:407
	Wahlenbergia gracilis (G.Forst.) A.DC., Monogr. Campan. 142 (1830)	2:409
	Wahlenbergia gymnoclada Lothian, Proc. Linn. Soc. New South Wales 71: 227 (1947)	2:408
	Wahlenbergia littoricola P.J.Sm. subsp. littoricola , Fl. S. Austral. [J.M.Black], ed. 4, 3: 1380 (1986)	
	Wahlenbergia multicaulis Benth., Enum. Pl. [Endlicher]: 75 (1837)	2:409
	Wahlenbergia quadrifida (R.Br.) A.DC. = Wahlenbergia gracilis	2:409
e	Wahlenbergia saxicola (R.Br.) A.DC., Monogr. Campan. 144 (1830)	2:410
	Wahlenbergia stricta (R.Br.) Sweet subsp. stricta , Hort. Brit. [Sweet], ed. 2: 593 (1830)	2:408
	Wahlenbergia tadgellii Lothian = Wahlenbergia multicaulis	2:409
CANNABACEAE		
i	Humulus lupulus L., Sp. Pl. 2: 1028 (1753)	
CAPRIFOLIACEAE		
i	Leycesteria formosa Wall., Fl. Ind. (Carey & Wallich ed.) 2: 182 (1824)	2:266
i	Lonicera japonica Thunb., Syst. Veg., ed. 14 (J.A.Murray) 216 (1784)	
i #	Lonicera periclymenum L., Sp. Pl. 1: 173 (1753)	2:266
CARYOPHYLLACEAE		
i	Agrostemma githago L., Sp. Pl. 1: 435 (1753)	1:69
i	Arenaria leptoclados (Rchb.) Guss., Fl. Sicul. Syn. 2: 824 (1845)	
i	Arenaria serpyllifolia L., Sp. Pl. 1: 423 (1753)	1:72
i	Cerastium balearicum F.Herm., Verh. Bot. Vereins Prov. Brandenburg 54: 247 (1913)	
	Cerastium fontanum Baumg. subsp. vulgare (Hartm.) Greuter & Burdet = Cerastium vulgare	1:69
i	Cerastium glomeratum Thuill., Fl. Env. Paris, ed. 2: 226 (1799)	1:69
i	Cerastium semidecandrum L., Sp. Pl. 1: 438 (1753)	
	Cerastium viscosum L. = Cerastium vulgare	
i	Cerastium vulgare Hartm., Hand. Skand. Fl. 182 (1820)	1:69
	Cerastium vulgatum L. sensu Curtis (1956) = Cerastium vulgare (misapplied in Tasmania)	

	Colobanthus affinis (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 45 (1855)	1:74
	Colobanthus apetalus (Labill.) Druce var. apetalus , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 616 (1917)	74
	Colobanthus billardierei Fenzl nom. illeg. = Colobanthus apetalus var. apetalus	
	Colobanthus curtisiae J.G.West, Aspects of Tasmanian Botany: 75 (1991)	
	Colobanthus pulvinatus F.Muell., Trans. Philos. Soc. Victoria I: 101 (1855)	
i	Dianthus armeria L., Sp. Pl. I: 410 (1753)	
	Githago segetum Link = Agrostemma githago	
	Gypsophila australis (Schltdl.) A.Gray = Gypsophila tubulosa	1:66
i	Gypsophila tubulosa (Jaub. & Spach) Boiss., Diagn. Pl. Orient., Ser. I, I: 11 (1842)	1:66
	Kohlrauschia prolifera (L.) Kunth sensu Curtis (1956) = Petrorrhagia nanteuillii (misapplied in Tasmania)	
	Kohlrauschia velutina (Guss.) Rchb. = Petrorrhagia dubia	
	Lychnis coronaria (L.) Desr. = Silene coronaria	
	Melandrium album (Mill.) Garcke = Silene latifolia subsp. alba	
	Minuartia hybrida (Vill.) Schischk. sensu Buchanan et al. (1989) = Minuartia mediterranea (misapplied in Tasmania)	
i	Minuartia mediterranea (Ledeb. ex Link) K.Maly, Glasn. Zemaljsk. Muz. Bosni Hercegovini 20: 563 (1908)	
	Mniarum biflorum J.R.Forst. & G.Forst. = Scleranthus biflorus	
	Mniarum fasciculatum R.Br. = Scleranthus fasciculatus	
i	Moenchia erecta (L.) G.Gaertn., B.Mey. & Scherb., Oekon. Fl. Wetterau I: 219 (1799)	1:70
i	Paronychia brasiliiana DC., Encycl. (Lamarck) 5: 23 (1804)	
i	Petrorrhagia dubia (Raf.) G.López & Romo, Anales Jard. Bot. Madrid 45: 363 (1988)	1:66
i	Petrorrhagia nanteuillii (Burnat) P.W.Ball & Heywood, Bull. Brit. Mus. (Nat. Hist.) Bot. 3: 164 (1964)	1:65
	Petrorrhagia prolifera (L.) P.W.Ball & Heywood sensu Curtis & Morris (1975) = Petrorrhagia nanteuillii (misapplied in Tasmania)	1:65
	Petrorrhagia velutina (Guss.) P.W.Ball & Heywood = Petrorrhagia dubia	1:66
i	Polycarpon tetraphyllum (L.) L., Syst. Nat., ed. 10, 2: 881 (1759)	1:76
i	Sagina apetala Ard., Animadv. Bot. Spec. Alt. 2: 22 (1764)	1:73
e	Sagina diemensis L.G.Adams, Muelleria 9: 64 (1996)	
i	Sagina maritima Don, Herb. Brit. [Don] 7: 155 (1806)	1:73
	Sagina namadgi L.G.Adams, Muelleria 9: 63 (1996)	
i	Sagina procumbens L., Sp. Pl. I: 128 (1753)	1:73
i	Saponaria officinalis L., Sp. Pl. I: 408 (1753)	1:67
	Saponaria tubulosa (Jaub. & Spach) F.Muell. = Gypsophila tubulosa	
i	Scleranthus annuus L., Sp. Pl. I: 406 (1753)	1:77
	Scleranthus biflorus (J.R.Forst. & G.Forst.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) I: 74 (1852)	1:76
	Scleranthus brockiei P.A.Will., Rec. Domin. Mus. 3: 16 (1956)	
	Scleranthus diander R.Br., Prodr. Fl. Nov. Holland. 412 (1810)	1:77
	Scleranthus fasciculatus (R.Br.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 42 (1855)	
	Silene alba (Mill.) E.H.L.Krause = Silene latifolia subsp. alba	1:67
	Silene colorata Poir. previously listed as naturalised but insufficient evidence exists to support this	

- Silene conica* L. previously listed as naturalised but insufficient evidence exists to support this
- i ***Silene coronaria*** (L.) Clairv., Man. Herbor. Suisse 145 (1811)
- i # ***Silene dichotoma*** Ehrh., Beitr. Naturk. [Ehrhart] 7: 144 (1792)
- i ***Silene gallica*** L. var. ***gallica***, Sp. Pl. 1: 417 (1753) 1:68
- i ***Silene gallica*** L. var. ***quinquevulnera*** (L.) W.D.J.Koch, Syn. Fl. Germ. Helv. 1: 100 (1835) 1:68
- i ***Silene latifolia*** Poir. subsp. ***alba*** (Mill.) Greuter & Burdet, Willdenowia 12: 189 (1982) 1:67
- Silene longicaulis* Pourr. ex Lag. sensu Buchanan (1995) = *Silene colorata* (misapplied in Tasmania)
- i ***Silene nocturna*** L., Sp. Pl. 1: 416 (1753) 1:68
- Silene pratensis* (Rafn) Godr. & Gren. = ***Silene latifolia*** subsp. ***alba*** 1:67
- i ***Silene vulgaris*** (Moench) Garcke, Fl. N. Mitt.-Deutschland, ed. 9: 64 (1869) 1:68
- Spergula apetala* Labill. = ***Colobanthus apetalus***
- i ***Spergula arvensis*** L. var. ***arvensis***, Sp. Pl. 1: 440 (1753)
- i ***Spergula arvensis*** L. var. ***sativa*** (Boenn.) Mert. & W.D.J.Koch, Deutschl. Fl. (Mertens & W. D. J. Koch), ed. 3. 3: 360 (1831)
- i ***Spergularia bocconeii*** (Scheele) Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner] 5: 849 (1919)
- Spergularia marginata* Kitt. sensu Curtis (1956) = ***Spergularia tasmanica*** (misapplied in Tasmania)
- i ***Spergularia marina*** (L.) Griseb., Spic. Fl. Rumel. 1: 213 (1843) 1:75
- Spergularia media* (L.) C.Presl sensu Curtis & Morris (1975) = ***Spergularia tasmanica*** (misapplied in Tasmania) 1:75
- i ***Spergularia rubra*** (L.) J.Presl & C.Presl, Fl. Cech. 94 (1819) 1:75
- Spergularia rubra* (L.) J.Presl & C.Presl var. *marina* (Roth) A.Gray = ***Spergularia marina***
- Spergularia salina* J.Presl & C.Presl = ***Spergularia marina***
- Spergularia tasmanica*** (Kindb.) L.G.Adams, Austral. Syst. Bot. 21: 258 (2008) 1:75
- Stellaria angustifolia*** Hook. subsp. ***angustifolia***, J. Bot. (Hooker) 1: 250 (1834)
- Stellaria angustifolia*** Hook. subsp. ***tenella*** (Benth.) C.H.Mill. & J.G.West, J. Adelaide Bot. Gard. 25: 36 (2012)
- Stellaria caespitosa* Hook.f. = ***Stellaria angustifolia*** subsp. ***angustifolia***
- Stellaria flaccida*** Hook., Companion Bot. Mag. 1: 275 (1836) 1:71
- Stellaria glauca* With. sensu Hooker (1860) = ***Stellaria angustifolia*** (misapplied in Tasmania)
- i * *Stellaria graminea* L. 1:72
- i ***Stellaria media*** (L.) Vill., Hist. Pl. Dauphiné (Villars) 3: 615 (1789) 1:71
- Stellaria multiflora*** Hook. subsp. ***multiflora***, Companion Bot. Mag. 1: 275 (1836)
- Stellaria multiflora*** Hook. subsp. ***nebulosa*** C.H.Mill. & J.G.West, J. Adelaide Bot. Gard. 25: 48 (2012)
- i ***Stellaria pallida*** (Dumort.) Crép., Man. Fl. Belgique, ed. 2: 19 (1866) 1:72
- Stellaria palustris* Retz. sensu Curtis (1956), Curtis & Morris (1975) = ***Stellaria angustifolia*** (misapplied in Tasmania) 1:71
- Stellaria pungens*** Brongn., Voy. Monde, Atlas: t.78 (1826) 1:71
- Vaccaria hispanica* (Mill.) Rauschert previously listed as naturalised but insufficient evidence exists to support this 1:66
- Vaccaria pyramidata* Medik. = *Vaccaria hispanica* 1:66
- Vaccaria segetalis* (Neck.) Garcke ex Asch. = *Vaccaria hispanica*
- CASUARINACEAE** **FTO 67**
- e ***Allocasuarina crassa*** L.A.S.Johnson, Fl. Australia 3: 194 (1989)

e	Allocasuarina duncanii L.A.S.Johnson & D.I.Morris, <i>Telopea</i> 5: 793 (1994)	
	Allocasuarina littoralis (Salisb.) L.A.S.Johnson, <i>J. Adelaide Bot. Gard.</i> 6: 76 (1982)	3:644
e	Allocasuarina monilifera (L.A.S.Johnson) L.A.S.Johnson, <i>J. Adelaide Bot. Gard.</i> 6: 76 (1982)	3:644
	Allocasuarina paludosa (Sieber ex Spreng.) L.A.S.Johnson, <i>J. Adelaide Bot. Gard.</i> 6: 77 (1982)	3:644
	Allocasuarina verticillata (Lam.) L.A.S.Johnson, <i>J. Adelaide Bot. Gard.</i> 6: 79 (1982)	3:644
e	Allocasuarina zephyrea L.A.S.Johnson, <i>Fl. Australia</i> 3: 199 (1989)	
	<i>Casuarina bicuspidata</i> Benth. sensu Rodway (1903) = Allocasuarina paludosa (misapplied in Tasmania)	3:644
	<i>Casuarina distyla</i> Vent. sensu Rodway (1903) = Allocasuarina monilifera (misapplied in Tasmania)	3:644
	<i>Casuarina littoralis</i> Salisb. = Allocasuarina littoralis	3:644
	<i>Casuarina monilifera</i> L.A.S.Johnson = Allocasuarina monilifera	3:644
	<i>Casuarina paludosa</i> Sieber ex Spreng. = Allocasuarina paludosa	3:644
	<i>Casuarina quadrivalvis</i> Labill. = Allocasuarina verticillata	3:644
	<i>Casuarina stricta</i> Dryand. = Allocasuarina verticillata	3:644
	<i>Casuarina suberosa</i> Otto & A.Dietr. = Allocasuarina littoralis	3:644

CELASTRACEAE

i	Euonymus europaeus L., <i>Sp. Pl.</i> 1: 197 (1753)	
i	Euonymus japonicus Thunb., <i>Nova Acta Regiae Soc. Sci. Upsal.</i> 3: 208 (1780)	
i	Maytenus magellanica (Lam.) Hook.f., <i>Bot. Antarct. Voy. I. (Fl. Antarct.)</i> 2: 254 (1845)	
	<i>Stackhousia flava</i> Hook. = Stackhousia viminea	1:112
	<i>Stackhousia gunnii</i> Hook.f. = Stackhousia subterranea	1:112
	<i>Stackhousia linariifolia</i> A.Cunn. = Stackhousia monogyna	
	Stackhousia monogyna Labill., <i>Nov. Holl. Pl.</i> 1: 77 t.104 (1805)	1:112
	Stackhousia pulvinaris F.Muell., <i>Trans. Philos. Soc. Victoria</i> 1: 101 (1855)	1:112
	Stackhousia spathulata Sieber ex Spreng., <i>Syst. Veg. (ed. 16) [Sprengel]</i> 4: 124 (1827)	1:112
	Stackhousia subterranea W.R.Barker, <i>J. Adelaide Bot. Gard.</i> 21: 90 (2007)	1:112
	Stackhousia viminea Sm., <i>Cycl. (Rees)</i> 33 (1816)	1:112

CISTACEAE

i	Cistus creticus L., <i>Sp. Pl.</i> , ed. 2: 738 (1762)	
i #	Cistus inflatus Pourr. ex Demoly, <i>Acta Bot. Gallica</i> 144: 42 (1998)	
	<i>Cistus psilosepalus</i> Sweet sensu Buchanan (2004) = Cistus inflatus (misapplied in Tasmania)	

CONVOLVULACEAE

FTO III

	Calystegia marginata R.Br., <i>Prodr. Fl. Nov. Holland.</i> 483 (1810)	
	Calystegia sepium (L.) R.Br., <i>Prodr. Fl. Nov. Holland.</i> 483 (1810)	3:498
i	Calystegia silvatica (Kit.) Griseb., <i>Spic. Fl. Rumel.</i> 1: 74 (1843)	3:498
	Calystegia soldanella (L.) Roem. & Schult., <i>Syst. Veg.</i> , ed. 15 bis [Roemer & Schultes] 4: 184 (1819)	3:499
	Convolvulus angustissimus R.Br. subsp. angustissimus , <i>Prodr. Fl. Nov. Holland.</i> 482 (1810)	3:497
i	Convolvulus arvensis L., <i>Sp. Pl.</i> 1: 153 (1753)	3:497
	<i>Convolvulus erubescens</i> Sims sensu Curtis (1967) = Convolvulus angustissimus subsp. angustissimus (misapplied in Tasmania)	3:497
	<i>Convolvulus sepium</i> L. sensu Bentham (1868) = Calystegia sepium	
	<i>Convolvulus soldanella</i> L. sensu Bentham (1868) = Calystegia soldanella	
i	Cuscuta epithymum (L.) L., <i>Syst. Veg.</i> , ed. 13: 140 (1774)	3:501

- i x **Cuscuta suaveolens** Ser., Ann. Sci. Phys. Nat. Lyon 3: 519 (1840)
Cuscuta tasmanica Engelm., Trans. Acad. Sci. St. Louis 1: 512 (1859) 3:501
Dichondra repens J.R.Forst. & G.Forst., Char. Gen. Pl. 40: t.20 (1775) 3:499
i **Ipomoea indica** (Burm.) Merr., Interpr. Herb. Amboin. 445 (1917)
Wilsonia backhousei Hook.f., London J. Bot. 6: 275 (1847) 3:500
Wilsonia humilis R.Br., Prodr. Fl. Nov. Holland. 490 (1810) 3:500
Wilsonia rotundifolia Hook., Icon. Pl. 5: t.160 (1842)

CRASSULACEAE

- i **Aeonium arboreum** (L.) Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 185 (1840)
i # **Aeonium haworthii** Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 193 (1840)
i **Cotyledon orbiculata** L., Sp. Pl. 1: 429 (1753)
Crassula closiana (Gay) Reiche, Fl. Chile [Reiche] 2: 369 (1897)
Crassula decumbens Thunb. var. **decumbens**, Prodr. Pl. Cap. 1: 54 (1794) 1:185
Crassula exserta (Reader) Ostenf., Dansk Bot. Ark. 2: 47 (1918) 1:184
Crassula helmsii (Kirk) Cockayne, Trans. New Zealand Inst. 39: 349 (1907) 1:185
Crassula macrantha (Hook.f.) Diels & E.Pritz. = **Crassula decumbens** 1:185
t **Crassula moschata** G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 26 (1789)
i **Crassula multicava** Lem. subsp. **multicava**, Ill. Hort. 9: 40 (1862)
i # **Crassula muscosa** L. var. **muscosa**, Pl. Rar. Afr. 10 (1760)
i **Crassula natans** Thunb. var. **minus** (Eckl. & Zeyh.) G.D.Rowley, Cact. Succ. J. Gr. Brit. 40: 53 (1978)
Crassula pedicellosa (F.Muell.) Ostenf. = **Crassula closiana**
Crassula peduncularis (Sm.) F.Meigen, Bot. Jahrb Syst. 17: 239 (1893) 1:184
Crassula sieberiana (Schult. & Schult.f.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 618 (1917) 1:184
Crassula sieberiana (Schult. & Schult.f.) Druce subsp. **tetramera** Toelken = **Crassula tetramera**
i # **Crassula tetragona** L. subsp. **robusta** (Toelken) Toelken, J. S. African Bot. 41: 122 (1975)
Crassula tetramera (Toelken) A.P.Druce & Sykes, New Zealand J. Bot. 25: 128 (1987)
i **Sedum acre** L., Sp. Pl. 1: 432 (1753) 1:186
i **Sedum album** L., Sp. Pl. 1: 432 (1753)
i **Sedum forsterianum** Sm., Engl. Bot. 26: t.1802 (1808)
i **Sedum praealtum** A. DC., Mém. Soc. Phys. Genève 11: 445 (1847)
Sedum reflexum L. sensu Buchanan (2007) = **Sedum rupestre** (misapplied in Tasmania)
i **Sedum rupestre** L., Sp. Pl. 1: 431 (1753)
i **Sedum sediforme** (Jacq.) Pau, Acta y Memorias Prim. Congr. Nat. Esp. 246 (1909)
i t **Sedum sexangulare** L., Sp. Pl. 1: 432 (1753) 1:186
Tillaea exserta Reader = **Crassula exserta**
Tillaea macrantha Hook.f. = **Crassula decumbens**
Tillaea purpurata Hook.f. = **Crassula peduncularis**
Tillaea recurva (Hook.f.) Hook.f. = **Crassula helmsii**
Tillaea sieberiana Schult. & Schult.f. = **Crassula sieberiana**
Tillaea verticillaris DC. = **Crassula sieberiana**

CUCURBITACEAE

FTO 65

- i **Cucumis myriocarpus** Naudin, Ann. Sci. Nat., Bot., sér. 4, 11: 22 (1859)
i # **Ecballium elaterium** (L.) A.Rich., Dict. Class. Hist. Nat. [Bory] 6: 19 (1824)

	<i>Sicyos angulatus</i> L. sensu Curtis (1963) = Sicyos australis (misapplied in Tasmania)	2:237
	Sicyos australis Endl., Prodr. Fl. Norfolk.: 67 (1833)	2:237
	CUNONIACEAE	FTO 72
e	Anodopetalum biglandulosum (A.Cunn. ex Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 148 (1856)	1:180
	Bauera rubioides Andrews, Bot. Repos. 3: t.198 (1801)	1:180
	<i>Carpodontos lucida</i> Labill. = Eucryphia lucida	
	<i>Eucryphia billardierei</i> Spach nom. illeg., nom. superfl. = Eucryphia lucida	
	<i>Eucryphia billardierei</i> Spach var. <i>milliganii</i> (Hook.f.) Benth. nom. illeg. = Eucryphia milliganii	
e	Eucryphia lucida (Labill.) Baill., Hist. Pl. (Baillon) I: 402 (1869)	1:183
e	Eucryphia milliganii Hook.f. subsp. milliganii , Bot. Antarct. Voy. III. (Fl. Tasman.) I: 54 (1855)	1:183
e	Eucryphia milliganii Hook.f. subsp. pubescens R.W.Barnes, G.J.Jord., R.S.Hill & McCoull, Austral. J. Bot. 48: 488 (2000)	
	DILLENIACEAE	FTO 92
	<i>Dillenia procumbens</i> Labill. = Hibbertia procumbens	
	Hibbertia acicularis (Labill.) F.Muell., Pl. Victoria I: 17 (1862)	1:23
	<i>Hibbertia angustifolia</i> (R.Br. ex DC.) Benth. = Hibbertia procumbens	
	Hibbertia appressa Toelken, J. Adelaide Bot. Gard. 19: 54 (2000)	
	<i>Hibbertia aspera</i> DC. sensu Curtis & Morris (1975) = Hibbertia hirticalyx (misapplied in Tasmania)	1:23
e	Hibbertia basaltica A.M.Buchanan & Schah., Muellera 22: 105 (2005)	
	<i>Hibbertia billardierei</i> F.Muell. nom. illeg. = Hibbertia empetrifolia	
	<i>Hibbertia billardierei</i> F.Muell. var. <i>monadelpha</i> F.Muell. ex Benth. = Hibbertia hirticalyx	
	<i>Hibbertia billardierei</i> F.Muell. var. <i>obovata</i> R.Br. ex Benth. = Hibbertia hirticalyx	
	Hibbertia calycina (DC.) N.A.Wakef., Vict. Naturalist 72: 122 (1955)	
	<i>Hibbertia densiflora</i> (Hook.f.) F.Muell. = Hibbertia sericea	
	Hibbertia dispar Toelken, J. Adelaide Bot. Gard. 26: 31-69 (2013)	
	Hibbertia empetrifolia (DC.) Hoogland subsp. empetrifolia , Kew Bull. 29: 155 (1974)	1:23
	Hibbertia ericifolia Hook.f. subsp. ericifolia , Bot. Antarct. Voy. III. (Fl. Tasman.) I: 14 (1855) (as <i>H. ericaefolia</i>)	
	<i>Hibbertia fasciculata</i> R.Br. ex DC. sensu Curtis & Morris (1975) = Hibbertia prostrata (misapplied in Tasmania)	1:24
	Hibbertia hirsuta (Hook.) Benth., Fl. Austral. I: 26 (1863)	1:22
	Hibbertia hirticalyx Toelken, J. Adelaide Bot. Gard. 18: 146 (1998)	1:23
	<i>Hibbertia linearis</i> R.Br. var. <i>obtusifolia</i> (DC.) Benth. = Hibbertia obtusifolia	
x	Hibbertia obtusifolia DC., Syst. Nat. [Candolle] I: 429 (1817)	1:24
	Hibbertia procumbens (Labill.) DC., Syst. Nat. [Candolle] I: 427 (1817)	1:24
	Hibbertia prostrata Hook., J. Bot. (Hooker) I: 246 (1834)	1:24
	Hibbertia riparia (R.Br. ex DC.) Hoogland, Kew Bull. 29: 155 (1974)	1:22
	Hibbertia rufa N.A.Wakef., Vict. Naturalist 72: 119 (1955)	1:23
	Hibbertia sericea (R.Br. ex DC.) Benth. var. sericea , Fl. Austral. I: 26 (1863)	1:22
	Hibbertia serpyllifolia R.Br. ex DC., Syst. Nat. [Candolle] I: 430 (1817)	1:24
	<i>Hibbertia stricta</i> (DC.) F.Muell. = Hibbertia riparia	
	<i>Hibbertia stricta</i> (DC.) F.Muell. var. <i>canescens</i> = Hibbertia riparia	

	Hibbertia stricta (DC.) F.Muell. var. glabriuscula = Hibbertia riparia	
	Hibbertia virgata R.Br. ex DC., Syst. Nat. [Candolle] 1: 428 (1817)	1:24
	Pleurandra acicularis Labill. = Hibbertia acicularis	
	Pleurandra hirsuta Hook. = Hibbertia hirsuta	
	Pleurandra ovata Labill. = Hibbertia empetrifolia and Hibbertia appressa	
	Pleurandra ovata Labill. var. scabra (R.Br. ex DC.) Hook.f. sensu Hooker(1860) = Hibbertia hirticalyx (misapplied in Tasmania)	
	Pleurandra riparia R.Br. ex DC. (and vars.) = Hibbertia riparia	
	Pleurandra sericea R.Br. ex DC. = Hibbertia sericea	
	DIPSACACEAE	FTO 134
i	Dipsacus fullonum L., Sp. Pl. 1: 97 (1753)	2:280
	Dipsacus sylvestris Huds. = Dipsacus fullonum	2:280
i	Scabiosa atropurpurea L., Sp. Pl. 1: 100 (1753)	2:280
i	Scabiosa farinosa Coss., Ill. Fl. Atlant. 6: 58, t. 134. (1893)	
	DONATIACEAE	FTO 126
t	Donatia novae-zelandiae Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 81 (1852)	2:397
	DROSERACEAE	FTO 96
	Drosera arcturi Hook., J. Bot. (Hooker) 1: 247 (1834)	1:187
	Drosera auriculata Backh. ex Planch., Ann. Sci. Nat., Bot., sér. 3, 9: 295 (1848)	1:188
	Drosera binata Labill., Nov. Holl. Pl. 1: 78 t.105 (1805)	1:188
	Drosera foliosa Hook.f. ex Planch. nom. illeg. = Drosera hookeri	
	Drosera glanduligera Lehm., Nov. Stirp. Pug. [Lehmann] 8: 37 (1844)	1:187
n	Drosera gracilis Hook.f. ex Planch. = Drosera peltata	1:188
n	Drosera gunniana (Planch.) de Salas, Muellera 36: 102 (2018)	
	Drosera hookeri R.P.Gibson, B.J.Conn & Conran, J. Adelaide Bot. Gard. 24: 41 (2010)	
	Drosera macrantha Endl., Enum. Pl. [Endlicher] 6 (1837)	1:189
	Drosera macrantha Endl. subsp. planchonii (Hook.f. ex Planch.) N.G.Marchant = Drosera macrantha	1:189
	Drosera menziesii R.Br. ex DC. sensu Rodway (1903) = Drosera macrantha (misapplied in Tasmania)	
	Drosera menziesii R.Br. ex DC. var. albiflora Benth. = Drosera macrantha	
e	Drosera murfetii Lowrie & Conran, J. Adelaide Bot. Gard. 27: 17 (2014)	
n	Drosera peltata Thunb., Drosera 7 (1797)	1:188
n	Drosera peltata Thunb. sensu Rodway and later (1903) authors = Drosera gunniana (misapplied in Tasmania)	
	Drosera peltata Thunb. subsp. auriculata (Backh. ex Planch.) Conn = Drosera auriculata	1:188
	Drosera peltata Thunb. var. foliosa (Hook.f. ex Planch.) Benth. = Drosera hookeri	
n	Drosera peltata Thunb. var. gracilis (Hook.f. ex Planch.) Benth. = Drosera peltata	
	Drosera planchonii Hook.f. = Drosera macrantha	1:189
	Drosera pygmaea DC., Prodr. [A. P. de Candolle] 1: 317 (1824)	1:187
	Drosera spatulata Labill. var. spatulata , Nov. Holl. Pl. 1: 79 t.106 fig.1 (1805)	1:187
	ELAEOCARPACEAE	FTO 71
e	Aristolelia peduncularis (Labill.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 52 (1855)	1:91
	Elaeocarpus cyaneus Sims = Elaeocarpus reticulatus	
	Elaeocarpus peduncularis Labill. = Aristolelia peduncularis	

	Elaeocarpus reticulatus Sm., Cycl. 12, no.6 (1809)	1:91
	Tetratheca ciliata Lindl., Three Exped. Australia [Mitchell] 2: 205 (1838)	1:60
e	Tetratheca sp. Flinders Is. (T.Rudman HO510551) Tas Herbarium	
e	Tetratheca sp. Freycinet Pen. (A.C.Rozefelds 323) Tas Herbarium	
	<i>Tetratheca glandulosa</i> Labill. = Tetratheca labillardierei	1:60
e	Tetratheca gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.). I: 36, t.7B (1855)	
	Tetratheca labillardierei Joy Thomps., <i>Teloepa</i> 1: 189 (1976)	1:60
	Tetratheca pilosa Labill. subsp. latifolia Joy Thomps., <i>Teloepa</i> 1: 213 (1976)	
	Tetratheca pilosa Labill. subsp. pilosa , Nov. Holl. Pl. I: 95, t.122 (1805)	1:60
	<i>Tetratheca pilosa</i> Labill. var. <i>procumbens</i> = Tetratheca procumbens	
	Tetratheca procumbens Gunn ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 35, t.7A (1855)	1:61
	ELATINACEAE	FTO 76
	<i>Elatine americana</i> (Pursh) Arn. sensu Bentham (1863) = Elatine gratiolooides (misapplied in Tasmania)	
	Elatine gratiolooides A.Cunn., Ann. Nat. Hist. 4: 26 (1840)	1:80
	ERICACEAE	FTO 105
	Acrothamnus hookeri (Sond.) Quinn, Austral. Syst. Bot. 18: 452 (2005)	2:438
	Acrothamnus montanus (R.Br.) Quinn, Austral. Syst. Bot. 18: 452 (2005)	2:433
	Acrotriche affinis DC., Prodr. [A. P. de Candolle] 7: 757 (1839)	
	Acrotriche cordata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 548 (1810)	
	<i>Acrotriche patula</i> sensu Hooker (1860) = Acrotriche serrulata (misapplied in Tasmania)	
	Acrotriche serrulata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:440
e	Androstoma verticillata (Hook.f.) Quinn, Austral. Syst. Bot. 18: 450 (2005)	2:439
i *	<i>Arbutus unedo</i> L.	
e	Archeria comberi Melville, Kew Bull. 12: 389 (1957)	2:453
e	Archeria eriocarpa Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 263 t.80B (1857)	2:452
e	Archeria hirtella (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 263 t.81 (1857)	2:452
e	Archeria minor Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 264 (1857)	2:452
e	Archeria serpyllifolia Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 263 t.80A (1857)	2:452
	<i>Archeria serpyllifolia</i> Hook.f. var. <i>minor</i> (Hook.f.) Benth. = Archeria minor	2:452
	Astroloma humifusum (Cav.) R.Br., Prodr. Fl. Nov. Holland. 538 (1810)	2:424
	Astroloma pinifolium (R.Br.) Benth., Fl. Austral. 4: 159 (1868)	2:424
	Brachyloma ciliatum (R.Br.) Benth., Fl. Austral. 4: 173 (1868)	2:432
	<i>Brachyloma ciliatum</i> (R.Br.) Benth. var. <i>intermedium</i> Rodway = Brachyloma ciliatum	
	<i>Brachyloma daphnoides</i> Benth. sensu Bentham (1868) mistakenly attributed to Tasmania	
	Brachyloma depressum (F.Muell.) Benth., Fl. Austral. 4: 173 (1868)	2:432
	<i>Brossaea lanceolata</i> (Hook.f.) Kuntze = Gaultheria lanceolata	
i t	Calluna vulgaris (L.) Hull, Brit. Fl., ed. 2, 1: 114 (1808)	2:418
	<i>Cyathodes abietina</i> (Labill.) R.Br. = Leptecophylla abietina	2:427
	<i>Cyathodes acerosa</i> R.Br. ex Roem. & Schult. sensu Rodway (1903) = <i>Leptecophylla oxycedrus</i> (misapplied in Tasmania)	
	<i>Cyathodes ascendens</i> Hook.f. = Planocarpa petiolaris	
	<i>Cyathodes dealbata</i> R.Br. = Montitega dealbata	2:427
	<i>Cyathodes disticha</i> Labill. = Trochocarpa disticha	

	Cyathodes divaricata Hook.f. = Leptecophylla divaricata	2:428
e	Cyathodes glauca Labill., Nov. Holl. Pl. 1: 57 t.81 (1805)	2:426
	Cyathodes juniperina (J.R.Forst. & G.Forst.) Druce = <i>Leptecophylla juniperina</i>	2:427
	Cyathodes macrantha Hook.f. = Cyathodes straminea	
	Cyathodes nitida Jarman = Planocarpa nitida	
	Cyathodes oxycedrus (Labill.) R.Br. = Leptecophylla oxycedrus	
	Cyathodes parvifolia R.Br. = Leptecophylla parvifolia	2:428
	Cyathodes pendulosa Jarman = Leptecophylla pendulosa	
	Cyathodes petiolaris (DC.) Druce = Planocarpa petiolaris	2:426
e	Cyathodes platystoma C.M.Weiller, Austral. Syst. Bot. 9: 502 (1996)	
e	Cyathodes straminea R.Br., Prodr. Fl. Nov. Holland. 539 (1810)	2:426
	Cyathodes straminea var. macrantha (Hook.f.) Rodway = Cyathodes straminea	
	Cyathodes sulcata Mihaich = Planocarpa sulcata	
	Cystanthe acerosa (Lindl.) F.Muell. = Richea acerosa	
	Cystanthe dracophylla (Hook.f.) Kuntze = Richea dracophylla	
	Cystanthe gunnii (Hook.f.) Kuntze = Richea gunnii	
	Cystanthe milliganii (Hook.f.) F.Muell. = Richea milliganii	
	Cystanthe pandanifolia (Hook.f.) Kuntze = Richea pandanifolia	
	Cystanthe procera F.Muell. = Richea procera	
	Cystanthe scoparia (Hook.f.) Kuntze = Richea scoparia	
	Cystanthe sprengeioides R.Br. = Richea sprengeioides	
	Decaspora cunninghamii DC. = Trochocarpa cunninghamii	
	Decaspora disticha (Labill.) R.Br. = Trochocarpa disticha	
	Decaspora gunnii Hook.f. = Trochocarpa gunnii	
	Decaspora thymifolia R.Br. = Trochocarpa thymifolia	
e	Dracophyllum milliganii Hook.f., Icon. Pl. 9: t.845 (1852)	2:461
e	Dracophyllum minimum F.Muell., Fragm. (Mueller) 1: 39 (1859)	2:461
e	Epacris acuminata Benth., Fl. Austral. 4: 240 (1868)	2:451
e	Epacris apsleyensis Crowden, Pap. & Proc. Roy. Soc. Tasmania 120: 17 (1986)	
e	Epacris barbata Melville, Kew Bull. 7: 176 (1952)	2:450
	Epacris campanulata Lodd. ex DC. = Epacris impressa	
e	Epacris cerasicollina Crowden, Muellera 25: 124 (2007)	
	Epacris ceriflora Graham = Epacris impressa	
	Epacris cerinthoides Labill. = Prionotes cerinthoides	
e	Epacris corymbiflora Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 261 (1857)	2:447
e	Epacris curtisiae Jarman, Pap. & Proc. Roy. Soc. Tasmania 122: 115 (1988)	
e	Epacris exserta R.Br., Prodr. Fl. Nov. Holland. 551 (1810)	2:448
	Epacris exserta var. virgata (Hook.f.) Benth. = Epacris virgata	
e	Epacris franklinii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 261 (1857)	2:448
e	Epacris glabella Jarman, Aspects of Tasmanian Botany: 100 (1991)	
e	Epacris grandis Crowden, Pap. & Proc. Roy. Soc. Tasmania 120: 19 (1986)	
e	Epacris graniticola Crowden, Muellera 25: 126 (2007)	
	Epacris gunnii Hook.f., London J. Bot. 6: 272 (1847)	2:451

- e **Epacris heteronema** Labill. var. **gigantea** F.Muell., Fragm (Mueller) 4: 127 (1864)
- e **Epacris heteronema** Labill. var. **heteronema**, Nov. Holl. Pl. 1: 42 t.56 (1805)
 Epacris heteronema var. planifolia = **Epacris heteronema** (Tasmanian material)
 Epacris hirtella Hook.f. = **Archeria hirtella**
- Epacris impressa** Labill., Nov. Holl. Pl. 1: 43 t.58 (1805) 2:446
 Epacris impressa f. ceriflora (Graham) Siebert & Voss = **Epacris impressa**
 Epacris impressa f. diemenica Gand. = **Epacris impressa**
 Epacris impressa f. lucida Gand. = **Epacris impressa**
 Epacris impressa f. milliganii Gand. = **Epacris impressa**
 Epacris impressa f. ruscifolia (R.Br.) Siebert & Voss = **Epacris impressa**
 Epacris impressa var. campanulata (Lodd. ex DC.) Hook.f. = **Epacris impressa**
 Epacris impressa var. ceriflora (Graham) Rodway = **Epacris impressa**
 Epacris impressa var. nivea Hook.f. = **Epacris impressa**
 Epacris impressa var. ovata Benth. = **Epacris impressa**
 Epacris impressa var. ruscifolia (R.Br.) Rodway = **Epacris impressa**
 Epacris impressa var. variabilis (Lodd. ex Paxton) Hook.f. = **Epacris impressa**
- Epacris lanuginosa** Labill., Nov. Holl. Pl. 1: 42 t.57 (1805) 2:448
- e **Epacris limbata** K.J.Williams & F.Duncan, Aspects of Tasmanian Botany: 95 (1991)
- e **Epacris marginata** Melville, Kew Bull. 7: 175 (1952) 2:449
 Epacris micranthera F.Muell. = **Archeria serpyllifolia**
 Epacris microphylla Hook.f. nom. illeg., sensu Hooker (1847) = **Epacris petrophila**
 Epacris microphylla R.Br. sensu Bentham (1868), Rodway (1903) p.p. = **Epacris gunnii** (Tasmanian material)
 Epacris microphylla var. gunnii (Hook.f.) Benth. = **Epacris gunnii**
- e **Epacris moscaliana** Crowden, Muelleria 25: 127 (2007)
- e **Epacris mucronulata** R.Br., Prodr. Fl. Nov. Holland. 552 (1810) 2:448
 Epacris mucronulata sensu Hooker (1860) p.p. = **Epacris acuminata** (misapplied in Tasmania)
- e **Epacris myrtifolia** Labill., Nov. Holl. Pl. 1: 41 t.55 (1805) 2:447
 Epacris myrtifolia var. corymbiflora (Hook.f.) Rodway = **Epacris corymbiflora**
- e **Epacris navicularis** Jarman, Pap. & Proc. Roy. Soc. Tasmania 112: 3 (1978)
- Epacris obtusifolia** Sm., Exot. Bot. 1: 77 t.40 (1804) 2:447
- Epacris paludosa** R.Br., Prodr. Fl. Nov. Holland. 551 (1810) 2:449
- Epacris petrophila** Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 261 (1857) 2:446
 Epacris ruscifolia R.Br. = **Epacris impressa**
- e **Epacris serpyllifolia** R.Br., Prodr. Fl. Nov. Holland. 551 (1810) 2:450
 Epacris serpyllifolia var. squarrosa (Hook.f.) Benth. = **Epacris tasmanica**
 Epacris squarrosa Hook.f. = **Epacris tasmanica** 2:450
- e **Epacris stuartii** Stapf, Bull. Misc. Inform. Kew 1910: 217 (1910) 2:449
- e **Epacris tasmanica** W.M.Curtis, Taxon 18: 244 (1969) 2:450
 Epacris variabilis Lodd. ex Paxton nom. illeg., non Courtois (1833) = **Epacris impressa**
- e **Epacris virgata** Hook.f., London J. Bot. 6: 271 (1847) 2:448
 Erica andromedaeflora Andrews = **Erica holosericea** 2:419
- i **Erica arborea** L., Sp. Pl. 1: 353 (1753) 2:420

i	Erica baccans L., Mant. Pl. 2: 233 (1771)	2:419
i	Erica caffra L., Sp. Pl. 1: 353 (1753)	2:421
i t	Erica holosericea Salisb., Trans. Linn. Soc. London 6: 352 (1802)	2:419
i	Erica lusitanica Rudolphi, J. Bot. (Schrader) 2: 286 (1800)	2:420
i t	Erica scoparia L., Sp. Pl. 1: 353 (1753)	
	Erica aff. willmorei Knowles & Westc. sensu Curtis (1963) recorded in error	2:420
	Gaultheria antipoda G.Forst. sensu Hooker (1860), Bentham (1868), Rodway (1903) = Gaultheria depressa (misapplied in Tasmania)	
	Gaultheria antipoda G.Forst. var. depressa (Hook.f.) Hook.f. = Gaultheria depressa	
t	Gaultheria depressa Hook.f., London J. Bot. 6: 267 (1847)	2:417
	Gaultheria hispida R.Br., Prodr. Fl. Nov. Holland. 559 (1810)	2:417
e	Gaultheria lanceolata Hook.f., London J. Bot. 6: 267 (1847)	2:416
e	Gaultheria tasmanica (Hook.f.) D.J.Middleton, Edinburgh J. Bot. 47: 299 (1990)	2:416
e	Leptecophylla abietina (Labill.) C.M.Weiller, Muelleria 12: 211 (1999)	2:427
e	Leptecophylla divaricata (Hook.f.) C.M.Weiller, Muelleria 12: 207 (1999)	2:428
	Leptecophylla juniperina (J.R.Forst. & G.Forst.) C.M.Weiller subsp. juniperina sensu Curtis & Morris (1975), de Salas & Baker (2016) = Leptecophylla oxycedrus and L. pogonocalyx subsp. decipiens (misapplied in Tasmania)	2:427
	Leptecophylla juniperina (J.R.Forst. & G.Forst.) C.M.Weiller subsp. oxycedrus (Labill.) C.M.Weiller = Leptecophylla oxycedrus	
	Leptecophylla juniperina (J.R.Forst. & G.Forst.) C.M.Weiller subsp. parvifolia (R.Br.) C.M.Weiller = Leptecophylla parvifolia	
	Leptecophylla oxycedrus (Labill.) Jarman, Swainsona 31: 1	
e	Leptecophylla parvifolia (R.Br.) Jarman, Swainsona 31: 7	2:428
e	Leptecophylla pendulosa (Jarman) C.M.Weiller, Muelleria 12: 209 (1999)	
e	Leptecophylla pogonocalyx C.M.Weiller subsp. decipiens Jarman, Swainsona 31: 13 (2017)	
e	Leptecophylla pogonocalyx C.M.Weiller subsp. pogonocalyx , Muelleria 12: 206 (1999)	
	Leucopogon affinis R.Br., Prodr. Fl. Nov. Holland 541 (1810)	2:435
	Leucopogon australis R.Br., Prodr. Fl. Nov. Holland. 541 (1810)	2:436
	Leucopogon ciliatus A.Cunn. ex DC. = Leucopogon collinus	
	Leucopogon ciliatus var. [alpha] Hook.f. = Leucopogon collinus	
	Leucopogon ciliatus var. [beta] Hook.f. = Leucopogon oreophilus and Leucopogon pilifer	
	Leucopogon collinus (Labill.) R.Br., Prodr. Fl. Nov. Holland. 543 (1810)	2:436
	Leucopogon collinus var. billardierei DC. = Leucopogon collinus	
	Leucopogon collinus var. brownii DC. = Leucopogon collinus	
	Leucopogon ericoides (Sm.) R.Br., Prodr. Fl. Nov. Holland. 543 (1810)	2:438
	Leucopogon ericoides var. [alpha] Hook.f. = Leucopogon ericoides	
	Leucopogon ericoides var. [beta] Hook.f. = Leucopogon ericoides	
	Leucopogon esquamatus R.Br., Prodr. Fl. Nov. Holland. 546 (1810)	2:439
	Leucopogon fraseri A.Cunn., Ann. Nat. Hist. 2: 47 (1839)	2:439
	Leucopogon hookeri Sond. = Acrothamnus hookeri	2:438
	Leucopogon lanceolatus (Sm.) R.Br. = Leucopogon affinis	2:435
	Leucopogon milliganii (F.Muell.) Rodway = Androstoma verticillata	2:439

	Leucopogon montanus (R.Br.) J.H.Willis = Acrothamnus montanus	2:433
	Leucopogon obtusatus nom. illeg., sensu Hooker (1847) = Acrothamnus hookeri	2:438
e	Leucopogon oreophilus J.M.Powell, Aspects of Tasmanian Botany: 108 (1991)	
	Leucopogon parviflorus (Andrews) Lindl., Edwards's Bot. Reg. 18: t.1560 (1832)	2:435
	Leucopogon pilifer N.A.Wakef., Vict. Naturalist 73: 58 (1956)	
	Leucopogon richei (Labill.) R.Br. = Leucopogon parviflorus	
	Leucopogon richei var. [gamma] Hook.f. = Leucopogon affinis	
	Leucopogon richei var. parviflorus (Andrews) Hook.f. = Leucopogon parviflorus	
	Leucopogon rufus Lindl. sensu Bentham (1868) recorded in error	
	Leucopogon stuartii F.Muell. ex Sond. = Leucopogon fraseri	2:439
	Leucopogon trichocarpus (Labill.) R.Br. = Leucopogon ericoides	
	Leucopogon virgatus (Labill.) R.Br. var. brevifolius Benth., Fl. Austral. 4: 202 (1868)	2:438
	Leucopogon virgatus (Labill.) R.Br. var. virgatus , Prodr. Fl. Nov. Holland. 543 (1810)	2:438
	Lissanthe ciliata R.Br. = Brachyloma ciliatum	
	Lissanthe daphnoides (Sm.) R.Br. sensu Brown (1810), Hooker (1860) mistakenly attributed to Tasmania	
	Lissanthe montana R.Br. = Acrothamnus montanus	2:433
	Lissanthe strigosa (Sm.) R.Br. subsp. subulata (R.Br.) J.M.Powell, Telopea 5: 741 (1994)	2:433
	Monotoca elliptica (Sm.) R.Br., Prodr. Fl. Nov. Holland. 546 (1810)	2:441
e	Monotoca empetrifolia R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:443
	Monotoca glauca (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 636 (1917)	2:442
	Monotoca lineata R.Br. = Monotoca glauca	
	Monotoca lineata var. linifolia Rodway = Monotoca linifolia	
e	Monotoca linifolia (Rodway) W.M.Curtis subsp. algida Jarman, Aspects of Tasmanian Botany: 102 (1991)	2:442
e	Monotoca linifolia (Rodway) W.M.Curtis subsp. linifolia , The Student's Flora of Tasmania 2: 464 (1963)	2:442
	Monotoca scoparia (Sm.) R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:442
	Monotoca scoparia var. submutica Benth. = Monotoca submutica	
e	Monotoca submutica (Benth.) Jarman var. autumnalis Jarman, Pap. & Proc. Roy. Soc. Tasmania 112: 1 (1978)	
e	Monotoca submutica (Benth.) Jarman var. submutica , Pap. & Proc. Roy. Soc. Tasmania 112: 1 (1978)	
t	Montitega dealbata (R.Br.) C.M.Weiller, Austral. Syst. Bot. 23: 328 (2010)	2:427
e	Pentachondra ericifolia Hook.f., London J. Bot. 6: 271 (1847)	2:430
e	Pentachondra involucrata R.Br., Prodr. Fl. Nov. Holland. 549 (1810)	2:429
	Pentachondra mucronata Hook.f. = Leucopogon fraseri	
	Pentachondra pumila (J.R.Forst. & G.Forst.) R.Br., Prodr. Fl. Nov. Holland. 549 (1810)	2:429
	Pentachondra verticillata Hook.f. = Androstoma verticillata	
	Pernettya lanceolata (Hook.f.) B.L.Burtt & A.W.Hill = Gaultheria lanceolata	2:416
	Pernettya tasmanica Hook.f. = Gaultheria tasmanica	2:416
	Pilitis acerosa Lindl. = Richea acerosa	
	Pilitis milliganii Hook.f. = Richea milliganii	
e	Planocarpa nitida (Jarman) C.M.Weiller, Austral. Syst. Bot. 9: 517 (1996)	

e	Planocarpa petiolaris (DC.) C.M.Weiller, Austral. Syst. Bot. 9: 514 (1996)	2:426
e	Planocarpa sulcata (Mihaich) C.M.Weiller, Austral. Syst. Bot. 9: 516 (1996)	
e	Prionotes cerinthoides (Labill.) R.Br., Prodr. Fl. Nov. Holland. 553 (1810)	2:453
i	Rhododendron ponticum L., Sp. Pl., ed. 2: 562 (1762)	
e	Richea acerosa (Lindl.) F.Muell., Fragm. (Mueller) 6: 69 (1867)	2:458
e	Richea alpina Menadue, Austral. Syst. Bot. 13: 798 (2000)	
	Richea angustifolia B.L.Burtt = Richea scoparia	2:460
e	Richea × curtisiae A.M.Gray, Muelleria 2: 143 (1971) = R. pandanifolia × R. scoparia	
e	Richea dracophylla R.Br., Prodr. Fl. Nov. Holland. 555 (1810)	2:460
e	Richea gunnii Hook.f., London J. Bot. 6: 273 (1847)	2:459
e	Richea milliganii (Hook.f.) F.Muell., Fragm. (Mueller) 6: 69 (1867)	2:458
e	Richea pandanifolia Hook.f. subsp. pandanifolia , Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 50 (1844)	2:460
e	Richea pandanifolia Hook.f. subsp. ramulosa Menadue, Austral. Syst. Bot. 13: 795 (2000)	2:460
e	Richea procera (F.Muell.) F.Muell., Fragm. (Mueller) 6: 68 (1867)	2:458
e	Richea scoparia Hook.f., London J. Bot. 6: 273 (1847)	2:459
e	Richea sprengelioides (R.Br.) F.Muell., Fragm. (Mueller) 6: 68 (1867)	2:457
e	Sprengelia distichophylla (Rodway) W.M.Curtis, The Student's Flora of Tasmania 2: 464 (1963)	2:456
	Sprengelia incarnata Sm., Kongl. Vetensk. Acad. Nya Handl. 15: 260 (1794)	2:454
	Sprengelia incarnata f. montana (R.Br.) Siebert & Voss = Sprengelia montana	
	Sprengelia incarnata f. propinqua (A.Cunn. ex DC.) Siebert & Voss = Sprengelia propinqua	
	Sprengelia incarnata var. distichophylla Rodway = Sprengelia distichophylla	
	Sprengelia incarnata var. montana (R.Br.) Domin = Sprengelia montana	
	Sprengelia macrantha Hook.f. = Sprengelia propinqua	
e	Sprengelia minima Crowden, Telopea 15: 62 (2013)	
e	Sprengelia montana R.Br., Prodr. Fl. Nov. Holland. 555 (1810)	2:455
	Sprengelia sp. Mt Field (A.M.Gray 1513) Tas Herbarium = Sprengelia minima	
e	Sprengelia sp. Mt Read , Telopea 15: 63 (2013) (R.K. Crowden 0802 006) Tas Herbarium	
e	Sprengelia propinqua A.Cunn. ex DC., Prodr. [A. P. de Candolle] 7: 768 (1839)	
	Sprengelia propinqua var. demissa F.Muell. = Sprengelia minima	
	Stenantha pinifolia R.Br. = Astroloma pinifolium	
	Styphelia abietina Labill. = Leptecophylla abietina	
	Styphelia adscendens R.Br., Prodr. Fl. Nov. Holland. 537 (1810)	2:423
	Styphelia billardiarei = Cyathodes glauca	
	Styphelia ciliata (R.Br.) F.Muell. = Brachyloma ciliatum	
	Styphelia collina Labill. = Leucopogon collinus	
	Styphelia empetrifolia (R.Br.) F.Muell. = Monotoca empetrifolia	
	Styphelia glauca Labill. = Monotoca glauca	
	Styphelia hookeri = Acrothamnus hookeri	
	Styphelia lanceolata Sm. = Leucopogon affinis	
	Styphelia montana (R.Br.) F.Muell. = Acrothamnus montanus	
	Styphelia mucronata (Hook.f.) J.H.Willis = Leucopogon fraseri	
	Styphelia oxycedrus Labill. = Leptecophylla oxycedrus	
	Styphelia serrulata Labill. = Acrotriche serrulata	

	Styphelia straminea (R.Br.) Spreng. = Cyathodes straminea	
	Styphelia strigosa Sm. = Lissanthe strigosa	
	Styphelia trichocarpa Labill. = Leucopogon ericoides	
	Styphelia virgata Labill. = Leucopogon virgatus	
e	Trochocarpa cunninghamii (DC.) W.M.Curtis, The Student's Flora of Tasmania 2: 463 (1963)	2:431
e	Trochocarpa disticha (Labill.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 660 (1824)	2:430
	Trochocarpa disticha var. cunninghamii (DC.) Benth. = Trochocarpa cunninghamii	
	Trochocarpa disticha var. microphylla F.Muell. = Trochocarpa disticha	
	Trochocarpa glauca (Labill.) Spreng. = Cyathodes glauca	
e	Trochocarpa gunnii (Hook.f.) Benth., Fl. Austral. 4: 167 (1868)	2:431
e	Trochocarpa thymifolia (R.Br.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 660 (1824)	2:431
	ESCALLONIACEAE	FTO 131
e	Anopterus glandulosus Labill., Nov. Holl. Pl. 1: 86 t.112 (1805)	1:181
	EUPHORBIACEAE	
	Adriana quadripartita (Labill.) Müll.Arg. sensu Bentham (1873) recorded in error	
	Amperea spartioides Brongn. = Amperea xiphoclada var. xiphoclada	
	Amperea xiphoclada (Sieber ex Spreng.) Druce var. xiphoclada , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 604 (1917)	3:637
	Bertya rosmarinifolia (A.Cunn.) Planch. sensu Curtis (1967) = Bertya tasmanica subsp. tasmanica (misapplied in Tasmania)	
e	Bertya tasmanica (Sond. & F.Muell.) Müll.Arg. subsp. tasmanica , Linnaea 34: 63 (1865)	3:637
	Beyeria backhousei Hook.f. = Beyeria lechenaultii	
	Beyeria lechenaultii (DC.) Baill., Adansonia 6: 307 (1866)	3:635
	Beyeria lechenaultii (DC.) Baill. var. latifolia Grüning = Beyeria lechenaultii	
	Beyeria oblongifolia (Klotzsch) Hook.f. = Beyeria viscosa	
	Beyeria opaca F.Muell. sensu Bentham (1873) = Beyeria lechenaultii (misapplied in Tasmania)	
	Beyeria viscosa (Labill.) Miq., Ann. Sci. Nat., Bot., sér. 3, 1: 350 t.15 (1844)	3:635
	Chamaesyce drummondii (Boiss.) D.C.Hassall = Euphorbia drummondii	3:632
i	Euphorbia cyparissias L., Sp. Pl. 1: 461 (1753)	3:633
	Euphorbia drummondii Boiss. sensu Curtis (1967) recorded in error	3:632
i	Euphorbia exigua L., Sp. Pl. 1: 456 (1753)	
i	Euphorbia helioscopia L., Sp. Pl. 1: 459 (1753)	3:632
i	Euphorbia lathyris L., Sp. Pl. 1: 457 (1753)	3:632
i	Euphorbia paralias L., Sp. Pl. 1: 458 (1753)	3:633
i	Euphorbia peplus L., Sp. Pl. 1: 456 (1753)	3:633
n i # t	Euphorbia stricta L., Syst. Nat., ed. 10, 2: 1049 (1759)	
	Ricinocarpos major F.Muell. sensu Bentham (1873) a name of uncertain application	
	Ricinocarpos pinifolius Desf., Mém. Mus. Hist. Nat. 3: 459 t.22 (1817)	3:636
	FABACEAE (LEGUMINOSAE)	
	Acacia armata R.Br. = Acacia paradoxa	1:127
e	Acacia axillaris Benth., London J. Bot. 1: 341 (1842)	1:127
i	Acacia baileyana F.Muell., Trans. & Proc. Roy. Soc. Victoria 24: 168 (1888)	
	Acacia botrycephala (Vent.) Desf. = Acacia terminalis	1:129

	Acacia crassiuscula H.L.Wendl. sensu Hooker (1860), Bentham (1864) = Acacia uncifolia (misapplied in Tasmania)	
	Acacia dealbata Link subsp. dealbata , Enum. Hort. Berol. Alt. 2: 445 (1822)	1:130
i	Acacia decurrens Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1072 (1806)	1:130
	Acacia decurrens Willd. f. mollis (Lindl.) Benth. = Acacia dealbata subsp. dealbata	
	Acacia dependens A.Cunn. ex Benth. nom. illeg. = Acacia mucronata subsp. dependens	
e	Acacia derwentiana A.M.Gray, Muelleria 21: 107 (2005)	
	Acacia diffusa Ker Gawl. = Acacia genistifolia	
	Acacia discolor (Andrews) Willd. = Acacia terminalis	
	Acacia dissitiflora Benth. = Acacia mucronata subsp. longifolia	
i	Acacia floribunda (Vent.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1051 (1806)	
	Acacia genistifolia Link, Enum. Hort. Berol. Alt. 2: 442 (1822)	1:126
	Acacia gunnii Benth., London J. Bot. 1: 332 (1842)	1:127
i	Acacia howittii F.Muell., Vict. Naturalist 10: 16 (1893)	
	Acacia implexa Benth. sensu Buchanan (1999) = Acacia uncifolia (misapplied in Tasmania)	
	Acacia juniperina (Vent.) Willd. sensu Bentham (1864) = Acacia ulicifolia (misapplied in Tasmania)	
	Acacia leprosa Sieber ex DC. var. graveolens Maslin & D.J.Murphy, Muelleria 27: 201 (2009)	1:127
	Acacia linearis (J.C.Wendl.) Sims sensu Hooker (1860), Bentham (1864) = Acacia mucronata subsp. mucronata (misapplied in Tasmania)	
	Acacia longifolia (Andrews) Willd. f. dissitiflora (Benth.) Benth. = Acacia mucronata subsp. longifolia	
	Acacia longifolia (Andrews) Willd. f. mucronata (Willd. ex H.L.Wendl.) Benth. = Acacia mucronata	
	Acacia longifolia (Andrews) Willd. subsp. longifolia , Sp. Pl., ed. 4 [Willdenow], 4: 1052 (1806)	1:129
	Acacia longifolia (Andrews) Willd. subsp. sophorae (Labill.) Court, Fl. Australia 11B: 491 (2001)	1:129
	Acacia mearnsii De Wild., Pl. Bequaert. 3: 61 (1925)	1:130
	Acacia melanoxyton R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 5: 462 (1813)	1:128
	Acacia mollissima Willd. sensu Hooker (1860) = Acacia mearnsii (misapplied in Tasmania)	
e	Acacia mucronata Willd. ex H.L.Wendl. subsp. dependens (Hook.f.) Court, Fl. Australia 11B: 491 (2001)	1:129
	Acacia mucronata Willd. ex H.L.Wendl. subsp. longifolia (Benth.) Court, Fl. Australia 11B: 491 (2001)	1:129
e	Acacia mucronata Willd. ex H.L.Wendl. subsp. mucronata , Comm. Acac. Aphyll. 46 t.12 (1820)	1:129
	Acacia mucronata Willd. ex H.L.Wendl. var. dissitiflora (Benth.) Hook.f. = Acacia mucronata subsp. longifolia	
	Acacia mucronata Willd. ex H.L.Wendl. var. linearis (Sims) Rodway = Acacia mucronata subsp. mucronata	
	Acacia myrtifolia (Sm.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1054 (1806)	1:128
	Acacia ovoidea Benth. = Acacia verticillata subsp. ovoidea	
	Acacia oxycedrus Sieber ex DC. sensu Bentham (1864) recorded in error	
i	Acacia paradoxa DC., Cat. Pl. Horti Monsp. 74 (1813)	1:127
e	Acacia pataczekii D.I.Morris, Records of the Queen Victoria Museum 50: 1 (1974)	1:128
	Acacia penninervis Sieber ex DC. sensu Bentham (1864) recorded in error	
i	Acacia pravissima F.Muell. ex Benth., Linnaea 26: 608 (1854)	
i	Acacia provincialis A.Camus, Bull. Soc. Dendrol. France 64: 68 (1927)	
i	Acacia pycnantha Benth., London J. Bot. 1: 351 (1842)	

i	Acacia retinodes Schltld., Linnaea 20: 664 (1847)	
	Acacia retinodes Schltld. var. uncifolia J.M.Black = Acacia uncifolia	1:128
e	Acacia riceana Hensl., Botanist 3: t.135 (1839)	1:127
	Acacia siculiformis A.Cunn. ex Benth., London J. Bot. 1: 337 (1842)	1:126
	Acacia sophorae (Labill.) R.Br. = Acacia longifolia subsp. sophorae	1:129
	Acacia stricta (Andrews) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1052 (1806)	1:127
	Acacia stuartiana F.Muell. ex Benth. = Acacia siculiformis	
	Acacia suaveolens (Sm.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1050 (1806)	1:128
e	Acacia sp. Sugarloaf (A.Moscal 8301) Tas Herbarium	
	Acacia terminalis (Salisb.) J.F.Macbr., Contr. Gray Herb. 59: 7 (1919)	1:129
	Acacia ulicifolia (Salisb.) Court, Vict. Naturalist 73: 173 (1957)	1:126
	Acacia uncifolia (J.M.Black) O'Leary, J. Adelaide Bot. Gard. 21: 100 (2007)	1:128
	Acacia verniciflua A.Cunn. sensu Curtis (1975) = Acacia leprosa var. graveolens (misapplied in Tasmania)	1:127
	Acacia verticillata (L'Hér.) Willd. subsp. ovoidea (Benth.) Court, Fl. Australia 11B: 492 (2001)	1:126
	Acacia verticillata (L'Hér.) Willd. subsp. ruscifolia (A.Cunn. ex G.Don) Court, Fl. Australia 11B: 492 (2001)	1:126
	Acacia verticillata (L'Hér.) Willd. subsp. verticillata , Sp. Pl., ed. 4 [Willdenow], 4: 1049 (1806)	1:126
	Acacia verticillata (L'Hér.) Willd. var. latifolia Benth. nom. illeg. = Acacia verticillata subsp. ruscifolia	
	Acacia vomeriformis A.Cunn. ex Benth. = Acacia gunnii	1:127
	Albizia lophantha (Willd.) Benth. = Paraserianthes lophantha	1:130
	Almaleea subumbellata (Hook.) Crisp & P.H.Weston, Telopea 4: 310 (1991)	1:141
	Anthyllis vulneraria L. recorded in error, only known from cultivated plants	
	Aotus ericoides (Vent.) G.Don, Gen. Hist. 2: 120 (1832)	1:137
	Aotus ferruginea Labill. = Aotus ericoides	
	Aotus villosa Sm. = Aotus ericoides	1:137
	Bossiaea cinerea R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 4: 268 (1812)	1:147
	Bossiaea cinerea R.Br. var. rigida Rodway = Bossiaea tasmanica	
	Bossiaea cordifolia Sweet, Fl. Australas. (Sweet) 20: 20 (1827)	
	Bossiaea cordigera Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 95 t.16 (1856)	1:147
	Bossiaea ensata Sieber sensu Hooker (1860) non Sieber = Bossiaea riparia (misapplied in Tasmania)	
	Bossiaea heterophylla Vent., Descr. Pl. Nouv. 1: 7, pl.7 (1800)	
	Bossiaea microphylla Sm. sensu Curtis (1956) = Bossiaea tasmanica (misapplied in Tasmania)	
	Bossiaea obcordata (Vent.) Druce = Bossiaea tasmanica	1:148
	Bossiaea prostrata R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 4: 268 (1812)	1:147
	Bossiaea riparia A.Cunn. ex Benth., Fl. Austral. 2: 166 (1864)	1:148
e	Bossiaea tasmanica I.Thomps., Muellera 30: 144 (2012)	1:148
i	Callistachys lanceolata Vent., Jard. Malmaison 2: 115, t.115 (1805)	
i	Chamaecytisus palmensis (Christ) F.A.Bisby & K.W.Nicholls, Bot. J. Linn. Soc. 74: 114 (1977)	1:151
	Chamaecytisus prolifer Link sensu Curtis & Morris (1975) = Chamaecytisus palmensis (misapplied in Tasmania)	1:151
	Coronilla varia L. = Securigera varia	1:165
	Cullen microcephalum (Rchb. ex Kunze) J.W.Grimes, Muellera 9: 195 (1996)	1:163

- Cytisus monspessulanus* L. = **Genista monspessulana**
- i **Cytisus multiflorus** (L'Hér.) Sweet, Hort. Brit. [Sweet] 112 (1826)
- Cytisus palmensis* (H.Christ) Hutch. = **Chamaecytisus palmensis** 1:151
- Cytisus prolifer* L.f. sensu Curtis (1956) = **Chamaecytisus palmensis** (misapplied in Tasmania)
- i **Cytisus scoparius** (L.) Link, Enum. Hort. Berol. Alt. 2: 241 (1822) 1:151
- Daviesia latifolia** R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 20 (1811) 1:136
- Daviesia sejugata** G.Chandler & Crisp, Austral. Syst. Bot. 10: 33 (1997)
- Daviesia ulicifolia** Andrews subsp. **ruscifolia** (A.Cunn. ex Benth.) G.Chandler & Crisp, Austral. Syst. Bot. 10: 44 (1997) 1:136
- Daviesia ulicifolia** Andrews subsp. **ulicifolia**, Bot. Repos. 5: t.304 (1803) 1:136
- Daviesia ulicina* Sm. nom. illeg., nom. superfl. = **Daviesia ulicifolia**
- n *Daviesia ulicina* Sm. f. *communis* Benth. = **Daviesia ulicifolia** subsp. **ulicifolia**
- Daviesia ulicina* Sm. f. *ruscifolia* (A.Cunn. ex Benth.) Benth. = **Daviesia ulicifolia** subsp. **ruscifolia**
- n *Daviesia ulicina* Sm. f. *subumbellata* Benth. = **Daviesia ulicifolia** subsp. **ulicifolia**
- Daviesia umbellata* Sm. sensu Labill. (1805) = **Daviesia ulicifolia** (misapplied in Tasmania)
- Desmodium gunnii** Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 101 (1856) 1:166
- Desmodium varians** (Labill.) G.Don, Gen. Hist. 2: 298 (1832) 1:166
- Desmodium varians* (Labill.) G.Don var. *gunnii* (Benth. ex Hook.f.) Benth. = **Desmodium gunnii**
- Dillwynia cinerascens** R.Br. ex Sims, Bot. Mag. 48: t.2247 (1821) 1:145
- Dillwynia ericifolia* Sm. f. *glaberrima* (Sm.) Benth. = **Dillwynia glaberrima**
- Dillwynia floribunda* Sm. sensu Bentham (1864), Rodway (1903), Curtis (1956) = **Dillwynia sericea** (misapplied in Tasmania)
- Dillwynia glaberrima** Sm., Ann. Bot. [König & Sims] 1: 510 (1805) 1:144
- Dillwynia sericea** A.Cunn., Geogr. Mem. New South Wales: 347 (1825) 1:144
- i **Dipogon lignosus** (L.) Verdc., Taxon 17: 537 (1968)
- Dolichos lignosus* L. = **Dipogon lignosus**
- Eutaxia microphylla** (R.Br.) C.H.Wright & Dewar, Johnson's Gard. Dict. 1052 (1894) 1:143
- i **Genista linifolia** L., Sp. Pl., ed. 2, 2: 997 (1763)
- Genista maderensis* (Webb & Berthel.) Lowe sensu Curtis & Morris (1975) = **Genista stenopetala** (misapplied in Tasmania) 1:152
- i **Genista monspessulana** (L.) L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 98 (1962) 1:151
- i **Genista × spachiana** Webb, Bot. Mag. 71: t.4195 (1845)
- i **Genista stenopetala** Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 3(2): 39 (1836) 1:152
- Glycine clandestina** J.C.Wendl., Bot. Beob. [Wendland]: 54 (1798) 1:168
- Glycine clandestina* J.C.Wendl. var. *latrobeana* Rodway = **Glycine latrobeana**
- Glycine latrobeana** (Meisn.) Benth., Fl. Austral. 2: 244 (1864) 1:168
- Glycine microphylla** (Benth.) Tindale, Brunonia 9: 181 (1987)
- Glycine tabacina** (Labill.) Benth., Fl. Austral. 2: 244 (1864)
- Gompholobium ecostatum** Kuchel, Suppl. Black's Fl. S. Austral. 182 (1965) 1:135
- Gompholobium ellipticum* Labill. = **Oxylobium ellipticum**
- Gompholobium huegelii** Benth., Enum. Pl. [Endlicher]: 29 (1837) 1:135
- Gompholobium latifolium* Labill. nom. illeg., non Sm. = **Gompholobium huegelii**
- Goodia lotifolia** Salisb., Parad. Lond. 1: t.41 (1806) 1:149

	Goodia lotifolia Salisb. var. pubescens (Sims) H.B.Will. = Goodia pubescens	1:149
	Goodia pubescens Sims, Bot. Mag. 32: 1310 (1810)	1:149
	Hardenbergia monophylla (Vent.) Benth. = Hardenbergia violacea	
	Hardenbergia violacea (Schneev.) Stearn, J. Bot. 78: 70 (1940)	1:169
	Hedysarum coronarium L. previously listed as naturalised but insufficient evidence exists to support this	1:165
	Hovea corrickiae J.H.Ross, Muelleria 7: 203 (1990)	
	Hovea heterophylla A.Cunn. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 93 (1856)	1:148
	Hovea lanceolata Sims sensu Buchanan (1999) = Hovea tasmanica (misapplied in Tasmania)	
	Hovea linearis (Sm.) R.Br. sensu Buchanan (1999) = Hovea heterophylla (misapplied in Tasmania)	
	Hovea longifolia R.Br. sensu Curtis (1956), Curtis & Morris (1975) misapplied to H. montana & H. tasmanica	1:149
	Hovea magnibractea I.Thomps., Austral. Syst. Bot. 14: 74 (2001)	
	Hovea montana (Hook.f.) J.H.Ross, Muelleria 6: 427 (1988)	1:149
	Hovea purpurea Sweet var. montana Hook.f. = Hovea montana	
e	Hovea tasmanica I.Thomps. & J.H.Ross, Austral. Syst. Bot. 14: 68 (2001)	1:149
	Indigofera australis Willd. subsp. australis , Sp. Pl., ed. 4 [Willdenow], 3: 1235 (1802)	1:164
	Indigofera australis Willd. var. angulata Benth. = Indigofera australis subsp. australis	
i	Kennedia nigricans Lindl., Edwards's Bot. Reg. 20: 1715, pl. 1715 (1835)	
	Kennedia prostrata R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 4: 299 (1812)	1:169
i	Kennedia rubicunda (Schneev.) Vent., Jard. Malmaison 2: 104 t.104 (1804)	
i #	Laburnum anagyroides Medik., Vorles. Churpfälz. Phys.-Öcon. Ges. 2: 363 (1787)	
i #	Lathyrus nissolia L., Sp. Pl. 2: 729 (1753)	1:168
i	Lathyrus tingitanus L., Sp. Pl. 2: 732 (1753)	
	Leptocyamus clandestinus (J.C.Wendl.) Benth. var. clandestinus = Glycine clandestina	
	Leptocyamus clandestinus (J.C.Wendl.) Benth. var. microphylla (Benth.) Hook.f. = Glycine microphylla	
	Leptocyamus tasmanicus Benth. ex Hook.f. = Glycine latrobeana	
i #	Lotus angustissimus L., Sp. Pl. 2: 774 (1753)	
	Lotus australis Andrews, Bot. Repos. 10 t.624 (1811)	1:162
i	Lotus corniculatus L. var. corniculatus , Sp. Pl. 2: 776 (1753)	1:162
i	Lotus corniculatus L. var. tenuifolius L., Sp. Pl. 2: 776 (1753)	1:162
	Lotus hispidus Desf. ex DC. sensu Curtis & Morris (1975) = Lotus subbiflorus (misapplied in Tasmania)	1:163
	Lotus pedunculatus Cav. sensu Curtis & Morris (1975) = Lotus uliginosus (misapplied in Tasmania)	1:163
	Lotus suaveolens Pers. = Lotus subbiflorus	1:163
i	Lotus subbiflorus Lag., Varied. Ci. 2(4): 213 (1805)	1:163
	Lotus tenuis Waldst. & Kit. = Lotus corniculatus var. tenuifolius	
i	Lotus uliginosus Schkuhr, Handb. [C.Schkuhr] 2: 412 (1796)	1:163
i #	Lupinus angustifolius L., Sp. Pl. 2: 721 (1753)	1:150
i	Lupinus arboreus Sims, Bot. Mag. 18: t.682 (1803)	1:150
i	Lupinus × regalis Bergmans, Vaste Pl. Rotsheesters: 328 (1924)	
i	Medicago arabica (L.) Huds., Fl. Angl. (Hudson): 288 (1762)	1:154
i #	Medicago arborea L., Sp. Pl. 2: 778 (1753)	

	Medicago denticulata Willd. = Medicago polymorpha	
	Medicago falcata L. sensu Curtis & Morris (1975) = Medicago sativa nothosubsp × varia (misapplied in Tasmania)	1:153
	Medicago hispida Gaertn. var. apiculata (Willd.) Urb. = Medicago polymorpha	
	Medicago hispida Gaertn. var. confinis (W.D.J.Koch) Burnat = Medicago polymorpha	
	Medicago hispida Gaertn. var. denticulata (Willd.) Urb. = Medicago polymorpha	
i	Medicago lupulina L., Sp. Pl. 2: 779 (1753)	1:153
	Medicago maculata Willd. nom. illeg. = Medicago arabica	
i	Medicago minima (L.) L. ex Bartal., Cat. Piante Siena 61 (1776)	1:154
i	Medicago polymorpha L., Sp. Pl. 2: 779 (1753)	1:154
i	Medicago sativa L., Sp. Pl. 2: 778 (1753)	1:153
i #	Medicago sativa L. nothosubsp × varia (Martyn) Arcang., Comp. Fl. Ital. 160 (1882) = Medicago falcata × M. sativa	1:153
i	Medicago scutellata (L.) Mill., Gard. Dict., ed. 8, no. 2 (1768)	1:154
	Melilotus alba Desr. nom. illeg. = Melilotus albus	
i	Melilotus albus Medik., Vorles. Churpfälz. Phys.-Öcon. Ges. 2: 382 (1787)	1:155
	Melilotus arvensis Wallr. = Melilotus officinalis	
i	Melilotus indicus (L.) All., Fl. Pedem. 1: 308 (1785)	1:155
i	Melilotus officinalis (L.) Pall., Reise Russ. Reich. 3: 537 (1776)	1:155
	Melilotus parviflorus Desf. = Melilotus indicus	
	Mimosa sophorae Labill. = Acacia longifolia subsp. sophorae	
	Mimosa suaveolens Sm. = Acacia suaveolens	
	Mirbelia oxylobioides F.Muell., Fragm. (Mueller) 2: 154 (1861)	
	Onobrychis viciifolia Scop. previously listed as naturalised but insufficient evidence exists to support this	1:165
	Ononis arvensis L. sensu Rodway (1903) = Ononis spinosa (misapplied in Tasmania)	1:152
	Ononis repens L. sensu Curtis (1956), Curtis & Morris (1975) = Ononis spinosa (misapplied in Tasmania)	1:152
i	Ononis spinosa L., Sp. Pl. 2: 716 (1753)	1:152
i	Ornithopus compressus L., Sp. Pl. 2: 744 (1753)	
i	Ornithopus pinnatus (Mill.) Druce, J. Bot. 45: 420 (1907)	
i #	Ornithopus sativus Brot., Fl. Lusit. 2: 160 (1805)	
	Oxylobium arborescens R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 10 (1811)	1:134
	Oxylobium ellipticum (Vent.) R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 10 (1811)	1:134
	Oxylobium ellipticum (Vent.) R.Br. var. angustifolium Benth. = Oxylobium arborescens	
i	Paraserianthes lophantha (Willd.) I.C.Nielsen subsp. lophantha , Bull. Mus. Natl. Hist. Nat., B, Adansonia 5: 326 (1983) - Possibly native in some Furneaux populations, see Harris et al. (2001)	1:130
e	Phyllota diffusa (Hook.f.) F.Muell., Fragm. (Mueller) 1: 8 (1858)	1:137
	Platylobium formosum Sm. sensu Bentham (1864) = Platylobium parviflorum (misapplied in Tasmania)	1:146
	Platylobium formosum Sm. subsp. parviflorum (Sm.) A.T.Lee = Platylobium parviflorum	
	Platylobium murrayanum Hook.f. = Platylobium triangulare	
	Platylobium obtusangulum Hook., Bot. Mag. 60: t.3258 (1833)	1:146
	Platylobium parviflorum Sm., Spec. Bot. New Holland 18 (1795)	

	Platylobium triangulare R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 4: 266 (1812)	1:146
i	Podalyria sericea (Andrews) R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 7 (1811)	
	Psoralea adscendens F.Muell. = Cullen microcephalum	1:163
i	Psoralea arborea Sims, Bot. Mag. 46: t. 2090 (1819)	
	Psoralea gunnii Hook.f. = Cullen microcephalum	
i	Psoralea pinnata L., Sp. Pl. 2: 762 (1753)	1:163
	Pultenaea cordata Hook. = Pultenaea juniperina	
	Pultenaea daphnoides J.C.Wendl., Bot. Beob. [Wendland]: 49 (1798)	1:139
	Pultenaea daphnoides J.C.Wendl. var. obcordata (Andrews) Hook.f. = Pultenaea daphnoides	
	Pultenaea dentata Labill., Nov. Holl. Pl. 1: 103 t.131 (1805)	1:141
	Pultenaea diffusa Hook.f. = Phyllota diffusa	
	Pultenaea fasciculata Benth., Commentat. Legum. Gen. 18 (1837)	1:142
	Pultenaea gunnii Benth. subsp. gunnii , Commentat. Legum. Gen. 18 (1837)	1:140
	Pultenaea gunnii Benth. var. baeckeoides (A.Cunn. ex Benth.) Rodway = Pultenaea gunnii subsp. gunnii	1:140
	Pultenaea hibbertioides Hook.f. = Pultenaea mollis	1:141
	Pultenaea humilis Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 91 (1856)	1:142
	Pultenaea juniperina Labill., Nov. Holl. Pl. 1: 102 t.130 (1805)	1:142
	Pultenaea juniperina Labill. var. latifolia Benth. = Pultenaea juniperina	
	Pultenaea mollis Lindl., Three Exped. Australia [Mitchell] 2: 258 (1838)	1:141
	Pultenaea paleacea Willd. var. sericea Benth. = Pultenaea sericea	1:140
	Pultenaea pedunculata Hook., Bot. Mag. 55: t.2859 (1828)	1:140
	Pultenaea pimelioides Hook.f. = Pultenaea dentata	
	Pultenaea prostrata Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 89 (1856)	1:142
	Pultenaea selaginoides Hook.f. = Stonesiella selaginoides	1:141
	Pultenaea sericea (Benth.) Corrick, Muellera 8: 392 (1995)	1:140
	Pultenaea stricta Sims, Bot. Mag. 38: t.1588 (1813)	1:140
	Pultenaea subumbellata Hook. = Almaleea subumbellata	1:141
	Pultenaea tenuifolia R.Br. ex Sims, Bot. Mag. 46: t.2086 (1819)	1:143
	Racosperma axillare (Benth.) Pedley = Acacia axillaris	1:127
	Racosperma dealbatum (Link) Pedley = Acacia dealbata	1:130
	Racosperma decurrens (Willd.) Pedley = Acacia decurrens	1:130
	Racosperma gunnii (Benth.) Pedley = Acacia gunnii	1:127
	Racosperma implexum (Benth.) Pedley = Acacia uncifolia	
	Racosperma mearnsii (De Wild.) Pedley = Acacia mearnsii	1:130
	Racosperma melanoxyton (R.Br.) Pedley = Acacia melanoxyton	1:128
	Racosperma myrtifolium (Sm.) Mart. = Acacia myrtifolia	1:128
	Racosperma paradoxum (DC.) Mart. = Acacia paradoxa	1:127
	Racosperma riceanum (Hensl.) Pedley = Acacia riceana	1:127
	Racosperma sophorae (Labill.) Mart. = Acacia longifolia subsp. sophorae	1:129
	Racosperma strictum (Andrews) Mart. = Acacia stricta	1:127
	Racosperma suaveolens (Sm.) Mart. = Acacia suaveolens	1:128
	Racosperma ulicifolium (Salisb.) Pedley = Acacia ulicifolia	1:126

	Racosperma vernicifluum (A.Cunn.) Pedley = Acacia leprosa var. graveolens	1:127
	Racosperma verticillatum (L'Hér.) Pedley = Acacia verticillata	1:126
	Sarothamnus scoparius (L.) Wimm. ex W.D.J.Koch = Cytisus scoparius	1:151
i	Securigera varia (L.) Lassen, Svensk. Bot. Tidskr. 83: 86 (1989)	1:165
i	Spartium junceum L., Sp. Pl. 2: 708 (1753)	
	Sphaerolobium minus Labill., Nov. Holl. Pl. 1: 108, t.138 (1805)	
	Sphaerolobium vimineum Sm., Ann. Bot. [König & Sims] 1: 509 (1805)	1:135
e	Stonesiella selaginoides (Hook.f.) Crisp & P.H.Weston, Taxon 48: 712 (1999)	1:141
	Swainsona lessertiifolia DC., Ann. Sci. Nat., Bot., sér. 1, 4: 99 (1825)	1:164
	Trifolium agrarium L. sensu Rodway (1903) = Trifolium campestre (misapplied in Tasmania)	
i	Trifolium alexandrinum L., Cent. Pl. 1: 25 (1755)	
i	Trifolium angustifolium L., Sp. Pl. 2: 769 (1753)	1:161
i	Trifolium arvense L., Sp. Pl. 2: 769 (1753)	1:160
i	Trifolium campestre Schreb., Die Kleearten Deutschlands 1(4): t.17.4 (1800)	1:157
i	Trifolium cernuum Brot., Phytogr. Lusitan. Select. (1816-1827) 1: 150 (1816)	1:159
i	Trifolium dubium Sibth., Fl. Oxon. 231 (1794)	1:157
i	Trifolium fragiferum L., Sp. Pl. 2: 772 (1753)	1:158
i	Trifolium glomeratum L., Sp. Pl. 2: 770 (1753)	1:159
i	Trifolium hybridum L., Sp. Pl. 2: 766 (1753)	1:159
i	Trifolium incarnatum L., Sp. Pl. 2: 769 (1753)	1:160
i	Trifolium lappaceum L., Sp. Pl. 2: 768 (1753)	
	Trifolium medium Huds. sensu Curtis & Morris (1975) = Trifolium pratense (misapplied in Tasmania)	1:159
i	Trifolium micranthum Viv., Fl. Libyc. Spec. 45, pl. 19, Fig. 1 (1824)	1:158
i	Trifolium ornithopodioides L., Sp. Pl. 2: 766 (1753)	1:152
i	Trifolium pratense L., Sp. Pl. 2: 768 (1753)	1:160
	Trifolium procumbens L. sensu Rodway (1903) = Trifolium dubium (misapplied in Tasmania)	
i	Trifolium repens L., Sp. Pl. 2: 767 (1753)	1:158
i	Trifolium resupinatum L., Sp. Pl. 2: 771 (1753)	1:158
i	Trifolium scabrum L., Sp. Pl. 2: 770 (1753)	1:160
i	Trifolium squamosum L., Amoen. Acad., Linnaeus ed. 4, 105 (1759)	1:161
i	Trifolium stellatum L., Sp. Pl. 2: 769 (1753)	1:161
i	Trifolium striatum L., Sp. Pl. 2: 770 (1753)	1:160
i	Trifolium subterraneum L., Sp. Pl. 2: 767 (1753)	1:159
i	Trifolium suffocatum L., Mant. Pl. 2: 276 (1771)	1:159
i	Trifolium tomentosum L., Sp. Pl. 2: 771 (1753)	1:158
	Trifolium uniflorum L. previously listed as naturalised but insufficient evidence exists to support this	
n i	Trifolium vesiculosum Savi, Fl. Pis. 2: 165 (1798)	
	Trigonella ornithopodioides (L.) DC. = Trifolium ornithopodioides	1:152
i	Ulex europaeus L., Sp. Pl. 2: 741 (1753)	1:150
n	Vicia angustifolia L. = Vicia sativa subsp. nigra	1:167
	Vicia cracca L. sensu Curtis & Morris (1975) = Vicia villosa (misapplied in Tasmania)	1:167
i	Vicia hirsuta (L.) Gray, Nat. Arr. Brit. Pl. 2: 614 (1821)	1:166
	Vicia lathyroides L. recorded in error	

i	Vicia sativa L. subsp. nigra (L.) Ehrh., Hannover. Mag. 15: 229 (1780)	1:167
i	Vicia sativa L. subsp. sativa , Sp. Pl. 2: 736 (1753)	1:167
i	Vicia tetrasperma (L.) Schreb., Spic. Fl. Lips. 26 (1771)	1:167
i	Vicia villosa Roth subsp. eriocarpa (Hauskn.) P.W.Ball, Feddes Repert. 79: 45 (1968)	1:167
	Viminaria denudata (Vent.) Sm. = Viminaria juncea	
	Viminaria juncea (Schrad. & J.C.Wendl.) Hoffmanns., Verz. Pfl.-Kult. 200 (1824)	1:136
	FRANKENIACEAE	FTO 93
	Frankenia pauciflora DC. var. gunnii Summerh., J. Linn. Soc. Bot. 48: 366 (1930)	1:64
	FUMARIACEAE	FTO 45
i	Fumaria bastardii Boreau, Rev. Bot. Recueil Mans. 2: 359 (1847)	1:30
i	Fumaria densiflora DC., Cat. Pl. Horti Monsp. 113 (1813)	1:30
i	Fumaria muralis Sond. ex W.D.J.Koch subsp. muralis , Syn. Fl. Germ. Helv., ed. 2: 1017 (1845)	1:30
i*	Fumaria officinalis L. subsp. officinalis	
	Pseudofumaria alba (Mill.) Lidén subsp. alba previously listed as naturalised but insufficient evidence exists to support this	
	GENTIANACEAE	
	Centaurium australe (R.Br.) Druce = Schenkia australis	3:479
i	Centaurium erythraea Rafn, Danm. Holst. Fl. 2: 75 (1800)	3:480
	Centaurium pulchellum (Sw.) Druce sensu Curtis (1967) = Centaurium tenuiflorum (misapplied in Tasmania)	3:480
	Centaurium spicatum (L.) Fritsch ex Janch. sensu Buchanan (1999) = Schenkia australis (misapplied in Tasmania)	3:479
i	Centaurium tenuiflorum (Hoffmanns. & Link) Fritsch ex Janch., Mitt. Naturwiss. Vereins Univ. Wien 5: 97 (1907)	3:480
	Chionogentias brevisepala L.G.Adams = Gentianella brevisepala	3:482
	Chionogentias cunninghamii L.G.Adams = Gentianella cunninghamii	3:482
	Chionogentias demissa L.G.Adams = Gentianella demissa	3:482
	Chionogentias diemensis (Griseb.) L.G.Adams = Gentianella diemensis	3:482
	Chionogentias eichleri L.G.Adams = Gentianella eichleri	3:482
e ?x	Chionogentias grandis L.G.Adams, Austral. Syst. Bot. 8: 960 (1995)	3:482
	Chionogentias gunniana L.G.Adams = Gentianella gunniana	3:482
	Chionogentias pleurogynoides (Griseb.) L.G.Adams = Gentianella pleurogynoides	3:482
	Chionogentias polysperes L.G.Adams = Gentianella polysperes	3:482
i	Cicendia filiformis (L.) Delarbre, Fl. Auvergne (Delarbre), ed. 2, 1: 29 (1800)	3:481
	Erythraea australis R.Br. = Schenkia australis	
	Exacum ovatum Labill. = Sebaea ovata	
	Gentiana montana G.Forst. sensu Brown (1810) = Gentianella pleurogynoides (misapplied in Tasmania)	
	Gentiana montana G.Forst. sensu Hooker (1860) = Gentianella gunniana (misapplied in Tasmania)	
	Gentiana saxosa G.Forst. sensu Rodway (1903) a name of uncertain application (= Gentianella spp.)	
e	Gentianella brevisepala (L.G.Adams) Glenn, New Zealand J. Bot. 42: 518 (2004)	3:482
x	Gentianella cunninghamii (L.G.Adams) Glenn subsp. cunninghamii , New Zealand J. Bot. 42: 518 (2004)	3:482
e	Gentianella demissa (L.G.Adams) Glenn, Muelleria 26: 95 (2008)	3:482

e	Gentianella diemensis (Griseb.) J.H.Willis subsp. diemensis , Vict. Naturalist 73: 199 (1957)	3:482
e	Gentianella diemensis (Griseb.) J.H.Willis subsp. plantaginea (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella eichleri (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
	<i>Gentianella grandis</i> (L.G.Adams) Glenny nom. illeg. non Sm. (1936) = Chionogentias grandis	3:482
	Gentianella gunniana (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella pleurogynoides (Griseb.) Glenny subsp. milliganii (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella pleurogynoides (Griseb.) Glenny subsp. pleurogynoides , New Zealand J. Bot. 42: 519 (2004)	3:482
	Gentianella polysperes (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
	Schenkia australis (R.Br.) G.Mans., Taxon 53: 725 (2004)	3:479
	Sebaea albidiflora F.Muell., Trans. Philos. Soc. Victoria 1: 46 (1855)	3:479
	Sebaea ovata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 452 (1810)	3:478
	GERANIACEAE	FTO 54
i	Erodium botrys (Cav.) Bertol., Amoen. Ital. 35 (1819)	1:98
i	Erodium cicutarium (L.) L'Hér. ex Aiton, Hortus Kew. (W.Aiton) 2: 414 (1789)	1:97
i*	<i>Erodium malacoides</i> (L.) L'Hér. ex Aiton	1:98
i	Erodium moschatum (L.) L'Hér. ex Aiton, Hortus Kew. (W.Aiton) 2: 414 (1789)	1:97
	Geranium brevicaule Hook., J. Bot. (Hooker) 1: 252 (1834)	
i	Geranium dissectum L., Cent. Pl. 1: 21 (1755)	1:96
	<i>Geranium dissectum</i> L. var. <i>australe</i> Benth. sensu Bentham (1863) = G. potentilloides , G. retrorsum and G. solanderi	
	<i>Geranium dissectum</i> L. var. <i>pilosum</i> Hook.f. = Geranium solanderi	
	<i>Geranium dissectum</i> L. var. <i>potentilloides</i> Benth. = Geranium potentilloides	
?i	Geranium homeanum Turcz., Bull. Soc. Imp. Naturalistes Moscou 36: 591 (1863)	
	<i>Geranium microphyllum</i> Hook.f. = Geranium potentilloides var. potentilloides	
i	Geranium molle L., Sp. Pl. 2: 682 (1753)	1:96
	Geranium sp. Pale Pink Flowers (M.Gray 5847) Vic. Herbarium	
	<i>Geranium pilosum</i> Sol. ex Willd. nom. illeg. = Geranium solanderi	
	Geranium potentilloides L'Hér. ex DC. var. potentilloides , Prodr. [A. P. de Candolle] 1: 639 (1824)	1:95
	Geranium retrorsum L'Hér. ex DC., Prodr. [A. P. de Candolle] 1: 644 (1824)	
i t	Geranium rotundifolium L., Sp. Pl. 2: 683 (1753)	1:96
	<i>Geranium sessiliflorum</i> Cav. sensu Rodway (1903) = Geranium brevicaule (misapplied in Tasmania)	
	<i>Geranium sessiliflorum</i> Cav. subsp. <i>brevicaule</i> (Hook.) Carolin = Geranium brevicaule	1:95
	Geranium solanderi Carolin, Proc. Linn. Soc. New South Wales 89: 350 (1965)	1:95
i	Geranium yeoi Aedo & Muñoz Garm., Kew Bull. 52: 727 (1997)	
i	Pelargonium × asperum Ehrh. ex Willd., Sp. Pl., ed. 4 [Willdenow] 3: 678 (1800)	1:99
	Pelargonium australe Willd., Sp. Pl., ed. 4 [Willdenow] 3: 675 (1800)	1:98
i	Pelargonium capitatum (L.) L'Hér. ex Aiton, Hortus Kew. (W.Aiton) 2: 425 (1789)	
i	Pelargonium × domesticum L.H.Bailey, Stand. Cycl. Hort. 2532 (1916)	1:99
	Pelargonium inodorum Willd., Enum. Pl. [Willdenow] 2: 702 (1809)	1:99

Pelargonium littorale Hugel, Bot. Arch.(Hügel): t.5 (1837)

GOODENIACEAE		FTO 129
	Brunonia australis Sm. ex R.Br., Prodr. Fl. Nov. Holland. 590 (1810)	2:405
x	Cooperookia barbata (R.Br.) Carolin, Proc. Linn. Soc. New South Wales 92: 213 (1968)	2:401
	Dampiera stricta (Sm.) R.Br., Prodr. Fl. Nov. Holland. 589 (1810)	2:404
	<i>Goodenia amplexans</i> F.Muell. sensu Curtis (1963) recorded in error	2:400
	<i>Goodenia barbata</i> R.Br. = Cooperookia barbata	2:401
	Goodenia elongata Labill., Nov. Holl. Pl. 1: 52, t.75 (1805)	2:401
	Goodenia geniculata R.Br., Prodr. Fl. Nov. Holland. 577 (1810)	2:401
	<i>Goodenia geniculata</i> R.Br. var. <i>lanata</i> (R.Br.) Rodway = Goodenia lanata	
	<i>Goodenia hederacea</i> Sm. sensu Brown (1810), Hooker (1860) = Goodenia lanata (misapplied in Tasmania)	
	Goodenia humilis R.Br., Prodr. Fl. Nov. Holland. 575 (1810)	2:402
	Goodenia lanata R.Br., Prodr. Fl. Nov. Holland. 577 (1810)	2:401
	Goodenia ovata Sm., Trans. Linn. Soc. London 2: 347 (1794)	2:400
x	Goodenia pinnatifida Schlttdl., Linnaea 21: 450 (1848)	
	<i>Goodenia repens</i> Labill. = Selliera radicans	
	Scaevola aemula R.Br., Prodr. Fl. Nov. Holland. 584 (1810)	2:404
	Scaevola albida (Sm.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 644 (1917)	2:404
	<i>Scaevola calendulacea</i> (Andrews) Druce sensu Curtis (1963) recorded in error	
	<i>Scaevola cuneiformis</i> Labill. recorded in error	
	Scaevola hookeri (de Vriese) F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 231 (1856)	2:403
	<i>Scaevola microcarpa</i> Cav. = Scaevola albida	
	Selliera radicans Cav., Anales. Hist. Nat. 1: 41, t.5 (1799)	2:402
	Velleia montana Hook.f., London J. Bot. 6: 265 (1847)	2:399
	Velleia paradoxa R.Br., Prodr. Fl. Nov. Holland. 580 (1810)	2:398
GRISELINIACEAE		FTO 136
i # t	Griselinia littoralis (Raoul) Raoul, Choix Pl. Nouv.-Zél. 22, t.19 (1846)	
GROSSULARIACEAE		FTO 50
i t	Ribes sanguineum Pursh, Fl. Amer. Sept. (Pursh) 1: 164 (1813)	
GUNNERACEAE		FTO 49
e	Gunnera cordifolia (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 125 (1856)	1:194
GYROSTEMONACEAE		FTO 83
	<i>Didymotheca thesioides</i> Hook.f. = Gyrostemon thesioides	3:581
	Gyrostemon thesioides (Hook.f.) A.S.George, Fl. Australia 8: 392 (1982)	3:581
HALORAGACEAE		
	Gonocarpus humilis Orchard, Bull. Auckland Inst. Mus. 10: 195 (1975)	
	Gonocarpus micranthus Thunb. subsp. micranthus , Nov. Gen. Pl. [Thunberg] 3: 55 (1783)	1:190
	Gonocarpus montanus (Hook.f.) Orchard, Bull. Auckland Inst. Mus. 10: 172 (1975)	1:192
	Gonocarpus serpyllifolius Hook.f., Icon. Pl. 3: t.290 (1840)	1:192
	Gonocarpus tetragynus Labill., Nov. Holl. Pl. 1: 39, t.53 (1805)	1:191
	Gonocarpus teucroides DC., Prodr. [A. P. de Candolle] 3: 66 (1828)	1:191
	Haloragis aspera Lindl., J. Exped. Trop. Australia [Mitchell]: 306 (1848)	1:191

n	Haloragis brownii (Hook.f.) Schindl. = Meionectes brownii	1:192
	Haloragis ceratophylla Endl. sensu Bentham (1864) = Haloragis aspera (misapplied in Tasmania)	
	Haloragis depressa (A.Cunn.) Walp. sensu Bentham (1864) = Gonocarpus montanus (misapplied in Tasmania)	
	Haloragis depressa (A.Cunn.) Walp. sensu Rodway (1903) = Gonocarpus serpyllifolius (misapplied in Tasmania)	
	Haloragis depressa (A.Cunn.) Walp. var. montana (Hook.f.) Hook.f. = Gonocarpus montanus	
	Haloragis gunnii Hook.f. = Gonocarpus teucroides	
	Haloragis heterophylla Brongn., Voy. Monde, Atlas: t.68A (1826)	1:190
	Haloragis micrantha (Thunb.) R.Br. ex Sieber & Zucc. = Gonocarpus micranthus	1:190
	Haloragis montana Hook.f. = Gonocarpus montanus	1:192
	Haloragis myriocarpa Orchard, Bull. Auckland Inst. Mus. 10: 132 (1975)	
	Haloragis pinnatifida A.Gray = Haloragis aspera	
	Haloragis serpyllifolia (Hook.f.) Walp. = Gonocarpus serpyllifolius	1:192
	Haloragis tetragyna (Labill.) Hook.f. = Gonocarpus tetragynus	1:191
	Haloragis teucroides (DC.) Schldl. = Gonocarpus teucroides	1:191
n	Meionectes brownii Hook.f., Icon. Pl. 4: t.306 (1841)	1:192
	Myriophyllum amphibium Labill., Nov. Holl. Pl. 2: 70, t.220 (1806)	1:193
i	Myriophyllum aquaticum (Vell.) Verdc., Kew Bull. 28: 36 (1973)	1:193
e	Myriophyllum austropygmaeum Orchard, Brunonia 8: 280 (1986)	
	Myriophyllum brasiliense Cambess. = Myriophyllum aquaticum	1:193
?i	Myriophyllum crispatum Orchard, Brunonia 8: 210 (1986)	
	Myriophyllum elatinoides Gaudich. sensu Curtis (1956), Curtis & Morris (1975) = Myriophyllum salsugineum (misapplied in Tasmania)	1:193
x	Myriophyllum glomeratum Schindl., Pflanzenr. (Engler) 23: 103 (1905)	
	Myriophyllum integrifolium (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 123 (1856)	1:194
	Myriophyllum muelleri Sond., Linnaea 28: 233 (1856)	
	Myriophyllum pedunculatum Hook.f. subsp. longibracteolatum (Schindl.) Orchard, Brunonia 8: 273 (1986)	1:194
	Myriophyllum pedunculatum Hook.f. subsp. pedunculatum , London J. Bot. 6: 474 (1847)	1:194
	Myriophyllum propinquum A.Cunn. sensu Curtis (1956), Curtis & Morris (1975) = Myriophyllum simulans (misapplied in Tasmania)	1:193
	Myriophyllum propinquum A.Cunn. sensu Curtis (1956), Curtis & Morris (1975) = Myriophyllum variifolium (misapplied in Tasmania)	
	Myriophyllum salsugineum Orchard, Brunonia 4: 48 (1981)	1:193
	Myriophyllum simulans Orchard, Brunonia 8: 203 (1986)	1:193
	Myriophyllum variifolium Hook.f., Icon. Pl. 3: t.289 (1840)	1:193

HYPERICACEAE

	Ascyrum humifusum Labill. = Hypericum pusillum	
	Ascyrum involutum Labill. = Hypericum gramineum	
i	Hypericum androsaemum L., Sp. Pl. 2: 784 (1753)	1:82
i	Hypericum calycinum L., Mant. Pl. 1: 106 (1767)	1:82
	Hypericum gramineum G.Forst., Fl. Ins. Austr. 53 (1786)	1:81
	Hypericum humifusum L. previously listed as naturalised but insufficient evidence exists to support this	

	Hypericum japonicum Thunb., Fl. Jap. (Thunberg): 295 (1784)	1:81
i	Hypericum perforatum L. subsp. veronense (Schrank) H.Lindb., Öfvers. Finska Vetensk.-Soc. Förh. 48: 73 (1906)	1:81
i # t	Hypericum pulchrum L., Sp. Pl. 2: 786 (1753)	
t	Hypericum pusillum Choisy, Prodr. Monogr. Hyperic. 50 (1821)	
i	Hypericum tetrapterum Fr. var. tetrapterum , Novit. Fl. Suec. Alt. 236 (1828)	
LAMIACEAE (LABIATAE)		
	Ajuga australis R.Br., Prodr. Fl. Nov. Holland. 503 (1810)	3:557
i	Ajuga reptans L., Sp. Pl. 2: 561 (1753)	
i	Cedronella canariensis (L.) Webb & Berthel., Hist. Nat. Illes Canaries (Phytogr.) 3: 87 (1845)	3:548
i	Lamium amplexicaule L., Sp. Pl. 2: 579 (1753)	3:552
i	Lamium purpureum L., Sp. Pl. 2: 579 (1753)	3:552
i	Lavandula stoechas L. subsp. stoechas , Sp. Pl. 2: 573 (1753)	
i	Leonotis leonurus (L.) R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 410 (1811)	
	Lycopus australis R.Br., Prodr. Fl. Nov. Holland. 500 (1810)	3:546
i	Marrubium vulgare L., Sp. Pl. 2: 583 (1753)	3:550
i	Melissa officinalis L., Sp. Pl. 2: 592 (1753)	3:546
	Mentha australis R.Br., Prodr. Fl. Nov. Holland. 505 (1810)	3:544
	Mentha diemenica Spreng. var. diemenica , Syst. Veg. (ed. 16) [Sprengel] 2: 724 (1825)	3:544
	Mentha diemenica Spreng. var. serpyllifolia (Benth.) J.H.Willis, Muellera 1: 144 (1967)	3:544
	<i>Mentha gracilis</i> R.Br. nom. illeg. = Mentha diemenica	
i	Mentha × piperita L., Sp. Pl. 2: 576 (1753)	3:545
i	Mentha pulegium L., Sp. Pl. 2: 577 (1753)	3:545
	<i>Mentha serpyllifolia</i> Benth. = Mentha diemenica var. serpyllifolia	
i #	Mentha spicata L., Sp. Pl. 2: 576 (1753)	3:545
i	Nepeta cataria L., Sp. Pl. 2: 570 (1753)	3:548
x	Prostanthera cuneata Benth., Prodr. [A. P. de Candolle] 12: 560 (1848)	3:554
	Prostanthera lasianthos Labill. var. lasianthos , Nov. Holl. Pl. 2: 18 t.157 (1806)	3:553
	<i>Prostanthera retusa</i> R.Br. = Prostanthera rotundifolia	
	Prostanthera rotundifolia R.Br., Prodr. Fl. Nov. Holland. 509 (1810)	3:553
i	Prunella laciniata (L.) L., Sp. Pl., ed. 2, 2: 837 (1763)	3:550
i	Prunella vulgaris L., Sp. Pl. 2: 600 (1753)	3:550
	<i>Salvia horminoides</i> Pourr. = Salvia verbenaca	3:547
i	Salvia verbenaca L. var. verbenaca , Sp. Pl. 1: 25 (1753)	3:547
	Scutellaria humilis R.Br., Prodr. Fl. Nov. Holland. 507 (1810)	3:549
i	Stachys arvensis (L.) L., Sp. Pl., ed. 2, 2: 814 (1763)	3:551
i t	Stachys palustris L., Sp. Pl. 2: 580 (1753)	3:551
	Teucrium corymbosum R.Br., Prodr. Fl. Nov. Holland. 504 (1810)	3:556
i t	Teucrium scorodonia L., Sp. Pl. 2: 564 (1753)	
e	Westringia angustifolia R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:555
e	Westringia brevifolia Benth., Labiat. Gen. Spec. 459 (1834)	3:555
	<i>Westringia brevifolia</i> Benth. var. <i>raleighii</i> (B.Boivin) W.M.Curtis = Westringia brevifolia	
	<i>Westringia dampieri</i> R.Br. sensu Bentham (1870) misapplied to W. angustifolia or W. rigida	

	Westringia rigida R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:555
e	Westringia rubiifolia R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:556
	LENTIBULARIACEAE	FTO 119
	Polypompholyx tenella (R.Br.) Lehm. = Utricularia tenella	3:537
	Utricularia australis R.Br., Prodr. Fl. Nov. Holland. 430 (1810)	3:536
	Utricularia barkeri R.W.Jobson, Telopea 15: 131 (2013)	
	Utricularia dichotoma Labill., Nov. Holl. Pl. 1: 11, t.8 (1805)	3:536
	Utricularia dichotoma Labill. var. uniflora (R.Br.) Benth. = Utricularia uniflora	
	Utricularia flexuosa Vahl sensu Rodway (1903) = Utricularia australis (misapplied in Tasmania)	3:536
i *	Utricularia gibba L.	
	Utricularia lateriflora R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	3:536
	Utricularia monanthos Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 299 (1857)	3:537
	Utricularia tenella R.Br., Prodr. Fl. Nov. Holland. 432 (1810)	3:537
	Utricularia uniflora R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	3:536
	Utricularia violacea R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	
	LINACEAE	FTO 77
	Linum albidum Ewart & Jean White = Linum marginale	
i t	Linum bienne Mill., Gard. Dict., ed. 8, no.8 (1768)	
i t	Linum catharticum L., Sp. Pl. 1: 281 (1753)	1:92
	Linum gallicum L. = Linum trigynum	
	Linum marginale A.Cunn., Geogr. Mem. New South Wales [Field]: 357 (1825)	1:92
i	Linum trigynum L., Sp. Pl. 1: 279 (1753)	1:93
i	Linum usitatissimum L., Sp. Pl. 1: 277 (1753)	1:92
	LOGANIACEAE	
	Mitrasacme archeri Hook.f. = Schizacme archeri	3:475
	Mitrasacme distylis F.Muell. = Phyllangium distylis	3:477
	Mitrasacme divergens Hook.f. = Phyllangium divergens	3:476
	Mitrasacme montana Hook.f. ex Benth. = Schizacme montana	3:475
	Mitrasacme paradoxa R.Br. sensu Curtis (1967) = Phyllangium divergens (misapplied in Tasmania)	3:476
	Mitrasacme pilosa Labill. var. pilosa , Nov. Holl. Pl. 1: 36, t.49 (1805)	3:476
	Mitrasacme pilosa Labill. var. stuartii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 274 (1857)	3:476
	Mitrasacme serpyllifolia R.Br., Prodr. Fl. Nov. Holland. 454 (1810)	3:475
	Phyllangium distylis (F.Muell.) Dunlop, Fl. Australia 28: 315 (1996)	3:477
	Phyllangium divergens (Hook.f.) Dunlop, Fl. Australia 28: 315 (1996)	3:476
e	Schizacme archeri (Hook.f.) Dunlop, Fl. Australia 28: 314 (1996)	3:475
	Schizacme montana (Hook.f. ex Benth.) Dunlop, Fl. Australia 28: 314 (1996)	3:475
	LYTHRACEAE	FTO 55
	Lythrum hyssopifolia L., Sp. Pl. 1: 447 (1753)	2:227
	Lythrum salicaria L., Sp. Pl. 1: 446 (1753)	2:226
	MALVACEAE	
i t	Anisodonteia capensis (L.) D.M.Bates, Gentes Herb. 10: 327 (1969)	
e	Asterotrichion discolor (Hook.) Melville, Kew Bull. 20: 512 (1967)	1:86
	Gynatrix pulchella (Willd.) Alef., Oesterr. Bot. Z. 12: 35 (1862)	1:87

	Hibiscus trionum L. previously listed as naturalised but insufficient evidence exists to support this	1:88
	Lasiopetalum baueri Steetz, Pl. Preiss. [J.G.C.Lehman] 2: 339 (1848)	1:90
	Lasiopetalum dasyphyllum Sieber ex Steetz = Lasiopetalum macrophyllum	1:89
	Lasiopetalum discolor Hook., Companion Bot. Mag. 1: 276 (1836)	1:89
	Lasiopetalum macrophyllum Graham, Edinburg New Philos. J. 31: 390 (1841)	1:89
e	Lasiopetalum micranthum Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 51 (1855)	1:90
	Lavatera arborea L. = Malva arborea	1:84
	Lavatera cretica L. = Malva pseudolavatera has also been missapplied to M. preissiana in Curtis & Morris (1975)	1:84
	Lavatera plebeia Sims var. tomentosa Hook.f. = Malva preissiana	1:83
	Lawrencia spicata Hook., Icon. Pl. 3: t.261 (1840)	1:88
?i #	Lawrencia squamata Nees, Pl. Preiss. [J.G.C.Lehman] 1: 242 (1845)	
i	Malva arborea (L.) Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 30 (1836)	1:84
	Malva australiana M.F.Ray = Malva preissiana	1:83
	Malva dendromorpha M.F.Ray nom. illeg., nom. superfl. = Malva arborea	
	Malva linnaei M.F.Ray nom. illeg., nom. superfl. = Malva pseudolavatera	
i	Malva moschata L., Sp. Pl. 2: 690 (1753)	1:85
i	Malva neglecta Wallr., Syll. Pl. Nov. 1: 140 (1824)	1:85
i	Malva nicaeensis All., Fl. Pedem. 2: 40 (1785)	1:85
i	Malva parviflora L., Demonstr. Pl. 18 (1753)	1:85
	Malva preissiana Miq., Pl. Preiss. [J.G.C.Lehman] 1: 238 (1845)	1:83
i	Malva pseudolavatera Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 3(2(1)): 29 (1836)	1:84
	Malva rotundifolia L. sensu Rodway (1903) = Malva neglecta (misapplied in Tasmania)	
i	Malva sylvestris L., Sp. Pl. 2: 689 (1753)	1:85
i	Modiola caroliniana (L.) G.Don, Gen. Hist. 1: 466 (1831)	1:86
	Plagianthus pulchellus (Willd.) A.Gray ex Hook.f. = Gynatrix pulchella	1:87
	Plagianthus pulchellus (Willd.) Hook.f. var. tomentosus Rodway = Gynatrix pulchella	
	Plagianthus sidoides Hook. = Asterotrichion discolor	1:86
	Plagianthus spicatus (Hook.) Benth. = Lawrencia spicata	1:88

MAZACEAE

	Mazus pumilio R.Br., Prodr. Fl. Nov. Holland. 439 (1810)	3:516
--	---	-------

MENYANTHACEAE**FTO 128**

	Limnanthemum exaltatum (Sol. ex Sims) F.Muell. = Liparophyllum exaltatum	
	Limnanthemum exiguum F.Muell. = Liparophyllum exiguum	
	Limnanthemum gunnii (Hook.f.) Hook.f. = Liparophyllum gunnii	
	Liparophyllum exaltatum (Sol. ex Sims) Tippet & Les, Novon 19: 408 (2009)	3:483
e	Liparophyllum exiguum (F.Muell.) Tippet & Les, Novon 19: 408 (2009)	3:483
t	Liparophyllum gunnii Hook.f., London J. Bot. 6: 473 bis (1847)	3:484
	Nymphoides crenata (F.Muell.) Kuntze sensu Curtis (1967) recorded in error	3:483
	Nymphoides exigua (F.Muell.) Kuntze = Liparophyllum exiguum	3:483
	Ornduffia reniformis (R.Br.) Tippet & Les, Novon 19: 410 (2009)	3:483
	Ornduffia umbricola (Aston) Tippet & Les var. umbricola , Novon 19: 410 (2009)	
	Villarsia exaltata (Sol. ex Sims) G.Don = Liparophyllum exaltatum	3:483

Villarsia parnassiifolia (Labill.) R.Br. sensu Brown (1810), Hooker (1860) = **Liparophyllum exaltatum**
(misapplied in Tasmania)

Villarsia reniformis R.Br. = **Ornduffia reniformis** 3:483

Villarsia umbricola Aston = **Ornduffia umbricola**

MYRSINACEAE

Anagallis arvensis L. = **Lysimachia arvensis** 3:467

Anagallis arvensis L. subsp. foemina sensu Curtis (1967) = **Lysimachia arvensis** (misapplied in Tasmania) 3:468

Anagallis arvensis L. var. caerulea (L.) Gouan = **Lysimachia arvensis** 3:468

i **Lysimachia arvensis** (L.) U.Manns & Anderb., Willdenowia 39: 51 (2009) 3:467

i* Lysimachia minima (L.) U.Manns & Anderb.

i **Lysimachia nummularia** L., Sp. Pl. 1: 148 (1753) 3:467

MYRTACEAE

FTO 57

Baeckea diffusa Sieber ex DC. = **Euryomyrtus ramosissima**

Baeckea gunniana Schauer, Repert. Bot. Syst. (Walpers) 2: 920 (1843) 1:198

e **Baeckea leptocaulis** Hook.f., Icon. Pl. 3: t.298 (1840) 1:199

Baeckea ramosissima A.Cunn. = **Euryomyrtus ramosissima** 1:198

Baeckea thymifolia Hook.f. = **Euryomyrtus ramosissima**

Callistemon pallidus (Bonpl.) DC. = **Melaleuca pallida** 1:203

Callistemon paludosus F.Muell. sensu Curtis (1956), Curtis & Morris (1975) = **Melaleuca pallida**
(misapplied in Tasmania) 1:203

Callistemon salignus (Sm.) Colvill ex Sweet sensu Benth. (1867) = **Melaleuca pallida** (misapplied in Tasmania)

Callistemon salignus (Sm.) Colvill ex Sweet var. australis Benth. = **Melaleuca pallida**

Callistemon salignus (Sm.) Colvill ex Sweet var. hebestachys Benth. = **Melaleuca pallida**

Callistemon salignus (Sm.) Colvill ex Sweet var. viridiflora Benth. = **Melaleuca virens**

Callistemon viridiflorus (Sims) Sweet = **Melaleuca virens** 1:203

Calycothrix glabra (R.Br.) Hook.f. = **Calytrix tetragona**

Calytrix tetragona Labill., Nov. Holl. Pl. 2: 8, t.146 (1806) 1:197

Eucalyptus acervula Sieber ex DC. sensu Hooker (1860), Rodway (1903) = **Eucalyptus ovata** var. **ovata** (misapplied in Tasmania)

Eucalyptus aggregata H.Deane & Maiden sensu Curtis (1956) = **Eucalyptus rodwayi** (misapplied in Tasmania)

Eucalyptus ambigua DC. a name of uncertain application

e **Eucalyptus amygdalina** Labill., Nov. Holl. Pl. 2: 14, t.154 (1806) 1:224

Eucalyptus amygdalina Labill. var. nitida (Hook.f.) Benth. = **Eucalyptus nitida**

Eucalyptus amygdalina Labill. var. radiata (Sieber ex DC.) Benth. = **Eucalyptus radiata** subsp. **radiata**

e **Eucalyptus archeri** Maiden & Blakely, Crit. Rev. Eucalyptus 8: 58 (1929) 1:215

e **Eucalyptus barberi** L.A.S.Johnson & Blaxell, Contr. N.S.W. Natl. Herb. 4: 288 (1972) 1:211

Eucalyptus bicostata Maiden, Blakely & Simmonds sensu Curtis & Morris (1975) = **Eucalyptus globulus**
subsp. **pseudoglobulus** (misapplied in Tasmania) 1:219

Eucalyptus brookeriana A.M.Gray, Austral. Forest Res. 9: 111 (1979)

e **Eucalyptus coccifera** Hook.f., London J. Bot. 6: 477 (1847) 1:225

Eucalyptus coccifera Hook.f. var. parviflora Benth. = **Eucalyptus coccifera**

- e **Eucalyptus cordata** Labill. subsp. **cordata**, Nov. Holl. Pl. 2: 13, t.152 (1806) 1:218
- e **Eucalyptus cordata** Labill. subsp. **quadrangulosa** D.Nicolle, B.M.Potts & McKinnon, Pap. & Proc. Roy. Soc. Tasmania 142: 75 (2008)
- Eucalyptus coriacea Schauer = **Eucalyptus pauciflora** subsp. **pauciflora**
- Eucalyptus dalrympleana** Maiden subsp. **dalrympleana**, Forest Fl. N.S.W. 7: 137, t.241 (1920) 1:214
- e **Eucalyptus delegatensis** R.T.Baker subsp. **tasmaniensis** Boland, Austral. Forest Res. 15: 177 (1985) 1:220
- Eucalyptus gigantea Hook.f. = **Eucalyptus delegatensis** subsp. **tasmaniensis** 1:220
- Eucalyptus globulus** Labill. subsp. **globulus**, Voy. Rech. Prouse 1: 153, t.13 (1800) 1:218
- Eucalyptus globulus** Labill. subsp. **pseudoglobulus** (Naudin) J.B.Kirkp., Bot. J. Linn. Soc. 69: 101 (1975) 1:219
- e **Eucalyptus gunnii** Hook.f. subsp. **divaricata** (McAulay & Brett) B.M.Potts, Pap. & Proc. Roy. Soc. Tasmania 135: 57 (2001)
- e **Eucalyptus gunnii** Hook.f. subsp. **gunnii**, London J. Bot. 3: 499 (1844) 1:215
- Eucalyptus haemastoma Sm. sensu Rodway (1903) misapplied to a hybrid involving **Eucalyptus sieberi**
- e **Eucalyptus johnstonii** Maiden, Crit. Rev. Eucalyptus 6: 280 (1922) 1:219
- Eucalyptus linearis Dehnh. = **Eucalyptus pulchella** 1:224
- e **Eucalyptus morrisbyi** Brett, Pap. & Proc. Roy. Soc. Tasmania 129: pl. 14-15 (1939) 1:215
- Eucalyptus muelleri T.B.Moore nom. illeg. = **Eucalyptus johnstonii**
- e **Eucalyptus nebulosa** A.M.Gray, Kanunnah 3: 42 (2008)
- i **Eucalyptus nitens** (H.Deane & Maiden) Maiden, Crit. Rev. Eucalyptus 2: 272 (1913)
- e **Eucalyptus nitida** Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 137, t.29 (1856) 1:225
- Eucalyptus obliqua** L'Hér., Sert. Angl. 18, t.20 (1792) 1:220
- Eucalyptus ovata** Labill. var. **ovata**, Nov. Holl. Pl. 2: 13, t.153 (1806) 1:211
- Eucalyptus pauciflora** Sieber ex Spreng. subsp. **pauciflora**, Syst. Veg. (ed. 16) [Sprengel] 4: 195 (1827) 1:222
- Eucalyptus perriniana** F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania: 181 (1894) 1:217
- e **Eucalyptus pulchella** Desf., Cat. Pl. Horti Paris., ed. 3: 284, 408 (1829) 1:224
- Eucalyptus radiata** Sieber ex DC. subsp. **radiata**, Prodr. [A. P. de Candolle] 3: 218 (1828) 1:224
- Eucalyptus radiata Sieber ex DC. subsp. **robertsonii** sensu Curtis & Morris (1975) = **Eucalyptus radiata** subsp. **radiata** (misapplied in Tasmania)
- Eucalyptus regnans** F.Muell., Ann. Rep. Victorian Acclim. Soc. 20 in obs. (1871) 1:220
- e **Eucalyptus risdonii** Hook.f., London J. Bot. 6: 477 bis (1847) 1:226
- Eucalyptus risdonii Hook.f. var. **elata** = **Eucalyptus delegatensis** subsp. **tasmaniensis**
- e **Eucalyptus rodwayi** R.T.Baker & H.G.Sm., Pap. & Proc. Roy. Soc. Tasmania 1912: 191 (1913) 1:211
- Eucalyptus rubida** H.Deane & Maiden subsp. **rubida**, Proc. Linn. Soc. New South Wales 24: 456, t.xl (1899) 1:214
- Eucalyptus salicifolia Cav. = **Eucalyptus amygdalina** 1:224
- Eucalyptus sieberi** L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 125 (1962) 1:222
- Eucalyptus sieberiana F.Muell. nom. illeg. = **Eucalyptus sieberi**
- Eucalyptus simmondsii Maiden = **Eucalyptus nitida** 1:225
- Eucalyptus stuartiana F.Muell. ex Miq. = **Eucalyptus ovata** var. **ovata**
- e **Eucalyptus subcrenulata** Maiden & Blakely, Crit. Revis. Eucalyptus 8: 59 (1929) 1:219
- Eucalyptus tasmanica Blakely = **Eucalyptus tenuiramis** 1:226
- e **Eucalyptus tenuiramis** Miq., Ned. Kruidk. Arch. 4: 128 (1856) 1:226

e	Eucalyptus urnigera Hook.f., London J. Bot. 6: 477 bis (1847)	1:217
	Eucalyptus urnigera Hook.f. var. elongata Rodway = Eucalyptus urnigera	
e	Eucalyptus vernicosa Hook.f., London J. Bot. 6: 478 bis (1847)	1:219
e	Eucalyptus viminalis Labill. subsp. hentyensis Brooker & Slee, J. Adelaide Bot. Gard. 21: 92 (2007)	
	Eucalyptus viminalis Labill. subsp. viminalis , Nov. Holl. Pl. 2: 12, t.151 (1806)	1:214
	Euryomyrtus parviflora Miq., Ned. Kruidk. Arch. 4(1): 149 (1856)	
	Euryomyrtus ramosissima (A.Cunn.) Trudgen, Nuytsia 13(3): 560 (2001)	1:198
	Euryomyrtus ramosissima (A.Cunn.) Trudgen subsp. prostrata (Hook.f.) Trudgen = Euryomyrtus parviflora	1:198
	Fabricia laevigata Gaertn. = Leptospermum laevigatum	
	Kunzea ambigua (Sm.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 629 (1917)	1:202
	Kunzea corifolia (Vent.) Schauer = Kunzea ambigua	
i	Kunzea ericoides (A.Rich.) Joy Thomps., Telopea 2: 379 (1983)	
	Leptospermum flavescens Sm. sensu Rodway (1903) = Leptospermum glaucescens (misapplied in Tasmania)	
	Leptospermum flavescens Sm. var. commune Benth. = Leptospermum glaucescens	
	Leptospermum flavescens Sm. var. grandiflorum (Lodd., G.Lodd & W.Lodd.) Benth. = Leptospermum grandiflorum	
	Leptospermum flavescens Sm. var. nitidum (Hook.f.) Rodway = Leptospermum nitidum	
e	Leptospermum glaucescens S.Schauer, Linnaea 15: 421 (1841)	1:201
e	Leptospermum grandiflorum Lodd., G.Lodd & W.Lodd., G.Lodd. & W.Lodd., Bot. Cab. 6: t.514 (1821)	1:200
	Leptospermum humifusum W.M.Curtis = Leptospermum rupestre nom. inval.	
	Leptospermum laevigatum (Gaertn.) F.Muell., Cat. Pl. Melb. Bot. Gard. 22 (1858)	1:200
	Leptospermum lanigerum (Sol. ex Aiton) Sm., Trans. Linn. Soc. London 3: 263 (1797)	1:200
	Leptospermum lanigerum (Sol. ex Aiton) Sm. var. montanum Rodway = Leptospermum lanigerum	
	Leptospermum myrtifolium Sieber ex DC. sensu Hooker (1960), Rodway (1903) = Leptospermum glaucescens (misapplied in Tasmania)	
e	Leptospermum nitidum Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 139 (1856)	1:201
	Leptospermum pilosum Schauer a name of uncertain application	
e	Leptospermum riparium D.I.Morris, Records of the Queen Victoria Museum 50: 2 (1974)	1:201
	Leptospermum rodwayanum Summerh. & H.F.Comber = Leptospermum grandiflorum	
e	Leptospermum rupestre Hook.f., Icon. Pl. 4: t.308 (1840)	1:202
	Leptospermum scoparium J.R.Forst. & G.Forst., Char. Gen. Pl.: 72, t.36, figs.f-l (1775)	1:200
	Leptospermum scoparium J.R.Forst. & G.Forst. var. eximium B.L.Burtt = Leptospermum scoparium	
	Leptospermum sericeum Labill. sensu Curtis (1956) = Leptospermum glaucescens (misapplied in Tasmania)	
	Melaleuca armillaris (Sol. ex Gaertn.) Sm. subsp. armillaris , Trans. Linn. Soc. London 3: 277 (1797)	1:205
	Melaleuca ericifolia Sm., Trans. Linn. Soc. London 3: 276 (1797)	1:204
	Melaleuca gibbosa Labill., Nov. Holl. Pl. 2: 30, t.172 (1806)	1:204
	Melaleuca pallida (Bonpl.) Craven, Novon 16: 472 (2006)	1:203
e	Melaleuca pustulata Hook.f., London J. Bot. 6: 476 bis (1847)	1:205
	Melaleuca squamea Labill., Nov. Holl. Pl. 2: 28, t.168 (1806)	1:204
	Melaleuca squarrosa Donn ex Sm., Trans. Linn. Soc. London 6: 300 (1802)	1:204

e	Melaleuca virens Craven, Novon 16: 473 (2006)	1:203
i	Syzygium smithii (Poir.) Nied., Nat. Pflanzenfam. [Engler & Prantl] III. 7: 85 (1893)	
	Thryptomene micrantha Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 299, t.8 (1853)	1:198
NOTHOFAGACEAE		
	<i>Fagus cunninghamii</i> Hook. = Nothofagus cunninghamii	
	<i>Fagus gunnii</i> Hook.f. = Nothofagus gunnii	
	<i>Fuscospora gunnii</i> (Hook.f.) Heenan & Smissen = Nothofagus gunnii	
	<i>Lophozonia cunninghamii</i> (Hook.) Heenan & Smissen = Nothofagus cunninghamii	
	Nothofagus cunninghamii (Hook.) Oerst., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. (ser. 5), 9: 355 (1871)	3:647
e	Nothofagus gunnii (Hook.f.) Oerst., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. (ser. 5), 9: 354 (1871)	3:646
NYCTAGINACEAE		FTO 101.1
i	Mirabilis jalapa L., Sp. Pl. 1: 177 (1753)	
OLEACEAE		FTO 113
i	Fraxinus angustifolia Vahl subsp. angustifolia , Enum. Pl. [Vahl] 1: 52 (1804)	
i	Ligustrum vulgare L., Sp. Pl. 1: 7 (1753)	3:470
	Notelaea ligustrina Vent., Choix Pl. 25 (1804)	3:470
ONAGRACEAE		
	<i>Boisduvalia tasmanica</i> (Hook.f.) Munz = Epilobium curtisiae	2:234
	<i>Epilobium adenocaulon</i> Hausskn. = Epilobium ciliatum	2:233
	<i>Epilobium alpinum</i> L. nom. illeg., sensu Rodway (1903) = Epilobium tasmanicum (misapplied in Tasmania)	
	Epilobium billardiereanum Ser. ex DC. subsp. billardiereanum , Prodr. [A. P. de Candolle] 3: 41 (1828)	2:232
	Epilobium billardiereanum Ser. ex DC. subsp. cinereum (A.Rich.) P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 349 (1971)	2:230
	<i>Epilobium billardiereanum</i> Ser. ex DC. subsp. <i>hydrophilum</i> P.H.Raven & Engelhorn Sensu Buchanan et al (1989) = Epilobium billardiereanum subsp. billardiereanum (misapplied in Tasmania)	
	Epilobium billardiereanum Ser. ex DC. subsp. intermedium P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 348 (1971)	
i	Epilobium ciliatum Raf., Med. Repos. 5: 361 (1808)	2:233
	<i>Epilobium confertifolium</i> Hook.f. sensu Bentham (1867) = Epilobium tasmanicum (misapplied in Tasmania)	
	Epilobium curtisiae P.H.Raven, Aliso 5: 249, fig.1 (1963)	2:234
	<i>Epilobium erosum</i> Hausskn. = Epilobium gunnianum	2:230
e	Epilobium fugitivum P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 346 (1971)	
	<i>Epilobium glabellum</i> G.Forst. sensu Rodway (1903) = Epilobium billardiereanum (misapplied in Tasmania)	
	Epilobium gunnianum Hausskn., Oesterr. Bot. Z. 29: 149 (1879)	2:230
	Epilobium hirtigerum A.Cunn., Ann. Nat. Hist. 3: 33 (1839)	2:231
	<i>Epilobium junceum</i> G.Forst. ex Spreng. sensu Curtis (1963) = Epilobium billardiereanum subsp. cinereum (misapplied in Tasmania)	2:230
i * t	<i>Epilobium nummulariifolium</i> R.Cunn. ex A.Cunn.	

- i t **Epilobium obscurum** Schreb., Spic. Fl. Lips. 147, 155 (1771)
- Epilobium pallidiflorum** A.Cunn., Ann. Nat. Hist. 3: 34 (1839) 2:231
- e **Epilobium perpusillum** Hausskn., Monogr. Epilobium: 301, t.21, fig. 90 (1884) 2:233
- i t **Epilobium rotundifolium** G.Forst., Fl. Ins. Austr. 27 (1786)
- Epilobium sarmentaceum** Hausskn., Oesterr. Bot. Z. 29: 149 (1879) 2:229
- Epilobium tasmanicum** Hausskn., Monogr. Epilobium: 296, t.20, fig.84 (1884) 2:233
- Epilobium tenuipes* Hook.f. sensu Hooker (1860) = **Epilobium tasmanicum** (misapplied in Tasmania)
- Epilobium tetragonum* L. sensu Bentham (1867) = **Epilobium billardioreanum** (misapplied in Tasmania)
- Epilobium willisii** P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 347 (1971)
- i **Fuchsia magellanica** Lam., Encycl. (Lamarck) 2: 565 (1788) 2:235
- i # **Oenothera biennis** L., Sp. Pl. 1: 346 (1753)
- i **Oenothera glazioviana** Micheli, Fl. Bras. (Martius) 13: 178 (1875)
- i **Oenothera stricta** Ledeb. ex Link subsp. **stricta**, Enum. Hort. Berol. Alt. 1: 377 (1821) 2:235
- Oenothera tasmanica* Hook.f. = **Epilobium curtisiae**

OROBANCHACEAE

- i **Bartsia trixago** L., Sp. Pl. 2: 602 (1753)
- Bellardia trixago* (L.) All. = **Bartsia trixago**
- Euphrasia alpina* R.Br. nom. illeg. a name of uncertain application
- Euphrasia alpina* R.Br. var. *angustifolia* Benth. sensu Hooker (1860) = **Euphrasia collina** subsp. **collina**
- Euphrasia alpina* R.Br. var. *humilis* Benth. sensu Hooker (1860) = **Euphrasia striata**
- e **Euphrasia amphisysepala** W.R.Barker, J. Adelaide Bot. Gard. 10: 204 (1987)
- e **Euphrasia amplidens** W.R.Barker, J. Adelaide Bot. Gard. 26: 23 (2013)
- e **Euphrasia sp. Bivouac Bay (W.R.Barker 7626 et al.) W.R.Barker**
- Euphrasia brownii* F.Muell. nom. illeg., sensu Rodway (1903) a catch-all name that includes several **Euphrasia** species
- Euphrasia brownii* F.Muell. var. *striata* (R.Br.) Rodway = **Euphrasia striata** 3:530
- Euphrasia collina** R.Br. subsp. **collina**, Prodr. Fl. Nov. Holland. 436 (1810) 3:527
- e **Euphrasia collina** R.Br. subsp. **deflexifolia** (Gand.) W.R.Barker, The Endemic Flora of Tasmania 6: 477 (1978)
- e **Euphrasia collina** R.Br. subsp. **diemenica** (Spreng.) W.R.Barker, The Endemic Flora of Tasmania 6: 477 (1978) 3:528
- e **Euphrasia collina** R.Br. subsp. **Dukes Marshes (A.Moscal 861) Tas Herbarium**
- e **Euphrasia collina** R.Br. subsp. **gunnii** (Du Rietz) W.R.Barker, J. Adelaide Bot. Gard. 5: 199 (1982) 3:528
- e **Euphrasia collina** R.Br. subsp. **Northwest Tasmania (M.Visoiu 216) Tas Herbarium**
- e **Euphrasia collina** R.Br. subsp. **tasmanica** (Gand.) W.R.Barker, J. Adelaide Bot. Gard. 21: 93 (2007)
- Euphrasia collina** R.Br. subsp. **tetragona** (R.Br.) W.R.Barker, J. Adelaide Bot. Gard. 5: 189 (1982)
- Euphrasia cuspidata* Hook.f. = **Euphrasia hookeri** 3:532
- Euphrasia diemenica* Spreng. = **Euphrasia collina** subsp. **diemenica** 3:528
- Euphrasia* sp. *fabula* W.C.Potts & W.R.Barker MS = **Euphrasia Bivouac Bay (W.R.Barker 7626 et al.) W.R.Barker**
- e **Euphrasia fragosa** W.R.Barker, J. Adelaide Bot. Gard. 17: 217 (1996)
- Euphrasia gibbsiae* Du Rietz subsp. aff. *subglabrifolia* (Du Rietz) W.R.Barker = **Euphrasia gibbsiae** subsp. **Mt Field (W.R.Barker 1187) Tas Herbarium**

e	Euphrasia gibbsiae Du Rietz subsp. comberi (Du Rietz) W.R.Barker, J. Adelaide Bot. Gard. 5: 122 (1982)	3:531
e	Euphrasia gibbsiae Du Rietz subsp. discolor W.R.Barker, J. Adelaide Bot. Gard. 5: 128 (1982)	
e	Euphrasia gibbsiae Du Rietz subsp. gibbsiae , Svensk Bot. Tidskr. 42: 104 (1948)	3:531
e	Euphrasia gibbsiae Du Rietz subsp. kingii (W.M.Curtis) W.R.Barker, The Endemic Flora of Tasmania 6: 477 (1978)	3:530
e	Euphrasia gibbsiae Du Rietz subsp. microdonta W.R.Barker, J. Adelaide Bot. Gard. 5: 126 (1982)	
e	Euphrasia gibbsiae Du Rietz subsp. Mt Anne (A.M.Buchanan 5109) Tas Herbarium	
e	Euphrasia gibbsiae Du Rietz subsp. Mt Field (W.R.Barker 1187) Tas Herbarium	
e	Euphrasia gibbsiae Du Rietz subsp. psilantherea (F.Muell.) W.R.Barker, J. Adelaide Bot. Gard. 5: 119 (1982)	
e	Euphrasia gibbsiae Du Rietz subsp. pulvinestris W.R.Barker, J. Adelaide Bot. Gard. 5: 131 (1982)	
e	Euphrasia gibbsiae Du Rietz subsp. wellingtonensis W.R.Barker, J. Adelaide Bot. Gard. 5: 120 (1982)	
	<i>Euphrasia gunnii</i> Du Rietz = Euphrasia collina subsp. gunnii	3:528
e	Euphrasia hookeri Wettst., Monogr. Euphrasia: 268 (1896)	3:532
	<i>Euphrasia kingii</i> W.M.Curtis = Euphrasia gibbsiae subsp. kingii	3:530
	<i>Euphrasia multicaulis</i> Benth. sensu Hooker (1860) = Euphrasia collina subsp. tetragona	
e	Euphrasia phragmostoma W.R.Barker, J. Adelaide Bot. Gard. 5: 103 (1982)	
	Euphrasia scabra R.Br., Prodr. Fl. Nov. Holland. 437 (1810)	3:531
e	Euphrasia semipicta W.R.Barker, J. Adelaide Bot. Gard. 5: 139 (1982)	
e	Euphrasia striata R.Br., Prodr. Fl. Nov. Holland. 436 (1810)	3:530
	<i>Orobanche australiana</i> F.Muell. sensu Buchanan (1995) previously recorded in error	
i	Orobanche minor Sm., Engl. Bot. 6: t.422 (1797)	3:533
i	Parentucellia latifolia (L.) Caruel, Fl. Ital. (Parlatore) 6: 480 (1885)	3:532
i	Parentucellia viscosa (L.) Caruel, Fl. Ital. (Parlatore) 6: 482 (1885)	3:533
	OXALIDACEAE	FTO 70
i	Oxalis articulata Savigny, Encycl. (Lamarck) 4: 686 (1798)	1:102
i	Oxalis corniculata L. subsp. corniculata , Sp. Pl. 1: 435 (1753)	1:101
	Oxalis exilis A.Cunn., Ann. Nat. Hist. 3: 316 (1839)	
i	Oxalis incarnata L., Sp. Pl. 1: 433 (1753)	1:102
	<i>Oxalis lactea</i> Hook. = Oxalis magellanica	1:101
i	Oxalis latifolia Kunth, Nov. Gen. Sp. [H.B.K.] 5: 237, t.467 (1823)	1:101
	Oxalis magellanica G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 33 (1789)	1:101
	Oxalis perennans Haw., Misc. Nat. 181 (1803)	
i	Oxalis pes-caprae L., Sp. Pl. 1: 434 (1753)	1:101
i	Oxalis purpurea L., Sp. Pl. 1: 433 (1753)	1:102
	Oxalis radicata A.Rich., Tent. Fl. Abyss. 2: 123 (1847)	
	Oxalis rubens Haw., Misc. Nat. 182 (1803)	
	PAPAVERACEAE	FTO 44
	<i>Argemone mexicana</i> L. sensu Curtis (1956), Curtis & Morris (1975) = Argemone ochroleuca subsp. ochroleuca (misapplied in Tasmania)	1:28
i	Argemone ochroleuca Sweet subsp. ochroleuca , Brit. Fl. Gard. [Sweet] 3: t.242 (1828)	1:28

i	Eschscholzia californica Cham., Horae Phys. Berol. [Nees]: 73-74, t.15 (1820)	1:29
i	Glaucium flavum Crantz, Stirp. Austr. Fasc. Sp. 2: 133 (1763)	1:28
i	Papaver aculeatum Thunb., Prodr. Pl. Cap. 92 (1800)	1:27
i	Papaver argemone L., Sp. Pl. 1: 506 (1753)	1:27
i	Papaver dubium L., Sp. Pl. 2: 1196 (1753)	1:27
i	Papaver hybridum L., Sp. Pl. 1: 506 (1753)	1:27
i	Papaver rhoeas L., Sp. Pl. 1: 507 (1753)	1:27
i	Papaver somniferum L. subsp. setigerum (DC.) Arcang., Nouv. Fl. Normandie: 30 (1894)	1:28
i	Papaver somniferum L. subsp. somniferum , Sp. Pl. 1: 508 (1753)	1:28

PASSIFLORACEAE**FTO 81**

?i #	Passiflora cinnabarina Lindl., Gard. Chron. 23: 724 (1855) Passiflora mollissima (Kunth) L.H.Bailey sensu Buchanan (1999) = Passiflora tarminiana (misapplied in Tasmania)	
i	Passiflora tarminiana Coppens & V.E.Barney, Novon 11: 9 (2001)	

PHRYMACEAE

i	Erythranthe moschata (Douglas ex Lindl.) G.L.Nesom, Phytoneuron 39: 38 (2012)	
	Glossostigma elatinoide (Benth.) Benth. ex Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 189 (1853)	3:518
	Mimulus moschatus Douglas ex Lindl. = Erythranthe moschata	3:516
	Mimulus repens R.Br. = Thyridia repens	3:515
	Thyridia repens (R.Br.) W.R.Barker & Beardsley, Phytoneuron 39: 20 (2012)	

PHYLLANTHACEAE

	Oreoporanthera petalifera Orchard & J.B.Davies = Poranthera petalifera	
	Phyllanthus australis Hook.f., London J. Bot. 6: 284 (1847)	3:638
	Phyllanthus gunnii Hook.f., London J. Bot. 6: 284 (1847)	3:638
	Poranthera microphylla Brongn., Ann. Sci. Nat. (Paris) 29: 385 (1833)	3:634
e	Poranthera petalifera (Orchard & J.B.Davies) Halford & R.J.F.Hend., Austrobaileya 7: 22 (2005)	

PHYTOLACCACEAE

i	Phytolacca octandra L., Sp. Pl., ed. 2: 631 (1762)	
---	---	--

PICODENDRACEAE

	Micrantheum hexandrum Hook.f., London J. Bot. 6: 283 (1847)	3:634
e	Micrantheum serpentinum Orchard, Aspects of Tasmanian Botany: 60 (1991) Pseudanthus divaricatissimus (Müll.Arg.) Benth. sensu Buchanan (1999) recorded in error	
	Pseudanthus ovalifolius F.Muell., Trans. & Proc. Philos. Inst. Victoria 2: 66 (1857)	3:634
	Pseudanthus tasmanicus Rodway = Muehlenbeckia axillaris (Polygonaceae)	3:593

PITTIOSPORACEAE**FTO 138**

	Billardiera alpina (McGill.) E.M.Benn. sensu Buchanan (1989) = Rhytidosporum inconspicuum (misapplied in Tasmania)	
	Billardiera fusiformis Labill. sensu Buchanan (2009) = Billardiera heterophylla (misapplied in Tasmania)	1:59
i	Billardiera heterophylla (Lindl.) L.W.Cayzer & Crisp, Austral. Syst. Bot. 17: 119 (2004)	1:59
e	Billardiera longiflora Labill., Nov. Holl. Pl. 1: 64, t.89 (1805)	1:58
	Billardiera longiflora Labill. var. alpina Rodway = Billardiera longiflora	

- Billardiera longiflora* Labill. var. *ovalis* (Lindl.) E.M.Benn. = **Billardiera ovalis**
Billardiera macrantha Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 37 (1855)
Billardiera mutabilis Salisb., Parad. Lond. 1: t.48 (1806) 1:59
n *Billardiera nesophila* L.W.Cayzer & D.L.Jones = **Billardiera macrantha**
e **Billardiera ovalis** Lindl., Edwards's Bot. Reg. 20: t.1719 (1834)
Billardiera procumbens (Hook.) E.M.Benn. = **Rhytidosporum procumbens** 1:58
Billardiera scandens Sm. sensu Curtis & Morris (1975) = **Billardiera mutabilis** (misapplied in Tasmania) 1:59
n *Billardiera viridiflora* L.W.Cayzer & D.L.Jones = **Billardiera macrantha**
Bursaria spinosa Cav. subsp. *spinosa*, Icon. [Cavanilles] 4: 30, t.350 (1797) 1:57
Marianthus procumbens (Hook.) Benth. = **Rhytidosporum procumbens** 1:58
Pittosporum bicolor Hook., J. Bot. (Hooker) 1: 249 (1834) 1:56
i **Pittosporum crassifolium** Banks & Sol. ex A.Cunn., Ann. Nat. Hist. 4: 106 (1840)
i **Pittosporum eugenioides** A.Cunn., Ann. Nat. Hist. 4: 106 (1840)
i **Pittosporum tenuifolium** Gaertn., Fruct. Sem. Pl. 1: 286 (1788)
i **Pittosporum undulatum** Vent., Descr. Pl. Nouv. 76, t.76 (1802)
i **Pittosporum undulatum** Vent. subsp. × *emmettii* W.M.Curtis, Records of the Queen Victoria Museum 50: 3(1974) = **Pittosporum bicolor** × **P. undulatum** 1:57
Rhytidosporum alpinum McGill. sensu Buchanan (1995) = **Rhytidosporum inconspicuum** (misapplied in Tasmania)
Rhytidosporum inconspicuum L.W.Cayzer, Crisp & I.Telford, Austral. Syst. Bot. 12: 700 (1999)
Rhytidosporum procumbens (Hook.) F.Muell., Pl. Victoria 1: 75 (1862) 1:58
Sollya heterophylla Lindl. = **Billardiera heterophylla** 1:59
- PLANTAGINACEAE**
- i # **Antirrhinum majus** L., Sp. Pl. 2: 617 (1753)
Callitriche brachycarpa Hegelm., Verh. Bot. Vereins Prov. Brandenburg 10: 115 (1868) 1:195
i * *Callitriche brutia* Petagna subsp. *brutia*
Callitriche sonderi Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 18 (1867)
i **Callitriche stagnalis** Scop., Fl. Carniol., ed. 2, 2: 251 (1772) 1:195
Callitriche umbonata Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 19 (1867) 1:196
Callitriche verna L. sensu Hooker (1860), Bentham (1864) = **Callitriche stagnalis** (misapplied in Tasmania)
Chionohebe ciliolata (Hook.f.) B.G.Briggs & Ehrend. = **Veronica ciliolata**
i **Cymbalaria muralis** G.Gaertn., B.Mey. & Scherb., Oekon. Fl. Wetterau 2: 397 (1800) 3:514
Derwentia derwentiana (Andrews) B.G.Briggs & Ehrend. subsp. *derwentiana* = **Veronica derwentiana** subsp. *derwentiana* 3:523
Derwentia nivea (Lindl.) B.G.Briggs & Ehrend. = **Veronica nivea** 3:523
i **Digitalis purpurea** L., Sp. Pl. 2: 621 (1753) 3:519
Gratiola latifolia R.Br. = **Gratiola peruviana** 3:517
Gratiola nana Benth., Prodr. [A. P. de Candolle] 10: 404 (1846) 3:517
Gratiola peruviana L., Sp. Pl. 1: 17 (1753) 3:517
Gratiola pubescens R.Br., Prodr. Fl. Nov. Holland. 435 (1810) 3:517
Gratiola pumilo F.Muell., Linnaea 25: 431 (1853)

	Hebe elliptica (G.Forst.) Pennell = Veronica elliptica	
i	Kickxia elatine (L.) Dumort. subsp. elatine , Fl. Belg. (Dumortier): 35 (1827)	3:514
i *	Kickxia spuria (L.) Dumort. subsp. integrifolia (Brot.) R.Fern.	3:514
	Limosella aquatica L. sensu Rodway (1903) = Limosella australis	3:519
	Limosella australis R.Br., Prodr. Fl. Nov. Holland. 443 (1810)	3:519
	Limosella lineata Glück = Limosella australis	3:519
	Linaria spuria (L.) Mill. = Kickxia spuria	
i	Linaria vulgaris Mill., Gard. Dict., ed. 8, LIN I (1768)	3:513
e	Ourisia integrifolia R.Br., Prodr. Fl. Nov. Holland. 439 (1810)	3:520
	Parahebe derwentiana (Andrews) B.G.Briggs & Ehrend. = Veronica derwentiana	3:523
	Plantago antarctica Decne., Prodr. [A. P. de Candolle] 13: 703 (1852)	3:562
	Plantago archeri Hook.f. = Plantago tasmanica var. archeri	
i	Plantago australis Lam., Tabl. Encycl. 1: 339 (1792)	
e	Plantago bellidioides Decne., Prodr. [A. P. de Candolle] 13: 701 (1852)	3:561
	Plantago brownii Rapin = Plantago triantha	
	Plantago carnososa R.Br. = Plantago triantha	
i	Plantago coronopus L. subsp. commutata (Guss.) Pilg., Repert. Spec. Nov. Regni Veg. 28: 287 (1930)	3:560
i	Plantago coronopus L. subsp. coronopus , Sp. Pl. 1: 115 (1753)	3:560
e	Plantago daltonii Decne., Prodr. [A. P. de Candolle] 13: 703 (1852)	3:563
	Plantago debilis R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:560
	Plantago gaudichaudii Barnéoud, Monogr. Plantag. 15 (1845)	
e	Plantago glabrata Hook.f., London J. Bot. 6: 276 (1847)	3:562
	Plantago glacialis B.G.Briggs, Carolin & Pulley, Contr. New South Wales Natl. Herb. 4: 395 (1973)	3:564
e	Plantago gunnii Hook.f., London J. Bot. 5: 446 (1846)	3:564
	Plantago hispida R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:561
i	Plantago lanceolata L., Sp. Pl. 1: 113 (1753)	3:560
i	Plantago major L., Sp. Pl. 1: 112 (1753)	3:559
	Plantago muelleri Pilg. sensu Curtis (1967) = Plantago glacialis (misapplied in Tasmania)	3:564
e	Plantago paradoxa Hook.f., London J. Bot. 6: 277 (1847)	3:564
e	Plantago tasmanica Hook.f. var. archeri (Hook.f.) W.M.Curtis, The Student's Flora of Tasmania 3: 650 (1967)	3:563
	Plantago tasmanica Hook.f. var. daltonii (Decne.) Hook.f. = Plantago daltonii	
	Plantago tasmanica Hook.f. var. glabrata (Hook.f.) Hook.f. = Plantago glabrata	
e	Plantago tasmanica Hook.f. var. tasmanica , London J. Bot. 6: 276 (1847)	3:562
t	Plantago triantha Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 439 (1824)	3:563
	Plantago varia R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:561
	Pygmea ciliolata Hook.f. = Veronica ciliolata	
	Veronica arguta R.Br. sensu Hooker (1860) a name of uncertain application	
i	Veronica arvensis L., Sp. Pl. 1: 13 (1753)	3:525
	Veronica calycina R.Br., Prodr. Fl. Nov. Holland. 435 (1810)	3:524
t	Veronica ciliolata (Hook.f.) Cheeseman subsp. fiordensis (Ashwin) Meudt, Austral. Syst. Bot. 21: 413 (2008)	

e	Veronica continua B.G.Briggs, <i>Teloepa</i> 11: 278 (2006)	
	Veronica derwentiana Andrews subsp. derwentiana , <i>Bot. Repos</i> 8: t. 531 (1808)	3:523
	<i>Veronica distans</i> R.Br. var. <i>pubescens</i> Benth. = Veronica novae-hollandiae	3:523
i t	Veronica elliptica G.Forst., <i>Fl. Ins. Austr.</i> 3 (1786)	
e	Veronica formosa R.Br., <i>Prodr. Fl. Nov. Holland.</i> 434 (1810)	3:522
	Veronica gracilis R.Br., <i>Prodr. Fl. Nov. Holland.</i> 435 (1810)	3:523
i	Veronica hederifolia L., <i>Sp. Pl.</i> 1: 13 (1753)	3:525
	<i>Veronica labiata</i> R.Br. nom. illeg. = Veronica derwentiana	
	Veronica nivea Lindl., <i>Edwards's Bot. Reg.</i> 28: 42 (1842)	3:523
n	Veronica notabilis F.Muell. ex Benth., <i>Fl. Austral.</i> 4: 511 (1868)	3:524
e	Veronica novae-hollandiae Poir., <i>Encycl. (Lamarck)</i> 8: 526 (1808)	3:523
	<i>Veronica peregrina</i> L. previously listed as naturalised but insufficient evidence exists to support this	3:525
i	Veronica persica Poir., <i>Encycl. (Lamarck)</i> 8: 542 (1808)	3:526
	Veronica plebeia R.Br., <i>Prodr. Fl. Nov. Holland.</i> 435 (1810)	3:524
i t	Veronica scutellata L., <i>Sp. Pl.</i> 1: 12 (1753)	
i	Veronica serpyllifolia L., <i>Sp. Pl.</i> 1: 12 (1753)	3:525
	PLUMBAGINACEAE	FTO 94
	Limonium australe (R.Br.) Kuntze var. australe , <i>Revis. Gen. Pl.</i> 2: 395 (1891)	3:465
e	Limonium australe (R.Br.) Kuntze var. baudinii (Lincz.) A.M.Gray, <i>Kanunnah</i> 4: 117 (2010)	
	<i>Limonium baudinii</i> Lincz. = Limonium australe var. baudinii	
i #	Limonium sinuatum (L.) Mill., <i>Gard. Dict.</i> , ed. 8, 6 (1768)	
	<i>Statice australis</i> (R.Br.) Spreng. = Limonium australe	
	<i>Taxanthea australis</i> R.Br. = Limonium australe	
	POLEMONIACEAE	FTO 102
	<i>Collomia grandiflora</i> Douglas ex Lindl. previously listed as naturalised but insufficient evidence exists to support this	3:485
	<i>Collomia linearis</i> (Cav.) Nutt. sensu Curtis (1967) = <i>Collomia grandiflora</i> (misapplied in Tasmania)	3:485
i	Navarretia squarrosa (Eschsch.) Hook. & Arn., <i>Bot. Beechey Voy.</i> 368 (1839)	3:485
	POLYGALACEAE	FTO 60
	Comesperma calymega Labill., <i>Nov. Holl. Pl.</i> 2: 23, t.162 (1806)	1:62
	Comesperma defoliatum F.Muell., <i>Pl. Victoria</i> 1: 189 (1862)	1:63
	Comesperma ericinum DC., <i>Prodr. [A. P. de Candolle]</i> 1: 334 (1824)	1:62
	Comesperma retusum Labill., <i>Nov. Holl. Pl.</i> 2: 22, t.160 (1806)	1:62
	Comesperma volubile Labill., <i>Nov. Holl. Pl.</i> 2: 24, t.163 (1806)	1:62
i	Polygala myrtifolia L., <i>Sp. Pl.</i> 2: 703 (1753)	1:63
i	Polygala vulgaris L., <i>Sp. Pl.</i> 2: 702 (1753)	
	POLYGONACEAE	FTO 95
i	Acetosa sagittata (Thunb.) L.A.S.Johnson & B.G.Briggs, <i>Contr. New South Wales Natl. Herb.</i> 3: 166 (1962)	
i	Acetosella vulgaris Fourr., <i>Ann. Soc. Linn. Lyon, Ser. 2</i> , 17: 145 (1869)	3:587
i	Emex australis Steinh., <i>Ann. Sci. Nat., Bot., sér. 2</i> , 9: 195 (1838)	3:583
i	Fallopia convolvulus (L.) Á.Löve, <i>Taxon</i> 19: 300 (1970)	3:591
i	Fallopia japonica (Houtt.) Ronse Decr., <i>Bot. J. Linn. Soc.</i> 98: 369 (1988)	

	Muehlenbeckia adpressa (Labill.) Meisn., Pl. Vasc. Gen. [Meisner] 2: 227 (1843)	3:592
	Muehlenbeckia adpressa (Labill.) Meisn. var. hastifolia Meisn. = Muehlenbeckia gunnii	
	Muehlenbeckia adpressa (Labill.) Meisn. var. rotundifolia Benth. nom. illeg. = Muehlenbeckia adpressa	
	Muehlenbeckia australis (G.Forst.) Meisn. sensu Buchanan (2009) = Muehlenbeckia adpressa (misapplied in Tasmania)	
	Muehlenbeckia axillaris (Hook.f.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 51 (1848)	3:593
	Muehlenbeckia gunnii (Hook.f.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 51 (1848)	3:593
i	Persicaria capitata (Buch.-Ham. ex D.Don) H.Gross, Bot. Jahrb. Syst. 49: 277 (1913)	
	Persicaria decipiens (R.Br.) K.L.Wilson, Telopea 3: 178 (1988)	3:590
	Persicaria hydropiper (L.) Delarbre, Fl. Auvergne (Delarbre) 2: 518 (1800)	3:590
i	Persicaria lapathifolia (L.) Gray, Nat. Arr. Brit. Pl. 2: 270 (1821)	3:591
i	Persicaria maculosa Gray, Nat. Arr. Brit. Pl. 2: 269 (1821)	3:591
	Persicaria praetermissa (Hook.f.) H.Hara, Fl. E. Himalaya: 73 (1966)	3:589
?i	Persicaria prostrata (R.Br.) Soják, Preslia 46: 154 (1974)	3:590
	Persicaria subsessilis (R.Br.) K.L.Wilson, Telopea 3: 180 (1988)	3:591
	Polygonum adpressum Labill. = Muehlenbeckia adpressa	
i	Polygonum arenastrum Jord. ex Boreau, Fl. Centre France, ed. 3 [Boreau], 2: 559 (1857)	3:589
i	Polygonum aviculare L., Sp. Pl. 1: 362 (1753)	3:588
	Polygonum convolvulus L. = Fallopia convolvulus	3:591
	Polygonum decipiens R.Br. = Persicaria decipiens	3:590
	Polygonum hydropiper L. = Persicaria hydropiper	3:590
	Polygonum lapathifolium L. = Persicaria lapathifolia	3:591
	Polygonum minus Huds. sensu Bentham (1870) = Persicaria decipiens (misapplied in Tasmania)	
	Polygonum persicaria L. = Persicaria maculosa	3:591
	Polygonum plebeium R.Br. sensu Curtis (1967) = Polygonum arenastrum (misapplied in Tasmania)	3:589
	Polygonum prostratum R.Br. = Persicaria prostrata	3:590
	Polygonum strigosum R.Br. sensu Curtis (1967) = Persicaria praetermissa (misapplied in Tasmania)	3:589
	Polygonum subsessile R.Br. = Persicaria subsessilis	3:591
	Reynoutria japonica Houtt. = Fallopia japonica	
	Rumex acetosella L. = Acetosella vulgaris	3:587
	Rumex angiocarpus Murb. sensu Curtis (1967) = Acetosella vulgaris (misapplied in Tasmania)	3:586
	Rumex bidens R.Br., Prodr. Fl. Nov. Holland. 421 (1810)	3:586
	Rumex brownii Campd., Monogr. Rumex 64: 81 (1819)	3:585
i	Rumex conglomeratus Murray, Prodr. Stirp. Gott. 52 (1770)	3:585
i	Rumex crispus L., Sp. Pl. 1: 335 (1753)	3:584
	Rumex dumosiformis Rech. = Rumex dumosus	3:586
	Rumex dumosus A.Cunn. ex Meisn., Prodr. [A. P. de Candolle] 14: 62 (1856)	3:586
	Rumex dumosus A.Cunn. ex Meisn. var. dumosiformis (Rech.f.) Rech.f. = Rumex dumosus	3:586
i	Rumex obtusifolius L., Sp. Pl. 1: 335 (1753)	3:585
	Rumex obtusifolius L. subsp. transiens (Simonk.) Rech.f. sensu Buchanan (1999) = Rumex obtusifolius (misapplied in Tasmania)	
i	Rumex pulcher L. subsp. pulcher , Sp. Pl. 1: 336 (1753)	3:585
	Rumex sagittatus Thunb. = Acetosa sagittata	

Rumex sanguineus L. sensu Rodway (1903) = **Rumex conglomeratus** (misapplied in Tasmania)

PORTULACACEAE		FTO 100
	Calandrinia calyptrata Hook.f., Icon. Pl. 3: t.296 (1840)	1:78
	<i>Calandrinia caulescens</i> Kunth = Calandrinia ciliata	1:79
i	Calandrinia ciliata (Ruiz & Pav.) DC., Prodr. [A. P. de Candolle] 3: 359 (1828)	1:79
	Calandrinia eremaea Ewart, Fl. Victoria: 486 (1931)	
	Calandrinia granulifera Benth., Fl. Austral. 1: 176 (1863)	1:78
	<i>Calandrinia menziesii</i> (Hook.) Torr. & A.Gray = Calandrinia ciliata	1:79
	<i>Calandrinia neesiana</i> H.Eichler = Calandrinia granulifera	1:78
	<i>Calandrinia pygmaea</i> F.Muell. nom. illeg. = Calandrinia granulifera	
	<i>Claytonia australasica</i> Hook.f. = Montia australasica	1:79
	<i>Claytonia perfoliata</i> Donn ex Willd. subsp. <i>perfoliata</i> previously listed as naturalised but insufficient evidence exists to support this	
	Montia australasica (Hook.f.) Pax & K.Hoffm., Nat. Pflanzenfam., ed. 2 [Engler & Prantl] 16c: 259 (1934)	1:79
	Montia fontana L. subsp. chondrosperma (Fenzl) Walters, Watsonia 3: 4 (1953)	1:79
	<i>Neopaxia australasica</i> (Hook.f.) O.Nilsson = Montia australasica	1:79
	Portulaca oleracea L., Sp. Pl. 1: 445 (1753)	1:78
PROTEACEAE		FTO 48
e	Agastachys odorata R.Br., Trans. Linn. Soc. London 10: 158 (1810)	3:601
	<i>Banksia australis</i> R.Br. = Banksia marginata	
	<i>Banksia depressa</i> R.Br. = Banksia marginata	
	<i>Banksia insularis</i> R.Br. = Banksia marginata	
x	Banksia integrifolia L.f. subsp. integrifolia , Suppl. Pl. 127 (1782)	3:616
	Banksia marginata Cav., Anales Hist. Nat. 1(3): 227, t.13 (1800)	3:615
	<i>Banksia media</i> R.Br. sensu Hooker (1860) = Banksia serrata (misapplied in Tasmania)	
	Banksia serrata L.f., Suppl. Pl. 126 (1782)	3:616
e	Bellenden montana R.Br., Trans. Linn. Soc. London 10: 166 (1810)	3:600
e	Cenarrhenes nitida Labill., Nov. Holl. Pl. 1: 36, t.50 (1805)	3:601
e	Conospermum hookeri (Meisn.) E.M.Benn., Fl. Australia 16: 485 (1995)	3:600
	<i>Conospermum taxifolium</i> C.F.Gaertn. sensu Curtis (1967) = Conospermum hookeri (misapplied in Tasmania)	3:600
	<i>Embothrium tinctorium</i> Labill. = Lomatia tinctoria	
	<i>Embothrium truncatum</i> Labill. = Telopea truncata	
i	Grevillea hybrids	
	Grevillea australis R.Br., Trans. Linn. Soc. London 10: 171 (1810)	3:606
	<i>Grevillea australis</i> R.Br. var. <i>brevifolia</i> Hook.f. = Grevillea australis	3:606
	<i>Grevillea australis</i> R.Br. var. <i>erecta</i> Hook.f. = Grevillea australis	3:606
	<i>Grevillea australis</i> R.Br. var. <i>linearifolia</i> Hook.f. = Grevillea australis	3:606
	<i>Grevillea australis</i> R.Br. var. <i>montana</i> Hook.f. = Grevillea australis	3:606
	<i>Grevillea australis</i> R.Br. var. <i>planifolia</i> Hook.f. = Grevillea australis	3:606
	<i>Grevillea australis</i> R.Br. var. <i>subulata</i> Hook.f. = Grevillea australis	3:606
	<i>Grevillea australis</i> R.Br. var. <i>tenuifolia</i> (R.Br.) Meisn. = Grevillea australis	3:606

- Grevillea seymouriae Sweet ex Meisn. sensu Meisner (1856) mistakenly attributed to Tasmania
 Grevillea stuartii Meisn. sensu Hooker (1860) = **Grevillea australis**
 Grevillea tenuifolia R.Br. = **Grevillea australis**
 Hakea acicularis (Sm. ex Vent.) Knight nom. illeg. sensu Hooker (1860) = **Hakea decurrens** subsp.
platytaenia (misapplied in Tasmania)
 Hakea acicularis (Sm. ex Vent.) Knight var. lissosperma (R.Br.) Benth. = **Hakea lissosperma**
Hakea decurrens R.Br. subsp. **physocarpa** W.R.Barker, J. Adelaide Bot. Gard. 17: 193 (1996) 3:610
Hakea decurrens R.Br. subsp. **platytaenia** W.R.Barker, J. Adelaide Bot. Gard. 17: 196 (1996)
 e **Hakea epiglottis** Labill. subsp. **epiglottis**, Nov. Holl. Pl. 1: 30, t.40 (1805) 3:609
 e **Hakea epiglottis** Labill. subsp. **milliganii** (Meisn.) R.M.Barker, Fl. Australia 17B: 394 (1999)
 i x **Hakea laurina** R.Br., Suppl. Prodr. Fl. Nov. Holl. 29 (1830)
Hakea lissosperma R.Br., Trans. Linn. Soc. London 10: 180 (1810) 3:611
 e **Hakea megadenia** R.M.Barker, Aspects of Tasmanian Botany: 83 (1991)
Hakea microcarpa R.Br., Trans. Linn. Soc. London 10: 182 (1810) 3:611
Hakea nodosa R.Br., Trans. Linn. Soc. London 10: 179 (1810) 3:610
 Hakea pugioniformis Cav. = **Hakea teretifolia**
 Hakea rostrata F.Muell. ex Meisn. sensu Curtis (1967) = **Hakea epiglottis** & **H. megadenia**
 (misapplied in Tasmania) 3:609
 Hakea rugosa R.Br. sensu Curtis (1967) = **Hakea epiglottis** & **H. megadenia** (misapplied in
 Tasmania) 3:609
 i **Hakea salicifolia** (Vent.) B.L.Burt subsp. **salicifolia**, Bull. Misc. Inform. Kew 1: 33 (1941)
 Hakea sericea Schrad. & J.C.Wendl. sensu Curtis (1967) = **Hakea decurrens** (misapplied in Tasmania) 3:610
Hakea teretifolia (Salisb.) Britten subsp. **hirsuta** (Endl.) R.M.Barker, J. Adelaide Bot. Gard. 13: 105
 (1990) 3:609
Hakea ulicina R.Br., Suppl. Prodr. Fl. Nov. Holl. 29 (1830) 3:611
 Hylogyne australis R.Br. = **Telopea truncata**
Isopogon ceratophyllus R.Br., Trans. Linn. Soc. London 10: 72 (1810) 3:599
 i # **Lomatia fraseri** R.Br., Suppl. Prodr. Fl. Nov. Holl. 34 (1830)
 e **Lomatia polymorpha** R.Br., Trans. Linn. Soc. London 10: 200 (1810) 3:613
 e **Lomatia tasmanica** W.M.Curtis, The Student's Flora of Tasmania 3: 651 (1967) 3:614
 e **Lomatia tinctoria** (Labill.) R.Br., Trans. Linn. Soc. London 10: 199 (1810) 3:613
 e **Orites acicularis** (R.Br.) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 3: 427 (1818) 3:605
 e **Orites diversifolius** R.Br., Trans. Linn. Soc. London 10: 190 (1810) 3:604
 e **Orites milliganii** Meisn., Prodr. [A. P. de Candolle] 14: 424 (1856) 3:604
 e **Orites revolutus** R.Br., Trans. Linn. Soc. London 10: 190 (1810) 3:605
 e **Persoonia gunnii** Hook.f., London J. Bot. 6: 283 (1847)
 Persoonia gunnii Hook.f. var. angustifolia Benth. = **Persoonia muelleri** subsp. **angustifolia** 3:603
 Persoonia gunnii Hook.f. var. oblanceolata Orchard = **Persoonia gunnii** 3:603
Persoonia juniperina Labill., Nov. Holl. Pl. 1: 33, t.45 (1805) 3:603
 Persoonia juniperina Labill. var. brevifolia Meisn. = **Persoonia juniperina** 3:603
 Persoonia juniperina Labill. var. mollis Orchard = **Persoonia juniperina** 3:603
 Persoonia juniperina Labill. var. ulicina Meisn. = **Persoonia juniperina** 3:603
 e **Persoonia moscalii** Orchard, Brunonia 6: 238, fig.12 (1984)

e	Persoonia muelleri (P.Parm.) Orchard subsp. angustifolia (Benth.) L.A.S.Johnson & P.H.Weston, Fl. Australia 16: 472 (1995)	3:603
e	Persoonia muelleri (P.Parm.) Orchard subsp. densifolia (Orchard) L.A.S.Johnson & P.H.Weston, Fl. Australia 16: 472 (1995)	
e	Persoonia muelleri (P.Parm.) Orchard subsp. muelleri , Brunonia 6: 226 (1984)	
e	Telopea truncata (Labill.) R.Br., Trans. Linn. Soc. London 10: 198 (1810)	3:612
	RANUNCULACEAE	FTO 47
i*	<i>Adonis microcarpa</i> DC.	
e	Anemone crassifolia Hook., Icon. Pl. 3(6): t.257 (1840)	1:11
i	Aquilegia vulgaris L., Sp. Pl. 1: 533 (1753)	
	<i>Batrachium trichophyllum</i> (Chaix) F.W.Schultz = Ranunculus trichophyllus	1:14
	<i>Caltha introloba</i> F.Muell. sensu Bentham (1863) = Psychrophila phylloptera (misapplied in Tasmania)	
	<i>Caltha novae-zelandiae</i> Hook. sensu Rodway (1903) = Psychrophila phylloptera (misapplied in Tasmania)	
	<i>Caltha phylloptera</i> A.W.Hill = Psychrophila phylloptera	1:20
	Clematis aristata R.Br. ex Ker Gawl., Bot. Reg. 3: t.238 (1817)	1:9
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. subsp. <i>confertissima</i> Kuntze = Clematis aristata	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. subsp. <i>gentianoides</i> (DC.) Kuntze = Clematis gentianoides	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. subsp. <i>gunniana</i> Kuntze = Clematis clitorioides	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. subsp. <i>procumbens</i> Kuntze = Clematis gentianoides	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. subsp. <i>tasmanica</i> Kuntze = Clematis gentianoides	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. var. <i>blanda</i> (Hook.) Benth. = Clematis clitorioides	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. var. <i>coriacea</i> (DC.) Benth. = Clematis aristata	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. var. <i>gentianoides</i> (DC.) F.Muell. = Clematis gentianoides	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. var. <i>gunniana</i> (Kuntze) Domin = Clematis clitorioides	
	<i>Clematis aristata</i> R.Br. ex Ker Gawl. var. <i>minor</i> Hook.f. = Clematis clitorioides	
	<i>Clematis blanda</i> Hook. = Clematis clitorioides	
	Clematis clitorioides DC., Syst. Nat. [Candolle] 1: 158 (1817)	
	<i>Clematis clitorioides</i> DC. var. <i>decipiens</i> Domin = Clematis clitorioides	
	<i>Clematis coriacea</i> DC. = Clematis aristata	
	Clematis decipiens H.Eichler ex Jeanes, Fl. Australia 2: 461 (2007)	
e	Clematis gentianoides DC., Syst. Nat. [Candolle] 1: 159 (1817)	1:10
	<i>Clematis gentianoides</i> DC. var. <i>normalis</i> Domin nom. inval. = Clematis gentianoides	
	<i>Clematis gentianoides</i> var. <i>procumbens</i> = Clematis gentianoides	
	<i>Clematis gentianoides</i> DC. var. <i>tasmanica</i> (Kuntze) Domin = Clematis gentianoides	
	<i>Clematis hexapetala</i> L.f. subsp. <i>brachystemon</i> Kuntze = Clematis clitorioides	
	<i>Clematis linearifolia</i> Steud. sensu Hooker (1860) = Clematis clitorioides (misapplied in Tasmania)	
	Clematis microphylla DC., Syst. Nat. [Candolle] 1: 147 (1817)	1:10
i	Clematis vitalba L. var. vitalba , Sp. Pl. 1: 544 (1753)	1:10
	Myosurus australis F.Muell., Trans. Philos. Soc. Victoria 1: 6 (1854)	1:11
	<i>Myosurus minimus</i> L. sensu Curtis & Morris (1975) = Myosurus australis (misapplied in Tasmania)	1:11
e	Psychrophila phylloptera (A.W.Hill) H.Eichler, Fl. Australia 2: 459 (2007)	1:20
t	Ranunculus acaulis Banks & Sol. ex DC., Syst. Nat. [Candolle] 1: 270 (1817)	1:17

i	Ranunculus acris L. subsp. acris , Sp. Pl. 1: 554 (1753)	1:18
	Ranunculus amphitrichus Colenso, Trans. & Proc. New Zealand Inst. 17: 237 (1885)	1:17
	<i>Ranunculus arvensis</i> L. previously listed as naturalised but insufficient evidence exists to support this	1:18
e	Ranunculus collicola Menadue, Brunonia 8(2): 373 (1986)	
	Ranunculus collinus R.Br. ex DC., Syst. Nat. [Candolle] 1: 271 (1817)	1:17
	<i>Ranunculus concinnus</i> (Hook.f.) Melville = Ranunculus decurvus	1:15
	<i>Ranunculus cuneatus</i> Hook. nom. illeg. = Ranunculus triplodontus	
e	Ranunculus decurvus (Hook.f.) Melville, Kew Bull. 10: 202 (1955)	1:15
	Ranunculus diminutus B.G.Briggs, Telopea 5(4): 583 (1994)	
	<i>Ranunculus flammula</i> L. subsp. <i>flammula</i> previously listed as naturalised but insufficient evidence exists to support this	
	Ranunculus glabrifolius Hook., J. Bot. (Hooker) 1: 243 (1834)	1:17
	Ranunculus gunnianus Hook., J. Bot. (Hooker) 1: 244, t.133 (1834)	1:14
	<i>Ranunculus hirtus</i> Banks & Sol. ex DC. nom. illeg. = Ranunculus pimpinellifolius	
	<i>Ranunculus inconspicuus</i> Hook.f. = Ranunculus collinus	
	<i>Ranunculus inundatus</i> R.Br. ex DC. sensu Curtis & Morris (1975) = Ranunculus amphitrichus (misapplied in Tasmania)	1:17
e	Ranunculus jugosus Menadue, Brunonia 8(2): 377 (1986)	
	Ranunculus lappaceus Sm., Cycl. (Rees) 29(2): no.61 (1815)	1:14
	<i>Ranunculus lappaceus</i> Sm. var. <i>nanus</i> (Hook.) Benth. = Ranunculus nanus	
	<i>Ranunculus lappaceus</i> Sm. var. <i>pimpinellifolius</i> (Hook.) Benth. = Ranunculus pimpinellifolius	
	<i>Ranunculus lappaceus</i> Sm. var. <i>scapiger</i> (Hook.) Benth. = Ranunculus scapiger	
	<i>Ranunculus lappaceus</i> Sm. var. <i>subsericeus</i> Benth. = Ranunculus pascuinus	
	<i>Ranunculus millanii</i> F.Muell. sensu Rodway (1903) = Ranunculus setaceus (misapplied in Tasmania)	
i	Ranunculus muricatus L., Sp. Pl. 1: 555 (1753)	1:18
e	Ranunculus nanus Hook., J. Bot. (Hooker) 1: 242 (1834)	1:16
i	Ranunculus parviflorus L., Syst. Nat., ed. 10, 2: 1087 (1759)	1:19
e	Ranunculus pascuinus (Hook.f.) Melville, Kew Bull. 10: 198 (1955)	1:15
	<i>Ranunculus philonotis</i> Retz. sensu Bentham (1863) = Ranunculus sardous (misapplied in Tasmania)	
	Ranunculus pimpinellifolius Hook., J. Bot. (Hooker) 1: 243 (1834)	1:14
	<i>Ranunculus plebeius</i> R.Br. ex DC. sensu Curtis (1956) mistakenly attributed to Tasmania	
e	Ranunculus prasinus Menadue, Brunonia 8: 375 (1986)	
	Ranunculus pumilio R.Br. ex DC. var. pumilio , Syst. Nat. [Candolle] 1: 271 (1817)	1:19
i	Ranunculus repens L., Sp. Pl. 1: 554 (1753)	1:18
	<i>Ranunculus rivularis</i> Banks & Sol. ex DC. sensu Curtis & Morris (1975) = Ranunculus amphitrichus	1:17
	<i>Ranunculus rivularis</i> Banks & Sol. ex DC. var. <i>inconspicuus</i> Benth. = Ranunculus collinus	
	<i>Ranunculus rivularis</i> Banks & Sol. ex DC. var. <i>major</i> Benth. = Ranunculus glabrifolius	
	<i>Ranunculus rivularis</i> Banks & Sol. ex DC. var. <i>subfluitans</i> Benth. nom. illeg. = Ranunculus amphitrichus	
i	Ranunculus sardous Crantz, Stirp. Austr. Fasc. 2: 84 (1763)	1:19
	Ranunculus scapiger Hook., J. Bot. (Hooker) 1: 224 (1834)	1:15
	<i>Ranunculus sceleratus</i> L. subsp. <i>sceleratus</i> previously listed as naturalised but insufficient evidence exists to support this	1:20

	Ranunculus sessiliflorus R.Br. ex DC. var. sessiliflorus , Syst. Nat. [Candolle] 1: 302 (1817)	1:19
e	Ranunculus setaceus Rodway, Pap. & Proc. Roy. Soc. Tasmania 1900-1901: 107 (1902)	1:14
?i	Ranunculus trichophyllus Chaix, Hist. Pl. Dauphiné (Villars) 1: 335 (1786)	1:14
	<i>Ranunculus trichophyllus</i> Chaix subsp. <i>drouetii</i> (F.W.Schultz ex Godr.) A.R.Clapham = Ranunculus trichophyllus	
i	Ranunculus trilobus Desf., Fl. Atlant. 1: 437, t.113 (1798)	1:19
e	Ranunculus triplodontus Melville, Kew Bull. 10: 204 (1955)	1:16
	<i>Valvaria gentianoides</i> (DC.) Ser. = Clematis gentianoides	
	RESEDACEAE	FTO 84
i	Reseda alba L., Sp. Pl. 1: 449 (1753)	1:53
i	Reseda lutea L., Sp. Pl. 1: 449 (1753)	1:52
i	Reseda luteola L., Sp. Pl. 1: 448 (1753)	1:52
	<i>Reseda odorata</i> L. sensu Baker & de Salas (2012) = Reseda lutea (misapplied in Tasmania)	
	RHAMNACEAE	
e	Cryptandra alpina Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 75, t.12B (1855)	1:121
	Cryptandra amara Sm., Cycl. (Rees) 10: no.2 (1808)	1:120
e	Cryptandra exilis D.I.Morris, Aspects of Tasmanian Botany: 57 (1991)	
	<i>Cryptandra mollis</i> Hook.f. = Spyridium parvifolium var. molle	
	<i>Cryptandra obovata</i> Hook.f. = Spyridium obovatum	
	<i>Cryptandra parvifolia</i> Hook.f. = Spyridium parvifolium var. parvifolium	
	<i>Cryptandra pimelioides</i> Hook.f. = Stenanthemum pimeleoides	
	<i>Cryptandra sieberi</i> Fenzl = Cryptandra amara	
	<i>Cryptandra tomentosa</i> Lindl. sensu Buchanan et al. (1989) = Cryptandra exilis	
	<i>Cryptandra vexillifera</i> Hook. = Spyridium vexilliferum	
	<i>Discaria australis</i> Hook. nom. illeg. = Discaria pubescens (misapplied in Tasmania)	
	Discaria pubescens (Brongn.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 620 (1917)	1:121
	<i>Pomaderris affinis</i> N.A.Wakef. = Pomaderris intermedia	1:114
	Pomaderris apetala Labill. subsp. apetala , Nov. Holl. Pl. 1: 62, t.87 (1805)	1:115
	Pomaderris apetala Labill. subsp. maritima N.G.Walsh & Coates, Muellera 10: 34 (1997)	
	Pomaderris aspera Sieber ex DC., Prodr. [A. P. de Candolle] 2: 33 (1825)	
	<i>Pomaderris discolor</i> (Vent.) Poir. sensu Hooker (1860) = Pomaderris intermedia (misapplied in Tasmania)	
	Pomaderris elachophylla F.Muell., Fragm. (Mueller) 2: 131 (1861)	1:116
e	Pomaderris elliptica Labill. var. diemenica N.G.Walsh & Coates, Muellera 10: 51 (1997)	
	Pomaderris elliptica Labill. var. elliptica , Nov. Holl. Pl. 1: 61, t.86 (1805)	1:114
	<i>Pomaderris ferruginea</i> Sieber ex Fenzl sensu Bentham (1863) recorded in error	
	Pomaderris intermedia Sieber ex DC., Prodr. [A. P. de Candolle] 2: 33 (1825)	1:114
	<i>Pomaderris kumeraho</i> A.Cunn. sensu Curtis (1956) mistakenly attributed to Tasmania	
	Pomaderris oraria F.Muell. ex Reissek subsp. oraria , Linnaea 29: 268 (1858)	1:116
	Pomaderris paniculosa F.Muell. ex Reissek subsp. paralia N.G.Walsh, Muellera 7: 274 (1990)	
	Pomaderris phyllicifolia Lodd. ex Link subsp. ericoides (Maiden & Betche) N.G.Walsh & Coates, Muellera 10: 52 (1997)	
	Pomaderris phyllicifolia Lodd. ex Link subsp. phyllicifolia , Enum. Hort. Berol. Alt. 1: 232 (1821)	1:116

	Pomaderris pilifera N.A.Wakef. subsp. pilifera , Vict. Naturalist 68: 140 (1951)	1:115
e	Pomaderris pilifera N.A.Wakef. subsp. talpicutica A.M.Gray & Wapstra, Muelleria 25: 129 (2007)	
	Pomaderris racemosa Hook., J. Bot. (Hooker) 1: 256 (1834-35)	1:116
i	Rhamnus alaternus L., Sp. Pl. 1: 193 (1753)	
	Spyridium eriocephalum Fenzl var. eriocephalum , Enum. Pl. [Endlicher]: 24 (1837)	1:119
e	Spyridium gunnii (Hook.f.) Benth., Fl. Austral. 1: 429 (1863)	1:118
e	Spyridium lawrencei (Hook.f.) Benth., Fl. Austral. 1: 430 (1863)	1:119
	<i>Spyridium microphyllum</i> (F.Muell. ex Reissek) Druce = Spyridium lawrencei	1:119
e	Spyridium obcordatum (Hook.f.) W.M.Curtis, Vict. Naturalist 87: 251 (1970)	1:117
	<i>Spyridium obovatum</i> (Hook.f.) Benth. var. <i>gunnii</i> (Hook.f.) Rodway = Spyridium gunnii	
e	Spyridium obovatum (Hook.) Benth. var. obovatum , Fl. Austral. 1: 429 (1863)	1:118
e	Spyridium obovatum (Hook.) Benth. var. velutinum (F.Muell. ex Reissek) Benth., Fl. Austral. 1: 429 (1863)	1:118
e	Spyridium parvifolium (Hook.) F.Muell. var. molle (Hook.f.) Benth., Fl. Austral. 1: 428 (1863)	1:118
	Spyridium parvifolium (Hook.) F.Muell. var. parvifolium , Fragm. (Mueller) 3: 79 (1862)	1:118
	<i>Spyridium serpyllaceum</i> (Reissek & F.Muell.) F.Muell. nom. illeg. = Spyridium obcordatum	
e	Spyridium ulicinum (Hook.) Benth., Fl. Austral. 1: 434 (1863)	1:119
	Spyridium vexilliferum (Hook.) Reissek var. vexilliferum , Linnaea 29: 285 (1858)	1:119
e	Stenanthemum pimeleoides (Hook.f.) Benth., Fl. Austral. 1: 436 (1863)	1:120
ROSACEAE		
	<i>Acaena agnipila</i> Gand. var. <i>aequispina</i> Orchard = Acaena ovina	1:176
	<i>Acaena agnipila</i> Gand. var. <i>tenuispica</i> (Bitter) Orchard = Acaena ovina	1:176
	<i>Acaena anserinifolia</i> (J.R.Forst. & G.Forst.) Druce sensu Curtis (1956) = Acaena novae-zelandiae	
	Acaena × anserovina Orchard, Trans. Roy. Soc. South Australia 93: 104 (1969)	1:176
	Acaena echinata Nees, Pl. Preiss. [J.G.C.Lehman] 1: 95 (1844)	1:175
	<i>Acaena echinata</i> Nees var. <i>retrorsumpilosa</i> (Bitter) Orchard = Acaena echinata	1:175
	<i>Acaena echinata</i> Nees var. <i>subglabralyx</i> (Bitter) Orchard = Acaena echinata	1:175
	<i>Acaena echinata</i> Nees var. <i>tylacantha</i> Orchard = Acaena echinata	1:175
e	Acaena montana Hook.f., London J. Bot. 6: 476 bis (1847)	1:175
	Acaena novae-zelandiae Kirk, Trans. Proc. New Zealand Inst. 3: 177 (1871)	1:175
	Acaena ovina A.Cunn., Geog. Mem. New South Wales [Field]: 358 (1825)	1:175
	<i>Acaena ovina</i> A.Cunn. var. <i>velutina</i> Orchard = Acaena ovina	1:175
	Acaena pallida (Kirk) Allan, Fl. New Zealand 1: 360 (1961)	
	<i>Acaena sanguisorbae</i> (L.) Vahl sensu Bentham (1864) = Acaena novae-zelandiae (misapplied in Tasmania)	
	<i>Acaena sanguisorbae</i> (L.) Vahl var. <i>montana</i> (Hook.f.) Hook.f. = Acaena montana	
	<i>Alchemilla arvensis</i> (L.) Scop. = Aphanes arvensis	
i	Aphanes arvensis L., Sp. Pl. 1: 123 (1753)	1:174
	Aphanes australiana (Rothm.) Rothm., Bull. Misc. Inform. Kew 1938: 270 (1938)	
	<i>Aphanes inexpectata</i> W.Lippert sensu Buchanan (1999) = Aphanes microcarpa	
i	Aphanes microcarpa (Boiss. & Reut.) Rothm., Repert. Spec. Nov. Regni Veg. 42: 172 (1937)	
?i	Argentina anserina (L.) Rydb., Mem. Dept. Bot. Columbia Coll. 2: 159 (1898)	1:173
i	Cotoneaster franchetii Bois, Rev. Hort. [Paris] 74: 379 (1902)	

- i **Cotoneaster glaucophyllus** Franch. var. **serotinus** (Hutch.) L.T.Lu & Brach, Novon 12: 495 (2002)
- i **Cotoneaster pannosus** Franch., Pl. Delavay. 223 (1890)
- i **Cotoneaster simonsii** Baker, Refug. Bot. [Saunders] 1: t.55 (1869)
Cotoneaster symondsii T.Moore = **Cotoneaster simonsii**
- i **Crataegus monogyna** Jacq., Fl. Austriac. (Jacquin) 3: 50 (1775) 1:178
Geum renifolium F.Muell. = **Geum talbotianum**
- e **Geum talbotianum** W.M.Curtis, Records of the Queen Victoria Museum 50: 4 (1974) 1:172
- x **Geum urbanum** L. var. **strictum** Hook.f., Bot. Antarct. Voy. III (Fl. Tasman.) 1: 114 (1856) 1:172
Malus × domestica Borkh. = **Malus pumila**
- i **Malus pumila** Mill., Gard. Dict., ed. 8, Malus no 3 (1768)
- i **Potentilla anglica** Laichard., Veg. Eur. 1: 475 (1790) 1:173
Potentilla anserina L. = **Argentina anserina** 1:173
- i **Potentilla recta** L., Sp. Pl. 1: 497 (1753) 1:173
- i **Potentilla reptans** L., Sp. Pl. 1: 499 (1753) 1:173
Poterium polygamum Waldst. & Kit. = **Sanguisorba minor** 1:176
Poterium sanguisorba L. sensu Rodway (1903) = **Sanguisorba minor** 1:176
- i **Prunus domestica** L. subsp. **insititia** (L.) Bonnier & Layens, Fl. France [Rouy & Foucard]: 95 (1894) 1:178
Prunus insititia L. = **Prunus domestica** subsp. **insititia**
- i **Prunus laurocerasus** L., Sp. Pl. 1: 474 (1753)
- i **Prunus spinosa** L., Sp. Pl. 1: 475 (1753) 1:178
- i **Rosa canina** L., Sp. Pl. 1: 491 (1753) 1:177
- i **Rosa rubiginosa** L., Mant. Pl. 2: 564 (1771) 1:177
- i **Rubus anglocandicans** A.Newton, Watsonia 11: 243 (1977) 1:171
- i **Rubus echinatus** Lindl., Syn. Brit. Fl. 94 (1829)
- i **Rubus erythrops** Eedes & A.Newton, Watsonia 12: 135 (1978)
Rubus fruticosus L. a catch-all name for all the blackberry species of **Rubus**
- e **Rubus gunnianus** Hook., Icon. Pl. 3: t.291 (1840) 1:171
- i **Rubus laciniatus** Willd., Hort. Berol. [Willdenow] 2(8): t.82 (1806) 1:171
- i **Rubus leucostachys** Schleich. ex Sm., Engl. Fl. 2: 403 (1824) 1:171
- i **Rubus loganobaccus** L.H.Bailey, Gentes Herb. 1: 155 (1923)
Rubus macropodus Ser. ex DC. sensu Hooker (1860) = **Rubus parvifolius**
Rubus parvifolius L., Sp. Pl. 2: 1197 (1753) 1:171
- i **Rubus philadelphicus** Blanch., Torreyia 7: 56 (1907)
- i **Rubus polyanthemus** Lindeb., Bot. Not. 1883: 105 (1883)
- i **Rubus rubritinctus** W.C.R.Watson, Watsonia 3: 287 (1956)
- i# **Rubus rugosus** Sm., Cycl. (Rees) 30: no 34 (1815)
- i **Rubus sp. Tasmania (J.R.Hosking 1551) SA Herbarium**
- i **Rubus vestitus** Weihe, Comp. Fl. German. 1: 684 (1825)
- i **Sanguisorba minor** Scop., Fl. Carniol., ed. 2, 1: 110 (1771) 1:176
Sanguisorba minor Scop. subsp. muricata (Spach) Briq. = **Sanguisorba minor** 1:176
- i **Sorbus aucuparia** L., Sp. Pl. 1: 477 (1753)

RUBIACEAE

- Asperula charophyton Airy Shaw & Turrill sensu Curtis (1963) recorded in error 2:276

	Asperula conferta Hook.f., London J. Bot. 6: 464 bis (1847)	2:275
	<i>Asperula conferta</i> Hook.f. var. <i>abbreviata</i> Airy Shaw & Turrill = Asperula conferta	2:275
	<i>Asperula conferta</i> Hook.f. var. <i>scoparioides</i> Airy Shaw & Turrill = Asperula conferta	2:275
	Asperula gunnii Hook.f., London J. Bot. 6: 464 bis (1847)	2:275
	<i>Asperula gunnii</i> Hook.f. var. <i>curta</i> (Hook.f.) Airy Shaw & Turrill = Asperula gunnii	2:276
	<i>Asperula gunnii</i> Hook.f. var. <i>pusilla</i> (Hook.f.) Benth. = Asperula pusilla	
	Asperula minima Hook.f., London J. Bot. 6: 464 bis (1847)	2:276
	Asperula oblanceolata I.Thomps., Muelleria 27: 68 (2009)	
	<i>Asperula oligantha</i> F.Muell. nom. illeg., sensu Rodway (1903) a catch-all name that includes most Tasmanian Asperula species	
	Asperula pusilla Hook.f., London J. Bot. 6: 464 bis (1847)	2:276
	Asperula scoparia Hook.f. subsp. scoparia , London J. Bot. 6: 463 bis (1847)	2:275
	Asperula subsimplex Hook.f., London J. Bot. 6: 463 bis (1847)	2:276
	<i>Canthium quadrifidum</i> Labill. = Coprosma quadrifida	
	<i>Coprosma billardierei</i> Hook.f. nom. illeg. = Coprosma quadrifida	
	Coprosma hirtella Labill., Nov. Holl. Pl. 1: 70, t.95 (1805)	2:268
	Coprosma moorei F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1893: 179, t.1 (1894)	2:269
	Coprosma nitida Hook.f., London J. Bot. 6: 465 bis (1847)	2:269
	Coprosma nivalis W.R.B.Oliv., Bull. Bernice P. Bishop Mus. 132: 37 (1935)	
	Coprosma perpusilla Colenso subsp. perpusilla , Trans. & Proc. New Zealand Inst. 22: 466 (1890)	
	Coprosma pumila Hook.f., Bot. Antarct. Voy. 1. (Fl. Antarct.). 2: 543 (1847)	2:269
	Coprosma quadrifida (Labill.) B.L.Rob., Proc. Amer. Acad. Arts 45: 409 (1910)	2:268
i	Coprosma repens A.Rich., Voy. Astrolabe 1: 264 (1832)	
i	Coprosma robusta Raoul, Ann. Sci. Nat., Bot., sér. 3, 2: 121 (1844)	
e	Galium albescens Hook.f., London J. Bot. 6: 462 bis (1847)	2:273
i	Galium aparine L., Sp. Pl. 1: 108 (1753)	2:273
	Galium australe DC., Prodr. [A. P. de Candolle] 4: 608 (1830)	2:273
	Galium binifolium N.A.Wakef. subsp. conforme I.Thomps., Muelleria 27: 88 (2009)	
	Galium ciliare Hook.f. subsp. ciliare , London J. Bot. 6: 461 bis (1847)	2:272
	Galium ciliare Hook.f. subsp. terminale I.Thomps., Muelleria 27: 82 (2009)	
	Galium compactum Ehrend. & McGill., Telopea 2: 370 (1983)	
	Galium densum Hook.f., London J. Bot. 6: 461 bis (1847)	
i	Galium divaricatum Pourr. ex Lam., Encycl. (Lamarck) 2: 580 (1788)	
	Galium gaudichaudii DC. subsp. parviflorum I.Thomps., Muelleria 27: 98 (2009)	2:272
	Galium leiocarpum I.Thomps., Muelleria 27: 79 (2009)	
i	Galium murale (L.) All., Fl. Pedem. 1: 8 (1785)	2:273
i	Galium palustre L., Sp. Pl. 1: 105 (1753)	
	<i>Galium squalidum</i> Hook.f. = Galium australe	
	<i>Galium tricornutum</i> Dandy previously listed as naturalised but insufficient evidence exists to support this	
	<i>Galium umbrosum</i> G.Forst. nom. illeg., sensu Rodway (1903) a catch-all name that includes all glabrous-fruited Tasmanian Galium	
	<i>Galium vagans</i> Hook.f. = Galium binifolium subsp. conforme (uncertain)	
i # t	Galium verum L., Sp. Pl. 1: 107 (1753)	

	Nertera depressa Banks & Sol. ex Gaertn. = Nertera granadensis	2:270
	Nertera granadensis (Mutis ex L.f.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 637 (1917)	2:270
	Opercularia ovata Hook.f., London J. Bot. 6: 465 bis (1847)	2:270
	Opercularia varia Hook.f., London J. Bot. 6: 466 bis (1847)	2:271
i	Sherardia arvensis L., Sp. Pl. 1: 102 (1753)	2:277
	RUTACEAE	FTO 87
e	Acradenia frankliniae Kippist, Proc. Linn. Soc. London 2: 201 (1853)	1:106
	Boronia anemonifolia A.Cunn. subsp. anemonifolia recorded in error	
	Boronia anemonifolia A.Cunn. subsp. variabilis (Hook.) P.G.Neish, Muelleria 14: 11 (2000)	1:105
	Boronia anemonifolia A.Cunn. var. dentigera (F.Muell.) Benth. = Boronia anemonifolia subsp. anemonifolia	
e	Boronia citriodora Gunn ex Hook.f. subsp. citriodora , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 68 (1855)	1:105
e	Boronia citriodora Gunn ex Hook.f. subsp. orientalis Duretto, Muelleria 17: 83 (2003)	
e	Boronia citriodora Gunn ex Hook.f. subsp. paulwilsonii Duretto, Muelleria 17: 81 (2003)	
e	Boronia elisabethiae Duretto, Muelleria 17: 88 (2003)	
e	Boronia gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 68, t.10 (1855)	
e	Boronia hemichiton Duretto, Muelleria 17: 87 (2003)	
e	Boronia hippopala Duretto, Muelleria 17: 84 (2003)	
	Boronia nana Hook. var. hyssopifolia Melville, Kew Bull. 9: 463 (1954)	1:105
	Boronia nana Hook. var. nana , Icon. Pl. 3: t.270 (1840)	1:105
	Boronia parviflora Sm., Tracts Nat. Hist. 295: t.6 (1798)	1:105
	Boronia pilonema Labill. = Boronia parviflora	
	Boronia pilosa Labill. subsp. pilosa , Nov. Holl. Pl. 1: 97, t.124 (1805)	1:105
e	Boronia pilosa Labill. subsp. tasmanensis Duretto, Muelleria 17: 97 (2003)	
	Boronia pilosa Labill. var. floribunda (Hook.) Hook.f. = Boronia pilosa subsp. pilosa	1:105
	Boronia pilosa Labill. var. laricifolia (Hook.) Hook.f. = Boronia pilosa subsp. pilosa	1:105
	Boronia pinnata Sm. var. citriodora (Gunn ex Hook.f.) Rodway = Boronia citriodora	
	Boronia pinnata Sm. var. gunnii (Hook.f.) Benth. = Boronia gunnii	
	Boronia polygalifolia Sm. sensu Bentham (1863) = Boronia nana var. nana (misapplied in Tasmania)	
	Boronia polygalifolia Sm. var. trifoliata Benth. = Boronia nana var. nana	
	Boronia rhomboidea Hook., Icon. Pl. 8: t.722 (1845)	1:105
e	Boronia rozefeldsii Duretto, Muelleria 17: 101 (2003)	
	Boronia tetrandra Labill. var. grandiflora Hook. = Boronia gunnii	
	Boronia variabilis Hook. = Boronia anemonifolia subsp. variabilis	
i	Coleonema pulchellum I.Williams, J. S. African Bot. 47: 89 (1981)	
	Correa alba Andrews var. alba , Bot. Repos. 1: t.18 (1798)	1:109
e	Correa alba Andrews var. rotundifolia DC., Prodr. [A. P. de Candolle] 1: 719 (1824)	1:109
	Correa backhouseana Hook. var. backhouseana , J. Bot. (Hooker) 1: 253 (1834)	1:110
e	Correa lawrenceana Hook. var. ferruginea Hook.f., Bot. Antarct. Voy. III (Fl. Tasman.) 1: 62 (1855)	
e	Correa lawrenceana Hook. var. lawrenceana , J. Bot. (Hooker) 1: 254 (1834)	1:111
	Correa lawrenciana Hook. var. glabra Benth. = Correa lawrenceana var. lawrenceana	

- e **Correa reflexa** (Labill.) Vent. var. **nummulariifolia** (Hook.f.) Paul G.Wilson, Trans. Roy. Soc. South Australia 85: 30 (1961) 1:110
- Correa reflexa** (Labill.) Vent. var. **reflexa**, Jard. Malmaison 1: t.13 (1803) 1:110
- Correa rufa* (Labill.) Vent. sensu Brown (1810) = **Correa alba**
- Correa speciosa* Donn ex Andrews = **Correa reflexa**
- Correa speciosa* Donn ex Andrews var. *backhouseana* (Hook.) Benth. = **Correa backhouseana**
- Correa speciosa* Donn ex Andrews var. *normalis* Benth. nom. inval., nom. superfl. = **Correa reflexa**
- Eriostemon daviesii* (Hook.f.) F.Muell. = **Phebalium daviesii**
- Eriostemon hillebrandii* F.Muell. nom. illeg., sensu Rodway (1903) = **Leionema bilobum**
- Eriostemon montanus* (Hook.f.) F.Muell. = **Leionema montanum**
- Eriostemon obovalis* A.Cunn. sensu Bentham (1863) = **Philothea verrucosa** (misapplied in Tasmania)
- Eriostemon oldfieldii* F.Muell. = **Leionema oldfieldii**
- Eriostemon squameus* Labill. = **Nematolepis squamea**
- Eriostemon verrucosus* A.Rich. = **Philothea verrucosa** 1:107
- Eriostemon virgatus* A.Cunn. ex Hook. = **Philothea virgata** 1:107
- e **Leionema bilobum** (Lindl.) Paul G.Wilson subsp. **truncatum** (Hook.f.) Duretto & K.L.Durham, Muellera 23: 11 (2006) 1:108
- e **Leionema montanum** (Hook.) Paul G.Wilson, Nuytsia 12: 275 (1998) 1:108
- e **Leionema oldfieldii** (F.Muell.) Paul G.Wilson, Nuytsia 12: 276 (1998) 1:108
- e **Nematolepis squamea** (Labill.) Paul G.Wilson subsp. **retusa** (Hook.) Paul G.Wilson, Nuytsia 12: 279 (1998) 1:109
- Nematolepis squamea** (Labill.) Paul G.Wilson subsp. **squamea**, Nuytsia 12: 279 (1998) 1:109
- Phebalium billardierei* A.Juss. = **Nematolepis squamea**
- Phebalium bilobum* Lindl. = **Leionema bilobum** 1:108
- e **Phebalium daviesii** Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 358 (1859) 1:108
- Phebalium glandulosum* Hook. var. *daviesii* (Hook.f.) Benth. = **Phebalium daviesii**
- Phebalium montanum* Hook. = **Leionema montanum** 1:108
- Phebalium oldfieldii* (F.Muell.) Benth. = **Leionema oldfieldii** 1:108
- Phebalium squameum* (Labill.) Engl. = **Nematolepis squamea** 1:109
- Phebalium truncatum* Hook.f. = **Leionema bilobum** subsp. **truncatum**
- e **Philothea freyciana** Rozefelds, Muellera 15: 23 (2001)
- Philothea verrucosa** (A.Rich.) Paul G.Wilson, Nuytsia 12: 260 (1998) 1:107
- Philothea virgata** (Hook.f.) Paul G.Wilson, Nuytsia 12: 260 (1998) 1:107
- Zieria arborescens** Sims subsp. **arborescens**, Bot. Mag. 34: t.1395 (1811) 1:103
- Zieria cytisoides* Sm. sensu Curtis & Morris (1975) = **Zieria littoralis**
- Zieria littoralis** J.A.Armstr., Austral. Syst. Bot. 15: 389 (2002) 1:103
- Zieria smithii* Jacks. sensu Bentham (1863) = **Zieria arborescens** subsp. **arborescens** (misapplied in Tasmania)
- Zieria smithii* Jacks. var. *macrophylla* (Bonpl.) Benth. = **Zieria arborescens** subsp. **arborescens**
- Zieria veronicea** (F.Muell.) Benth. subsp. **veronicea**, Fl. Austral. 1: 305 (1863) 1:103

SALICACEAE**FTO 80**

- i **Populus alba** L., Sp. Pl. 2: 1034 (1753)
- i* *Salix alba* L. var. *vitellina* (L.) Stokes

	Salix alba × fragilis sensu Curtis (1967) = Salix fragilis nothovar. fragilis	3:648
	Salix atrocinerea Brot. sensu Curtis (1967) = Salix reichardtii	3:649
	Salix babylonica L. sensu Curtis (1967) = Salix pendulina nothovar. pendulina	3:648
i *	Salix × calodendron Wimm.	
i	Salix cinerea L. subsp. cinerea , Sp. Pl. 2: 1021 (1753)	3:649
i	Salix cinerea L. subsp. oleifolia (Sm.) Macreight, Man. Brit. Bot. (Macreight): 212 (1837)	3:649
i	Salix × fragilis L. nothovar. fragilis , Sp. Pl. 2: 1017 (1753)	3:648
i *	Salix matsudana Koidz. cv. tortuosa	
	Salix × pendulina Wender. nothovar. pendulina previously listed as naturalised but insufficient evidence exists to support this	
i #	Salix purpurea L., Sp. Pl. 2: 1017 (1753)	
i	Salix × reichardtii A.Kern., Verh. Zool.-Bot. Ges. Wien 10: 249 (1860)	3:649
i *	Salix × rubens Schrank	3:648
i *	Salix × sepulcralis Simonk. nothovar. chrysocoma (Dode) Meikle	
	SANTALACEAE	FTO 91
	Exocarpos cupressiformis Labill., Voy. Rech. Perouse 1: 156, t.14 (1800)	3:628
e	Exocarpos humifusus R.Br., Prodr. Fl. Nov. Holland. 356 (1810)	3:629
	Exocarpos nanus Hook.f., London J. Bot. 6: 281 (1847)	3:629
	Exocarpos strictus R.Br., Prodr. Fl. Nov. Holland. 357 (1810)	3:628
	Exocarpos syrticola (F.Muell. ex Miq.) Stauffer, Mitt. Bot. Mus. Univ. Zurich 213: 173 (1959)	3:628
	Leptomeria billardierei R.Br. = Leptomeria drupacea	3:626
	Leptomeria drupacea (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 632 (1917)	3:626
e	Leptomeria glomerata F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 370 (1859)	3:627
x	Thesium australe R.Br., Prodr. Fl. Nov. Holland. 353 (1810)	3:626
	Thesium drupaceum Labill. = Leptomeria drupacea	
	SAPINDACEAE	FTO 86
i	Acer pseudoplatanus L., Sp. Pl. 2: 1054 (1753)	
	Dodonaea ericifolia G.Don = Dodonaea filiformis	1:122
e	Dodonaea filiformis Link, Enum. Hort. Berol. Alt. 1: 381 (1821)	1:122
	Dodonaea viscosa Jacq. subsp. spatulata (Sm.) J.G.West, Brunonia 7: 43 (1984)	1:122
	SCROPHULARIACEAE	
i	Buddleja davidii Franch., Nouv. Arch. Mus. Hist. Nat. Paris, Ser. 2, 10: 65 (1888)	
	Celsia cretica L. = Verbascum creticum	3:513
	Myoporum adscendens R.Br. = Myoporum insulare	
	Myoporum insulare R.Br., Prodr. Fl. Nov. Holland. 516 (1810)	3:540
	Myoporum parvifolium R.Br., Prodr. Fl. Nov. Holland. 516 (1810)	3:540
	Myoporum serratum R.Br. nom. illeg., sensu Bentham (1870) = Myoporum insulare (misapplied in Tasmania)	
	Myoporum serratum R.Br. var. obovatum Benth. = Myoporum insulare	
	Myoporum tasmanicum A.DC. = Myoporum insulare	
	Scrophularia aquatica L. sensu Curtis (1967) = Scrophularia auriculata	3:515
i	Scrophularia auriculata L., Sp. Pl. 2: 620 (1753)	3:515
i	Verbascum blattaria L., Sp. Pl. 1: 178 (1753)	3:512

i	Verbascum creticum (L.) Cav., Elench. Pl. Horti Matr. 39 (1803)	3:513
i	Verbascum thapsus L., Sp. Pl. 1: 177 (1753)	3:512
i	Verbascum virgatum Stokes, Bot. Arr. Brit. Pl., ed. 2: 227 (1787)	3:512
SOLANACEAE		FTO 112
	Anthocercis tasmanica (Miers) Hook.f. = Cyphanthera tasmanica	3:509
e	Cyphanthera tasmanica Miers, Ann. Mag. Nat. Hist., Ser. 2, 11: 377 (1853)	3:509
i	Datura ferox L., Amoen. Acad., Linnaeus ed. 3: 403 (1756)	3:508
i	Datura stramonium L., Sp. Pl. 1: 179 (1753)	3:508
	Hyoscyamus albus L. previously listed as naturalised but insufficient evidence exists to support this	3:509
	Hyoscyamus niger L. sensu Curtis (1967) = Hyoscyamus albus	3:509
i	Lycium barbarum L., Sp. Pl. 1: 192 (1753)	
i	Lycium ferocissimum Miers, Ann. Mag. Nat. Hist., Ser.2, 14: 187 (1854)	3:507
i t	Nicotiana rustica L., Sp. Pl. 1: 180 (1753)	
	Nicotiana sylvestris Spag. previously listed as naturalised but insufficient evidence exists to support this	
i	Physalis peruviana L., Sp. Pl., ed. 2, 2: 1670 (1763)	
i	Salpichroa origanifolia (Lam.) Thell., Mem. Soc. Sci. Nat. Math. Cherbourg 38: 452 (1912)	3:506
	Solanum americanum Mill. snasu Buchanan (2004) = Solanum nodiflorum (misapplied in Tasmania)	
	Solanum aviculare G.Forst. sensu Bentham (1868) = Solanum laciniatum (misapplied in Tasmania)	
i t	Solanum dulcamara L., Sp. Pl. 1: 185 (1753)	3:504
i	Solanum furcatum Dunal ex Poir., Encycl. (Lamarck) Suppl. 3: 750 (1814)	3:504
	Solanum laciniatum Aiton, Hortus Kew. (W.Aiton) 1: 247 (1789)	3:505
i	Solanum marginatum L.f., Suppl. Pl. 147 (1782)	3:506
i	Solanum mauritianum Scop., Delic. Fl. Faun. Insubr. 3: 16, t. 8 (1788)	
i	Solanum nigrum L., Sp. Pl. 1: 186 (1753)	3:504
	Solanum nitidibaccatum Bitter = Solanum physalifolium var. nitidibaccatum	3:505
i*	Solanum nodiflorum Jacq.	
	Solanum opacum A.Braun & Bouché, Index Seminum Hort. Berol. 8: 18 no.38 (1853)	
i	Solanum physalifolium Rusby var. nitidibaccatum (Bitter) Edmonds, Bot. J. Linn. Soc. 92: 27 (1986)	3:505
i	Solanum pseudocapsicum L., Sp. Pl. 1: 184 (1753)	3:506
	Solanum sarrachoides Sendtn. = Solanum physalifolium var. nitidibaccatum	
i	Solanum triflorum Nutt., Gen. N. Amer. Pl. [Nuttall] 1: 128 (1818)	
	Solanum vescum F.Muell., Trans. & Proc. Victorian Inst. Advancem. Sci. 1: 69 (1855)	3:506
	Solanum vescum F.Muell. var. davidii Geras. (a cultivar name.)	
STYLIDIACEAE		FTO 127
	Candollea armeria Labill. = Stylidium armeria	
	Candollea serrulata Labill. = Stylidium graminifolium	
e	Forstera bellidifolia Hook., Icon. Pl. 9: t.851 (1851)	2:395
x	Levenhookia dubia Sond., Pl. Preiss. [J.G.C.Lehman] 1: 392 (1845)	2:395
t	Phyllachne colensoi (Hook.f.) Berggr., Minneskr. Kongl. Fysiogr. Sällsk. Lund 8: 11, t.3 figs.1-27 (1877)	2:396
	Stylidium armeria (Labill.) Labill. subsp. armeria , Nov. Holl. Pl. 2: 66 (1806)	
	Stylidium beagleholei J.H.Willis, Muellera 1: 153 (1967)	2:394
	Stylidium brachyphyllum Sond. sensu Curtis (1963) = Stylidium beagleholei	2:394
	Stylidium despectum R.Br., Prodr. Fl. Nov. Holland. 571 (1810)	2:394

	Stylidium dilatatum W.D.Jacks. & R.J.E.Wiltshire = Stylidium armeria subsp. armeria	
	Stylidium graminifolium Sw., Sp. Pl., ed. 4 [Willdenow], 4: 146 (1805)	2:393
	Stylidium inundatum R.Br. sensu Buchanan (2005) = Stylidium beaugleholei	2:394
	Stylidium melastachys R.Br. = Stylidium armeria	
	Stylidium perpusillum Hook.f., London J. Bot. 6: 266 (1847)	2:394
	Stylidium umbellatum (Labill.) Labill. sensu Brown (1810) a name of uncertain application	
	TETRACARPAEACEAE	FTO 52
e	Tetracarpaea tasmannica Hook., Icon. Pl. 3: t.264 (1840)	1:182
	THEOPHRASTACEAE	FTO 103
	Samolus littoralis R.Br. nom. illeg. = Samolus repens	
	Samolus repens (J.R.Forst. & G.Forst.) Pers. var. repens , Syn. Pl. (Persoon) 1: 171 (1805)	3:468
	Sheffieldia incana Labill. = Samolus repens	
	THYMELAEACEAE	FTO 89
i t	Daphne laureola L., Sp. Pl. 1: 356 (1753)	
	Drapetes tasmanicus Hook.f. = Kelleria dieffenbachii	3:625
	Kelleria dieffenbachii (Hook.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 61 (1848)	3:625
	Pimelea axiflora F.Muell. ex Meisn. subsp. axiflora , Linnaea 26: 345 (1854)	3:622
	Pimelea cernua R.Br. = Pimelea linifolia	
e	Pimelea cinerea R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:619
	Pimelea curviflora R.Br., Prodr. Fl. Nov. Holland. 362 (1810)	3:624
	Pimelea curviflora R.Br. var. gracilis (R.Br.) Threlfall = Pimelea curviflora	3:624
	Pimelea curviflora R.Br. var. sericea Benth. = Pimelea curviflora	3:624
	Pimelea drupacea Labill., Nov. Holl. Pl. 1: 10 (1805)	3:622
e	Pimelea filiformis Hook.f., London J. Bot. 6: 280 (1847)	3:622
	Pimelea flava R.Br. subsp. flava , Prodr. Fl. Nov. Holland. 361 (1810)	3:623
	Pimelea sp. Freycinet = Pimelea leiophylla (A.M.Buchanan 15902) Tas Herbarium	
	Pimelea glauca R.Br., Prodr. Fl. Nov. Holland. 360 (1810)	3:619
	Pimelea gracilis R.Br. sensu Hooker (1860) = Pimelea curviflora	
	Pimelea gunnii Hook.f. = Pimelea cinerea	
	Pimelea humilis R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:620
	Pimelea incana R.Br. = Pimelea nivea	
e	Pimelea leiophylla A.M.Gray & M.Baker, Muellera 35: 16 (2016)	
	Pimelea ligustrina Labill. subsp. ligustrina , Nov. Holl. Pl. 1: 9, f.3 (1805)	
	Pimelea lindleyana Meisn. = Pimelea linifolia	3:620
	Pimelea linifolia Sm., Spec. Bot. New Holland 31, t.11 (1793)	3:620
	Pimelea linifolia Sm. subsp. linifolia = Pimelea linifolia	
	Pimelea linifolia Sm. subsp. linoides (A.Cunn.) Threlfall = Pimelea linifolia	
	Pimelea micrantha F.Muell. ex Meisn., Linnaea 26: 351 (1854)	3:624
e	Pimelea milliganii Meisn., Prodr. [A. P. de Candolle] 14: 509 (1857)	3:619
e	Pimelea nivea Labill., Nov. Holl. Pl. 1: 10 (1805)	3:621
	Pimelea pauciflora R.Br., Prodr. Fl. Nov. Holland. 360 (1810)	3:622
	Pimelea phyllicoides Meisn. sensu Rye (1990) probably recorded in error	
e	Pimelea pygmaea F.Muell. & C.Stuart ex Meisn., Linnaea 26: 346 (1853)	3:623

e	Pimelea sericea R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:621
	Pimelea serpyllifolia R.Br. subsp. serpyllifolia , Prodr. Fl. Nov. Holland. 360 (1810)	3:623
	<i>Pimelea spatulata</i> Labill. = Pimelea linifolia	
	<i>Pimelea stricta</i> Meisn. sensu Curtis (1967) = Pimelea linifolia	3:624
	Pimelea sp. Tunbridge (A.Moscal 9026) Tas Herbarium	
	TROPAEOLACEAE	FTO 82
i	Tropaeolum majus L., Sp. Pl. 1: 345 (1753)	
	ULMACEAE	FTO 63
i	Ulmus × hollandica Mill., Gard. Dict., ed. 8, 5 (1768)	3:642
	URTICACEAE	FTO 64
	<i>Australina muelleri</i> Wedd. = Australina pusilla subsp. muelleri	3:641
	Australina pusilla (Poir.) Gaudich. subsp. muelleri (Wedd.) Friis & Wilmot-Dear, Nordic. J. Bot. 7: 126 (1987)	3:641
	Australina pusilla (Poir.) Gaudich. subsp. pusilla , Voy. Bonite, Bot. 3: t.114A (1852)	3:641
	<i>Helxine soleirolii</i> Req. sensu Curtis (1967) = Soleirolia soleirolii	3:640
	Parietaria cardiostegia Greuter, Fl. Australia 3: 190 (1989)	
	Parietaria debilis G.Forst., Fl. Ins. Austr. 73 (1786)	3:640
i *	<i>Parietaria judaica</i> L.	
i	Soleirolia soleirolii (Req.) Dandy, Feddes Repert. 70: 4 (1965)	3:640
	Urtica incisa Poir., Encycl. (Lamarck) Suppl. 4: 224 (1816)	3:639
i	Urtica urens L., Sp. Pl. 2: 984 (1753)	3:639
	VALERIANACEAE	FTO 135
i	Centranthus ruber (L.) DC., Fl. Franc. (DC. & Lamarck), ed. 3, 4(2): 239 (1805)	2:278
i	Valerianella eriocarpa Desv., J. Bot. (Desvaux) 2: 314, t.11 fig.2 (1809)	2:278
i	Valerianella locusta (L.) Laterr., Fl. Bordel., ed. 2, 93 (1821)	
i t	Valerianella rimosa Bastard, J. Bot. Agric. 3: 20 (1814)	
	VERBENACEAE	
i	Verbena bonariensis L., Sp. Pl. 1: 20 (1753)	
	<i>Verbena incompta</i> P.W.Michael = Verbena bonariensis	
i	Verbena officinalis L., Sp. Pl. 1: 20 (1753)	3:541
	VIOLACEAE	FTO 79
	<i>Hymenanthera angustifolia</i> R.Br. = Melicytus angustifolius	
	<i>Hymenanthera banksii</i> F.Muell. nom. illeg., nom. superfl. = Melicytus dentatus	
	<i>Hymenanthera dentata</i> R.Br. ex DC. sensu Curtis & Morris (1975) = Melicytus dentatus and M. angustifolius	1:55
e	Melicytus angustifolius (DC.) Garn.-Jones subsp. angustifolius , New Zealand J. Bot. 25: 127 (1987)	
	Melicytus angustifolius (DC.) Garn.-Jones subsp. divaricatus Stajsic & R.Douglas, Austral. Syst. Bot. 27: 320 (2014)	
	Melicytus dentatus (R.Br. ex DC.) Molloy & Mabb., Curtis's Bot. Mag. 17: 234 (2000)	1:55
i	Viola arvensis Murray, Prodr. Stirp. Gott. 73 (1770)	1:55
	Viola betonicifolia Sm. subsp. betonicifolia , Cycl. (Rees) 37: no.7 (1817)	1:54
	Viola caleyana G.Don, Gen. Hist. 1: 329 (1831)	1:55
	Viola cleistogamoides (L.G.Adams) Seppelt, Fl. S. Australia, ed. 4, 2: 870 (1986)	

t	Viola cunninghamii Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 16 (1852)	1:54
n	Viola curtisiae (L.G.Adams) K.R.Thiele, Muelleria 36: 109 (2018)	
	Viola fuscoviolacea (L.G.Adams) T.A.James, Muelleria 9: 35 (1996)	
	<i>Viola hederacea</i> Labill. subsp. <i>cleistogamoides</i> L.G.Adams = Viola cleistogamoides	
n	<i>Viola hederacea</i> Labill. subsp. <i>curtisiae</i> L.G.Adams = Viola curtisiae	
	<i>Viola hederacea</i> Labill. subsp. <i>fuscoviolacea</i> L.G.Adams = Viola fuscoviolacea	
	Viola hederacea Labill. subsp. hederacea , Nov. Holl. Pl. 1: 66, t.91 (1805)	1:54
i	Viola odorata L., Sp. Pl. 2: 934 (1753)	
n e	Viola serpentinicola de Salas, Muelleria 36: 113 (2018)	
	Viola sieberiana Spreng., Syst. Veg. (ed. 16) [Sprengel] 4(2): 96 (1827)	1:54
ZYGOPHYLLACEAE		FTO 58
	<i>Roepera billardierei</i> A.Juss. sensu Hooker (1860) = Zygophyllum billardierei	
	<i>Roepera latifolia</i> Hook.f. sensu Hooker (1860) recorded in error	
	<i>Zygophyllum apiculatum</i> F.Muell. sensu Curtis (1975) recorded in error	1:93
	Zygophyllum billardierei DC., Prodr. [A. P. de Candolle] 1: 705 (1824)	1:93

MONOCOTS

AGAPANTHACEAE

i	Agapanthus praecox Willd. subsp. orientalis (F.M.Leight.) F.M.Leight., J. S. African Bot. 4: 21 (1965)	
---	--	--

ALISMATACEAE

i	Alisma lanceolatum With., Arr. Brit. Pl., ed. 3, 2: 362 (1796)	
i	Alisma plantago-aquatica L., Sp. Pl. 1: 342 (1753)	4b:4
	<i>Damasonium australe</i> Salisb. = Damasonium minus	4b:6
	Damasonium minus (R.Br.) Buchenau, Abh. Naturwiss. Vereins Bremen 2: 20 (1869)	4b:6

ALLIACEAE

i	Allium ampeloprasum L., Sp. Pl. 1: 294 (1753)	
i	Allium neapolitanum Cirillo, Pl. Rar. Neap. 1: 13, t.4 (1788)	4b:392
i	Allium triquetrum L., Sp. Pl. 1: 300 (1753)	4b:392
i	Allium vineale L., Sp. Pl. 1: 299 (1753)	4b:392
i	Nothoscordum borbonicum Kunth, Enum. Pl. [Kunth] 4: 463 (1843)	4b:394
	<i>Nothoscordum gracile</i> (Aiton) Stearn sensu Curtis & Morris (1994) = Nothoscordum borbonicum	4b:394

ALSTROEMERIACEAE

i #	Alstroemeria aurea Graham, Edinburgh New Philos. J. 15: 181 (1833)	
-----	---	--

AMARYLLIDACEAE

i	Leucojum aestivum L., Syst. Nat., ed. 10. 2: 975 (1759)	
i	Narcissus pseudonarcissus L., Sp. Pl. 1: 289 (1753)	4b:394
i	Narcissus tazetta L., Sp. Pl. 1: 290 (1753)	

APONOGETONACEAE

i	Aponogeton distachyos L.f., Suppl. Pl. 215 (1782)	4b:13
---	--	-------

ARACEAE

	Landoltia punctata (G.Mey.) Les & D.J.Crawford, Novon 9: 532 (1999)	
--	--	--

- Lemna disperma** Hegelm., Bot. Zeitung (Berlin) 29: 655 (1871) 4b:32
 Lemna minor L. sensu Rodway (1903) = **Lemna disperma** 4b:32
Lemna trisulca L., Sp. Pl. 2: 970 (1753) 4b:32
 Spirodela polyrhiza (L.) Schleid. probably misapplied to **Landoltia punctata**
 Wolffia arrhiza (L.) Horkel ex Wimm. sensu Willis (1973) = **Wolffia australiana** 4b:32
Wolffia australiana (Benth.) Hartog & Plas, Blumea 20: 151 (1972) 4b:32
 i **Zantedeschia aethiopica** (L.) Spreng., Sys. Veg. (ed. 16) [Sprengel] 3: 765 (1826) 4b:30
- ASPARAGACEAE**
- i **Agave americana** L., Sp. Pl. 1: 323 (1753)
 i **Asparagus asparagoides** (L.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 3: 414 (1914)
 i **Asparagus officinalis** L., Sp. Pl. 1: 313 (1753) 4b:370
 i **Asparagus scandens** Thunb., Prod. Pl. Cap. 66 (1794)
 n i # **Furcraea foetida** (L.) Haw., Syn. Pl. Succ. 73 (1812)
 Lomandra glauca (R.Br.) Ewart sensu Willis (1973) = **Lomandra nana** 4b:422
Lomandra longifolia Labill., Nov. Holl. Pl. 1: 92, t.119 (1805) 4b:422
Lomandra nana (A.T.Lee) A.T.Lee, Fl. Australia 46: 223 (1986) 4b:422
 i **Muscari armeniacum** Leichtlin ex Baker, Gard. Chron. 798 (1878)
 Myrsiphyllum asparagoides (L.) Willd. = **Asparagus asparagoides**
 Myrsiphyllum scandens (Thunb.) Oberm. = **Asparagus scandens**
 Xerotes glauca R.Br. sensu Rodway (1903) = **Lomandra nana** 4b:422
 Xerotes longifolia (Labill.) R.Br. = **Lomandra longifolia** 4b:422
- ASPHODELACEAE**
- i **Aloe maculata** All., Auct. Syn. Meth. Stirp. Hort. Regii Taur. 13 (1773)
 Aloe saponaria (Aiton) Haw. = **Aloe maculata**
 Anthericum semibarbatum R.Br. = **Bulbine semibarbata**
 i **Asphodelus fistulosus** L., Sp. Pl. 1: 309 (1753) 4b:380
Bulbine bulbosa (R.Br.) Haw., Revis. Pl. Succ. 33 (1821) 4b:383
Bulbine crassa D.I.Morris & Duretto, Muelleria 22: 93 (2006)
Bulbine glauca (Raf.) E.M.Watson, Fl. Australia 45: 469 (1987) 4b:382
Bulbine semibarbata (R.Br.) Haw., Revis. Pl. Succ. 33 (1821) 4b:382
 i **Kniphofia uvaria** (L.) Oken, Allg. Naturgesch. 3: 566 (1841)
- ASTELIACEAE**
- e **Astelia alpina** R.Br. var. **alpina**, Prodr. Fl. Nov. Holland. 291 (1810) 4b:370
 e **Astelia sp. Quartzite (A.M.Buchanan 16828) Tas Herbarium**
 Astelia stylosa F.Muell. ex Hook.f. = **Milligania stylosa**
 e **Milligania densiflora** Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 298 (1853) 4b:374
 e **Milligania johnstonii** F.Muell. ex Benth., Fl. Austral. 7: 26 (1878) 4b:371
 e **Milligania lindoniana** Rodway ex W.M.Curtis, Records of the Queen Victoria Museum 45: 1 (1972) 4b:372
 e **Milligania longifolia** Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 297 (1853) 4b:373
 e **Milligania stylosa** (F.Muell. ex Hook.f.) F.Muell. ex Benth., Fl. Austral. 7: 27 (1878) 4b:373
- BLANDFORDIACEAE**
- Blandfordia grandiflora Herb. var. **backhousii** (Lindl.) Hook.f. = **Blandfordia punicea**
 Blandfordia marginata Herb. = **Blandfordia punicea** 4b:374

e	Blandfordia punicea (Labill.) Sweet, Hort. Brit. [Sweet], ed 2: 517 (1830)	4b:374
	BURMANNIACEAE	FTO 16
	Thismia rodwayi F.Muell., Vict. Naturalist 7: 115 (1890)	4b:423
	CAMPYNEMATACEAE	
e	Campynema lineare Labill., Nov. Holl. Pl. 1: 93, t.121 (1805)	4b:395
	<i>Campynema pygmaeum</i> F.Muell. ex Benth. = Campynema lineare	
	CENTROLEPIDACEAE	
	<i>Alepyrum monogynum</i> Hook.f. = Centrolepis monogyna	
	<i>Alepyrum muelleri</i> Hook.f. = Centrolepis glabra	
	<i>Alepyrum muscoides</i> Hook.f. = Centrolepis muscoides	
	<i>Alepyrum polygynum</i> R.Br. sensu Hooker (1860) = Centrolepis polygyna	
	Aphelia gracilis Sond., Linnaea 28: 227 (1856)	4b:49
	<i>Aphelia gunnii</i> Hook.f. = Aphelia gracilis	
	Aphelia pumilio F.Muell. ex Sond., Linnaea 28: 226 (1856)	4b:49
	Centrolepis aristata (R.Br.) Poir., Syst. Veg., ed. 15 bis [Roemer & Schultes] 1: 44 (1817)	4b:54
	Centrolepis fascicularis Labill., Nov. Holl. Pl. 1: 7, t.1 (1804)	4b:55
	Centrolepis glabra (F.Muell. ex Sond.) Hieron., Abh. Naturf. Ges. Halle 12: 209 (1873)	4b:52
e	Centrolepis monogyna (Hook.f.) Benth., Fl. Austral. 7: 205 (1878)	4b:53
	<i>Centrolepis monogyna</i> (Hook.f.) Benth. subsp. <i>paludicola</i> (W.M.Curtis) D.A.Cooke = Centrolepis monogyna	4b:53
e	Centrolepis muscoides (Hook.f.) Hieron., Abh. Naturf. Ges. Halle 12: 209 (1873)	4b:53
	<i>Centrolepis paludicola</i> W.M.Curtis = Centrolepis monogyna	4b:53
e	Centrolepis pedderensis W.M.Curtis, Brunonia 7: 299 (1984)	4b:53
	Centrolepis polygyna (R.Br.) Hieron., Abh. Naturf. Ges. Halle 12: 210 (1873)	4b:51
	<i>Centrolepis pulvinata</i> (R.Br.) Poir. = Centrolepis strigosa subsp. pulvinata	4b:55
e	Centrolepis strigosa (R.Br.) Poir. subsp. pulvinata (R.Br.) D.A.Cooke, J. Adelaide Bot. Gard. 15: 28 (1992)	4b:55
	Centrolepis strigosa (R.Br.) Poir. subsp. strigosa , Syst. Veg., ed. 15 bis [Roemer & Schultes] 1: 43 (1817)	4b:55
	<i>Centrolepis tenuior</i> (R.Br.) Poir. sensu Hooker (1860) = Centrolepis strigosa subsp. strigosa	
	<i>Devauxia billardierei</i> R.Br. = Centrolepis fascicularis	
	<i>Devauxia pulvinata</i> R.Br. = Centrolepis strigosa subsp. pulvinata	
	<i>Devauxia tenuior</i> R.Br. = Centrolepis strigosa subsp. strigosa	
e	Gaimardia amblyphylla W.M.Curtis, Brunonia 7: 299 (1984)	4b:57
e	Gaimardia fitzgeraldii F.Muell. & Rodway, Pap. & Proc. Roy. Soc. Tasmania 1894-5: 55 (1896)	4b:57
t	Gaimardia setacea Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 267 (1853)	4b:57
	COLCHICACEAE	
	<i>Anguillaria dioica</i> R.Br. pro spec. Tasm. = Wurmbea uniflora , W. dioica & W. latifolia	
	<i>Anguillaria uniflora</i> R.Br. = Wurmbea uniflora	
	Burchardia umbellata R.Br., Prodr. Fl. Nov. Holland. 273 (1810)	4b:396
	Wurmbea biglandulosa (R.Br.) T.D.Macfarl. subsp. biglandulosa , Brunonia 3: 191 (1980)	
	Wurmbea dioica (R.Br.) F.Muell. subsp. dioica , Fragm. (Mueller) 10: 119 (1877)	4b:396
	Wurmbea latifolia T.D.Macfarl. subsp. vanessae R.J.Bates, J. Adelaide Bot. Gard. 16: 48 (1995)	4b:398

	Wurmbea uniflora (R.Br.) T.D.Macfarl., Brunonia 3: 194 (1980)	4b:398
	COMMELINACEAE	
	Tradescantia albiflora Kunth = Tradescantia fluminensis	4b:36
i	Tradescantia fluminensis Vell., Fl. Flumin. 140 (1829)	4b:36
	CYMODOCEACEAE	
	Amphibolis antarctica (Labill.) Sond. & Asch. ex Asch., Linnaea 35: 164 (1867)	4b:27
	Cymodocea antarctica (Labill.) Endl. ex Kunth = Amphibolis antarctica	4b:27
	CYPERACEAE	
	Baumea acuta (Labill.) Palla, Allg. Bot. Z. Syst. 8: 69 (1902)	4b:131
	Baumea arthropphylla (Nees) Boeckeler, Linnaea 38: 242 (1874)	4b:129
	Baumea articulata (R.Br.) S.T.Blake, Contr. Queensland Herb. 8: 28 (1969)	4b:128
	Baumea gunnii (Hook.f.) S.T.Blake, Contr. Queensland Herb. 8: 27 (1969)	4b:130
	Baumea juncea (R.Br.) Palla, Allg. Bot. Z. Syst. 15: 113 (1909)	4b:129
?i	Baumea planifolia (Benth.) K.L.Wilson, Telopea 5: 589 (1994)	
	Baumea rubiginosa (Spreng.) Boeckeler, Linnaea 38: 241 (1874)	4b:129
	Baumea tetragona (Labill.) S.T.Blake, Contr. Queensland Herb. 8: 30 (1969)	4b:131
	Bolboschoenus caldwellii (V.J.Cook) Soják, Cas. Nár. Mus., Odd. Prír. 141: 62 (1972)	4b:92
	Bolboschoenus medianus (V.J.Cook) Soják, Cas. Nár. Mus., Odd. Prír. 141: 63 (1972)	4b:93
	Carex acicularis Boott sensu Rodway (1903) = Carex archeri	4b:148
	Carex albula Allan sensu Curtis & Morris (1994) recorded in error	4b:164
e	Carex sp. Algonkian Rivulet (S.J.Jarman HO110282) Tas Herbarium	4b:163
	Carex appressa R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:152
	Carex appressa R.Br. f. minor Kük. = Carex appressa	4b:152
	Carex appressa R.Br. var. virgata (Boott) Kük. = Carex appressa	4b:153
	Carex archeri Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 98 (1858)	4b:148
e	Carex barbata Boott, Ill. Gen. Carex 1: 68, t.187 (1858)	4b:160
	Carex bichenoviana Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 101 (1858)	4b:167
	Carex breviculmis R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:158
i *	Carex buxbaumii Wahlenb.	
	Carex caespitosa L. sensu Brown (1810) = Carex gaudichaudiana	
	Carex canescens L. = Carex curta	4b:155
	Carex capillacea Boott, Ill. Gen. Carex 1: 44, t.110 (1858)	4b:148
e	Carex cataractae R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:162
	Carex cephalotes F.Muell., Trans. Philos. Soc. Victoria 1: 110 (1855)	4b:149
	Carex chlorantha R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:149
	Carex aff. cirrhosa Berggr. sensu Curtis & Morris (1994) = Carex Algonkian Rivulet (S.J.Jarman HO110282) Tas Herbarium	4b:163
	Carex curta Gooden., Trans. Linn. Soc. London 2: 145 (1794)	4b:155
i t	Carex demissa Hornem., Fl. Dan., 7(21): 4, t.1342 (1806)	4b:161
	Carex aff. diandra Schrank sensu Curtis & Morris (1994) = Carex Western Tasmania (A.Moscal 7489) Tas Herbarium	4b:150
i	Carex divisa Huds., Fl. Angl. (Hudson): 348 (1762)	4b:149
i	Carex divulsa Stokes, Bot. Arr. Brit. Pl., ed. 2. 2: 1035 (1787)	4b:150

	Carex fascicularis Sol. ex Boott, Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 283 (1853)	4b:166
i	Carex flacca Schreb., Spicil. Fl. Lips. 178 (1771)	4b:157
i t	Carex flagellifera Colenso, Trans. & Proc. New Zealand Inst. 16: 342 (1884)	4b:163
	<i>Carex flava</i> L. sensu Rodway (1903) = Carex cataractae , C. demissa , C. flaviformis & C. lepidocarpa	
t	Carex flaviformis Nelves, Kew Bull. 10: 84 (1955)	4b:162
	Carex gaudichaudiana Kunth, Enum. Pl. [Kunth] 2: 417 (1837)	4b:156
	Carex gunniana Boott, Proc. Linn. Soc. London 1: 258 (1845)	4b:160
	Carex hypandra F.Muell. ex Benth., Fl. Austral. 7: 439 (1878)	4b:157
	Carex inversa R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:153
	Carex iynx Nelves, Proc. Linn. Soc. London 155: 279 (1944)	4b:159
i t	Carex lepidocarpa Tausch, Flora 17: 179 (1834)	4b:161
i	Carex leporina L., Sp. Pl. 2: 973 (1753)	4b:155
	<i>Carex littorea</i> Labill. = Carex pumila	
	Carex longebrachiata Boeckeler, Linnaea 41: 282 (1877)	4b:158
	<i>Carex longifolia</i> R.Br. sensu Rodway (1903) = Carex iynx & C. longebrachiata	
	<i>Carex ovalis</i> Gooden. = Carex leporina	
	<i>Carex paniculata</i> L. sensu Rodway (1903) = Carex appressa	4b:152
i * t	<i>Carex pilulifera</i> L.	
	Carex polyantha F.Muell., Trans. Philos. Soc. Victoria 1: 110 (1855)	4b:156
	<i>Carex pseudocyperus</i> L. sensu Rodway (1903) = Carex fascicularis	4b:166
	Carex pumila Thunb. ex Murray, Syst. Veg., ed. 14 (J. A. Murray). 846 (1784)	4b:166
	Carex raleighii Nelves, Bull. Misc. Inform. Kew 1939: 310 (1939)	4b:154
i *	<i>Carex scoparia</i> Schkuhr ex Willd.	4b:154
	Carex tasmanica Kük., Bull. Herb. Boissier 4: 59 (1904)	4b:165
	Carex tereticaulis F.Muell., Fragm. (Mueller) 8: 256 (1874)	4b:151
	<i>Carex testacea</i> Sol. ex Boott previously listed as naturalised but insufficient evidence exists to support this	4b:164
	<i>Carex virgata</i> Sol. ex Boott = Carex appressa	4b:153
	<i>Carex vulgaris</i> Fr. sensu Rodway (1903) = Carex gaudichaudiana	4b:156
e	Carex sp. Western Tasmania (A.Moscal 7489) Tas Herbarium	4b:150
	Carpha alpina R.Br., Prodr. Fl. Nov. Holland. 230 (1810)	4b:87
e	Carpha curvata W.M.Curtis, Brunonia 7: 303 (1985)	4b:88
e	Carpha rodwayi W.M.Curtis, Brunonia 7: 302 (1985)	4b:88
	Caustis pentandra R.Br., Prodr. Fl. Nov. Holland. 240 (1810)	4b:137
	<i>Chaetospora axillaris</i> R.Br. sensu Hooker (1860) = Schoenus maschalinus	
	<i>Chaetospora capillacea</i> Hook.f. nom. illeg. = Tetraria capillaris	
	<i>Chaetospora imberbis</i> R.Br. sensu Hooker (1860) = Schoenus apogon	
	<i>Chaetospora nitens</i> R.Br. = Schoenus nitens	
	<i>Chaetospora tenuissima</i> Hook.f. nom. illeg. = Schoenus lepidosperma	
	Chorizandra australis K.L.Wilson, Telopea 5: 594 (1994)	4b:138
	<i>Chorizandra cymbaria</i> R.Br. sensu Rodway (1903) = Chorizandra australis	4b:138
	Chorizandra enodis Nees, Pl. Preiss. [J.G.C.Lehman] 2: 73 (1846)	4b:138

	Cladium acutum (Labill.) Poir. = Baumea acuta	
	Cladium filum (Labill.) R.Br. = Gahnia filum	4b:136
	Cladium glomeratum R.Br. sensu Rodway (1903) = Baumea rubiginosa	4b:129
	Cladium gunnii Hook.f. = Baumea gunnii	4b:130
	Cladium junceum R.Br. = Baumea juncea	4b:129
	Cladium laxiflorum Hook.f. = Baumea gunnii	
	Cladium mariscus (L.) R.Br. recorded in error	
?i #	Cladium procerum S.T.Blake, Trans. Roy. Soc. South Australia 67: 57 (1943)	4b:428
	Cladium schoenoides R.Br. = Baumea acuta	4b:131
	Cladium tetraquetrum Hook.f. = Baumea tetragona	4b:131
i	Cyperus congestus Vahl, Enum. Pl. [Vahl] 2: 358 (1805)	4b:91
i	Cyperus eragrostis Lam., Tabl. Encycl. 1: 146 (1791)	4b:90
	Cyperus gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 80, t.140, fig.A (1858)	4b:91
	Cyperus lucidus R.Br., Prodr. Fl. Nov. Holland. 218 (1810)	4b:91
	Cyperus sanguineo-fuscus Nees sensu Hooker (1860) = Cyperus lucidus	
?i #	Cyperus sanguinolentus Vahl, Enum. Pl. [Vahl] 2: 351 (1805)	4b:90
	Cyperus tenellus L.f. = Isolepis levynsiana	4b:90
	Eleocharis acicularis (L.) Roem. & Schult. sensu Rodway (1903) = Eleocharis pusilla	4b:108
	Eleocharis acuta R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	Eleocharis gracilis R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	Eleocharis pusilla R.Br., Prodr. Fl. Nov. Holland. 225 (1810)	4b:108
	Eleocharis sphacelata R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	Elynanthus capillaceus Benth. = Tetraria capillaris	4b:132
	Ficinia nodosa (Rottb.) Goetgh., Muasya & D.A.Simpson, Novon 10: 133 (2000)	4b:105
	Gahnia filum (Labill.) F.Muell., Key to the System of Victorian Plants 1: 456 (1888)	4b:136
	Gahnia fitzgeraldii Rodway = Gahnia microstachya	4b:134
	Gahnia graminifolia Rodway = Gahnia rodwayi	4b:134
	Gahnia grandis (Labill.) S.T.Blake, Contr. Queensland Herb. 8: 33 (1969)	4b:135
	Gahnia melanocarpa R.Br. sensu Buchanan et al. (1989) = Gahnia grandis (misapplied in Tasmania)	
	Gahnia microstachya Benth., Fl. Austral. 7: 414 (1878)	4b:134
	Gahnia psittacorum Labill. = Gahnia grandis	4b:135
	Gahnia radula (R.Br.) Benth., Fl. Austral. 7: 417 (1878)	4b:135
e	Gahnia rodwayi F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1892: 93 (1893)	4b:134
	Gahnia sieberiana Kunth, Enum. Pl. [Kunth] 2: 332 (1837)	4b:135
	Gahnia trifida Labill., Nov. Holl. Pl. 1: 89, t.116 (1805)	4b:136
	Gymnoschoenus sphaerocephalus (R.Br.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 83, t.142 (1858)	4b:119
	Isolepis alpina Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 86, t.143, fig.B (1858)	4b:103
	Isolepis aucklandica Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 88 (1844), pl.50 (1845)	4b:102
	Isolepis cartilaginea R.Br. = Isolepis marginata	
	Isolepis cernua (Vahl) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 106 (1817)	4b:99
	Isolepis crassiuscula Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 86, t.143, fig.A (1858)	4b:98
	Isolepis fluitans (L.) R.Br., Prodr. Fl. Nov. Holland. 221 (1810)	4b:98

	Isolepis habra (Edgar) Soják, Casopsis Narodniho Muzea v Praze 148: 194 (1980)	4b:101
	Isolepis hookeriana Boeckeler, Flora 41: 418 (1858)	4b:104
i	Isolepis hystrix (Thunb.) Nees, Linnaea 7: 496 (1832)	
	Isolepis inundata R.Br., Prodr. Fl. Nov. Holland. 222 (1810)	4b:100
	<i>Isolepis lenticularis</i> R.Br. sensu Hooker (1860) = Isolepis fluitans	
?i	Isolepis levynsiana Muasya & D.A.Simpson, Novon 17: 59 (2007)	4b:90
e	Isolepis limbata W.M.Curtis, Brunonia 7: 300 (1985)	4b:103
	Isolepis marginata (Thunb.) A.Dietr., Sp. Pl., ed. 6. 1(2): 110 (1832)	4b:104
	Isolepis montivaga (S.T.Blake) K.L.Wilson, Telopea 2: 168 (1981)	4b:103
	<i>Isolepis nodosa</i> (Rottb.) R.Br. = Ficinia nodosa	4b:105
	Isolepis platycarpa (S.T.Blake) Soják, Cas. Nár. Muz. Praze, Rada Prír. 148: 194 (1980)	4b:99
	Isolepis producta (C.B.Clarke) K.L.Wilson, Telopea 2: 168 (1981)	4b:98
i	Isolepis prolifera (Rottb.) R.Br., Prodr. Fl. Nov. Holland. 223 (1810)	
	<i>Isolepis riparia</i> R.Br. sensu Hooker (1860) = Isolepis cernua	
	<i>Isolepis saviana</i> Schult. nom. illeg. sensu Hooker (1860) a name of uncertain application	
i t	Isolepis setacea (L.) R.Br., Prodr. Fl. Nov. Holland. 222 (1810)	4b:105
	Isolepis stellata (C.B.Clarke) K.L.Wilson, Telopea 2: 169 (1981)	4b:104
	Isolepis subtilissima Boeckeler, Flora 41: 416 (1858)	4b:101
e	Isolepis tasmanica (S.T.Blake) K.L.Wilson, Telopea 2: 170 (1981)	4b:102
	Isolepis wakefieldiana (S.T.Blake) K.L.Wilson, Telopea 2: 170 (1981)	4b:100
	<i>Lampocarya hexandra</i> R.Br. = Gahnia trifida	
	<i>Lepidosperma angustifolia</i> Hook.f. sensu Hooker (1860) = Lepidosperma laterale	
	Lepidosperma concavum R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:126
	Lepidosperma curtisiae K.L.Wilson & D.I.Morris, Telopea 5: 423 (1993)	4b:123
	<i>Lepidosperma elatior</i> Labill. orth. var. sensu Rodway (1903) = Lepidosperma elatius	4b:124
	Lepidosperma elatius Labill., Nov. Holl. Pl. 1: 15, t.11 (1805)	4b:124
	<i>Lepidosperma elatius</i> Labill. var. ensiforme Rodway = Lepidosperma ensiforme	4b:125
	<i>Lepidosperma elatius</i> Labill. var. oldfieldii (Hook.f.) Rodway = Lepidosperma oldfieldii	4b:125
	Lepidosperma ensiforme (Rodway) D.I.Morris, The Student's Flora of Tasmania 4b: 425 (1994)	4b:125
	<i>Lepidosperma falcatum</i> Rodway = Lepidosperma tortuosum	
	Lepidosperma filiforme Labill., Nov. Holl. Pl. 1: 17, t.15 (1805)	4b:121
	Lepidosperma forsythii A.A.Ham., Proc. Linn. Soc. New South Wales 35: 411 (1910)	4b:122
	Lepidosperma gladiatum Labill., Nov. Holl. Pl. 1: 15, t.12 (1805)	4b:125
e	Lepidosperma globosum Labill., Nov. Holl. Pl. 1: 16, t.14 (1805)	4b:123
	Lepidosperma gunnii Boeckeler, Linnaea 38: 325 (1874)	4b:123
e	Lepidosperma inops F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1892: 93 (1893)	4b:122
	Lepidosperma laterale R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:124
	<i>Lepidosperma lineare</i> R.Br. sensu Rodway (1903) = Lepidosperma gunnii	4b:123
	<i>Lepidosperma lineare</i> R.Br. var. inops (F.Muell. ex Rodway) Rodway = Lepidosperma inops	4b:122
	Lepidosperma longitudinale Labill., Nov. Holl. Pl. 1: 16, t.13 (1805)	4b:124
e	Lepidosperma monticola G.T.Plunkett & J.J.Bruhl, Phytokeys 28: 26 (2013)	
	Lepidosperma neesii Kunth, Enum. Pl. [Kunth] 2: 319 (1837)	4b:127
e	Lepidosperma oldfieldii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 91, t.146A (1858)	4b:125

	Lepidosperma squamata Labill. sensu Rodway (1903) = Lepidosperma concavum	4b:126
	Lepidosperma tetragonum Labill. sensu Brown (1810) = Baumea tetragona	
	Lepidosperma tortuosum F.Muell., Fragm. (Mueller) 9: 23 (1875)	4b:121
	Lepidosperma viscidum R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:126
	Mesomelaena sphaerocephala (R.Br.) Benth. = Gymnoschoenus sphaerocephalus	4b:119
e	Oreobolus acutifolius S.T.Blake, Contr. Queensland Herb. 8: 39 (1969)	4b:109
	Oreobolus distichus F.Muell., Trans. Philos. Soc. Victoria 1: 109 (1855)	4b:109
e	Oreobolus oligocephalus W.M.Curtis, Brunonia 7: 301 (1985)	4b:110
e	Oreobolus oxycarpus S.T.Blake subsp. brownii Seberg, Bot. J. Linn. Soc. 96: 178 (1988)	4b:110
	Oreobolus pumilio R.Br. subsp. pumilio , Prodr. Fl. Nov. Holland. 236 (1810)	4b:109
e	Oreobolus tholicarpus D.I.Morris, Muelleria 15: 28 (2001)	
	Schoenoides oligocephalus (W.M.Curtis) Seberg = Oreobolus oligocephalus	4b:110
	Schoenoplectus pungens (Vahl) Palla, Bot. Jahrb. Syst. 10: 299 (1888)	4b:94
	Schoenoplectus tabernaemontani (C.C.Gmel.) Palla, Bot. Jahrb. Syst. 10: 299 (1888)	4b:95
	Schoenoplectus validus (Vahl) Á.Löve & D.Löve = Schoenoplectus tabernaemontani	4b:95
e	Schoenus absconditus Kük., Repert. Spec. Nov. Regni Veg. 44: 99 (1938)	4b:117
	Schoenus acutus Labill. = Baumea acuta	
	Schoenus apogon Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 77 (1817)	4b:114
	Schoenus axillaris (R.Br.) Poir. = Schoenus maschalinus	4b:116
e	Schoenus biglumis Kük., Repert. Spec. Nov. Regni Veg. 44: 164 (1938)	4b:118
	Schoenus brevifolius R.Br., Prodr. Fl. Nov. Holland. 231 (1810)	4b:113
	Schoenus brownii Hook.f. = Schoenus apogon	4b:114
	Schoenus calyptratus Kük., Repert. Spec. Nov. Regni Veg. 48: 248 (1940)	4b:117
	Schoenus carsei Cheeseman, Man. New Zealand Fl. 781 (1906)	4b:113
	Schoenus filum Labill. = Gahnia filum	
	Schoenus fluitans Hook.f., Bot. Antarct. Voy. Ill. (Fl. Tasman.) 2: 81 (1858)	4b:114
	Schoenus latelaminatus Kük., Repert. Spec. Nov. Regni Veg. 44: 88 (1938)	4b:116
	Schoenus lepidosperma (F.Muell.) K.L.Wilson subsp. lepidosperma , Telopea 5: 619 (1994)	4b:114
	Schoenus maschalinus Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 77 (1817)	4b:116
	Schoenus nitens (R.Br.) Poir., Encycl. (Lamarck) Suppl. 2: 252 (1812)	4b:118
e	Schoenus pygmaeus S.T.Blake, Contr. Queensland Herb. 8: 41 (1969)	4b:116
	Schoenus tenuissimus (Hook.f.) Benth. sensu Rodway (1903), Curtis & Morris (1994) = Schoenus lepidosperma subsp. lepidosperma	4b:114
	Schoenus tesquorum J.M.Black, Fl. S. Austral. [J.M. Black] 1: 90 (1922)	4b:115
	Schoenus turbinatus (R.Br.) Poir., Encycl. (Lamarck) Suppl. 2: 251 (1811)	4b:118
	Scirpus americanus Pers. sensu Willis (1970) = Schoenoplectus pungens	4b:94
	Scirpus antarcticus L. sensu Willis (1970) = Isolepis marginata	4b:104
	Scirpus aucklandicus (Hook.f.) Boeckeler = Isolepis aucklandica	4b:102
	Scirpus caldwellii V.J.Cook = Bolboschoenus caldwellii	4b:92
	Scirpus cartilagineus (R.Br.) Poir. = Isolepis marginata	4b:104
	Scirpus cartilagineus (R.Br.) Spreng. var. propinqua (Nees) Benth. = Isolepis inundata	
	Scirpus cernuus Vahl = Isolepis cernua	4b:99
	Scirpus crassiusculus (Hook.f.) Benth. = Isolepis crassiuscula	4b:98

	<i>Scirpus fluitans</i> L. = Isolepis fluitans	4b:98
	<i>Scirpus fluviatilis</i> (Torr.) A.Gray sensu Willis (1970) = Bolboschoenus medianus	4b:93
	<i>Scirpus hookerianus</i> (Boeckeler) S.T.Blake = Isolepis hookeriana	4b:104
	<i>Scirpus inundatus</i> (R.Br.) Poir. = Isolepis inundata	4b:100
	<i>Scirpus lacustris</i> L. sensu Rodway (1903) = Schoenoplectus tabernaemontani	4b:95
	<i>Scirpus lenticularis</i> (R.Br.) Poir. sensu Rodway (1903) = Isolepis fluitans	4b:98
	<i>Scirpus maritimus</i> L. sensu Rodway (1903) = Bolboschoenus caldwellii	4b:92
	<i>Scirpus montivagus</i> S.T.Blake = Isolepis montivaga	4b:103
	<i>Scirpus nodosus</i> Rottb. = Ficinia nodosa	4b:105
	<i>Scirpus platycarpus</i> S.T.Blake = Isolepis platycarpa	4b:99
	<i>Scirpus productus</i> C.B.Clarke = Isolepis producta	4b:98
	<i>Scirpus pungens</i> Vahl = Schoenoplectus pungens	4b:94
	<i>Scirpus riparius</i> (R.Br.) Poir. sensu Rodway (1903) = Isolepis cernua	4b:99
	<i>Scirpus setaceus</i> L. = Isolepis setacea	4b:105
	<i>Scirpus stellatus</i> C.B.Clarke = Isolepis stellata	4b:104
	<i>Scirpus subtilissimus</i> (Boeckeler) S.T.Blake = Isolepis subtilissima	4b:101
	<i>Scirpus tasmanicus</i> S.T.Blake = Isolepis tasmanica	4b:102
	<i>Scirpus triquetter</i> L. sensu Brown (1810) = Schoenoplectus pungens	
	<i>Scirpus validus</i> Vahl = Schoenoplectus tabernaemontani	4b:95
	<i>Scirpus wakefieldianus</i> S.T.Blake = Isolepis wakefieldiana	4b:100
	Tetraria capillaris (F.Muell.) J.M.Black, Trans. Roy. Soc. South Australia 58: 169 (1934)	4b:132
	Tricostularia pauciflora (F.Muell.) Benth., Fl. Austral. 7: 383 (1878)	4b:127
	Uncinia compacta R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:142
t	Uncinia elegans (Kük.) Hamlin, Rec. Domin. Mus. 19: 11 (1959)	4b:140
	Uncinia flaccida S.T.Blake, Proc. Roy. Soc. Queensland 51: 49 (1940)	4b:143
t	Uncinia nervosa Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 102 (1858)	4b:142
	Uncinia riparia R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:140
	Uncinia tenella R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:143
HAEMODORACEAE		
i #	Anigozanthos flavidus DC., Liliac. (Redouté) 3: t. 176 (1807)	
e	Haemodorum distichophyllum Hook., Icon. Pl. 9: t.866 (1851)	4b:364
HEMEROCALLIDACEAE		
	Caesia alpina Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 373 (1859)	4b:386
	Caesia calliantha R.J.F.Hend., Fl. Australia 45: 471 (1987)	4b:387
	<i>Caesia corymbosa</i> R.Br. = Chamaescilla corymbosa	
	Caesia parviflora R.Br. var. minor R.J.F.Hend., Fl. Australia 45: 471 (1987)	4b:386
	Caesia parviflora R.Br. var. parviflora , Prodr. Fl. Nov. Holland. 277 (1810)	4b:386
	Caesia parviflora R.Br. var. vittata (R.Br.) R.J.F.Hend., Fl. Australia 45: 472 (1987)	4b:386
	<i>Caesia vittata</i> R.Br. sensu Rodway (1903) = Caesia calliantha	4b:387
	<i>Caesia vittata</i> R.Br. = Caesia parviflora var. vittata	
	<i>Chlorophytum alpinum</i> (Hook.f.) Benth. ex Baker = Caesia alpina	4b:386
	Dianella amoena G.W.Carr & P.F.Horsfall, Muelleria 8: 369 (1995)	4b:377
	<i>Dianella archeri</i> Hook.f. = Dianella tasmanica	

	Dianella brevicaulis (Ostenf.) G.W.Carr & P.F.Horsfall, Muelleria 8: 375 (1995)	4b:378
	Dianella caerulea Sims sensu Henderson (1987) = Dianella amoena (Tasmanian plants)	
	Dianella laevis R.Br. = Dianella amoena	4b:377
	Dianella longifolia R.Br. sensu Curtis & Morris (1994) = Dianella amoena	4b:377
	Dianella longifolia R.Br. var. aspera Rodway a name of uncertain application	
	Dianella revoluta R.Br. var. brevicaulis Ostenf. = Dianella brevicaulis	4b:378
	Dianella revoluta R.Br. var. revoluta , Prodr. Fl. Nov. Holland. 280 (1810)	4b:378
	Dianella tasmanica Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 57, t.133A (1858)	4b:378
	Herpolirion novae-zelandiae Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) I: 258 (1853)	4b:383
	Herpolirion tasmaniae Hook.f. = Herpolirion novae-zelandiae	
i	Phormium tenax J.R.Forst. & G.Forst., Char. Gen. Pl.: 48, t.24 (1775)	4b:418
	Stypandra caespitosa R.Br. = Thelionema caespitosum	4b:379
	Stypandra umbellata R.Br. = Thelionema umbellatum	
	Thelionema caespitosum (R.Br.) R.J.F.Hend., Austrobaileya 2: 109 (1985)	4b:379
	Thelionema umbellatum (R.Br.) R.J.F.Hend., Austrobaileya 2: 109 (1985)	4b:380
	Tricoryne elatior R.Br., Prodr. Fl. Nov. Holland. 278 (1810)	4b:391
HYACINTHACEAE		
	Ornithogalum angustifolium Boreau sensu Buchanan (1999) = Ornithogalum umbellatum	
i	Ornithogalum umbellatum L., Sp. Pl. I: 307 (1753)	4b:369
i #	Scilla peruviana L., Sp. Pl. I: 309 (1753)	4b:391
HYDROCHARITACEAE		
i	Egeria densa Planch., Ann. Sci. Nat., Bot., sér. 3, 11: 80 (1849)	4b:8
i	Elodea canadensis Michx., Fl. Bor.-Amer. (Michaux) 1: 20 (1803)	4b:8
	Elodea densa (Planch.) Casp. = Egeria densa	4b:8
	Halophila australis Doty & B.C.Stone, Brittonia 18: 306, fig.2 (1966)	4b:13
	Halophila ovalis (R.Br.) Hook.f. sensu Rodway (1903) = Halophila australis	4b:13
	Lagarosiphon major (Ridl.) Moss previously listed as naturalised but insufficient evidence exists to support this	4b:9
	Vallisneria americana Michx. sensu Buchanan (2007) = Vallisneria australis	4b:11
	Vallisneria australis S.W.L.Jacobs & Les, Syst. Bot. 33: 62 (2008)	4b:11
	Vallisneria gigantea Graebn. sensu Curtis & Morris (1994) = Vallisneria australis	4b:11
	Vallisneria spiralis L. sensu Rodway (1903) = Vallisneria australis	4b:11
HYPOXIDACEAE		
	Hypoxis glabella R.Br. var. glabella = Pauridia glabella var. glabella	
	Hypoxis hygrometrica Labill. var. hygrometrica , Nov. Holl. Pl. I: 82 t.108 (1805)	4b:376
	Hypoxis hygrometrica Labill. var. villosispala R.J.F.Hend., Fl. Australia 45: 488 (1987)	4b:377
	Hypoxis pusilla Hook.f. = Pauridia glabella var. glabella	4b:375
	Hypoxis vaginata Schltld. var. brevistigmata R.J.F.Hend. = Pauridia vaginata var. brevistigmata	4b:376
	Hypoxis vaginata Schltld. var. vaginata = Pauridia vaginata var. vaginata	4b:376
	Pauridia glabella (R.Br.) Snijman & Kocyan var. glabella , Phytotaxa 116: 27 (2013)	4b:375
	Pauridia vaginata (Schltld.) Snijman & Kocyan var. brevistigmata (R.J.F.Hend.) Snijman & Kocyan, Phytotaxa 116: 31 (2013)	4b:376

Pauridia vaginata (Schltdl.) Snijman & Kocyan var. **vaginata** (Schltdl.) Snijman & Kocyan, Phytotaxa 116: 31 (2013) 4b:376

IRIDACEAE

- i **Chasmanthe floribunda** (Salisb.) N.E.Br., Trans. Roy. Soc. South Africa 20: 274 (1932)
- i **Crocosmia × crocosmiiflora** (Lemoine ex E.Morren) N.E.Br., Trans. Roy. Soc. South Africa 20: 264 (1932) 4b:417
- e **Diplarrena latifolia** Benth., Fl. Austral. 6: 400 (1873) 4b:405
- Diplarrena moraea** Labill., Voy. Rech. Pérouse 1: 157 (1800) 4b:405
- Diplarrena moraea Labill. var. alpina Hook.f. = **Diplarrena moraea**
- i **Freesia** a complex of garden hybrids involving *F. alba* and *F. leichtlinii* 4b:416
- Genosiris fragilis Labill. = **Patersonia fragilis**
- i **Gladiolus × colvillii** Sweet, Brit. Fl. Gard. [Sweet] 2: t.155 (1826)
- i **Gladiolus communis** L. subsp. **byzantinus** (Mill.) A.P.Ham., Bot. J. Linn. Soc. 76: 358 (1978) 4b:413
- Gladiolus cuspidatus Jacq. = **Gladiolus undulatus** 4b:413
- i **Gladiolus tristis** L., Sp. Pl., ed. 2: 53 (1762) 4b:411
- i **Gladiolus undulatus** L., Mant. Pl. 1: 27 (1767) 4b:413
- i t **Hesperantha coccinea** (Backh. & Harv.) Goldblatt & J.C.Manning, Novon 6: 263 (1996) 4b:417
- Hewardia tasmanica Hook. = **Isophysis tasmanica** 4b:401
- Homeria breyniana (L.) G.J.Lewis sensu Willis (1973) = **Moraea flaccida** 4b:408
- Homeria flaccida Sweet = **Moraea flaccida** 4b:408
- i **Iris foetidissima** L., Sp. Pl. 1: 39 (1753) 4b:406
- i **Iris germanica** L., Sp. Pl. 1: 38 (1753) 4b:406
- e **Isophysis tasmanica** (Hook.) T.Moore, Proc. Linn. Soc. London 2: 212 (1853) 4b:401
- i **Ixia flexuosa** L., Sp. Pl., ed. 2: 51 (1762) 4b:414
- i **Ixia maculata** L., Sp. Pl., ed. 2: 1664 (1763) 4b:414
- i **Ixia polystachya** L., Sp. Pl., ed. 2: 51 (1762) 4b:414
- Libertia laurencei Hook.f. = **Libertia pulchella**
- Libertia pulchella** (R.Br.) Spreng. var. **pulchella**, Syst. Veg. (ed. 16) [Sprengel] 1: 69 (1824) 4b:402
- e **Libertia pulchella** (R.Br.) Spreng. var. **pygmaea** D.I.Morris, The Student's Flora of Tasmania 4b: 425 (1994) 4b:402
- i **Moraea flaccida** (Sweet) Steud., Nomencl. Bot. [Steudel], ed. 2: 2: 160 (1841) 4b:408
- Patersonia fragilis** (Labill.) Asch. & Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner]. 3: 532 (1906) 4b:403
- Patersonia glauca R.Br. = **Patersonia fragilis** 4b:403
- Patersonia longiscapa Sweet = **Patersonia occidentalis** 4b:403
- Patersonia occidentalis** R.Br. var. **occidentalis**, Prodr. Fl. Nov. Holland. 304 (1810) 4b:403
- Romulea longifolia (Salisb.) Baker = **Romulea rosea** var. **australis** 4b:409
- Romulea minutiflora Klatt sensu Buchanan (2009) probably **Romulea rosea**
- i **Romulea rosea** (L.) Eckl. var. **australis** (Ewart) M.P.de Vos, J. S. African Bot. Suppl. 9: 254 (1972) 4b:409
- Schizostylis coccinea Backh. & Harv. = **Hesperantha coccinea** 4b:417
- i **Sisyrinchium iridifolium** Kunth, Nov. Gen. Sp. [H.B.K.] 1: 324 (1816) 4b:402
- i **Sparaxis bulbifera** (L.) Ker Gawl., Ann. Bot. [König & Sims] 1: 226 (1804) 4b:415
- Trichonema roseum Ker Gawl. sensu Rodway (1903) = **Romulea rosea** 4b:409
- i # **Tritonia gladiolaris** (Lam.) Goldblatt & J.C.Manning, Bothalia 36: 57 (2006) 4b:416

	<i>Tritonia lineata</i> (Salisb.) Ker Gawl. = Tritonia gladiolaris	4b:416
	<i>Watsonia bulbifera</i> J.W.Mathews & L.Bolus = Watsonia meriana var. bulbillifera	4b:408
i	Watsonia meriana (L.) Mill. var. bulbillifera (J.W.Mathews & L.Bolus) D.A.Cooke, J. Adelaide Bot. Gard. 18: 6 (1998)	4b:408
i	Watsonia meriana (L.) Mill. var. meriana , Gard. Dict., ed. 8. no.1 (1768)	4b:409
i	Watsonia versfeldii J.W.Mathews & L.Bolus, Ann. Bolus Herb. 3: 140 (1922)	4b:409
	<i>Watsonia versfeldii</i> J.W.Mathews & L.Bolus var. <i>alba</i> J.W.Mathews & L.Bolus = Watsonia versfeldii	4b:409
JUNCACEAE		
i	Juncus acuminatus Michx., Fl. Bor.-Amer. (Michaux) 1: 192 (1803)	4b:75
i	Juncus acutiflorus Ehrh. ex Hoffm., Deutschl. Fl. (Hoffm.) 1: 125 (1791)	4b:77
i	Juncus acutus L., Sp. Pl. 1: 325 (1753)	
	Juncus amabilis Edgar, New Zealand J. Bot. 2: 186, figs.7, 21 (1964)	4b:67
	Juncus antarcticus Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 79, pl.46 (1844)	4b:71
i	Juncus articulatus L., Sp. Pl. 1: 327 (1753)	4b:77
e	Juncus astreptus L.A.S.Johnson, Aspects of Tasmanian Botany: 41 (1991)	4b:66
	Juncus australis Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 66, t.134a (1858)	4b:67
	Juncus bassianus L.A.S.Johnson, Aspects of Tasmanian Botany: 40 (1991)	4b:66
	Juncus bufonius L., Sp. Pl. 1: 328 (1753)	4b:63
i	Juncus bulbosus L., Sp. Pl. 1: 327 (1753)	4b:73
	Juncus caespiticus E.Mey., Pl. Preiss. [J.G.C.Lehman] 2: 47 (1846)	4b:72
	<i>Juncus capillaceus</i> Hook.f. sensu Rodway (1903) = Juncus sandwithii	4b:74
i	Juncus capitatus Weigel, Observ. Bot. (Weigel): 28 (1772)	4b:70
	<i>Juncus communis</i> E.Mey. sensu Rodway (1903) = Juncus australis	4b:67
i	Juncus conglomeratus L., Sp. Pl. 1: 326 (1753)	4b:69
e	Juncus curtisiae L.A.S.Johnson, Aspects of Tasmanian Botany: 44 (1991)	4b:74
i	Juncus effusus L., Sp. Pl. 1: 326 (1753)	4b:69
	Juncus falcatus E.Mey. subsp. falcatus , Syn. Luzul. 34 (1823)	4b:71
	Juncus filicaulis Buchenau, Proc. Linn. Soc. New South Wales 28: 912 (1904)	4b:68
	Juncus fockei Buchenau, Bot. Jahrb. Syst. 12: 358 (1890)	4b:75
i	Juncus gerardii Loisel., J. Bot. (Desvaux) 2: 284 (1809)	
	Juncus gregiflorus L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 243 (1963)	4b:66
	<i>Juncus gunnii</i> Hook.f. = Juncus pauciflorus	
	Juncus holoschoenus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:75
i	Juncus indescryptus Steud., Syn. Pl. Glum. 2: 304 (1855)	4b:72
	Juncus kraussii Hochst. subsp. australiensis (Buchenau) Snogerup, Willdenowia 23: 61 (1993)	4b:70
	<i>Juncus maritimus</i> Lam. sensu Rodway (1903) = Juncus kraussii subsp. australiensis	4b:70
i #	Juncus microcephalus Kunth, Bonpland & Kunth, Nov. Gen. Sp. [H.B.K.] 1: 237 (1816)	4b:75
	Juncus pallidus R.Br., Prodr. Fl. Nov. Holland. 258 (1810)	4b:64
	Juncus pauciflorus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:65
	Juncus planifolius R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:71
	Juncus prismatocarpus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:73
	Juncus procerus E.Mey., Linnaea 3: 367 (1828)	4b:65
	<i>Juncus pusillus</i> Buchenau sensu Willis (1973) = Juncus sandwithii	4b:74

e	Juncus ratkowskyanus L.A.S.Johnson, Aspects of Tasmanian Botany: 43 (1991)	4b:74
	Juncus revolutus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:63
	Juncus sandwithii Lourteig, Comite National Francais des Recherches Antarctiques 23: 44 (1968)	4b:74
	Juncus sarophorus L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 242 (1963)	4b:68
i t	Juncus squarrosus L., Sp. Pl. 1: 327 (1753)	4b:62
	Juncus subsecundus N.A.Wakef., Vict. Naturalist 73: 211 (1957)	4b:69
i	Juncus tenuis Willd., Sp. Pl., ed. 4 [Willdenow] 2: 214 (1799)	4b:62
	Juncus vaginatus R.Br., Prodr. Fl. Nov. Holland. 258 (1810)	4b:65
	Luzula acutifolia H.Nordensk. subsp. acutifolia , Bot. Not. 122: 85 (1969)	4b:84
	Luzula atrata Edgar, New Zealand J. Bot. 13: 794 (1975)	4b:83
e	Luzula australasica Steud. subsp. australasica , Syn. Pl. Glumac. 2: 294 (1855)	4b:82
i t	Luzula campestris (L.) DC., Fl. Franc. (DC. & Lamarck), ed. 3. 3: 161 (1805)	4b:81
i t	Luzula congesta (Thuill.) Lej., Fl. Spa 1: 168 (1811)	4b:81
	Luzula densiflora (H.Nordensk.) Edgar, New Zealand J. Bot. 13: 786 (1975)	4b:80
	Luzula flaccida (Buchenau) Edgar, New Zealand J. Bot. 13: 786 (1975)	4b:80
	Luzula meridionalis H.Nordensk., Bot. Not. 122: 71 (1969)	4b:78
	Luzula modesta Buchenau, Pflanzenr. (Engler) 25: 80, fig.51 (1906)	4b:82
i t	Luzula multiflora (Ehrh.) Lej., Fl. Spa 1: 169 (1811)	4b:81
	Luzula novae-cambriae Gand., Bull. Soc. Bot. France 46: 392 (1900)	4b:82
	<i>Luzula oldfieldii</i> Hook.f. = Luzula australasica subsp. australasica	4b:82
e	Luzula poimena W.M.Curtis, Brunonia 7: 297 (1985)	4b:83

JUNCAGINACEAE

	Cycnogeton alcockiae (Aston) Mering & Kadereit, Diversity, Phylogeny, and Evolution in the Monocotyledons: 73 (2010)	4b:427
	Cycnogeton procerum (R.Br.) Buchenau, Abh. Naturwiss. Vereins Bremen 224 (1867)	4b:14
	Cycnogeton rheophilum (Aston) Mering & Kadereit, Diversity, Phylogeny, and Evolution in the Monocotyledons: 73 (2010)	4b:427
	<i>Triglochin alcockiae</i> Aston = Cycnogeton alcockiae	4b:427
	<i>Triglochin centrocarpum</i> Hook. = Triglochin nana (Tasmanian plants)	4b:16
	<i>Triglochin decipiens</i> R.Br. = Triglochin striata	
	Triglochin minutissima F.Muell., Fragm. (Mueller) 6: 82 (1867)	4b:16
	Triglochin mucronata R.Br., Prodr. Fl. Nov. Holland. 343 (1810)	4b:16
	Triglochin nana F.Muell., Fragm. (Mueller) 6: 82 (1867)	4b:16
	<i>Triglochin procera</i> R.Br. = Cycnogeton procerum	4b:14
	<i>Triglochin rheophila</i> Aston = Cycnogeton rheophilum	4b:427
	Triglochin striata Ruiz & Pav., Fl. Peruv. 3: 72 (1802)	4b:16
	<i>Triglochin triandra</i> Michx. sensu Hooker (1860) = Triglochin striata	

LAXMANNIACEAE

	<i>Arthropodium laxum</i> Hook.f. nom. illeg. = Arthropodium strictum	
	Arthropodium milleflorum (DC.) J.F.Macbr., Contr. Gray Herb. 3(56): 2 (1918)	4b:384
	Arthropodium minus R.Br., Prodr. Fl. Nov. Holland. 276 (1810)	4b:385
	<i>Arthropodium paniculatum</i> (Haw.) R.Br. = Arthropodium milleflorum	4b:384
e	Arthropodium pendulum DC., Cat. Pl. Horti Monsp. 80 (1813)	

	Arthropodium strictum R.Br., Prodr. Fl. Nov. Holland. 276 (1810)	4b:388
	Chamaescilla corymbosa (R.Br.) F.Muell. ex Benth. var. corymbosa , Fl. Austral. 7: 48 (1878)	4b:387
i	Cordyline australis (G.Forst.) Endl., Prodr. Fl. Norfolk. 29 (1833)	
	Dichopogon strictus (R.Br.) Baker = Arthropodium strictum	4b:388
	Laxmannia minor R.Br. sensu Hooker (1860) = Laxmannia orientalis	
	Laxmannia morrisii Keighery = Laxmannia squarrosa	
	Laxmannia orientalis Keighery, Fl. Australia 45: 492 (1987)	4b:388
	Laxmannia sessiliflora Decne. sensu Rodway (1903) = Laxmannia orientalis	4b:388
	Laxmannia squarrosa Lindl. recorded in error	
	Sowerbaea juncea Andrews, Bot. Repos. 2: t.81 (1800)	4b:389
	Thysanotus patersonii R.Br., Prodr. Fl. Nov. Holland. 284 (1810)	4b:389
LUZURIAGACEAE		
	Drymophila cyanocarpa R.Br., Prodr. Fl. Nov. Holland. 292 (1810)	4b:369
MELANTHIACEAE		
	Aletris punicea Labill. = Blandfordia punicea	
ORCHIDACEAE		
	Acianthus bifolius R.Br. = Chiloglottis reflexa	
	Acianthus caudatus R.Br., Prodr. Fl. Nov. Holland. 321 (1810)	4a:117
	Acianthus exsertus R.Br. sensu Curtis (1979) = Acianthus pusillus	4a:117
	Acianthus pusillus D.L.Jones, Austral. Orchid Res. 2: 7 (1991)	4a:117
	Acianthus reniformis (R.Br.) Schltr. = Cyrtostylis reniformis	4a:119
	Acianthus viridis Hook.f. = Townsonia viridis	4a:118
	Anzybas fordhamii (Rupp) D.L.Jones & M.A.Clem. = Corybas fordhamii	4a:124
	Anzybas unguiculatus (R.Br.) D.L.Jones & M.A.Clem. = Corybas unguiculatus	4a:124
	Arachnorchis anthracina (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia anthracina	
	Arachnorchis australis (G.W.Carr) D.L.Jones & M.A.Clem. = Caladenia australis	
	Arachnorchis brachyscapa (G.W.Carr) D.L.Jones & M.A.Clem. = Caladenia brachyscapa	
	Arachnorchis cardiochila (Tate) D.L.Jones & M.A.Clem. = Caladenia cardiochila	
	Arachnorchis caudata (Nicholls) D.L.Jones & M.A.Clem. = Caladenia caudata	4a:101
	Arachnorchis clavigera (A.Cunn. ex Lindl.) D.L.Jones & M.A.Clem. = Caladenia clavigera	4a:105
	Arachnorchis dienema (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia dienema	
	Arachnorchis dilatata (R.Br.) D.L.Jones & M.A.Clem. = Caladenia dilatata	4a:100
	Arachnorchis echidnachila (Nicholls) D.L.Jones & M.A.Clem. = Caladenia echidnachila	4a:101
	Arachnorchis helvina (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia helvina	
	Arachnorchis lindleyana (Rchb.f.) D.L.Jones & M.A.Clem. = Caladenia lindleyana	
	Arachnorchis pallida (Lindl.) D.L.Jones & M.A.Clem. = Caladenia pallida	4a:104
	Arachnorchis patersonii (R.Br.) D.L.Jones & M.A.Clem. = Caladenia patersonii	4a:100
	Arachnorchis saggicola (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia saggicola	
	Arthrochilus huntianus (F.Muell.) Blaxell subsp. huntianus = Thynninorchis huntiana	4a:89
	Arthrochilus huntianus (F.Muell.) Blaxell subsp. nothofagicola D.L.Jones = Thynninorchis nothofagicola	
	Bunochilus melagrammus (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis melagramma	4a:27
	Bunochilus stenochilus (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis stenochila	

	Bunochilus tunstallii (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = Pterostylis tunstallii	
	Bunochilus williamsonii (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis williamsonii	
	Burnettia cuneata Lindl., Gen. Sp. Orchid. Pl. 518 (1840)	4a:92
	Caladenia alata R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:107
	Caladenia alba R.Br. recorded in error	
	Caladenia alpina R.S.Rogers, Trans. Roy. Soc. South Australia 51: 12 (1927)	4a:111
e	Caladenia angustata Lindl., Gen. Sp. Orchid. Pl. 420 (1840)	4a:108
e	Caladenia anthracina D.L.Jones, Austral. Orchid Res. 3: 21 (1998)	
	Caladenia atkinsonii Rodway = Caladenia carnea	4a:107
e	Caladenia atrata D.L.Jones, Muelleria 8: 178 (1994)	4a:111
e	Caladenia atrochila D.L.Jones, Austral. Orchid Res. 3: 23 (1998)	
	Caladenia aurantiaca (R.S.Rogers) Rupp, Proc. Linn. Soc. New South Wales 71: 280 (1947)	
	Caladenia australis G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 2 (1991)	
	Caladenia barbata Lindl. sensu Hooker (1860) = Pheladenia deformis	
	Caladenia brachyscapa G.W.Carr, Muelleria 6: 439 (1988)	
	Caladenia caerulea R.Br. sensu Bentham (1873) = Cyanicula caerulea	
e	Caladenia campbellii D.L.Jones, Austral. Orchid Res. 3: 25 (1998)	
x	Caladenia cardiochila Tate, Trans. Roy. Soc. South Australia 9: 60, t.2 (1887)	
	Caladenia carnea R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:106
	Caladenia carnea R.Br. var. pygmaea R.S.Rogers sensu Curtis (1953) = Caladenia pusilla	
	Caladenia carnea R.Br. var. quadriseriata Benth. = Caladenia gracilis	
	Caladenia catenata (Sm.) Druce var. catenata sensu Curtis (1979) = Caladenia carnea & C. sylvicola	4a:106
	Caladenia catenata (Sm.) Druce var. exigua sensu Curtis (1979) = Caladenia alata	4a:107
	Caladenia catenata (Sm.) Druce var. gigantea sensu Curtis (1979) = Caladenia carnea	4a:106
	Caladenia catenata (Sm.) Druce var. minor sensu Curtis (1979) = Caladenia mentiens	4a:106
e	Caladenia caudata Nicholls, Vict. Naturalist 64: 231 (1948)	4a:101
	Caladenia clavigera A.Cunn. ex Lindl., Gen. Sp. Orchid. Pl. 422 (1840)	4a:105
	Caladenia congesta R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:112
	Caladenia cordiformis R.S.Rogers sensu Nicholls & Olsen 1941 = Caladenia clavigera	
	Caladenia corynepetala D.L.Jones = Caladenia dilatata	4a:100
e	Caladenia cracens D.L.Jones, Muelleria 9: 46 (1996)	4a:111
	Caladenia cucullata Fitzg. sensu Curtis (1979) = Caladenia atrata & C. gracilis	4a:111
	Caladenia deformis R.Br. = Pheladenia deformis	4a:113
e	Caladenia dienema D.L.Jones, Austral. Orchid Res. 3: 28 (1998)	
	Caladenia dilatata R.Br., Prodr. Fl. Nov. Holland. 325 (1810)	4a:100
	Caladenia dimorpha Fitzg. sensu Curtis (1979) = Caladenia gracilis (?)	4a:109
e	Caladenia echidnachila Nicholls, Pap. & Proc. Roy. Soc. Tasmania 1932: 13, t.6 (1933)	4a:101
	Caladenia filamentosa R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:99
	Caladenia fuscata (Rchb.f.) M.A.Clem. & D.L.Jones, Austral. Orchid Res. 1: 25 (1989)	
	Caladenia gracilis R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:110
e	Caladenia helvina D.L.Jones, Austral. Orchid Res. 2: 26, f.30 (1991)	
	Caladenia iridescens R.S.Rogers sensu Curtis (1979) = Caladenia transitoria	4a:112

	Caladenia latifolia R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:105
e	Caladenia lindleyana (Rchb.f.) M.A.Clem. & D.L.Jones, Austral. Orchid Res. 1: 27 (1989)	
	Caladenia longii R.S.Rogers = Caladenia angustata	4a:108
	Caladenia lyallii Hook.f. sensu Curtis (1979) = Caladenia cracens & C. alpina	4a:111
	Caladenia mentiens D.L.Jones, Austral. Orchid Res. 3: 35 (1998)	4a:106
	Caladenia menziesii R.Br. = Leptoceras menziesii	4a:99
e	Caladenia pallida Lindl., Gen. Sp. Orchid. Pl. 421 (1840)	4a:104
	Caladenia patersonii R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:100
	Caladenia patersonii R.Br. var. dilatata (R.Br.) Benth. = Caladenia dilatata	
	Caladenia praecox Nicholls sensu Curtis (1979) = Caladenia angustata (?)	4a:109
	Caladenia prolata D.L.Jones, Austral. Orchid Res. 2: 30 (1991)	
	Caladenia pusilla W.M.Curtis, The Student's Flora of Tasmania 4a: 133 (1980)	4a:107
	Caladenia reticulata Fitzg. sensu Curtis (1979) = Caladenia lindleyana	
e	Caladenia saggicola D.L.Jones, Austral. Orchid Res. 3: 39 (1998)	
	Caladenia simulans G.W.Carr = Caladenia dilatata	
	Caladenia suaveolens (R.Br.) Rchb.f. = Lyperanthus suaveolens	4a:94
e	Caladenia sylvicola D.L.Jones, Austral. Orchid Res. 3: 40 (1998)	
	Caladenia testacea R.Br. sensu Rodway (1903) = Caladenia atrata	
e	Caladenia tonellii D.L.Jones, Austral. Orchid Res. 3: 41 (1998)	
	Caladenia transitoria D.L.Jones, Austral. Orchid Res. 3: 42 (1998)	4a:112
	Caladenia tutelata R.S.Rogers = ×Calassodia tutelata	4a:113
	Caladenia venusta G.W.Carr sensu Buchanan (1995) = Caladenia saggicola	
	Caladenia vulgaris D.L.Jones, Austral. Orchid Res. 2: 34 (1991)	
	×Calassodia tutelata (R.S.Rogers) M.A.Clem., Austral. Orchid Res. 1: 33 (1989)	4a:113
	Caleana major R.Br., Prodr. Fl. Nov. Holland. 329 (1810)	4a:87
	Caleana minor R.Br. = Paracaleana minor	4a:88
	Calochilus campestris R.Br., Prodr. Fl. Nov. Holland. 320 (1810)	4a:53
e	Calochilus herbaceus Lindl., Gen. Sp. Orchid. Pl. 459 (1840)	4a:55
	Calochilus imberbis R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 4 (1927)	4a:53
	Calochilus paludosus R.Br., Prodr. Fl. Nov. Holland. 320 (1810)	4a:56
	Calochilus platychilus D.L.Jones, Orchadian 15: 547 (2008)	4a:55
	Calochilus robertsonii Benth. sensu Curtis (1979) = Calochilus platychilus	4a:55
	Calochilus saprophyticus R.S.Rogers sensu Curtis (1953) = Calochilus campestris	
	Calonema filamentosum (R.Br.) D.L.Jones & M.A.Clem. = Caladenia filamentosa	4a:99
	Calonemorchis filamentosa (R.Br.) Szlach. = Caladenia filamentosa	4a:99
	Chiloglottis cornuta Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 69 (1844)	4a:85
	Chiloglottis diphylla R.Br. sensu Rodway (1903) = Chiloglottis reflexa	4a:86
e	Chiloglottis grammata G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 20 (1991)	4a:86
e	Chiloglottis gunnii Lindl., Gen. Sp. Orchid. Pl. 387 (1840)	4a:84
	Chiloglottis × pescottiana R.S.Rogers sensu Curtis (1953, 1979) = Chiloglottis grammata	4a:86
	Chiloglottis platychila G.W.Carr = Chiloglottis gunnii	
	Chiloglottis reflexa (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 614 (1917)	4a:86

	Chiloglottis trapeziformis Fitzg., Austral. Orch. 1(3): t.9 (1877)	4a:86
e	Chiloglottis triceratops D.L.Jones, Austral. Orchid Res. 3: 66 (1998) Chiloglottis trilabra Fitzg. = Chiloglottis reflexa (Tasmanian plants)	
	Chiloglottis valida D.L.Jones, Austral. Orchid Res. 2: 43 (1991)	
e	Chiloglottis sp. Wielangta (M.Wapstra 934) Tas Herbarium	
	Corunastylis archeri (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:82
e	Corunastylis brachystachya (Lindl.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:79
	Corunastylis despectans (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:76
e	Corunastylis firthii (Cady) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:80
	Corunastylis morrisii (Nicholls) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:83
	Corunastylis nuda (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:82
e	Corunastylis nudiscapa (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:79
	Corunastylis pumila (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:80
e	Corunastylis tasmanica (D.L.Jones) D.L.Jones & M.A.Clem., Orchadian 13: 462 (2002)	4a:77
	Corybas aconitiflorus Salisb., Parad. Lond. 1(2): t.83 (1806)	4a:123
	Corybas diemenicus (Lindl.) Rchb.f., Beitr. Syst. Pflanzenk. 42 (1871)	4a:121
	Corybas diemenicus (Lindl.) Rupp sensu Curtis (1979) = Corybas incurvus	4a:121
	Corybas dilatatus (Rupp & Nicholls) Rupp & Nicholls ex Rupp = Corybas diemenicus	4a:121
	Corybas fimbriatus (R.Br.) Rchb.f., Beitr. Syst. Pflanzenk. 42 (1871)	4a:121
	Corybas fordhamii (Rupp) Rupp, Vict. Naturalist 59: 61 (1942)	4a:124
	Corybas incurvus D.L.Jones & M.A.Clem., Kew Bull. 43: 135 (1988)	4a:121
	Corybas unguiculatus (R.Br.) Rchb.f., Beitr. Syst. Pflanzenk. 43 (1871)	4a:124
	Corysanthes bicalcarata R.Br. = Corybas aconitiflorus	4a:123
	Corysanthes diemenica Lindl. = Corybas diemenicus	4a:121
	Corysanthes dilatata Rupp & Nicholls sensu Nicholls & Olsen 1941 = Corybas diemenicus	
	Corysanthes fimbriata R.Br. = Corybas fimbriatus	4a:121
	Corysanthes incurva (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = Corybas incurvus	4a:121
	Corysanthes pruinosa R.Cunn. sensu Rodway (1903) = Corybas incurvus	4a:121
	Corysanthes unguiculata R.Br. = Corybas unguiculatus	
	Crangonorchis pedoglossa (Fitzg.) D.L.Jones & M.A.Clem. = Pterostylis pedoglossa	4a:13
	Cryptostylis leptochila F.Muell. ex Benth., Fl. Austral. 6: 334 (1873)	4a:126
	Cryptostylis longifolia R.Br. = Cryptostylis subulata	4a:125
	Cryptostylis subulata (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 15 (1871)	4a:125
	Cyanicula caerulea (R.Br.) Hopper & A.P.Br. recorded in error	
	Cyrtostylis reniformis R.Br., Prodr. Fl. Nov. Holland. 322 (1810)	4a:119
	Cyrtostylis robusta D.L.Jones & M.A.Clem., Lindleyana 2: 157 (1987)	
	Dendrobium striolatum Rchb.f. = Dockrillia striolata	4a:129
	Diplodium alatum (Labill.) D.L.Jones & M.A.Clem. = Pterostylis alata	4a:20
	Diplodium atrans (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis atrans	4a:22
	Diplodium decurvum (R.S.Rogers) D.L.Jones & M.A.Clem. = Pterostylis decurva	4a:22
	Diplodium grandiflorum (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis grandiflora	4a:20
	Dipodium punctatum (Sm.) R.Br. sensu Curtis (1979) = Dipodium roseum	4a:131
	Dipodium roseum D.L.Jones & M.A.Clem., Austral. Orchid Res. 2: 51 (1991)	4a:131

- i **Disa bracteata** Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 211 (1800)
 Disperis alata Labill. = **Pterostylis alata**
Diuris chryseopsis D.L.Jones, Austral. Orchid Res. 3: 74 (1998) 4a:34
 Diuris corymbosa Lindl. sensu Curtis (1979) = **Diuris orientis** 4a:36
 Diuris flavopurpurea Messmer sensu Curtis (1979) = **Diuris pardina** 4a:35
- e **Diuris lanceolata** Lindl., Gen. Sp. Orchid. Pl. 508 (1840) 4a:34
 Diuris longifolia R.Br. sensu Curtis (1979) = **Diuris orientis** 4a:36
 Diuris maculata Sm. sensu Curtis (1979) = **Diuris pardina** 4a:34
Diuris monticola D.L.Jones, Austral. Orchid Res. 3: 76 (1998)
Diuris orientis D.L.Jones, Austral. Orchid Res. 3: 77 (1998) 4a:36
 Diuris palachila R.S.Rogers sensu Curtis (1979) = **Diuris chryseopsis** × **D. pardina** 4a:35
Diuris palustris Lindl., Gen. Sp. Orchid. Pl. 507 (1840) 4a:32
Diuris pardina Lindl., Gen. Sp. Orchid. Pl. 507 (1840) 4a:34
 Diuris pedunculata R.Br. sensu Curtis (1979) = **Diuris chryseopsis** p.p.maj. 4a:34
Diuris sulphurea R.Br., Prodr. Fl. Nov. Holland. 316 (1810) 4a:36
- e **Dockrillia striolata** (Rchb.f.) Rauschert subsp. **chrysantha** D.L.Jones, Austral. Orchid Res. 3: 9 (1998)
Dockrillia striolata (Rchb.f.) Rauschert subsp. **striolata**, Feddes Repert. 94(7-8): 447 (1983)
 Epipactis cucullata Labill. = **Eriochilus cucullatus**
 Epipactis reflexa Labill. = **Chiloglottis reflexa**
 Eriochilus autumnalis R.Br. sensu Rodway (1903) = **Eriochilus cucullatus** 4a:91
Eriochilus cucullatus (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 27 (1871) 4a:91
 Eriochilus magenteus D.L.Jones sensu Baker & Duretto (2011) = **Eriochilus cucullatus** possibly reported in error
Gastrodia procera G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 22 (1991)
Gastrodia sesamoides R.Br., Prodr. Fl. Nov. Holland. 330 (1810) 4a:127
Gastrodia surcula D.L.Jones, Orchadian 15: 554 (2008)
 Genoplesium archeri (Hook.f.) D.L.Jones & M.A.Clem. = **Corunastylis archeri** 4a:82
 Genoplesium brachystachyum (Lindl.) D.L.Jones & M.A.Clem. = **Corunastylis brachystachya** 4a:79
 Genoplesium despectans (Hook.f.) D.L.Jones & M.A.Clem. = **Corunastylis despectans** 4a:76
 Genoplesium firthii (Cady) D.L.Jones = **Corunastylis firthii** 4a:80
 Genoplesium morrisii (Nicholls) D.L.Jones & M.A.Clem. = **Corunastylis morrisii** 4a:83
 Genoplesium nudiscapum (Hook.f.) D.L.Jones & M.A.Clem. = **Corunastylis nudiscapa** 4a:79
 Genoplesium nudum (Hook.f.) D.L.Jones & M.A.Clem. = **Corunastylis nuda** 4a:82
 Genoplesium pumilum (Hook.f.) D.L.Jones & M.A.Clem. = **Corunastylis pumila** 4a:80
 Genoplesium tasmanicum D.L.Jones = **Corunastylis tasmanica** 4a:77
 ×Glossadenia tutelata (R.S.Rogers) Kavulak nom. illeg. = ×**Calassodia tutelata**
Glossodia major R.Br., Prodr. Fl. Nov. Holland. 326 (1810) 4a:90
 Gunnia australis Lindl. sensu Hooker (1860) = **Sarcochilus australis**
Hydrorchis orbicularis (R.S.Rogers) D.L.Jones & M.A.Clem., Orchadian 13: 462 (2002) 4a:60
 Hymenochilus cycnocephalus (Fitzg.) D.L.Jones & M.A.Clem. sensu Buchanan (2005) = **Pterostylis ziegeleri** 4a:26
 Hymenochilus muticus (R.Br.) D.L.Jones & M.A.Clem. = **Pterostylis mutica** 4a:25

Hymenochilus pratensis (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis pratensis	
Hymenochilus rubenachii (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis rubenachii	
Hymenochilus wapstrarum (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis wapstrarum	
Hymenochilus ziegeleri (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis ziegeleri	
Jonesiopsis filamentosa (R.Br.) D.L.Jones & M.A.Clem. = Caladenia filamentosa	4a:99
Leptoceras menziesii (R.Br.) Lindl., Gen. Sp. Orchid. Pl. 416 (1840)	4a:99
Linguella nana (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis nana	4a:14
Lyperanthus nigricans R.Br. = Pyrorchis nigricans	4a:93
Lyperanthus suaveolens R.Br., Prodr. Fl. Nov. Holland. 325 (1810)	4a:94
Malaxis subulata Labill. = Cryptostylis subulata	
Microtidium atratum (Lindl.) D.L.Jones & M.A.Clem., Orchadian 13: 463 (2002)	4a:60
Microtis arenaria Lindl., Gen. Sp. Orchid. Pl. 396 (1840)	4a:58
Microtis atrata Lindl. = Microtidium atratum	4a:60
Microtis biloba Nicholls = Microtis arenaria	4a:58
Microtis oblonga R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 339 (1923)	4a:59
Microtis orbicularis R.S.Rogers = Hydrorchis orbicularis	4a:60
Microtis parviflora R.Br., Prodr. Fl. Nov. Holland. 321 (1810)	4a:59
Microtis porrifolia (Sw.) R.Br. ex Spreng. var. parviflora (R.Br.) Rodway nom. illeg., sensu Rodway (1903) = Microtis parviflora	
Microtis pulchella R.Br. sensu Hooker (1860), misapplied to Microtis unifolia and M. arenaria	
Microtis rara R.Br. sensu Curtis (1979) = Microtis oblonga	4a:59
Microtis unifolia (G.Forst.) Rchb.f., Beitr. Syst. Pflanzenk. 62 (1871)	4a:58
Nemacianthus caudatus (R.Br.) D.L.Jones & M.A.Clem. = Acianthus caudatus	4a:117
Oligochaetochilus commutatus (D.L.Jones) Szlach. = Pterostylis commutata	
Oligochaetochilus pratensis (D.L.Jones) Szlach. = Pterostylis pratensis	
Oligochaetochilus rubenachii (D.L.Jones) Szlach. = Pterostylis rubenachii	
Oligochaetochilus squamatus (R.Br.) Szlach. = Pterostylis squamata	4a:27
Oligochaetochilus stenochilus (D.L.Jones) Szlach. = Pterostylis stenochila	
Oligochaetochilus wapstrarum (D.L.Jones) Szlach. = Pterostylis wapstrarum	
Oligochaetochilus williamsonii (D.L.Jones) Szlach. = Pterostylis williamsonii	
Oligochaetochilus ziegeleri (D.L.Jones) Szlach. = Pterostylis ziegeleri	
Orthoceras strictum R.Br., Prodr. Fl. Nov. Holland. 317 (1810)	4a:30
Paracaleana minor (R.Br.) Blaxell, Contr. New South Wales Natl. Herb. 4: 281 (1972)	4a:88
Petalochilus alatus (R.Br.) D.L.Jones & M.A.Clem. = Caladenia alata	
Petalochilus atrochilus (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia atrochila	
Petalochilus aurantiacus (R.S.Rogers) D.L.Jones & M.A.Clem. = Caladenia aurantiaca	
Petalochilus campbellii (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia campbellii	
Petalochilus carneus (R.Br.) D.L.Jones & M.A.Clem. = Caladenia carnea	4a:106
Petalochilus fuscatus (Rchb.f.) D.L.Jones & M.A.Clem. = Caladenia fuscata	
Petalochilus mentiens (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia mentiens	
Petalochilus prolatus (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia prolata	
Petalochilus pusillus (W.M.Curtis) D.L.Jones & M.A.Clem. = Caladenia pusilla	4a:107
Petalochilus sylvicola (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia sylvicola	

	Petalochilus tonellii (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia tonellii	
	Petalochilus vulgaris (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia vulgaris	
	Pheladenia deformis (R.Br.) D.L.Jones & M.A.Clem., Orchadian 13: 411 (2001)	4a:113
	Plumatichilos plumosum (Cady) Szlach. = Pterostylis plumosa	4a:24
	Plumatichilos tasmanicum (D.L.Jones) Szlach. = Pterostylis tasmanica	
n	Prasophyllum ablittiorum P.A.Collier, Muelleria 36: 5 (2017)	
	Prasophyllum album R.S.Rogers sensu Curtis (1979) a name of uncertain application	4a:69
	Prasophyllum alpestre D.L.Jones = Prasophyllum mimulum (misapplied in Tasmania)	
e	Prasophyllum alpinum R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:75
e	Prasophyllum amoenum D.L.Jones, Austral. Orchid Res. 3: 99 (1998)	
e	Prasophyllum apoxychilum D.L.Jones, Austral. Orchid Res. 3: 100 (1998)	
	Prasophyllum archeri Hook.f. = Corunastylis archeri	4a:82
e	Prasophyllum sp. Arthurs Lake (R.Smith DLJ11363) Tas Herbarium	
e	Prasophyllum atratum D.L.Jones, Austral. Orchid Res. 5: 144 (2006)	
	Prasophyllum australe R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:66
	Prasophyllum beagleholei Nicholls = Corunastylis nuda	4a:82
	Prasophyllum brachystachyum Lindl. = Corunastylis brachystachya	4a:79
	Prasophyllum brainei R.S.Rogers = Prasophyllum lindleyanum	4a:74
	Prasophyllum brevilabre (Lindl.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 11, t.110A (1858)	4a:68
	Prasophyllum buftonianum J.H.Willis = Corunastylis pumila	4a:80
e	Prasophyllum castaneum D.L.Jones, Austral. Orchid Res. 3: 102 (1998)	
e	Prasophyllum concinnum Nicholls, Vict. Naturalist 64: 232 (1948)	4a:73
	Prasophyllum correctum D.L.Jones = Prasophyllum incorrectum (misapplied in Tasmania)	
e	Prasophyllum crebriflorum D.L.Jones, Muelleria 18: 103 (2003)	
	Prasophyllum despectans Hook.f. = Corunastylis despectans	4a:76
	Prasophyllum elatum R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:67
e	Prasophyllum favonium D.L.Jones, Austral. Orchid Res. 3: 104 (1998)	
	Prasophyllum firthii Cady = Corunastylis firthii	4a:80
	Prasophyllum fitzgeraldii R.S.Rogers & Maiden recorded in error	
	Prasophyllum flavum R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:66
	Prasophyllum frenchii F.Muell. sensu Curtis (1979) a name of uncertain application	4a:73
	Prasophyllum fuscum R.Br. sensu Curtis (1979) a name of uncertain application	4a:75
	Prasophyllum gracile Lindl. sensu Curtis (1979) a name of uncertain application	4a:72
e	Prasophyllum incorrectum D.L.Jones, Muelleria 18: 107 (2003)	
e	Prasophyllum incurvum D.L.Jones, Austral. Orchid Res. 3: 106 (1998)	
	Prasophyllum intricatum C.Stuart ex Benth. = Corunastylis archeri	4a:82
e	Prasophyllum limnetes D.L.Jones, Austral. Orchid Res. 5: 151 (2006)	
	Prasophyllum lindleyanum Rchb.f., Beitr. Syst. Pflanzenk. 58 (1871)	4a:74
	Prasophyllum lutescens Lindl. sensu Hooker (1860) = Prasophyllum australe	
	Prasophyllum lutescens Lindl. var. brevilabre Lindl. = Prasophyllum brevilabre	
e	Prasophyllum milfordense D.L.Jones, Austral. Orchid Res. 3: 107 (1998)	
e	Prasophyllum mimulum D.L.Jones, Orchadian 14: 372 (2004)	4a:69

	Prasophyllum aff. montanum R.J.Bates & D.L.Jones sensu Buchanan (2009) = Prasophyllum Arthurs Lake (R.Smith DLJ11363) Tas Herbarium	
	Prasophyllum morrisii Nicholls = Corunastylis morrisii	4a:83
	Prasophyllum nigricans R.Br. sensu Curtis (1979) = Corunastylis tasmanica	4a:77
	Prasophyllum nudiscapum Hook.f. = Corunastylis nudiscapa	4a:79
	Prasophyllum nudum Hook.f. = Corunastylis nuda	
	Prasophyllum odoratum R.S.Rogers sensu Curtis (1979) a name of uncertain application	4a:68
e	Prasophyllum olidum D.L.Jones, Austral. Orchid Res. 3: 108 (1998)	
	Prasophyllum parviflorum (R.S.Rogers) Nicholls sensu Curtis (1979) a name of uncertain application	4a:74
	Prasophyllum patens R.Br. sensu Rodway (1903) = Prasophyllum truncatum	4a:71
	Prasophyllum patens R.Br. var. robustum Nicholls sensu Curtis (1953) = Prasophyllum robustum	
e	Prasophyllum perangustum D.L.Jones, Austral. Orchid Res. 3: 109 (1998)	4a:72
e	Prasophyllum pulchellum D.L.Jones, Austral. Orchid Res. 3: 110 (1998)	
	Prasophyllum pyriforme E.Coleman sensu Buchanan (2005) = Prasophyllum rostratum	
e	Prasophyllum robustum (Nicholls) M.A.Clem. & D.L.Jones, Austral. Orchid Res. 1: 117 (1989)	
	Prasophyllum rogersii Rupp sensu Curtis (1979) = Prasophyllum perangustum	4a:72
e	Prasophyllum rostratum Lindl., Gen. Sp. Orchid. Pl. 516 (1840)	
	Prasophyllum rufum R.Br. sensu Curtis (1979) = Corunastylis tasmanica	4a:79
e	Prasophyllum secutum D.L.Jones, Austral. Orchid Res. 3: 113 (1998)	
	Prasophyllum sphacelatum D.L.Jones, Muelleria 9: 59 (1996)	
e	Prasophyllum stellatum D.L.Jones, Austral. Orchid Res. 3: 115 (1998)	
	Prasophyllum suttonii R.S.Rogers & B.Rees sensu Curtis (1979) = Prasophyllum mimulum	4a:69
	Prasophyllum tadgellianum (R.S.Rogers) R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 338 (1923)	
e	Prasophyllum taphanyx D.L.Jones, Orchadian 14: 373 (2004)	
e	Prasophyllum truncatum Lindl., Gen. Sp. Orchid. Pl. 513 (1840)	4a:71
e	Prasophyllum tunbridgense D.L.Jones, Austral. Orchid Res. 3: 117 (1998)	
	Prasophyllum uroglossum Rupp sensu Curtis (1979) a name of uncertain application	4a:76
	Pterostylis acuminata R.Br. sensu Curtis (1953) = Pterostylis ingens	
e	Pterostylis alata (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 70 (1871)	4a:20
	Pterostylis alpina R.S.Rogers sensu Curtis (1979) = Pterostylis scabrida	4a:19
e	Pterostylis aphylla Lindl., Gen. Sp. Orchid. Pl. 392 (1840)	4a:24
	Pterostylis atrans D.L.Jones, Muelleria 8: 185 (1994)	4a:22
e	Pterostylis atriola D.L.Jones, Austral. Orchid Res. 3: 140 (1998)	
	Pterostylis barbata Lindl. sensu Rodway (1903) = Pterostylis plumosa	4a:24
e	Pterostylis commutata D.L.Jones, Muelleria 8: 186 (1994)	
	Pterostylis concinna R.Br., Prodr. Fl. Nov. Holland. 326 (1810)	4a:11
	Pterostylis cucullata R.Br. subsp. cucullata , Prodr. Fl. Nov. Holland. 327 (1810)	
	Pterostylis curta R.Br., Prodr. Fl. Nov. Holland. 326 (1810)	4a:12
	Pterostylis cycnocephala Fitzg. sensu Curtis (1979) = Pterostylis ziegelieri	4a:26
	Pterostylis decurva R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 339, t.27 (1923)	4a:22
e	Pterostylis dubia R.Br., Prodr. Fl. Nov. Holland. 328 (1810)	4a:16
	Pterostylis falcata R.S.Rogers, Proc. Roy. Soc. Victoria 28: 106, t.9 (1915)	4a:17

	Pterostylis foliata Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 249 (1853)	4a:19
e	Pterostylis furcata Lindl., Gen. Sp. Orchid. Pl. 390 (1840)	4a:17
	Pterostylis grandiflora R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:20
	Pterostylis × ingens (Rupp) D.L.Jones, Orchadian 5: 54 (1976)	4a:12
	<i>Pterostylis longifolia</i> R.Br. sensu Curtis (1979) = Pterostylis melagramma & P. williamsonii	4a:27
	Pterostylis lustra D.L.Jones, Austral. Orchid Res. 5: 87 (2006)	
	Pterostylis melagramma D.L.Jones, Austral. Orchid Res. 3: 145 (1998)	4a:27
	Pterostylis mutica R.Br., Prodr. Fl. Nov. Holland. 328 (1810)	4a:25
	Pterostylis nana R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:14
	Pterostylis nutans R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:13
	<i>Pterostylis obtusa</i> R.Br. sensu Curtis (1979) = Pterostylis atrans	4a:22
	Pterostylis parviflora R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:23
	Pterostylis pedoglossa Fitzg., Austral. Orchids 1(3): 5th plate (1877)	4a:13
	Pterostylis pedunculata R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:14
	Pterostylis plumosa Cady, Austral. Pl. 5: 138 (1969)	4a:24
	<i>Pterostylis praecox</i> Lindl. sensu Rodway (1903) = Pterostylis alata	4a:20
e	Pterostylis pratensis D.L.Jones, Austral. Orchid Res. 3: 149 (1998)	
	<i>Pterostylis pusilla</i> R.S.Rogers sensu Curtis (1953) = Pterostylis squamata	
e	Pterostylis rubenachii D.L.Jones, Austral. Orchid Res. 3: 150 (1998)	
	<i>Pterostylis rufa</i> R.Br. sensu Curtis (1979) = Pterostylis squamata	4a:27
	Pterostylis sanguinea D.L.Jones & M.A.Clem., Austral. Orchid Res. 1: 126 (1989)	4a:28
e	Pterostylis scabrida Lindl., Gen. Sp. Orchid. Pl. 389 (1840)	4a:19
	Pterostylis squamata R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:27
e	Pterostylis stenochila D.L.Jones, Austral. Orchid Res. 3: 153 (1998)	
	Pterostylis tasmanica D.L.Jones, Muelleria 8: 190 (1994)	
	Pterostylis × toveyana Ewart & Sharman, Proc. Roy. Soc. Victoria 28: 235 (1916)	4a:21
	Pterostylis tunstallii D.L.Jones & M.A.Clem., Austral. Orchid Res. 1: 128 (1989)	
	Pterostylis uliginosa D.L.Jones, Austral. Orchid Res. 3: 155 (1998)	
	<i>Pterostylis vereenae</i> R.S.Rogers sensu Curtis (1953) = Pterostylis foliata	
	<i>Pterostylis vittata</i> Lindl. sensu Curtis (1979) = Pterostylis sanguinea	4a:28
e	Pterostylis wapstrarum D.L.Jones, Austral. Orchid Res. 3: 156 (1998)	
e	Pterostylis williamsonii D.L.Jones, Austral. Orchid Res. 3: 157 (1998)	4a:27
e	Pterostylis ziegeleri D.L.Jones, Austral. Orchid Res. 3: 158 (1998)	4a:26
	Pyrorchis nigricans (R.Br.) D.L.Jones & M.A.Clem., Phytologia 77: 449 (1994)	4a:93
	Sarcochilus australis (Lindl.) Rchb.f., Ann. Bot. Syst. (Walpers) 6: 501 (1863)	4a:131
	<i>Sarcochilus parviflorus</i> Lindl. sensu Rodway (1903) = Sarcochilus australis	4a:131
	<i>Simpliglottis cornuta</i> (Hook.f.) Szlach. = Chiloglottis cornuta	4a:85
	<i>Simpliglottis grammata</i> (G.W.Carr) Jeanes = Chiloglottis grammata	
	<i>Simpliglottis gunnii</i> (Lindl.) Szlach. = Chiloglottis gunnii	4a:84
	<i>Simpliglottis triceratops</i> (D.L.Jones) Jeanes = Chiloglottis triceratops	
	<i>Simpliglottis valida</i> (D.L.Jones) Szlach. = Chiloglottis valida	
	<i>Speculantha aphylla</i> (Lindl.) D.L.Jones & M.A.Clem. = Pterostylis aphylla	4a:24
	<i>Speculantha atriola</i> (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis atriola	

	Specularantha parviflora (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis parviflora	4a:23
	Specularantha uliginosa (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis uliginosa	
	Spiculaea huntiana (F.Muell.) Schltr. = Thynninorchis huntiana	4a:89
	Spiranthes alticola D.L.Jones, Orchadian 15: 555 (2008)	
	Spiranthes australis (R.Br.) Lindl., Bot. Reg. 10: subt.823 (1824)	4a:128
	Spiranthes sinensis (Pers.) Ames subsp. australis (R.Br.) Kitam. = Spiranthes australis	4a:128
	Stegostyla alpina (R.S.Rogers) D.L.Jones & M.A.Clem. = Caladenia alpina	4a:111
	Stegostyla angustata (Lindl.) D.L.Jones & M.A.Clem. = Caladenia angustata	4a:108
	Stegostyla atrata (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia atrata	
	Stegostyla congesta (R.Br.) D.L.Jones & M.A.Clem. = Caladenia congesta	4a:112
	Stegostyla cracens (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia cracens	
	Stegostyla gracilis (R.Br.) D.L.Jones & M.A.Clem. = Caladenia gracilis	4a:110
	Stegostyla transitoria (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia transitoria	
	Sullivania minor (R.Br.) D.L.Jones & M.A.Clem. = Paracaleana minor	4a:88
	Taurantha concinna (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis concinna	4a:11
	×Taurodium toveyanum (Ewart & Sharman) D.L.Jones & M.A.Clem. sensu Buchanan (2005) = Pterostylis × toveyana	
e	Thelymitra aggericola D.L.Jones, The Orchadian 12: 517 (1999)	
	Thelymitra angustifolia R.Br. sensu Hooker (1860) a name of uncertain application	
	Thelymitra antennifera (Lindl.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 4, t.101A (1858)	4a:51
	Thelymitra arenaria Lindl., Gen. Sp. Orchid. Pl. 519 (1840)	
	Thelymitra aristata Lindl., Gen. Sp. Orchid. Pl. 521 (1840)	4a:42
	Thelymitra atronitida Jeanes, Muellera 14: 91 (2000)	
	Thelymitra azurea R.S.Rogers sensu Buchanan (1995) = Thelymitra jonesii	
	Thelymitra benthamiana Rchb.f., Beitr. Syst. Pflanzenk. 55 (1871)	
	Thelymitra bracteata J.Z.Weber ex Jeanes, Muellera 19: 43 (2004)	
	Thelymitra brevifolia Jeanes, Muellera 19: 30 (2004)	
	Thelymitra canaliculata R.Br. sensu Curtis (1979) = Thelymitra jonesii	4a:46
	Thelymitra carnea R.Br., Prodr. Fl. Nov. Holland. 314 (1810)	4a:50
	Thelymitra chasmogama R.S.Rogers sensu Curtis (1979) a plant of uncertain hybrid origin	4a:47
	Thelymitra circumsepta Fitzg., Austral. Orchids 1: t.1 (1878)	4a:48
	Thelymitra cyanea (Lindl.) Benth., Fl. Austral. 6: 323 (1873)	4a:49
	Thelymitra decora Cheeseman sensu Buchanan (1995) = Thelymitra simulata	
	Thelymitra erosa D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 184 (1998)	
	Thelymitra exigua Jeanes, Muellera 19: 28 (2004)	
	Thelymitra flexuosa Endl., Nov. Stirp. Dec. 3: 23 (1839)	4a:51
	Thelymitra grandiflora Fitzg. sensu Curtis (1953) = Thelymitra aristata	
	Thelymitra holmesii Nicholls, Vict. Naturalist 49: 263 (1933)	4a:43
e	Thelymitra imbricata D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 186 (1998)	4a:43
	Thelymitra improcera D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 187 (1998)	4a:46
	Thelymitra inflata Jeanes, Muellera 19: 71 (2004)	
	Thelymitra × irregularis Nicholls, Vict. Naturalist 63: 126 (1946)	4a:48
	Thelymitra ixioides Sw., Ksvenska Vet. Akad. Handl. 21: 253 (1800)	4a:44

e	Thelymitra jonesii Jeanes, Muellera 15: 81 (2001)	4a:46
	Thelymitra juncifolia Lindl., Gen. Sp. Orchid. Pl. 522 (1840)	
	<i>Thelymitra longifolia</i> J.R.Forst. & G.Forst. sensu Bentham (1873) = Thelymitra nuda	
	Thelymitra longiloba D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 191 (1998)	4a:46
	Thelymitra lucida Jeanes, Muellera 19: 70 (2004)	
	<i>Thelymitra luteocilium</i> Fitzg. sensu Curtis (1979) = Thelymitra rubra	4a:47
	<i>Thelymitra</i> × <i>macmillanii</i> F.Muell. sensu Curtis (1979) = a hybrid involving Thelymitra nuda	4a:49
	Thelymitra malvina M.A.Clem., D.L.Jones & Molloy, Austral. Orchid Res. 1: 141 (1989)	
	<i>Thelymitra media</i> R.Br. sensu Curtis (1979) = Thelymitra improcera & T. longiloba	4a:46
	<i>Thelymitra megcalyptra</i> Fitzg. sensu Curtis (1979) = Thelymitra imbricata	4a:43
	Thelymitra × merraniae Nicholls, Vict. Naturalist 46: 139 (1929)	
	Thelymitra mucida Fitzg., Gard. Chron. 17: 495 (1882)	4a:46
	Thelymitra nuda R.Br., Prodr. Fl. Nov. Holland. 314 (1810)	4a:44
	<i>Thelymitra nuda</i> R.Br. var. <i>grandiflora</i> Lindl. = Thelymitra imbricata	
	Thelymitra pauciflora R.Br., Prodr. Fl. Nov. Holland. 314 (1810)	4a:42
	<i>Thelymitra pauciflora</i> R.Br. var. <i>holmesii</i> (Nicholls) Nicholls = Thelymitra holmesii	4a:43
	Thelymitra peniculata Jeanes, Muellera 19: 50 (2004)	
e	Thelymitra polychroma D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 193 (1998)	
	<i>Thelymitra pulchella</i> Hook.f. recorded in error	
	<i>Thelymitra retecta</i> Rupp = Thelymitra circumsepta	4a:48
	Thelymitra rubra Fitzg., Gard. Chron. 17: 495 (1882)	4a:50
e	Thelymitra silena D.L.Jones, The Orchadian 12: 518 (1999)	
	Thelymitra simulata D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 195 (1998)	
	<i>Thelymitra smithiana</i> (Gunn ex Lindl.) Hook.f. = Thelymitra flexuosa	
e	Thelymitra spadicea D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 196 (1998)	
e	Thelymitra sparsa D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 197 (1998)	
	Thelymitra × truncata R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 41: 343, t.17 (1917)	4a:45
	<i>Thelymitra venosa</i> R.Br. sensu Curtis (1979) = Thelymitra cyanea	4a:48
	<i>Thelymitra versicolor</i> Lindl. = Thelymitra nuda	
e	Thelymitra viridis Jeanes, Muellera 19: 36 (2004)	
x	Thynninorchis huntiana (F.Muell.) D.L.Jones & M.A.Clem., Orchadian 13: 457 (2002)	4a:89
e	Thynninorchis nothofagicola (D.L.Jones) D.L.Jones & M.A.Clem., Orchadian 13: 457 (2002)	
t	Townsonia viridis (Hook.f.) Schltr., Repert. Spec. Nov. Regni Veg. 9: 250 (1911)	4a:118
	<i>Urochilus sanguineus</i> (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = Pterostylis sanguinea	4a:28
POACEAE (GRAMINEAE)		
	<i>Achnatherum caudatum</i> (Trin.) S.W.L.Jacobs & J.Everett = Amelichloa caudata	4b:192
	× <i>Agropogon littoralis</i> (Sm.) C.E.Hubb. = Polypogon lutosus	4b:283
	<i>Agropyron elongatum</i> (Host) P.Beauv. = Thinopyrum elongatum	4b:295
	<i>Agropyron junceiforme</i> (Á.Löve & D.Löve) Á.Löve & D.Löve = Thinopyrum junceiforme	4b:293
	<i>Agropyron junceum</i> (L.) P.Beauv. = Thinopyrum junceiforme	4b:293
	<i>Agropyron pectinatum</i> (Labill.) P.Beauv. = Australopyrum pectinatum	4b:301
	<i>Agropyron repens</i> (L.) P.Beauv. = Elytrigia repens	4b:295
	<i>Agropyron scabrum</i> (R.Br.) P.Beauv. = Anthosachne scabra	4b:296

	Agropyron velutinum Nees = Australopyrum velutinum	4b:301
	Agrostis aemula R.Br. = Lachnagrostis aemula	
	Agrostis aemula R.Br. var. aemula = Lachnagrostis aemula	4b:258
	Agrostis aemula R.Br. var. setifolia (Hook.f.) Vickery = Lachnagrostis punicea subsp. punicea	4b:259
	Agrostis aequata Nees = Lachnagrostis rudis	4b:262
	Agrostis australiensis Mez, Feddes Repert. Spec. Nov. Regni Veg. 17: 302 (1921)	4b:257
	Agrostis australiensis Mez sensu Curtis & Morris (1994) = Lachnagrostis rudis	4b:257
	Agrostis sp. aff. australiensis Mez sensu Curtis & Morris (1994) = Agrostis diemenica	4b:257
	Agrostis avenacea J.F.Gmel. = Lachnagrostis filiformis	4b:259
	Agrostis bettyae S.W.L.Jacobs, Telopea 9: 679 (2001)	
	Agrostis billardierei R.Br. var. billardierei = Lachnagrostis billardierei subsp. billardierei	4b:260
	Agrostis billardierei R.Br. var. collicola D.I.Morris = Lachnagrostis collicola	4b:261
	Agrostis billardierei R.Br. var. filifolia Vickery = Lachnagrostis punicea subsp. filifolia	4b:261
	Agrostis billardierei R.Br. var. robusta Vickery = Lachnagrostis robusta	4b:261
	Agrostis billardierei R.Br. var. tenuiseta D.I.Morris = Lachnagrostis billardierei subsp. tenuiseta	4b:261
i	Agrostis capillaris L. var. aristata (Parn.) Druce, Fl. Oxfordshire, ed. 2: 474 (1927)	4b:264
i	Agrostis capillaris L. var. capillaris , Sp. Pl. 1: 62 (1753)	4b:264
	Agrostis contracta F.Muell. ex Hook.f. = Deyeuxia contracta	
	Agrostis crinita (L.f.) R.Br. = Dichelachne crinita	
e	Agrostis diemenica D.I.Morris, Telopea 10: 765 (2004)	4b:257
i	Agrostis gigantea Roth, Tent. Fl. Germ. 1: 31 (1788)	4b:264
	Agrostis sp. aff. hiemalis (Walter) Britton, Sterns & Poggenb. sensu Curtis & Morris (1994) = Agrostis propinqua	4b:258
	Agrostis joyceae S.W.L.Jacobs, Telopea 9: 680 (2001)	
	Agrostis lacunarum D.I.Morris = Lachnagrostis lacunarum	4b:260
	Agrostis lobata R.Br. = Deyeuxia quadriseta	
	Agrostis montana R.Br. = Deyeuxia monticola	
	Agrostis muelleriana Vickery, Contr. New South Wales Natl. Herb. 1: 103 (1941)	4b:256
	Agrostis ovata G.Forst. sensu Labillardiere (1805) = Echinopogon ovatus	
	Agrostis parviflora R.Br., Prodr. Fl. Nov. Holland. 170 (1810)	4b:256
	Agrostis sp. aff. parviflora R.Br. sensu Curtis & Morris (1994) = Agrostis thompsoniae	4b:257
	Agrostis propinqua S.W.L.Jacobs, Telopea 9: 681 (2001)	4b:258
	Agrostis quadrifida Labill. = Pentapogon quadrifidus	
	Agrostis quadriseta (Labill.) R.Br. = Deyeuxia quadriseta	
	Agrostis rudis Roem. & Schult. sensu Curtis & Morris (1994) = Lachnagrostis morrisii	4b:261
	Agrostis scabra R.Br. sensu Rodway (1903) = Agrostis parviflora & A. propinqua	
	Agrostis sp. aff. scabra R.Br. sensu Curtis & Morris (1994) = Agrostis propinqua	4b:258
	Agrostis sciurea R.Br. = Dichelachne micrantha	
	Agrostis semiverticillata (Forssk.) C.Chr. = Agrostis viridis	4b:283
i	Agrostis stolonifera L., Sp. Pl. 1: 62 (1753)	4b:262
	Agrostis tenuis Sibth. = Agrostis capillaris	4b:264
	Agrostis thompsoniae S.W.L.Jacobs, Telopea 9: 682 (2001)	4b:257

	Agrostis venusta Trin., Mém. Acad. Imp. Sci. St.-Pétersbourg, Ser. 6 Sci. Math., Seconde Pt. Sci. Nat. 4: 340 (1841)	4b:256
	Agrostis virginica L. sensu Labillardiere (1805) = Sporobolus virginicus	
i	Agrostis viridis Gouan, Hortus Monsp. 546 (1762)	4b:283
	Agrostis vulgaris With. sensu Spicer (1878) = Agrostis capillaris	4b:264
i	Aira caryophyllea L. subsp. caryophyllea , Sp. Pl. 1: 66 (1753)	4b:246
i*	Aira cupaniana Guss.	
	Aira elegans Willd. ex Gaudin = Aira elegantissima	4b:247
i	Aira elegantissima Schur, Verh. Mitth. Siebenbürg. Vereins Naturwiss. Hermannstadt 4: 85 (1853)	4b:247
i	Aira praecox L., Sp. Pl. 1: 65 (1753)	4b:246
	Alopecurus agrestis L. = Alopecurus myosuroides	
i	Alopecurus geniculatus L., Sp. Pl. 1: 60 (1753)	4b:284
i	Alopecurus myosuroides Huds., Fl. Angl. (Hudson): 23 (1762)	4b:285
i	Alopecurus pratensis L. subsp. pratensis , Sp. Pl. 1: 60 (1753)	4b:284
i	Amelichloa caudata (Trin.) Arriaga & Barkworth, Sida 22: 148 (2006)	4b:192
i	Ammophila arenaria (L.) Link subsp. arenaria , Hort. Berol. [Link] 1: 105 (1827)	4b:274
	Amphibromus archeri (Hook.f.) P.Morris, Vict. Naturalist 51: 146 (1934)	4b:232
?i #	Amphibromus fluitans Kirk, Trans. & Proc. New Zealand Inst. 16: 374 (1884)	
	Amphibromus macrorhinus S.W.L.Jacobs & Lapinpuro, Telopea 2: 723 (1986)	4b:233
	Amphibromus neesii Steud., Syn. Pl. Glumac. 1: 328 (1854)	4b:234
	Amphibromus nervosus (Hook.f.) Baill., Hist. Pl. 12: 203 (1894)	
	Amphibromus recurvatus Swallen, Amer. J. Bot. 18: 415 (1931)	4b:232
	Amphibromus sinuatus S.W.L.Jacobs & Lapinpuro, Telopea 2: 727 (1986)	4b:233
	Anthistiria australis R.Br. = Themeda triandra	
	Anthistiria ciliata L.f. sensu Rodway (1903) = Themeda triandra	4b:358
i	Anthosachne kingiana (Endl.) Govaerts subsp. multiflora (Banks & Sol. ex Hook.f.) Govaerts, J. Adelaide Bot. Gard. 27: 24 (2014)	
	Anthosachne scabra (R.Br.) Nevski, Trudy Sredne-Aziatsk. Gosud. Univ., Ser. 8b, Bot. 17: 65 (1934)	4b:296
	Anthoxanthum crinitum L.f. sensu Brown (1810) = Dichelachne crinita	
i	Anthoxanthum odoratum L., Sp. Pl. 1: 28 (1753)	4b:250
i	Aristida benthamii Henrard var. benthamii , Meded. Rijks-Herb. 58A: 246, t.117 (1932)	4b:323
	Aristida jerichoensis (Domin) Henrard sensu Buchanan et al. (1989) = Aristida benthamii var. benthamii	4b:323
	Arrhenatherum avenaceum (Scop.) P.Beauv. sensu Rodway (1903) = Arrhenatherum elatius	4b:234
i	Arrhenatherum elatius (L.) P.Beauv. ex J.Presl & C.Presl var. bulbosum (Willd.) Spenn., Fl. Friburg. 1: 113 (1825)	4b:234
	Arundo penicillatum Labill. = Rytidosperma penicillatum	
	Arundo phragmites L. sensu Brown (1810) = Phragmites australis	
	Arundo poiformis Labill. sensu Labillardiere (1805) = Poa poiformis	
	Arundo semiannularis Labill. = Rytidosperma semiannulare	
	Australopyrum pectinatum (Labill.) Á.Löve, Feddes Repert. 95: 443 (1984)	4b:301
	Australopyrum velutinum (Nees) B.K.Simon, Austrobaileya 2: 241 (1986)	4b:301

	Austrodanthonia alpicola (Vickery) H.P.Linder sensu Fl. Australia 44B: 51 = Rytidosperma oreophilum (Tasmanian plants)	
	Austrodanthonia caespitosa (Gaudich.) H.P.Linder = Rytidosperma caespitosum	4b:312
	Austrodanthonia carphoides (F.Muell. ex Benth.) H.P.Linder = Rytidosperma carphoides	4b:306
	Austrodanthonia diemenica (D.I.Morris) H.P.Linder = Rytidosperma diemenicum	4b:311
	Austrodanthonia geniculata (J.M.Black) H.P.Linder = Rytidosperma geniculatum	4b:308
	Austrodanthonia induta (Vickery) H.P.Linder = Rytidosperma indutum	4b:312
	Austrodanthonia laevis (Vickery) H.P.Linder = Rytidosperma laevis	4b:312
	Austrodanthonia penicillata (Labill.) H.P.Linder = Rytidosperma penicillatum	4b:313
	Austrodanthonia pilosa (R.Br.) H.P.Linder = Rytidosperma pilosum	4b:313
	Austrodanthonia popinensis (D.I.Morris) H.P.Linder = Rytidosperma fulvum	4b:316
	Austrodanthonia procera (Vickery) S.W.L.Jacobs = Rytidosperma indutum	4b:312
	Austrodanthonia racemosa (R.Br.) H.P.Linder = Rytidosperma racemosum	4b:314
	Austrodanthonia racemosa (R.Br.) H.P.Linder var. racemosa = Rytidosperma racemosum var. racemosum	4b:314
	Austrodanthonia remota (D.I.Morris) H.P.Linder = Rytidosperma remotum	4b:316
	Austrodanthonia setacea (R.Br.) H.P.Linder = Rytidosperma setaceum	4b:311
	Austrodanthonia tenuior (Steud.) H.P.Linder = Rytidosperma tenuius	4b:310
i t	Austroderia richardii (Endl.) N.P.Barker & H.P.Linder, Ann. Missouri Bot. Gard. 97: 344 (2010)	4b:319
	Austrofestuca hookeriana (F.Muell. ex Hook.f.) S.W.L.Jacobs = Hookerchloa hookeriana	4b:223
	Austrofestuca littoralis (Labill.) E.B.Alexeev, Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. 81(5): 55 (1976)	4b:223
e	Austrostipa aphylla (Rodway) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:192
	Austrostipa bigeniculata (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:190
	Austrostipa blackii (C.E.Hubb.) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:191
	Austrostipa flavescens (Labill.) S.W.L.Jacobs & J.Everett, Telopea 6: 585 (1996)	4b:190
	Austrostipa mollis (R.Br.) S.W.L.Jacobs & J.Everett, Telopea 6: 587 (1996)	4b:189
	Austrostipa nodosa (S.T.Blake) S.W.L.Jacobs & J.Everett, Telopea 6: 587 (1996)	4b:188
	Austrostipa pubinodis (Trin. & Rupr.) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:187
	Austrostipa rudis (Spreng.) S.W.L.Jacobs & J.Everett subsp. australis (J.Everett & S.W.L.Jacobs) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:186
	Austrostipa scabra (Lindl.) S.W.L.Jacobs & J.Everett subsp. falcata (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:188
	Austrostipa scabra (Lindl.) S.W.L.Jacobs & J.Everett subsp. scabra , Telopea 6: 588 (1996)	4b:188
	Austrostipa semibarbata (R.Br.) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:189
	Austrostipa stipoides (Hook.f.) S.W.L.Jacobs & J.Everett, Telopea 6: 589 (1996)	4b:186
	Austrostipa stuposa (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 589 (1996)	4b:191
i *	Avellinia michelii (Savi) Parl.	
	Avena alba Vahl sensu Townrow (1969) = Avena barbata	4b:236
i	Avena barbata Pott ex Link, J. Bot. (Shrader) 2: 314,315 (1799)	4b:236
i	Avena fatua L., Sp. Pl. 1: 80 (1753)	4b:237
	Avena filiformis G.Forst. sensu Labillardiere (1805) = Lachnagrostis filiformis	
i	Avena ludoviciana Durieu, Actes Soc. Linn. Bordeaux 20: 41 (1855)	4b:238

	<i>Avena quadrisetata</i> Labill. = Deyeuxia quadrisetata	
i	Avena sativa L., Sp. Pl. 1: 79 (1753)	4b:237
	<i>Avena sterilis</i> L. subsp. <i>ludoviciana</i> (Durieu) Gillet & Magne = Avena ludoviciana	4b:238
i	Avena strigosa Schreb., Spic. Fl. Lips. 52 (1771)	4b:237
i	Bothriochloa macra (Steud.) S.T.Blake, Proc. Roy. Soc. Queensland 80: 64 (1969)	4b:355
i	Brachypodium distachyon (L.) P.Beauv., Ess. Agrostogr. 101, 155, 156 (1812)	4b:292
i	Briza maxima L., Sp. Pl. 1: 70 (1753)	4b:208
i	Briza minor L., Sp. Pl. 1: 70 (1753)	4b:208
i	Bromus alopecuroides Poir., Voy. Barbarie 2: 100 (1789)	4b:288
	Bromus arenarius Labill., Nov. Holl. Pl. 1: 23, t.28 (1805)	4b:288
i	Bromus brevis Nees ex Steud., Syn. Pl. Glumac. 1: 326 (1854)	4b:290
i	Bromus catharticus Vahl, Symb. Bot. (Vahl) 2: 22 (1791)	4b:290
i	Bromus cecadilla Steud., Syn. Pl. Glumac. 1: 321 (1854)	4b:290
i	Bromus diandrus Roth, Bot. Abh. Beobacht. 44 (1787)	4b:288
	<i>Bromus fonkii</i> Phil. = Bromus lithobius	4b:290
i	Bromus hordeaceus L., Sp. Pl. 1: 77 (1753)	4b:287
	<i>Bromus japonicus</i> Murray var. <i>vestitus</i> sensu Buchanan (2005) = Bromus arenarius	4b:288
i	Bromus lithobius Trin., Linnaea 10: 303 (1836)	4b:290
	<i>Bromus macrostachys</i> Desf. sensu Townrow (1969) = Bromus alopecuroides	4b:288
i	Bromus madritensis L. var. ciliatus Guss., Fl. Sicul. Syn. 1: 78 (1843)	4b:289
	<i>Bromus mollis</i> L. = Bromus hordeaceus	4b:287
i	Bromus sterilis L., Sp. Pl. 1: 77 (1753)	4b:289
	<i>Bromus thominii</i> Hardouin sensu Townrow (1969) = Bromus hordeaceus	4b:287
	<i>Bromus unioloides</i> Kunth = Bromus catharticus	4b:290
	<i>Bromus willdenowii</i> Kunth = Bromus catharticus	4b:290
i # t x	Calamagrostis epigejos (L.) Roth, Tent. Fl. Germ. 1: 34 (1788)	4b:273
i	Catapodium marinum (L.) C.E.Hubb., Kew Bull. 9: 375 (1954)	4b:225
i	Catapodium rigidum (L.) C.E.Hubb., Fl. Bedfordshire: 437 (1953)	4b:224
i	Cenchrus clandestinus (Hochst. ex Chiov.) Morrone, Ann. Bot. (Oxford) 106(1): 127 (2010)	4b:348
i	Cenchrus longisetus M.C.Johnst., Sida 1(3): 182 (1963)	4b:349
i	Cenchrus macrourus (Trin.) Morrone, Ann. Bot. (Oxford) 106(1): 128 (2010)	4b:351
	<i>Cenchrus purpurascens</i> Thunb. recorded in error	4b:351
	<i>Ceratochloa unioloides</i> DC. = Bromus catharticus	4b:290
n i	Chloris truncata R.Br., Prodr. Fl. Nov. Holland. 186 (1810)	
i	Cortaderia jubata (Lemoine) Stapf, Bot. Mag. 124, t.7607 (1898)	4b:320
	<i>Cortaderia richardii</i> (Endl.) Zotov = Austroderia richardii	4b:319
i	Cortaderia selleana (Schult. & Schult.f.) Asch. & Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner] 2: 325 (1900)	4b:320
	<i>Critesion marinum</i> (Huds.) Á.Löve = Hordeum marinum	4b:300
	<i>Critesion murinum</i> (L.) Á.Löve = Hordeum murinum	4b:298
i	Cynodon dactylon (L.) Pers. var. dactylon , Syn. Pl. (Persoon) 1: 85 (1805)	4b:330
i	Cynosurus cristatus L., Sp. Pl. 1: 72 (1753)	4b:207
i	Cynosurus echinatus L., Sp. Pl. 1: 72 (1753)	4b:207

i	Dactylis glomerata L., Sp. Pl. 1: 71 (1753)	4b:221
	Danthonia archeri Hook.f. = Amphibromus archeri	
	Danthonia caespitosa Gaudich. = Rytidosperma caespitosum	4b:312
	Danthonia carphoides F.Muell. ex Benth. var. angustior Vickery = Rytidosperma carphoides	4b:306
i	Danthonia decumbens (L.) DC., Lam., Fl. Franc. (DC. & Lamarck), ed. 3. 3: 33 (1805)	4b:317
	Danthonia diemenica D.I.Morris = Rytidosperma diemenicum	4b:311
	Danthonia dimidiata Vickery = Rytidosperma dimidiatum	4b:317
	Danthonia eriantha Lindl. sensu Townrow (1969) a name of uncertain application	
	Danthonia fortunae-hibernae Renvoize = Rytidosperma fortunae-hibernae	4b:310
	Danthonia geniculata J.M.Black = Rytidosperma geniculatum	4b:308
	Danthonia gracilis Hook.f. = Rytidosperma gracile	4b:309
	Danthonia laevis Vickery = Rytidosperma laeve	4b:312
	Danthonia longifolia R.Br. sensu Townrow (1969) = Rytidosperma tenuius	4b:310
	Danthonia nervosa Hook.f. = Amphibromus nervosus	
	Danthonia nitens D.I.Morris = Rytidosperma nitens	4b:315
	Danthonia nivicola Vickery = Rytidosperma nivicola	4b:315
	Danthonia nudiflora P.Morris = Rytidosperma nudiflorum	4b:314
	Danthonia pallida R.Br. sensu Bentham (1878) = <i>Rytidosperma pallidum</i>	
	Danthonia pauciflora R.Br. = Rytidosperma pauciflorum	4b:309
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. = Rytidosperma penicillatum	4b:313
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. pallida (R.Br.) Rodway sensu Rodway (1903) = <i>Rytidosperma pallidum</i>	
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. pilosa (R.Br.) Rodway = Rytidosperma pilosum	
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. racemosa (R.Br.) Rodway = Rytidosperma racemosum	
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. semiannularis (Labill.) Rodway = Rytidosperma semiannulare	
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. setacea (R.Br.) Rodway = Rytidosperma setaceum	
	Danthonia pilosa R.Br. = Rytidosperma pilosum	4b:313
	Danthonia popinensis D.I.Morris = Rytidosperma fulvum	4b:316
	Danthonia procera Vickery = Rytidosperma indutum	4b:312
	Danthonia pulvinorum D.I.Morris = Rytidosperma nivicola	4b:315
	Danthonia purpurascens Vickery sensu Townrow (1969) = Rytidosperma tenuius	4b:310
	Danthonia racemosa R.Br. = Rytidosperma racemosum	4b:314
	Danthonia racemosa R.Br. var. penicillata (Labill.) Benth. nom. illeg. = Rytidosperma penicillatum	
	Danthonia remota D.I.Morris = Rytidosperma remotum	4b:316
	Danthonia semiannularis (Labill.) R.Br. var. gracilis (Hook.f.) Hook.f. = Rytidosperma gracile	4b:308
	Danthonia semiannularis (Labill.) R.Br. var. semiannularis = Rytidosperma semiannulare	4b:309
	Danthonia setacea R.Br. = Rytidosperma setaceum	4b:311
	Danthonia subulata Hook.f. = Rytidosperma setaceum	
	Danthonia tenuior (Steud.) Conert = Rytidosperma tenuius	4b:310
	Deschampsia cespitosa (L.) P.Beauv., Ess. Agrostogr. 91: 160, t.18, fig.3 (1812)	4b:242

t	Deschampsia gracillima Kirk, J. Bot. 29: 237 (1891)	4b:243
	Deyeuxia accedens Vickery = Deyeuxia frigida	4b:271
	Deyeuxia aequata (Nees) Benth. = Lachnagrostis rudis	4b:261
e	Deyeuxia apsleyensis D.I.Morris, Muelleria 7: 160 (1990)	4b:273
	Deyeuxia benthamiana Vickery = Deyeuxia scaberula	4b:270
	Deyeuxia billardierei (R.Br.) Kunth = Lachnagrostis billardierei	4b:260
	Deyeuxia brachyathera (Stapf) Vickery, Contr. New South Wales Natl. Herb. 1: 68 (1940)	4b:272
	Deyeuxia carinata Vickery, Contr. New South Wales Natl. Herb. 1: 58 (1940)	4b:272
	Deyeuxia contracta (F.Muell. ex Hook.f.) Vickery, Contr. New South Wales Natl. Herb. 1: 65 (1940)	4b:269
	Deyeuxia decipiens (R.Br.) Vickery, Contr. New South Wales Natl. Herb. 1: 70 (1940)	4b:269
	Deyeuxia densa Benth., Fl. Austral. 7: 582 (1878)	4b:270
	Deyeuxia forsteri Kunth = Lachnagrostis filiformis	4b:259
	Deyeuxia frigida F.Muell. ex Benth., Fl. Austral. 7: 583 (1878)	4b:271
	Deyeuxia gunniana (Nees) Benth., Fl. Austral. 7: 584 (1878)	4b:267
	Deyeuxia innominata D.I.Morris, Muelleria 7: 164 (1990)	4b:268
e x	Deyeuxia lawrencei Vickery, Contr. New South Wales Natl. Herb. 1: 48 (1940)	4b:266
	Deyeuxia minor F.Muell. ex Benth., Fl. Austral. 7: 582 (1878)	4b:270
	Deyeuxia montana (R.Br.) Benth. = Deyeuxia monticola	4b:268
	Deyeuxia monticola (Roem. & Schult.) Vickery, Contr. New South Wales Natl. Herb. 1: 56 (1940)	4b:268
	Deyeuxia parviseta Vickery sensu Townrow (1969) = Deyeuxia innominata	4b:268
	Deyeuxia quadriseta (Labill.) Benth., Fl. Austral. 7: 581 (1878)	4b:267
	Deyeuxia rodwayi Vickery, Contr. New South Wales Natl. Herb. 1: 60 (1940)	4b:271
	Deyeuxia scaberula Vickery, Contr. New South Wales Natl. Herb. 1: 64 (1940)	4b:270
	Deyeuxia scabra Kunth sensu Rodway (1903) = Deyeuxia contracta & D. scaberula	
	Dichanthium sericeum (R.Br.) A.Camus subsp. sericeum previously listed as naturalised but insufficient evidence exists to support this	4b:355
	Dichelachne crinita (L.f.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 293 (1853)	4b:277
	Dichelachne inaequiglumis (Hack. ex Cheeseman) Edgar & Connor, New Zealand J. Bot. 20: 307 (1982)	4b:278
	Dichelachne micrantha (Cav.) Domin, Biblioth. Bot. 20(85): 353 (1915)	4b:278
	Dichelachne montana Endl., Prodr. Fl. Norfolk. 20 (1833)	
	Dichelachne parva B.K.Simon, Austrobaileya 1: 462 (1982)	
	Dichelachne rara (R.Br.) Vickery, Contr. New South Wales Natl. Herb. 1: 337 (1951)	4b:279
	Dichelachne sciurea (R.Br.) Hook.f. sensu Rodway (1903) = Dichelachne spp. excluding Dichelachne crinita	
	Dichelachne sieberiana Trin. & Rupr., Sp. Gram. Stipac. 2–3 (1842)	
	Dichelachne stipoides Hook.f. = Austrostipa stipoides	
	Digitaria ciliaris (Retz.) Koeler previously listed as naturalised but insufficient evidence exists to support this	4b:347
i	Digitaria sanguinalis (L.) Scop., Fl. Carniol., ed. 2. 2: 52 (1772)	4b:346
	Digitaria ternata (Hochst. ex A.Rich.) Stapf previously listed as naturalised but insufficient evidence exists to support this	4b:346
	Diplax tasmanica Hook.f. = Microlaena tasmanica	

	Disarrenum antarcticum Labill. = Hierochloe redolens	
	Distichlis distichophylla (Labill.) Fassett, Rhodora 27: 71 (1925)	4b:324
	Distichlis maritima Raf. sensu Rodway (1903) = Distichlis distichophylla	4b:324
	Dryopoa dives (F.Muell.) Vickery, Contr. New South Wales Natl. Herb. 3: 196 (1963)	4b:199
i	Echinochloa crus-galli (L.) P.Beauv., Ess. Agrostogr. 53 (1812)	4b:336
	Echinochloa crus-galli (L.) P.Beauv. var. frumentacea W.Wright = Echinochloa frumentacea	4b:338
i	Echinochloa esculenta (A.Braun) H.Scholz, Taxon 41: 523 (1992)	4b:336
i	Echinochloa frumentacea Link, Hort. Berol. [Link] 1: 204 (1827)	4b:338
	Echinochloa oryzoides (Ard.) Fritsch previously listed as naturalised but insufficient evidence exists to support this	
	Echinochloa utilis Ohwi & Yabuno = Echinochloa esculenta	4b:336
	Echinopogon ovatus (G.Forst.) P.Beauv., Ess. Agrostogr. 42, 161, t.9 fig.5 (1812)	4b:275
	Ehrharta acuminata (R.Br.) Spreng. = Tetrarrhena acuminata	4b:182
i	Ehrharta calycina Sm., Pl. Icon. Ined. 2: t.33 (1790)	4b:178
	Ehrharta distichophylla Labill. = Tetrarrhena distichophylla	4b:183
i	Ehrharta erecta Lam. var. erecta , Encycl. (Lamarck) 2: 347 (1786)	4b:179
	Ehrharta juncea (R.Br.) Spreng. = Tetrarrhena juncea	4b:183
i	Ehrharta longiflora Sm., Pl. Icon. Ined. 2: t.32 (1790)	4b:179
	Ehrharta oreophila (D.I.Morris) L.P.M.Willemse var. minor (D.I.Morris) L.P.M.Willemse = Tetrarrhena oreophila var. minor	4b:182
	Ehrharta oreophila (D.I.Morris) L.P.M.Willemse var. oreophila = Tetrarrhena oreophila var. oreophila	4b:182
	Ehrharta stipoides Labill. = Microlaena stipoides	4b:181
	Ehrharta tasmanica (Hook.f.) L.P.M.Willemse var. subalpina (F.Muell. ex Benth.) L.P.M.Willemse = Microlaena tasmanica var. subalpina	4b:182
	Ehrharta tasmanica (Hook.f.) L.P.M.Willemse var. tasmanica = Microlaena tasmanica var. tasmanica	4b:181
i	Ehrharta villosa Schult.f., Syst. Veg., ed. 15 bis [Roemer & Schultes] 7: 1374 (1830)	4b:184
i #	Eleusine indica (L.) Gaertn., Fruct. Sem. Pl. 1: 8 (1788)	
i	Eleusine tristachya (Lam.) Lam., Tabl. Encycl. 1: 57 (1791)	
	Elymus elongatus (Host) Runemark = Thinopyrum elongatum	4b:295
	Elymus farctus (Viv.) Runemark ex Melderis subsp. boreali-atlanticus (Simonet & Guin.) Melderis = Thinopyrum junceiforme	
	Elymus multiflorus (Banks & Sol. ex Hook.f.) Á.Löve & Connor = Anthosachne kingiana subsp. multiflora	
	Elymus repens (L.) Gould = Elytrigia repens	4b:295
	Elymus scaber (R.Br.) Á.Löve = Anthosachne scabra	4b:296
i	Elytrigia repens (L.) Desv. ex Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. I, Fl. Sist. Vyssh. Rast. 1: 14 (1933)	4b:295
i	Enneapogon nigricans (R.Br.) P.Beauv., Ess. Agrostogr. 82, 161, 171 (1812)	
?i	Eragrostis brownii (Kunth) Nees, Cat. Ind. Pl. 2: 105 (1834)	4b:326
i	Eragrostis cilianensis (All.) Vignolo ex Janch., Mitt. Naturwiss. Vereins Univ. Wien 5(9): 110 (1907)	4b:326
i	Eragrostis curvula (Schrud.) Nees, Fl. Afr. Austral. III. 397 (1841)	4b:327
i	Eragrostis minor Host, Icon. Descr. Gram. Austriac. 4: 15 (1809)	

	Eragrostis molybdea Vickery = Eragrostis brownii	4b:326
i	Eragrostis parviflora (R.Br.) Trin., Mém. Acad. Imp. Sci. St.Pétersbourg Hist. Acad. 11: 411 (1830)	
i	Eragrostis pilosa (L.) P.Beauv., Ess. Agrostogr. 71, 162, 175 (1812)	
i *	Eragrostis tenuifolia (A.Rich.) Hochst. ex Steud.	4b:327
	Erythranthera australis (Petrie) Zotov = Rytidosperma australe	4b:318
	Festuca archeri E.B.Alexeev = Festuca arundinacea	4b:428
i	Festuca arundinacea Schreb., Spic. Fl. Lips. 57 (1771)	4b:197
	Festuca asperula Vickery sensu Townrow (1969) = Festuca plebeia	4b:196
	Festuca bromoides L. = Vulpia bromoides	4b:203
	Festuca distichophylla (Labill.) Hook.f. nom. illeg. = Distichlis distichophylla	
	Festuca dives F.Muell. = Dryopoa dives	4b:199
	Festuca duriuscula L. sensu Bentham (1878) = Festuca plebeia (misapplied in Tasmania)	
	Festuca elatior L. subsp. arundinacea (Schreb.) Hack. = Festuca arundinacea	4b:197
	Festuca hookeriana F.Muell. ex Hook.f. = Hookerchloa hookeriana	4b:223
	Festuca littoralis Labill. = Austrofestuca littoralis	4b:223
i	Festuca nigrescens Lam., Encycl. (Lamarck) 2: 460 (1788)	4b:197
	Festuca ovina L. sensu Rodway (1903) = Festuca plebeia	4b:196
	Festuca pectinata Labill. = Australopyrum pectinatum	
e	Festuca plebeia R.Br., Prodr. Fl. Nov. Holland. 178 (1810)	4b:196
i	Festuca rubra L., Sp. Pl. 1: 74 (1753)	4b:197
	Festuca scabra Labill. nom. illeg., non Vahl = Anthosachne scabra	
	Gastridium lendigerum (L.) Gaudin sensu Rodway (1903) = Gastridium ventricosum	4b:280
i t	Gastridium ventricosum (Gouan) Schinz & Thell., Vierteljahrsschr. Naturf. Ges. Zürich 58: 39 (1913)	4b:280
i	Gaudinia fragilis (L.) P.Beauv., Ess. Agrostogr. 95 (1812)	4b:238
	Glyceria australis C.E.Hubb., Bull. Misc. Inform. Kew. 1934: 450 (1934)	4b:228
i	Glyceria declinata Bréb., Fl. Normandie, ed. 3: 354 (1859)	4b:229
i t	Glyceria fluitans (L.) R.Br., Prodr. Fl. Nov. Holland. 179 (1810)	4b:229
	Glyceria fluitans (L.) R.Br. sensu Rodway (1903) = Glyceria australis	4b:228
i	Glyceria maxima (Hartm.) Holmb., Bot. Not. 72: 97 (1919)	4b:229
	Glyceria notata Chevall. sensu Buchanan (2005) = Glyceria plicata	
i *	Glyceria plicata (Fr.) Fr.	4b:229
	Glyceria stricta Hook.f. = Puccinellia stricta	4b:205
i	Hainardia cylindrica (Willd.) Greuter, Boissiera 13: 177 (1967)	4b:227
	Hemarthria compressa (L.f.) R.Br. sensu Bentham (1878) = Hemarthria uncinata (misapplied in Tasmania)	
	Hemarthria uncinata R.Br. var. uncinata , Prodr. Fl. Nov. Holland. 207 (1810)	4b:359
	Hierochloe antarctica (Labill.) R.Br. = Hierochloe redolens	
	Hierochloe borealis Roem. & Schult. sensu Hooker (1860) = Hierochloe fraseri (misapplied in Tasmania)	
e	Hierochloe fraseri Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 93 (1845)	4b:248
	Hierochloe rariflora Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 93 (1845)	4b:249
	Hierochloe redolens (Vahl) R.Br. ex Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 514 (1817)	4b:247

	Hierochloe redolens (Vahl) R.Br. ex Roem. & Schult. var. fraseri (Hook.f.) Benth. = Hierochloe fraseri	
i	Holcus lanatus L., Sp. Pl. 2: 1048 (1753)	4b:245
i *	Holcus mollis L.	4b:245
	Hookerochloa hookeriana (F.Muell. ex Hook.f.) E.B.Alexeev, Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. 90: 106 (1985)	4b:223
i	Hordeum distichon L., Sp. Pl. 1: 85 (1753)	4b:297
i	Hordeum glaucum Steud., Syn. Pl. Glumac. 1: 352 (1854)	4b:298
i	Hordeum hystrix Roth, Catal. Bot. 1: 23 (1797)	4b:300
i	Hordeum leporinum Link, Linnaea 9: 133 (1834)	4b:298
i	Hordeum marinum Huds., Fl. Angl. (Hudson) (ed. 2) 1: 57 (1778)	4b:300
	Hordeum marinum Huds. subsp. gussoneanum (Parl.) Thell. = Hordeum hystrix	4b:300
i	Hordeum murinum L., Sp. Pl. 1: 85 (1753)	4b:298
	Hordeum murinum L. subsp. glaucum (Steud.) Tzvelev = Hordeum glaucum	4b:298
	Hordeum murinum L. subsp. leporinum (Link) Arcang. = Hordeum leporinum	4b:298
	Hordeum nodosum L. sensu Bentham (1878) a name of uncertain application	
i	Hordeum vulgare L., Sp. Pl. 1: 84 (1753)	4b:297
	Imperata arundinacea Cirillo sensu Rodway (1903) = Imperata cylindrica var. major	4b:353
	Imperata cylindrica (L.) P.Beauv. var. major (Nees) C.E.Hubb., Grasses of Mauritius & Rodriguez: 96 (1940)	4b:353
	Isachne globosa (Thunb. ex Murray) Kuntze, Revis. Gen. Pl. 2: 778 (1891)	
	Koeleria cristata Pers. = Rostraria cristata	4b:241
	Koeleria cristata (L.) Bertol. sensu Rodway (1903) = Koeleria macrantha	4b:240
i x	Koeleria macrantha (Ledeb.) Schult., Mant. 2 (Schultes): 345 (1824)	4b:240
	Koeleria phleoides (Vill.) Pers. sensu Rodway (1903) = Rostraria cristata	4b:241
	Lachnagrostis aemula (R.Br.) Trin., Fund. Agrost. (Trinius) 128 (1820)	4b:258
	Lachnagrostis aequata (Nees) S.W.L.Jacobs = Lachnagrostis rudis	4b:261
	Lachnagrostis billardierei (R.Br.) Trin. subsp. billardierei , Fund. Agrost. (Trinius) 128 (1820)	4b:260
e	Lachnagrostis billardierei (R.Br.) Trin. subsp. tenuisetata (D.I.Morris) S.W.L.Jacobs, Telopea 9: 445 (2001)	4b:261
e	Lachnagrostis collicola (D.I.Morris) S.W.L.Jacobs, Telopea 9: 445 (2001)	4b:261
	Lachnagrostis filiformis (G.Forst.) Trin., Fund. Agrost. (Trinius) 128 (1820)	4b:259
e	Lachnagrostis lacunarum (D.I.Morris) S.W.L.Jacobs, Telopea 9: 446 (2001)	4b:260
e	Lachnagrostis morrisii A.J.Br., Muellera 24: 127 (2006)	4b:261
	Lachnagrostis punicea (A.J.Br. & N.G.Walsh) S.W.L.Jacobs subsp. filifolia (Vickery) S.W.L.Jacobs, Telopea 10: 840 (2004)	4b:261
	Lachnagrostis punicea (A.J.Br. & N.G.Walsh) S.W.L.Jacobs subsp. punicea , Telopea 9: 837 (2002)	4b:259
	Lachnagrostis robusta (Vickery) S.W.L.Jacobs, Telopea 9: 447 (2001)	4b:261
	Lachnagrostis rudis (Roem. & Schult.) Trin. subsp. nana A.J.Br., Muellera 33: 93 (2015)	
	Lachnagrostis rudis (Roem. & Schult.) Trin. subsp. rudis , Fund. Agrost. 128 (1820)	
	Lachnagrostis scabra (P.Beauv.) Nees ex Steud. sensu de Salas & Baker 2014 = Lachnagrostis rudis	4b:261
i	Lagurus ovatus L., Sp. Pl. 1: 81 (1753)	4b:281
	Lepturus cylindricus (Willd.) Trin. = Hainardia cylindrica	4b:227
	Lepturus incurvatus Trin. = Parapholis incurva	4b:226

i t	Leymus arenarius (L.) Hochst., Flora 31: 118 (1848)	
i	Lolium loliaceum (Bory & Chaub. ex Fauché) Hand.-Mazz., Ann. K. K. Naturhist. Hofmus. 28: 32 (1914)	4b:202
i	Lolium multiflorum Lam., Fl. Franç. (Lamarck) 3: 621 (1779)	4b:201
i	Lolium perenne L., Sp. Pl. 1: 83 (1753)	4b:201
	<i>Lolium perenne</i> L. var. <i>italicum</i> (A.Braun) Rodway = Lolium multiflorum	
i	Lolium rigidum Gaudin, Agrost. Helv. 1: 334 (1811)	4b:201
i	Lolium temulentum L. f. arvense (With.) Junge, Jahrb. Hamburg. Wiss. Anst. Beih. 30: 314 (1913)	4b:200
	<i>Lophochloa cristata</i> (L.) Hyl. = Rostraria cristata	4b:241
	<i>Lophopyrum elongatum</i> (Host) Á.Löve = Thinopyrum elongatum	4b:295
	<i>Lophopyrum ponticum</i> (Podp.) Á.Löve sensu Buchanan (2005) = Thinopyrum elongatum	4b:295
	<i>Microlaena gunnii</i> Hook.f. = Microlaena stipoides	
	Microlaena stipoides (Labill.) R.Br. var. stipoides , Prodr. Fl. Nov. Holland. 210 (1810)	4b:181
e	Microlaena tasmanica (Hook.f.) Benth. var. subalpina F.Muell. ex Benth., Fl. Austral. 7: 553 (1878)	4b:182
e	Microlaena tasmanica (Hook.f.) Benth. var. tasmanica , Fl. Austral. 7: 552 (1878)	4b:181
i *	<i>Molineriella minuta</i> (L.) Rouy	
	<i>Monerma cylindrica</i> (Willd.) Coss. & Durieu = Hainardia cylindrica	4b:227
i t	Nardus stricta L., Sp. Pl. 1: 53 (1753)	4b:184
i	Nassella leucotricha (Trin. & Rupr.) R.W.Pohl, Taxon 39: 610 (1990)	
i	Nassella neesiana (Trin. & Rupr.) Barkworth, Taxon 39: 611 (1990)	
i	Nassella trichotoma (Nees) Hack. ex Arechav., Anales Mus. Nac. Montevideo 1: 366 (1896)	4b:193
	<i>Notodanthonia caespitosa</i> (Gaudich.) Zotov = Rytidosperma caespitosum	4b:312
	<i>Notodanthonia carphoides</i> (F.Muell. ex Benth.) Zotov = Rytidosperma carphoides	4b:306
	<i>Notodanthonia diemenica</i> (D.I.Morris) H.P.Linder = Rytidosperma diemenicum	4b:311
	<i>Notodanthonia geniculata</i> (J.M.Black) Zotov = Rytidosperma geniculatum	4b:308
	<i>Notodanthonia gracilis</i> (Hook.f.) Zotov = Rytidosperma gracile	4b:309
	<i>Notodanthonia laevis</i> (Vickery) Zotov = Rytidosperma laeve	4b:312
	<i>Notodanthonia penicillata</i> (Labill.) Zotov = Rytidosperma penicillatum	4b:313
	<i>Notodanthonia pilosa</i> (R.Br.) Zotov = Rytidosperma pilosum	4b:313
	<i>Notodanthonia popinensis</i> (D.I.Morris) H.P.Linder = Rytidosperma fulvum	4b:316
	<i>Notodanthonia racemosa</i> (R.Br.) Zotov = Rytidosperma racemosum	4b:314
	<i>Notodanthonia remota</i> (D.I.Morris) H.P.Linder = Rytidosperma remotum	4b:316
	<i>Notodanthonia semiannularis</i> (Labill.) Zotov = Rytidosperma semiannulare	4b:308
	<i>Notodanthonia setacea</i> (R.Br.) Veldkamp = Rytidosperma setaceum	4b:311
	<i>Notodanthonia tenuior</i> (Steud.) Conert = Rytidosperma tenuius	4b:310
	<i>Oryzopsis miliacea</i> (L.) Benth. & Hook.f. ex Asch. & Schweinf. = Piptatherum miliaceum	4b:194
	<i>Panicum capillare</i> L. previously listed as naturalised but insufficient evidence exists to support this	4b:335
	<i>Panicum capillare</i> L. var. <i>occidentale</i> Rydb. = <i>Panicum capillare</i>	4b:335
i *	<i>Panicum gilvum</i> Launert	4b:335
	<i>Panicum gracile</i> R.Br. sensu Rodway (1903) = <i>Paspalidium gracile</i>	
i	Panicum hillmanii Chase, J. Wash. Acad. Sci. 14: 345 (1934)	4b:334
i	Panicum miliaceum L., Sp. Pl. 1: 58 (1753)	4b:333
	<i>Panicum sanguinale</i> L. = Digitaria sanguinalis	4b:346

	Panicum schinzii Hack. sensu Curtis & Morris (1994) = Panicum gilvum	4b:335
i	Parapholis incurva (L.) C.E.Hubb., Blumea Suppl. 3: 14 (1946)	4b:226
i	Parapholis strigosa (Dumort.) C.E.Hubb., Blumea suppl. 3: 14 (1946)	4b:226
	Paspalidium gracile (R.Br.) Hughes sensu Townrow (1969) a name of uncertain application	
i	Paspalum dilatatum Poir., Encycl. (Lamarck) 5: 35 (1804)	4b:340
i	Paspalum distichum L., Syst. Nat., ed. 10. 2: 855 (1759)	4b:340
i	Paspalum urvillei Steud., Syn. Pl. Glumac. 1: 24 (1853)	4b:340
	Pennisetum alopecuroides (L.) Spreng. = Cenchrus purpurascens	
	Pennisetum clandestinum Hochst. ex Chiov. = Cenchrus clandestinus	4b:348
	Pennisetum macrourum Trin. = Cenchrus macrourus	4b:351
	Pennisetum villosum R.Br. ex Fresen. = Cenchrus longisetus	4b:349
	Pentapogon billardierei R.Br. sensu Rodway (1903) = Pentapogon quadrifidus	4b:275
	Pentapogon billardierei R.Br. var. parviflorus Benth. = Pentapogon quadrifidus var. parviflorus	
e	Pentapogon quadrifidus (Labill.) Baill. var. parviflorus (Benth.) D.I.Morris, Muelleria 7: 167 (1990)	4b:276
	Pentapogon quadrifidus (Labill.) Baill. var. quadrifidus , Hist. Pl. (Baillon) 12: 280 (1893)	4b:275
i	Phalaris aquatica L., Cent. Pl. 1: 4 (1755)	4b:252
i	Phalaris arundinacea L. var. arundinacea , Sp. Pl. 1: 55 (1753)	4b:251
i	Phalaris canariensis L., Sp. Pl. 1: 54 (1753)	4b:251
i	Phalaris minor Retz., Observ. Bot. (Retzius) 3: 8 (1783)	4b:252
i	Phalaris paradoxa L., Sp. Pl., ed. 2. 2: 1665 (1763)	4b:251
	Phalaris tuberosa L. = Phalaris aquatica	4b:252
i	Phleum pratense L. subsp. pratense , Sp. Pl. 1: 59 (1753)	4b:286
	Phragmites australis (Cav.) Trin. ex Steud., Nomencl. Bot. [Steudel], ed. 2. 2: 324 (1841)	4b:322
	Phragmites communis Trin. sensu Rodway (1903) = Phragmites australis	4b:322
i	Piptatherum miliaceum (L.) Coss., Notes sur quelques Plantes Critiques, Rares ou Nouvelles: 129 (1851)	4b:194
	Poa affinis R.Br. sensu Hooker (1860) a name of uncertain application	
i	Poa annua L., Sp. Pl. 1: 68 (1753)	4b:211
	Poa australis R.Br. = Poa poiformis	
	Poa billardierei (Spreng.) St.-Yves sensu Rodway (1903) = Poa poiformis var. poiformis	4b:220
i	Poa bulbosa L., Sp. Pl. 1: 70 (1753)	4b:213
	Poa caespitosa G.Forst. ex Spreng. var. alpina F.Muell. ex Benth. sensu Rodway (1903) = Poa gunnii	4b:218
	Poa caespitosa G.Forst. ex Spreng. var. australis (R.Br.) Benth. sensu Rodway (1903) = Poa rodwayi	4b:215
	Poa caespitosa G.Forst. ex Spreng. var. laevis (R.Br.) Benth. = Poa poiformis	
	Poa caespitosa G.Forst. ex Spreng. var. tenera (F.Muell.) Benth. sensu Rodway (1903) = Poa tenera	4b:217
	Poa clelandii Vickery, Contr. New South Wales Natl. Herb. 4: 193 (1970)	4b:221
	Poa clivicola Vickery, Contr. New South Wales Natl. Herb. 4: 213 (1970)	
i	Poa compressa L., Sp. Pl. 1: 69 (1753)	4b:214
	Poa costiniana Vickery, Contr. New South Wales Natl. Herb. 4: 214 (1970)	4b:218
	Poa disticophylla (Labill.) R.Br. = Distichlis disticophylla	
	Poa fawcettiae Vickery, Contr. New South Wales Natl. Herb. 4: 232 (1970)	4b:217
n e	Poa gunnii Vickery, Contr. New South Wales Natl. Herb. 4: 217 (1970)	4b:218
	Poa halmaturina J.M.Black, Trans. Roy. Soc. South Australia 66: 248 (1943)	4b:220

	Poa hiemata Vickery, Contr. New South Wales Natl. Herb. 4: 230 (1970)	4b:217
	Poa hookeri Vickery, Contr. New South Wales Natl. Herb. 4: 222 (1970)	4b:216
i	Poa infirma Kunth, Bonpl. & Kunth, Nov. Gen. Sp. [H.B.K.]1: 158 (1816)	4b:213
e	Poa jugicola D.I.Morris, Muelleria 7: 167 (1990)	4b:219
	Poa labillardierei Steud. var. acris Vickery, Contr. New South Wales Natl. Herb. 4: 205 (1970)	4b:220
	Poa labillardierei Steud. var. labillardierei , Syn. Pl. Glumac. 1: 262 (1854)	4b:219
	<i>Poa laevis</i> R.Br. = Poa poiformis	
e	Poa mollis Vickery, Contr. New South Wales Natl. Herb. 4: 241 (1970)	4b:215
	Poa poiformis (Labill.) Druce var. poiformis , Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 640 (1917)	4b:220
	Poa poiformis (Labill.) Druce var. ramifer D.I.Morris, Muelleria 7: 169 (1990)	4b:220
i	Poa pratensis L., Sp. Pl. 1: 67 (1753)	4b:214
	<i>Poa pubinervis</i> (Vickery) S.W.L.Jacobs sensu Baker & Duretto (2011) = Austrofestuca littoralis	
	<i>Poa rigida</i> L. = Catapodium rigidum	4b:224
	Poa rodwayi Vickery, Contr. New South Wales Natl. Herb. 4: 235 (1970)	4b:215
	<i>Poa saxicola</i> R.Br. = Saxipoa saxicola	4b:214
	Poa sieberiana Spreng. var. hirtella Vickery, Contr. New South Wales Natl. Herb. 4: 228 (1970)	
	Poa sieberiana Spreng. var. sieberiana , Syst. Veg. (ed. 16) [Sprengel] 4(2, Cur. Post.): 35 (1827)	4b:216
	Poa tenera F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 124, t.164a (1858)	4b:217
i	Poa trivialis L., Sp. Pl. 1: 67 (1753)	4b:213
	<i>Polypogon littoralis</i> Sm. = Polypogon lutosus	4b:283
i	Polypogon lutosus (Poir.) Hitchc., U.S.D.A. Bull. (1915–23) 772: 138 (1920)	4b:283
i	Polypogon maritimus Willd. var. subspatheaceus (Req.) Parl., Fl. Ital. (Parlatore) 1: 200 (1850)	4b:282
i	Polypogon monspeliensis (L.) Desf., Fl. Atlant. 1: 67 (1798)	4b:282
	<i>Polypogon viridis</i> (Gouan) Breistr. = Agrostis viridis	4b:283
	<i>Psamma arenaria</i> (L.) P.Beauv. = Ammophila arenaria	4b:274
i	Puccinellia distans (Jacq.) Parl., Fl. Ital. (Parlatore) 1: 366 (1850)	4b:205
e	Puccinellia harcusiana A.R.Williams, Fl. Australia 44A: 386 (2009)	
	Puccinellia perlaxa (Stapf ex N.G.Walsh) N.G.Walsh & A.R.Williams, Nuytsia 16: 464 (2007)	4b:205
	Puccinellia stricta (Hook.f.) C.H.Blom, Acta Horti Gothob. 5: 89 (1930)	4b:205
	<i>Puccinellia stricta</i> (Hook.f.) C.H.Blom var. <i>perlaxa</i> Stapf ex N.G.Walsh = Puccinellia perlaxa	4b:205
i	Rostraria cristata (L.) Tzvelev, Novosti Sist. Vyssh. Rast. 7: 47 (1971)	4b:241
	Rytidosperma australe (Petrie) Clayton & Renvoize ex Connor & Edgar, New Zealand J. Bot. 25: 166 (1987)	4b:318
	Rytidosperma caespitosum (Gaudich.) Connor & Edgar, New Zealand J. Bot. 17: 325 (1979)	4b:312
	Rytidosperma carphoides (F.Muell. ex Benth.) Connor & Edgar, New Zealand J. Bot. 17: 331 (1979)	4b:306
e	Rytidosperma diemenicum (D.I.Morris) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 358 (2010)	4b:311
	Rytidosperma dimidiatum (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:317
e	Rytidosperma fortuneae-hibernae (Renvoize) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:310
?i	Rytidosperma fulvum (Vickery) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 358 (2010)	
	Rytidosperma geniculatum (J.M.Black) Connor & Edgar, New Zealand J. Bot. 17: 323 (1979)	4b:308

t	Rytidosperma gracile (Hook.f.) Connor & Edgar, New Zealand J. Bot. 17: 330 (1979)	4b:309
	Rytidosperma indutum (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:312
	Rytidosperma laeve (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 325 (1979)	4b:312
e	Rytidosperma nitens (D.I.Morris) H.P.Linder, Telopea 6: 614 (1996)	4b:315
	Rytidosperma nivicola (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:315
	Rytidosperma nudiflorum (P.Morris) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:314
	Rytidosperma oreophilum H.P.Linder & N.G.Walsh, Muelleria 8: 283 (1995)	
	Rytidosperma pallidum (R.Br.) A.M.Humphreys & H.P.Linder recorded in error	
e	Rytidosperma pauciflorum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:309
	Rytidosperma penicillatum (Labill.) Connor & Edgar, New Zealand J. Bot. 17: 327 (1979)	4b:313
	Rytidosperma pilosum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 326 (1979)	4b:313
	Rytidosperma popinensis (D.I.Morris) A.M.Humphreys & H.P.Linder = Rytidosperma fulvum	4b:316
	Rytidosperma procerum (Vickery) Connor & Edgar = Rytidosperma indutum	4b:312
	Rytidosperma racemosum (R.Br.) Connor & Edgar var. racemosum , New Zealand J. Bot. 17: 327 (1979)	4b:314
e	Rytidosperma remotum (D.I.Morris) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 359 (2010)	4b:316
	Rytidosperma semiannulare (Labill.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:308
	Rytidosperma setaceum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:311
	Rytidosperma tenuius (Steud.) A.Hansen & Sunding, Fl. Macaronesia, ed. 2, 1: 93 (1979)	4b:310
	Saxipoa saxicola (R.Br.) Soreng, L.J.Gillespie & S.W.L.Jacobs, Austral. Syst. Bot. 22: 407 (2010)	4b:214
	Schedonorus hookerianus (F.Muell. ex Hook.f.) P.Beauv. = Hookerchloa hookeriana	4b:223
	Schedonorus littoralis (Labill.) P.Beauv. = Austrofestuca littoralis	4b:223
	Schedonorus phoenix (Scop.) Holub = Festuca arundinacea	4b:197
i	Sclerochloa dura (L.) P.Beauv., Ess. Agrostogr. 98, 177, t.19 fig.4 (1812)	4b:225
i	Secale cereale L., Sp. Pl. 1: 84 (1753)	4b:302
	Setaria geniculata P.Beauv. var. pauciseta Desv. = Setaria parviflora	4b:344
	Setaria gracilis Kunth var. pauciseta (Desv.) B.K.Simon = Setaria parviflora	4b:344
i	Setaria italica (L.) P.Beauv., Ess. Agrostogr. 51, 170, 178 (1812)	4b:343
i	Setaria parviflora (Poir.) Kerguelen, Lejeunia 120: 161 (1987)	4b:344
	Setaria pumila (Poir.) Roem. & Schult. subsp. pumila previously listed as naturalised but insufficient evidence exists to support this	
i	Setaria verticillata (L.) P.Beauv., Ess. Agrostogr. 51, 171, 178 (1812)	4b:342
i	Setaria viridis (L.) P.Beauv., Ess. Agrostogr. 51, 171, 178 (1812)	4b:343
	Sieglingia decumbens (L.) Bernh. = Danthonia decumbens	4b:317
	Sorghum bicolor (L.) Moench previously listed as naturalised but insufficient evidence exists to support this	
i*	Sorghum halepense (L.) Pers.	
i	Spartina anglica C.E.Hubb., Bot. J. Linn. Soc. 76: 364 (1978)	4b:330
	Spartina townsendii H.Groves & J.Groves sensu Townrow (1969) = Spartina anglica	4b:330
	Spinifex hirsutus Labill. sensu Rodway (1903) = Spinifex sericeus	4b:351
	Spinifex sericeus R.Br., Prodr. Fl. Nov. Holland. 198 (1810)	4b:351
i	Sporobolus africanus (Poir.) Robyns & Tournay, Bull. Jard. Bot. État Bruxelles 25: 242 (1955)	4b:328

	Sporobolus capensis Kunth = Sporobolus africanus	4b:328
	Sporobolus indicus (L.) R.Br. = Sporobolus africanus	4b:328
	Sporobolus virginicus (L.) Kunth, Révis. Gramin. 1: 67 (1829)	4b:328
	Stenotaphrum americanum Schrank = Stenotaphrum secundatum	4b:344
i	Stenotaphrum secundatum (Walter) Kuntze, Revis. Gen. Pl. 2: 794 (1891)	4b:344
	Stipa aphanoneura Hughes = Austrostipa flavescens	4b:190
	Stipa aphylla (Rodway) J.Townrow = Austrostipa aphylla	4b:192
	Stipa bigeniculata Hughes = Austrostipa bigeniculata	4b:190
	Stipa blackii C.E.Hubb. = Austrostipa blackii	4b:191
	Stipa caudata Trin. = Amelichloa caudata	4b:192
	Stipa compacta Hughes = Austrostipa flavescens	4b:190
	Stipa elatior (Benth.) Hughes = Austrostipa flavescens	4b:190
	Stipa elegantissima Labill. sensu Labillardiere (1805) and Bentham (1878) recorded in error	
	Stipa eremophila Reader sensu Townrow (1969) a name of uncertain application	
	Stipa falcata Hughes sensu Townrow (1978) = Austrostipa scabra p.p.maj.	4b:188
	Stipa flavescens Labill. = Austrostipa flavescens	4b:190
	Stipa mollis R.Br. = Austrostipa mollis	4b:189
	Stipa neesiana Trin. & Rupr. = Nassella neesiana	
	Stipa nervosa Vickery var. neutralis sensu Townrow (1978) = Austrostipa rudis subsp. australis	4b:186
	Stipa nodosa S.T.Blake = Austrostipa nodosa	4b:188
	Stipa pubescens R.Br. sensu Rodway (1903) = Austrostipa pubinodis	4b:192
	Stipa pubescens R.Br. var. aphylla Rodway = Austrostipa aphylla	4b:187
	Stipa pubinodis Trin. & Rupr. = Austrostipa pubinodis	4b:187
	Stipa rudis Spreng. = Austrostipa rudis	4b:186
	Stipa scabra Lindl. = Austrostipa scabra	4b:188
	Stipa semibarbata R.Br. = Austrostipa semibarbata	4b:189
	Stipa setacea R.Br. sensu Rodway (1903) = Austrostipa stiposa	4b:191
	Stipa stipoides (Hook.f.) Veldkamp = Austrostipa stipoides	4b:186
	Stipa stiposa Hughes = Austrostipa stiposa	4b:191
	Stipa teretifolia Steud. = Austrostipa stipoides	4b:186
	Stipa variabilis Hughes sensu Townrow (1969) = Austrostipa nodosa	4b:188
	Tetrarrhena acuminata R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:182
	Tetrarrhena distichophylla (Labill.) R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:183
	Tetrarrhena juncea R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:183
e	Tetrarrhena oreophila D.I.Morris var. minor D.I.Morris, Records of the Queen Victoria Museum, n.ser., 55: 4 (1977)	4b:182
e	Tetrarrhena oreophila D.I.Morris var. oreophila , Records of the Queen Victoria Museum, n.ser., 55: 4 (1977)	4b:182
	Tetrarrhena tenacissima Nees sensu Hooker (1860) = Tetrarrhena juncea	
	Themeda australis (R.Br.) Stapf = Themeda triandra	4b:358
	Themeda triandra Forssk., Fl. Aegypt.-Arab. 178 (1775)	4b:358
i	Thinopyrum elongatum (Host) D.R.Dewey, Gene Manipulation Pl. Improv. 274 (1984)	4b:295
i	Thinopyrum junceiforme (Á.Löve & D.Löve) Á.Löve, Taxon 29: 351 (1980)	4b:293

	Thonandia gracilis (Hook.f.) H.P.Linder = Rytidosperma gracile	4b:309
	Thonandia semiannularis (Labill.) H.P.Linder = Rytidosperma semiannulare	4b:308
	Trisetum spicatum (L.) K.Richt. subsp. australiense Hultén ex Veldkamp, Gard. Bull. Singapore 36: 135 (1983)	4b:239
	Trisetum subspicatum (L.) P.Beauv. sensu Rodway (1903) = Trisetum spicatum subsp. australiense	4b:239
i	Triticum aestivum L., Sp. Pl. 1: 85 (1753)	4b:303
	Triticum pectinatum (Labill.) R.Br. = Australopyrum pectinatum	
	Triticum scabrum R.Br. = Anthosachne scabra	
	Triticum velutinum (Nees) Hook.f. nom. illeg., nom. superfl. = Australopyrum velutinum	
	Uniola distichophylla Labill. = Distichlis distichophylla	
i	Vulpia bromoides (L.) Gray, Nat. Arr. Brit. Pl. 2: 124 (1821)	4b:203
i	Vulpia fasciculata (Forssk.) Fritsch, Exkursionsfl. Oesterreich (Ed. 2): 74 (1909)	4b:204
	Vulpia megalura (Nutt.) Rydb. = Vulpia myuros f. megalura	4b:204
i	Vulpia muralis (Kunth) Nees, Linnaea 19: 694 (1847)	
i	Vulpia myuros (L.) C.C.Gmel. f. megalura (Nutt.) Stace & R.Cotton, Watsonia 11: 72 (1976)	4b:204
i	Vulpia myuros (L.) C.C.Gmel. f. myuros , Fl. Bad. 1: 8 (1805)	
	Zoysia macrantha Desv. subsp. walshii Night., Fl. Australia 43: 376 (2002)	4b:332
	Zoysia pungens Willd. sensu Rodway (1903) = Zoysia macrantha subsp. walshii	4b:332
POSIDONIACEAE		
	Caulinia antarctica R.Br. = Amphibolis antarctica (Cymodoceaceae)	
	Caulinia oceanica R.Br. = Potamogeton australiensis (Potamogetonaceae)	
	Posidonia australis Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 43 (1858)	4b:25
POTAMOGETONACEAE		
x	Lepilaena australis J.Drumm. ex Harv., Hooker's J. Bot. Kew Gard. Misc. 7: 58 (1855)	4b:22
	Lepilaena bilocularis Kirk, Trans. & Proc. New Zealand Inst. 28: 500 (1896)	4b:24
	Lepilaena cylindrocarpa (Körn. ex Müll.Stuttg) Benth., Fl. Austral. 7: 180 (1878)	4b:22
	Lepilaena marina E.L.Robertson, Marine Benthic Fl. South. Australia 1: 80 (1984)	4b:23
	Lepilaena patentifolia E.L.Robertson, Fl. S. Australia 4: 1736 (1986)	4b:23
	Lepilaena preissii (Lehm.) F.Muell., Fragm. (Mueller) 8: 217 (1874)	4b:24
	Potamogeton australiensis A.Benn., J. Bot. 48: 149 (1910)	4b:19
	Potamogeton cheesemanii A.Benn., J. Bot. 66: 66 (1883)	4b:19
	Potamogeton crispus L., Sp. Pl. 1: 126 (1753)	4b:18
	Potamogeton drummondii Benth., Fl. Austral. 7: 171 (1878)	
	Potamogeton gramineus L. sensu Hooker (1860) = Potamogeton ochreatus identity somewhat uncertain	
	Potamogeton heterophyllus Schreb. sensu Hooker (1860) = Potamogeton perfoliatus identity somewhat uncertain	
	Potamogeton natans L. sensu Rodway (1903) misapplied to P. cheesemanii , P. australiensis and P. drummondii 4b:19	
	Potamogeton obtusifolius Mert. & W.D.J.Koch sensu Rodway (1903) = Potamogeton crispus	4b:18
	Potamogeton ochreatus Raoul, Ann. Sci. Nat., Bot., sér. 3, 2: 117 (1844)	4b:18
	Potamogeton pectinatus L. = Stuckenia pectinata	4b:18
	Potamogeton perfoliatus L., Sp. Pl. 1: 126 (1753)	4b:18

	Potamogeton praelongus Wulfen sensu Rodway (1903) = Potamogeton ochreatus	4b:18
	Potamogeton tricarlinatus F.Muell. & A.Benn. ex A.Benn. sensu Baker & de Salas (2013) misapplied to P. australiensis , P. cheesemanii and P. drummondii	4b:19
	Stuckenia pectinata (L.) Börner, Fl. Deut. Volk. 713 (1912)	4b:18
	Zannichellia palustris L. sensu Hooker (1860) probably misapplied to Lepilaena spp.	
RESTIONACEAE		
	Acion hookeri (D.I.Morris) B.G.Briggs & L.A.S.Johnson = Chordifex hookeri	4b:46
	Acion monocephalum (R.Br.) B.G.Briggs & L.A.S.Johnson = Chordifex monocephalus	4b:47
	Apodasmia brownii (Hook.f.) B.G.Briggs & L.A.S.Johnson, Telopea 7: 371 (1998)	4b:39
	Baloskion australe (R.Br.) B.G.Briggs & L.A.S.Johnson, Telopea 8: 23 (1998)	4b:46
	Baloskion tetraphyllum (Labill.) B.G.Briggs & L.A.S.Johnson subsp. tetraphyllum , Telopea 8: 23 (1998)	4b:45
	Calorophus ater L.A.S.Johnson & B.G.Briggs = Calorophus erostris	4b:42
	Calorophus elongatus Labill., Nov. Holl. Pl. 2: 78, t.228 (1806)	4b:41
e	Calorophus erostris (C.B.Clarke) L.A.S.Johnson & B.G.Briggs, The Student's Flora of Tasmania 4b: 425 (1994)	4b:42
	Calorophus lateriflorus (R.Br.) F.Muell. = Empodisma minus	4b:43
e	Chordifex hookeri (D.I.Morris) B.G.Briggs, Telopea 10: 685 (2004)	4b:46
e	Chordifex monocephalus (R.Br.) B.G.Briggs, Telopea 10: 685 (2004)	4b:47
	Empodisma minus (Hook.f.) L.A.S.Johnson & D.F.Cutler, Kew Bull. 28: 383 (1974)	4b:43
	Eurychorda complanata (R.Br.) B.G.Briggs & L.A.S.Johnson, Telopea 7: 359 (1998)	4b:46
	Hypolaena exsulca R.Br. recorded in error	
	Hypolaena fastigiata R.Br., Prodr. Fl. Nov. Holland. 251 (1810)	4b:40
	Hypolaena lateriflora (R.Br.) Benth. = Empodisma minus	4b:43
	Hypolaena longissima Benth. sensu Rodway (1903) = Calorophus elongatus	4b:41
	Leptocarpus brownii Hook.f. = Apodasmia brownii	4b:39
	Leptocarpus tenax (Labill.) R.Br., Prodr. Fl. Nov. Holland. 250 (1810)	4b:39
	Lepyrodia muelleri Benth., Fl. Austral. 7: 215 (1878)	4b:43
	Lepyrodia tasmanica Hook.f. = Sporadanthus tasmanicus	4b:44
	Restio australis R.Br. = Baloskion australe	4b:46
	Restio complanatus R.Br. = Eurychorda complanata	4b:46
	Restio glaber (Rodway) L.A.S.Johnson & B.G.Briggs = Chordifex monocephalus	4b:47
	Restio gracilis R.Br. sensu Rodway (1903) = Baloskion australe	4b:46
	Restio hookeri D.I.Morris = Chordifex hookeri	4b:46
	Restio lateriflorus R.Br. nom. illeg. = Calorophus elongatus	
	Restio monocephalus R.Br. = Chordifex monocephalus	4b:47
	Restio oligocephalus F.Muell. = Chordifex monocephalus	4b:46
	Restio oligocephalus F.Muell. var. glabrum Rodway = Chordifex monocephalus	
	Restio oligocephalus F.Muell. var. intermedius Rodway = Chordifex hookeri	
	Restio tetraphyllum Labill. = Baloskion tetraphyllum	4b:45
	Schoenodum tenax Labill. = Leptocarpus tenax	
	Sporadanthus tasmanicus (Hook.f.) B.G.Briggs & L.A.S.Johnson, Telopea 8: 31 (1998)	4b:44
e	Winifredia sola L.A.S.Johnson & B.G.Briggs, Telopea 2: 738 (1986)	4b:47

RUPPIACEAE

- Ruppia maritima* L. sensu Rodway (1903) = **Ruppia polycarpa** (misapplied in Tasmania) 4b:21
Ruppia megacarpa R.Mason, New Zealand J. Bot. 5: 525 (1967) 4b:21
Ruppia polycarpa R.Mason, New Zealand J. Bot. 5: 524 (1967) 4b:21
Ruppia tuberosa J.S.Davis & Toml., J. Arnold Arbor. 55: 60 (1974) 4b:21

TYPHACEAE

- Typha angustifolia* L. sensu Rodway (1903) = **Typha domingensis** & **T. orientalis**
Typha domingensis Pers., Syn. Pl. (Persoon) 2: 532 (1807) 4b:364
i **Typha latifolia** L., Sp. Pl. 2: 971 (1753) 4b:363
Typha orientalis C.Presl, Epimel. Bot. 239 (1851) 4b:363

XANTHORRHOEACEAE

- e **Xanthorrhoea arenaria** D.J.Bedford, Fl. Australia 46: 225 (1986) 4b:421
Xanthorrhoea australis R.Br., Prodr. Fl. Nov. Holland. 288 (1810) 4b:419
e **Xanthorrhoea bracteata** R.Br., Prodr. Fl. Nov. Holland. 288 (1810) 4b:421
Xanthorrhoea hastilis R.Br. sensu Hooker (1860) = **Xanthorrhoea australis** (misapplied in Tasmania)
Xanthorrhoea minor R.Br. sensu Rodway (1903) = **Xanthorrhoea arenaria** & **X. bracteata** 4b:421

XYRIDACEAE

- Xyris gracilis* R.Br. sensu Bentham (1878), misapplied to **X. marginata**, **X. muelleri**, and **X. tasmanica**
Xyris gracilis R.Br. subsp. *tasmanica* D.I.Morris = **Xyris tasmanica** 4b:35
Xyris gracilis R.Br. var. *bracteata* Benth. = **Xyris muelleri**
e **Xyris marginata** Rendle, J. Bot. 37: 503 (1899) 4b:35
e **Xyris muelleri** Malme, Svensk. Bot. Tidskr. 21: 381 (1928) 4b:35
Xyris operculata Labill., Nov. Holl. Pl. 1: 14, t.10 (1805) 4b:34
e **Xyris tasmanica** (D.I.Morris) Doust & B.J.Conn, Austral. Syst. Bot. 10(2): 212 (1997) 4b:35

ZOSTERACEAE

- Heterozostera nigricaulis** J.Kuo, Aquatic Bot. 81(2): 110 (2005)
Heterozostera tasmanica (G.Martens ex Asch.) Hartog, Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2. 59: 116 (1970) 4b:28
Nanozostera muelleri (Irmisch ex Asch.) Toml. & Posl. = **Zostera muelleri** subsp. **muelleri** 4b:29
Zostera marina R.Br. = **Heterozostera nigricaulis**
Zostera muelleri Irmisch ex Asch. subsp. **muelleri**, Linnaea 35: 168 (1868) 4b:29
Zostera nana Mert. ex Roth sensu Rodway (1903) = **Zostera muelleri** subsp. **muelleri** 4b:29
Zostera tasmanica G.Martens ex Asch. = **Heterozostera tasmanica** 4b:28

GYMNOSPERMS

CUPRESSACEAE

- e **Athrotaxis cupressoides** D.Don, Ann. Nat. Hist. 1: 234 (1838) 1:6
e **Athrotaxis** × **laxifolia** Hook., Icon. Pl. 6: t.573 (1843) = **A. cupressoides** × **A. selaginoides** 1:6
e **Athrotaxis selaginoides** D.Don, Ann. Nat. Hist. 1: 234 (1838) 1:7
Athrotaxis tetragona Hook. = **Microcachrys tetragona** (Podocarpaceae)
Callitris cupressiformis F.Muell. var. *tasmanica* (Benth.) Maiden = **Callitris rhomboidea**

- e **Callitris oblonga** Rich. & A.Rich. subsp. **oblonga**, Comm. Bot. Conif. Cycad. 49, t.18 fig.2 (1826) 1:5
Callitris rhomboidea R.Br. ex Rich. & A.Rich., Comm. Bot. Conif. Cycad. 47, t.18 fig.1 (1826) 1:5
 Callitris rhomboidea R.Br. ex Rich. & A.Rich. var. *tasmanica* (Benth.) Ewart, B.Rees & B.Wood =
Callitris rhomboidea
 Callitris tasmanica (Benth.) R.T.Baker & H.G.Sm. = **Callitris rhomboidea**
- e **Diselma archeri** Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 353 t.98 (1857) 1:5
 Fitzroya archeri (Hook.f.) Benth. & Hook.f. = **Diselma archeri** 1:5
 Frenela australis R.Br. ex Benth. nom. illeg., sensu Bentham (1878) = **Callitris oblonga**
 Frenela rhomboidea (R.Br. ex Rich. & A.Rich.) Endl. var. *tasmanica* Benth. = **Callitris rhomboidea**
- i **Hesperocyparis macrocarpa** (Hartw. ex Gordon) Bartel, Phytologia 91: 182 (2009)

PINACEAE

- i **Pinus pinaster** Aiton, Hortus Kew. (W. Aiton) 3: 367 (1789)
- i **Pinus radiata** D.Don, Trans. Linn. Soc. London 17: 442 (1837) 1:8
- i# **Pinus wallichiana** A.B.Jacks., Bull. Misc. Inform. Kew 1938(2): 85 (1938)

PODOCARPACEAE

- Dacrydium franklinii Hook.f. = **Lagarostrobos franklinii** 1:3
- e **Lagarostrobos franklinii** (Hook.f.) Quinn, Austral. J. Bot. 30: 316 (1982) 1:3
- e **Microcachrys tetragona** (Hook.) Hook.f., London J. Bot. 4: 150 (1845) 1:3
 Microstrobos niphophilus J.Garden & L.A.S.Johnson = **Pherosphaera hookeriana** 1:2
- e **Pherosphaera hookeriana** W.Archer bis, Hooker's J. Bot. Kew Gard. Misc. 2: 52 (1850) 1:2
- e **Phyllocladus aspleniifolius** (Labill.) A.Rich. ex Hook.f., London J. Bot. 4: 151 (1845) 1:2
 Phyllocladus rhomboidalis A.Rich. = **Phyllocladus aspleniifolius** 1:2
 Podocarpus alpinus Hook.f. = **Podocarpus lawrencei** 1:4
 Podocarpus aspleniifolia Labill. = **Phyllocladus aspleniifolius**
Podocarpus lawrencei Hook.f., London J. Bot. 4: 151 (1845) 1:4

PTERIDOPHYTES

ADIANTACEAE

- Adiantum aethiopicum** L., Syst. Nat., ed. 10, 2: 1329 (1759)
 Adiantum assimile Sw. sensu Brown (1810) = **Adiantum aethiopicum**
 Adiantum trigonum Labill. = **Adiantum aethiopicum**
- Anogramma leptophylla** (L.) Link, Fil. Spec. 137 (1841)
- Cheilanthes austrotenuifolia** H.M.Quirk & T.C.Chambers, Austral. J. Bot. 31: 510 (1983)
- Cheilanthes distans** (R.Br.) Mett., Abh. Senckenberg. Naturf. Ges. 3: 69 (1859)
- Cheilanthes sieberi** Kunze subsp. **sieberi**, Pl. Preiss. [J.G.C.Lehman] 2: 112 (1846)
 Cheilanthes tenuifolia (Burm.f.) Sw. sensu Rodway (1903) = **Cheilanthes austrotenuifolia**
- Pellaea calidirupium** Brownsey & Lovis, New Zealand J. Bot. 28: 197 (1990)
- Pellaea falcata** (R.Br.) Fée, Mem. Foug., 5. Gen. Filic. 129 (1850)
 Platyloma falcata (R.Br.) J.Sm. = **Pellaea falcata**

ASPLENIACEAE

- Asplenium appendiculatum** (Labill.) C.Presl subsp. **appendiculatum**, Tent. Pterid. 106 (1836)
 Asplenium brownii J.Sm. sensu Hooker (1860) = **Diplazium australe**

Asplenium bulbiferum G.Forst. subsp. **gracillimum** (Colenso) Brownsey, New Zealand J. Bot. 15: 60 (1977)

Asplenium bulbiferum G.Forst. var. *hookeriana* (Colenso) Rodway = **Asplenium hookerianum**

Asplenium flabellifolium Cav., Descr. Pl. (Cavanilles): 257 (1801)

Asplenium flaccidum G.Forst. subsp. **flaccidum**, Fl. Ins. Austr. 80 (1786)

Asplenium hookerianum Colenso, Tasmanian J. Nat. Sci. 2: 169 (1844)

Asplenium laxum R.Br. nom. illeg. = **A. appendiculatum** × **A. bulbiferum** subsp. **gracillimum**

Asplenium lucidum G.Forst. sensu Hooker (1860) = **Asplenium obtusatum**

Asplenium obliquum G.Forst. sensu Labillardiere (1805) = **Asplenium obtusatum** subsp. **northlandicum** (misapplied in Tasmania)

Asplenium obtusatum G.Forst. subsp. **northlandicum** Brownsey, New Zealand J. Bot. 15: 49, t.6 (1977)

Asplenium terrestre Brownsey = **Asplenium appendiculatum**

Asplenium trichomanes L. subsp. **quadrivalens** D.E.Mey., Ber. Deutsch. Bot. Ges. 74: 456 (1961)

Asplenium trichomanes L. subsp. **trichomanes**, Sp. Pl. 2: 1080 (1753)

Asplenium umbrosum J.Sm. sensu Bentham (1878) = **Diplazium australe** (Athyraceae) misapplied in Tasmania

Caenopteris appendiculata Labill. = **Asplenium appendiculatum**

Pleurosorus rutifolius (R.Br.) Fée, Mem. Foug., 5. Gen. Filic. 179, t.16c (1852)

ATHYRIACEAE

Allantodia australis R.Br. = **Diplazium australe**

Athyrium australe (R.Br.) C.Presl = **Diplazium australe**

Cystopteris fragilis (L.) Bernh. var. *tasmanica* (Hook.) Hook.f. = **Cystopteris tasmanica**

Cystopteris tasmanica Hook., Sp. Fil. 1: 199 (1846)

Diplazium australe (R.Br.) N.A.Wakef., Vict. Naturalist 58: 142 t.3 (1942)

AZOLLACEAE

Azolla filiculoides Lam. = **Azolla rubra**

Azolla rubra R.Br., Prodr. Fl. Nov. Holland. 167 (1810)

BLECHNACEAE

Blechnum aggregatum (Colenso) Tindale sensu Willis (1973) = **Blechnum chambersii**

Blechnum cartilagineum Sw., Syn. Fil. (Swartz): 114 (1806)

Blechnum chambersii Tindale, Flora of the Sydney Region, ed. 2: 86 (1972)

Blechnum fluviatile (R.Br.) E.J.Lowe ex Salomon, Nomencl. Gefässkrypt. 115 (1883)

Blechnum minus (R.Br.) Ettingsh., Denkschr. Kaiserl. Akad. Wiss. Math.-Naturwiss. Kl. 23: 63, t.8 (1864)

Blechnum neohollandicum Christenh., Phytotaxa 19: 20 (2011)

Blechnum nudum (Labill.) Mett. ex Luerss., Iora oder Allgemeinen Botanischer Zeitung 59: 292 (1876)

Blechnum parrissiae Christenh., Phytotaxa 19: 20 (2011)

Blechnum patersonii (R.Br.) Mett. subsp. **patersonii**, Fil. Hort. Bot. Lips.: 64, t.4 figs. 4-10 (1856)

Blechnum pennamarina (Poir.) Kuhn subsp. **alpina** (R.Br.) T.C.Chambers & P.A.Farrant, Fern Gaz. 15: 96 (1996)

Blechnum procerum (G.Forst.) Sw. sensu Labillardiere (1805) = **Blechnum wattsii**

Blechnum rupestre (Kaulf. ex Link) Christenh. (cited in error) = **Blechnum spinulosum**

- Blechnum spinulosum** Poir., Encycl. (Lamarck) Suppl. 1: 644 (1810)
Blechnum vulcanicum (Blume) Kuhn, Ann. Mus. Bot. Lugduno-Batavi4: 284 (1869)
Blechnum wattsii Tindale, Contr. New South Wales Natl. Herb. 3: 247 (1963)
Doodia aspera R.Br. = **Blechnum neohollandicum**
Doodia australis (Parris) Parris = **Blechnum parrissiae**
Doodia caudata (Cav.) R.Br. = **Blechnum spinulosum**
Doodia media R.Br. = **Blechnum parrissiae** (Tasmanian plants)
Lomaria alpina Spreng. = **Blechnum pennamarina** subsp. **alpina**
Lomaria capensis (L.) Willd. sensu Bentham (1878) = **Blechnum wattsii** (misapplied in Tasmania)
Lomaria discolor (G.Forst.) Willd. sensu Rodway (1903) = **Blechnum nudum**
Lomaria fluviatilis Spreng. = **Blechnum fluviatile**
Lomaria lanceolata Spreng. = **Blechnum chambersii**
Lomaria patersonii Spreng. = **Blechnum patersonii**
Lomaria procera Spreng. sensu Rodway (1903) = **Blechnum wattsii**
Lomaria procera Spreng. var. paludosa Rodway = **Blechnum minus**
Lomaria vulcanica Blume = **Blechnum vulcanicum**
Onoclea nuda Labill. = **Blechnum nudum**
Stegania alpina R.Br. = **Blechnum pennamarina** subsp. **alpina**
Stegania falcata R.Br. = **Blechnum nudum**
Stegania fluviatilis R.Br. = **Blechnum fluviatile**
Stegania lanceolata R.Br. = **Blechnum chambersii**
Stegania minor R.Br. = **Blechnum minus**
Stegania nuda R.Br. = **Blechnum nudum**
Stegania patersonii R.Br. = **Blechnum patersonii**
Stegania procera R.Br. = **Blechnum wattsii**

CULCITACEAE

- Calochlaena dubia** (R.Br.) M.D.Turner & R.A.White, Amer. Fern J. 78: 92 (1988)
Culcita dubia (R.Br.) Maxon = **Calochlaena dubia**
Davallia dubia R.Br. = **Calochlaena dubia**

CYATHEACEAE

- Alsophila australis R.Br. = **Cyathea australis**
Cyathea australis (R.Br.) Domin subsp. **australis**, Pteridophyta 262 (1929)
Cyathea cunninghamii Hook.f., Icon. Pl. 10: t.985 (1854)
Cyathea × marcescens N.A.Wakef., Vict. Naturalist 59: 33, figs.1-5 (1942)
Cyathea medullaris (G.Forst.) Sw. sensu Bentham (1878) = **Cyathea cunninghamii** (misapplied in Tasmania)

DENNSTAEDTIACEAE

- Histiopteris incisa** (Thunb.) J.Sm., Hist. Fil. 295 (1875)
Hypolepis amaurochis (Kunze) Hook., Sp. Fil. 2: 62 (1852)
Hypolepis australis N.A.Wakef. = **Hypolepis amaurochis**
t **Hypolepis distans** Hook., Sp. Fil. 2: 70, t.95c (1852)
Hypolepis glandulifera Brownsey & Chinnock, J. Adelaide Bot. Gard. 10: 16, fig.8 (1987)
Hypolepis muelleri N.A.Wakef., Vict. Naturalist 60: 42 (1943)

Hypolepis punctata (Thunb.) Mett. ex Kuhn sensu Willis (1973) = **Hypolepis glandulifera**

Hypolepis rugosula (Labill.) J.Sm., Bot. Mag., 72 (Companion): 8 (1846)

Hypolepis tenuifolia (G.Forst.) Bernh. ex C.Presl sensu Rodway (1903) = **Hypolepis amaurorachis** & **H. rugosula**

Pteridium esculentum (G.Forst.) Cockayne = **Pteridium esculentum** subsp. **esculentum**

Pteridium esculentum (G.Forst.) Cockayne subsp. **esculentum**, Report of the Botanical Survey of Tongariro National Park: 34 (1908)

DICKSONIACEAE

Dicksonia antarctica Labill., Nov. Holl. Pl. 2: 100, t.249 (1807)

Dicksonia dubia (R.Br.) Gaudich. sensu Hooker (1860) = **Calochlaena dubia**

DRYOPTERIDACEAE

Aspidium aculeatum (L.) Sw. sensu Bentham (1878) = **Polystichum proliferum** (misapplied in Tasmania)

Aspidium capense Willd. nom. illeg. = **Rumohra adiantiformis**

Aspidium coriaceum (Sw.) Sw. sensu Brown (1810) = **Rumohra adiantiformis**

Aspidium decompositum (R.Br.) Spreng. sensu Bentham (1878) = **Lastreopsis acuminata** (misapplied in Tasmania)

Aspidium proliferum R.Br. = **Polystichum proliferum**

Lastreopsis acuminata (Houlston) C.V.Morton, Contr. U.S. Natl. Herb. 30: 245 (1973)

Lastreopsis hispida (Sw.) Tindale, Vict. Naturalist 73: 183 (1957)

Lastreopsis shepherdii (Kuntze ex Mett.) Tindale = **Lastreopsis acuminata**

Nephrodium decompositum R.Br. sensu Rodway (1903) = **Lastreopsis acuminata**

Nephrodium hispidum (Sw.) Hook. = **Lastreopsis hispida**

Polystichum coriaceum Schott = **Rumohra adiantiformis**

Polystichum proliferum (R.Br.) C.Presl, Tent. Pterid. 83 (1836)

Polystichum vestitum (G.Forst.) C.Presl sensu Rodway (1903) = **Polystichum proliferum**

Rumohra adiantiformis (G.Forst.) Ching, Sinensia 5: 70 (1934)

EQUISETACEAE

i **Equisetum hyemale** L., Sp. Pl. 2: 1062 (1753)

GLEICHENIACEAE

Ctenopteris heterophylla (Labill.) Tindale = **Notogrammitis heterophylla**

e **Gleichenia abscida** Rodway, The Tasmanian Flora: 289 (1903)

e **Gleichenia alpina** R.Br., Prodr. Fl. Nov. Holland. 161 (1810)

Gleichenia circinata Sw. sensu Rodway (1903) = **Gleichenia microphylla**

Gleichenia dicarpa R.Br., Prodr. Fl. Nov. Holland. 161 (1810)

Gleichenia flabellata R.Br. sensu Rodway (1903) = **Sticherus tener** & **S. urceolatus**

Gleichenia microphylla R.Br., Prodr. Fl. Nov. Holland. 161 (1810)

Gleichenia tenera R.Br. = **Sticherus tener**

Grammitis sp. A sensu Garrett 1996 = **Notogrammitis garrettii**

Grammitis sp. B sensu Garrett 1996 = **Nothofagus gunnii**

Grammitis armstrongii Tindale = **Notogrammitis crassior**

Grammitis australis R.Br. = **Notogrammitis billardierei**

Grammitis billardierei Willd. = **Notogrammitis billardierei**

- Grammitis garrettii Parris = **Notogrammitis garrettii**
 Grammitis gunnii Parris = **Notogrammitis gunnii**
 Grammitis heterophylla Labill. = **Notogrammitis heterophylla**
 Grammitis leptophylla (L.) Sw. sensu Bentham (1878) = **Anogramma leptophylla** (Adiantaceae)
 Grammitis magellanica Desv. subsp. nothofagei Parris = **Notogrammitis angustifolia** subsp. **nothofagei**
 Grammitis meridionalis Parris = **Notogrammitis angustifolia** subsp. **nothofagei** p.p.maj.
 Grammitis poeppigiana (Mett.) Pic.Serm. = **Notogrammitis crassior**
 Grammitis pseudociliata Parris = **Notogrammitis pseudociliata**
 Grammitis rutifolia R.Br. = **Pleurosorus rutifolius** (Aspleniaceae)
Sticherus lobatus N.A.Wakef., Vict. Naturalist 60: 110 (1943)
Sticherus tener (R.Br.) Ching, Sunyatsenia 5: 285 (1940)
 Sticherus tener form A sensu Garrett (1996) = **Sticherus urceolatus**
 Sticherus tener form B sensu Garrett (1996) = **Sticherus tener**
Sticherus urceolatus M.Garrett & Kantvilas, Muelleria 11: 103 (1998)

GRAMMITIDACEAE

- Notogrammitis angustifolia** (Jacq.) Parris subsp. **nothofagei** (Parris) Parris, New Zealand J. Bot. 50: 466 (2012)
Notogrammitis billardierei (Willd.) Parris, New Zealand J. Bot. 50: 466 (2012)
Notogrammitis crassior (Kirk) Parris, New Zealand J. Bot. 50: 467 (2012)
 e **Notogrammitis garrettii** (Parris) Parris, New Zealand J. Bot. 50: 468 (2012)
 t **Notogrammitis gunnii** (Parris) Parris, New Zealand J. Bot. 50: 468 (2012)
Notogrammitis heterophylla (Labill.) Parris, New Zealand J. Bot. 50: 469 (2012)
 t **Notogrammitis pseudociliata** (Parris) Parris, New Zealand J. Bot. 50: 469 (2012)

HEMIONITIDIACEAE

- Gymnogramma leptophylla (L.) Desv. = **Anogramma leptophylla** (Adiantaceae)
 Gymnogramma rutaefolia Hook. = **Pleurosorus rutifolius** (Aspleniaceae)

HYMENOPHYLLACEAE

- Apteropteris applanata A.M.Gray & R.G.Williams = **Hymenophyllum applanatum**
 Crepidomanes venosum (R.Br.) Bostock = **Polyphlebiium venosum**
 e **Hymenophyllum applanatum** (A.M.Gray & R.G.Williams) Ebihara & K.Iwats., Bull. Natl. Mus. Nat. Sci., Tokyo, B. 36: 43 (2010)
Hymenophyllum australe Willd., Sp. Pl., ed. 4 [Willdenow], 5: 527 (1810)
 Hymenophyllum crispatum Hook. & Grev. sensu Hooker (1860) = **Hymenophyllum australe**
Hymenophyllum cupressiforme Labill., Nov. Holl. Pl. 2: 102, t.250 fig.2 (1807)
Hymenophyllum flabellatum Labill., Nov. Holl. Pl. 2: 101, t.250 fig.1 (1807)
 Hymenophyllum javanicum Spreng. sensu Rodway (1903) = **Hymenophyllum australe**
 Hymenophyllum malingii (Hook.) Mett. sensu Rodway (1903) = **Hymenophyllum applanatum**
Hymenophyllum marginatum Hook. & Grev., Icon. Filic. 1: t.34 (1827)
 Hymenophyllum nitens R.Br. = **Hymenophyllum flabellatum**
Hymenophyllum peltatum (Poir.) Desv., Mém. Soc. Linn. Paris 6: 333 (1827)
Hymenophyllum rarum R.Br., Prodr. Fl. Nov. Holland. 159 (1810)
 Hymenophyllum tunbridgense (L.) Sm. sensu Rodway (1903) = **Hymenophyllum cupressiforme**

- Hymenophyllum unilaterale Willd. sensu Hooker (1860) = **Hymenophyllum peltatum**
 Hymenophyllum wilsoni Hook. sensu Rodway (1903) = **Hymenophyllum peltatum**
 Mecodium australe (Willd.) Copel. = **Hymenophyllum australe**
 Mecodium flabellatum (Labill.) Copel. = **Hymenophyllum flabellatum**
 Mecodium rarum (R.Br.) Copel. = **Hymenophyllum rarum**
Polyphlebium venosum (R.Br.) Copel., Philipp. J. Sci. 67: 55 (1938)
 Sphaerocionium applanatum (A.M.Gray & R.G.Williams) K.Iwats. = **Hymenophyllum applanatum**
 Trichomanes venosum R.Br. = **Polyphlebium venosum**

ISOETACEAE

- Isoetes sp. A sensu Garrett 1996 = **Isoetes Maxwell River**
Isoetes drummondii A.Braun subsp. **drummondii**, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1868: 542 (1869)
 e **Isoetes elatior** F.Muell. ex A.Braun, Linnaea 25: 722 (1853)
 e **Isoetes gunnii** A.Braun, Monatsber. K. Akad. Wiss. Berlin: 535 (1868)
 e **Isoetes humilior** F.Muell. ex A.Braun, Linnaea 25: 722 (1853)
 Isoetes lacustris L. sensu Rodway (1903) = **Isoetes elatior, I. humilior & I. gunnii**
 e **Isoetes sp. Maxwell River (S.J.Jarman HO314082) Tas Herbarium**
Isoetes muelleri A.Braun, Monatsber. K. Akad. Wiss. Berlin: 541 (1868)

LINDSAEACEAE

- Lindsaea cuneata (G.Forst.) C.Chr. = **Lindsaea trichomanoides**
Lindsaea linearis Sw., J. Bot. (Schr.) 1800(2): 78 (1801)
Lindsaea trichomanoides Dryand., Trans. Linn. Soc. London 3: 43, t.11 (1797)

LYCOPODIACEAE

- Huperzia australiana** (Herter) Holub, Folia Geobot. Phytotax. 20: 70 (1985)
 Huperzia varia (R.Br.) Trevis. = **Phlegmariurus varius**
 t **Lycopodiella diffusa** (R.Br.) B.Ollg., Opera Bot. 92: 176 (1987)
Lycopodiella lateralis (R.Br.) B.Ollg., Opera Bot. 92: 176 (1987)
Lycopodiella serpentina (Kunze) B.Ollg., Opera Bot. 92: 176 (1987)
 Lycopodium australianum Herter = **Huperzia australiana**
 Lycopodium carolinianum L. sensu Benth. (1878) = **Lycopodiella serpentina** (misapplied in Tasmania)
 Lycopodium clavatum L. var. fastigiatum (R.Br.) Benth. nom. illeg. = **Lycopodium fastigiatum**
 Lycopodium decurrens R.Br. = **Lycopodium scariosum**
 Lycopodium densum Labill. = **Lycopodium deuterodensum**
Lycopodium deuterodensum Herter, Estud. Bot. (Montevideo) 20: 15 (1949)
 Lycopodium diffusum R.Br. = **Lycopodiella diffusa**
Lycopodium fastigiatum R.Br., Prodr. Fl. Nov. Holland. 165 (1810)
 Lycopodium laterale R.Br. = **Lycopodiella lateralis**
 Lycopodium myrtifolium G.Forst. nom. illeg., non L. = **Phlegmariurus varius**
Lycopodium scariosum G.Forst., Fl. Ins. Austr. 87 (1786)
 Lycopodium selago L. sensu Rodway (1903) = **Huperzia australiana**
 Lycopodium serpentinum Kunze = **Lycopodiella serpentina**
 Lycopodium uliginosum Labill. = **Selaginella uliginosa**

Lycopodium varium R.Br. = **Phlegmariurus varius**

Phlegmariurus varius (R.Br.) A.R.Field & Bostock, *Phytokeys* 20: 49 (2013)

Phylloglossum drummondii Kunze, *Bot. Zeitung (Berlin)* 1: 721 (1843)

MARSILEACEAE

i **Marsilea mutica** Mett., *Ann. Sci. Nat., Bot., sér. 4*, 15: 88 (1861)

Pilularia globulifera L. sensu Rodway (1903) = **Pilularia novae-hollandiae**

Pilularia novae-hollandiae A.Braun, *Monatsber. Königl. Preuss. Akad. Wiss. Berlin* 1863: 435 (1863)

OPHIOGLOSSACEAE

x **Botrychium australe** R.Br., *Prodr. Fl. Nov. Holland.* 164 (1810)

Botrychium lunaria (L.) Sw., *J. Bot. (Schrader)* 1800(2): 110 (1801)

Botrychium ternatum (Thunb.) Sw. sensu Rodway (1903) = **Botrychium australe**

Botrychium virginianum (L.) Sw. sensu Hooker (1860) = **Botrychium australe**

Ophioglossum lusitanicum L. subsp. **coriaceum** (A.Cunn.) R.T.Clausen, *Mem. Torrey Bot. Club* 19: 161 (1938)

Ophioglossum vulgatum L. sensu Bentham (1878) = **Ophioglossum lusitanicum** (misapplied in Tasmania)

OSMUNDACEAE

Todea africana Willd. ex Bernh. nom. illeg. = **Todea barbara**

Todea barbara (L.) T.Moore, *Index Fil. (T. Moore)*: 119 (1857)

POLYPODIACEAE

Microsorium diversifolium (Willd.) Copel. = **Microsorium pustulatum** subsp. **pustulatum**

Microsorium pustulatum (G.Forst.) Copel. subsp. **pustulatum**, *Gen. Fil. [Copeland]*: 196 (1947)

Phymatodes billardierei (R.Br.) C.Presl = **Microsorium pustulatum** subsp. **pustulatum**

Phymatosorus pustulatus (G.Forst.) Large, Braggins & P.S.Green = **Microsorium pustulatum** subsp. **pustulatum**

Polypodium australe (R.Br.) Mett. = **Notogrammitis billardierei** (Grammitidaceae)

Polypodium billardierei R.Br. = **Microsorium pustulatum**

Polypodium grammitidis R.Br. = **Notogrammitis heterophylla** (Grammitidaceae)

Polypodium punctatum Thunb. sensu Rodway (1903) = **Hypolepis rugosula** & **H. amaurorachis** (Dennstaedtiaceae)

Polypodium pustulatum G.Forst. = **Microsorium pustulatum**

Polypodium rugosulum Labill. = **Hypolepis rugosula** (Dennstaedtiaceae)

Polypodium scandens Labill. nom. illeg. = **Microsorium pustulatum** subsp. **pustulatum**

PSILOTACEAE

Psilotum truncatum R.Br. = **Tmesipteris obliqua** (misapplied in Tasmania)

Tmesipteris billardierei Endl. = **Tmesipteris obliqua**

Tmesipteris elongata P.A.Dang., *Botaniste* 2: 213 (1890-91)

Tmesipteris forsteri Endl. nom. illeg. sensu Hooker (1860) = **Tmesipteris obliqua**

Tmesipteris obliqua Chinnock, *Muelleria* 8: 60 (1993)

Tmesipteris parva N.A.Wakef., *Vict. Naturalist* 60: 143 (1944)

Tmesipteris tannensis (Spreng.) Bernh. sensu Rodway (1903) = **Tmesipteris obliqua** p.p.maj.

Tmesipteris tugana H.N.Barber = **Tmesipteris elongata**

PTERIDACEAE

Litobrochia comans (G.Forst.) C.Presl = **Pteris comans**

Litobrochia incisa (Thunb.) C.Presl = **Histiopteris incisa** (Dennstaedtiaceae)

Pteris aquilina L. sensu Rodway (1903) = **Pteridium esculentum** subsp. **esculentum**
(Dennstaedtiaceae)

Pteris comans G.Forst., Fl. Ins. Austr. 79 (1786)

Pteris endlicheriana J.Agarth sensu Hooker (1860) = **Pteris comans**

Pteris esculenta G.Forst. sensu Labillardiere (1805) = **Pteridium esculentum** subsp. **esculentum**
(Dennstaedtiaceae)

Pteris falcata R.Br. = **Pellaea falcata** (Adiantaceae)

Pteris incisa Thunb. = **Histiopteris incisa** (Deddstaedtiaceae)

Pteris tremula R.Br., Prodr. Fl. Nov. Holland. 154 (1810)

Pteris vespertilionis Labill. = **Histiopteris incisa** (Deddstaedtiaceae)

SCHIZAEACEAE

Schizaea asperula N.A.Wakef., Vict. Naturalist 59: 89 (1942)

Schizaea bifida Willd., Abh. Kurfurstl.-Mainz. Akad. Nützl. Wiss. Erfurt 5: 30, t.3 fig.3 (1802)

Schizaea fistulosa Labill., Nov. Holl. Pl. 2: 103, t.250 fig.3 (1807)

SELAGINELLACEAE

Selaginella gracillima (Kunze) Spring ex Salomon, Nomencl. Gefässkrypt. 353 (1883)

Selaginella preissiana Spring sensu Rodway (1903) = **Selaginella gracillima**

Selaginella uliginosa (Labill.) Spring, Mém. Acad. Roy. Sci. Belgique 24: 60 (1849)

THELYPTERIDACEAE

Cyclosorus penniger (G.Forst.) Ching = **Pneumatopteris pennigera**

Pneumatopteris pennigera (G.Forst.) Holttum, Blumea 21: 305 (1973)

Macquarie Island Vascular Plant Census

EUDICOTS

APIACEAE (UMBELLIFERAE)

- e **Azorella macquariensis** Orchard, Muelleria 7: 16 (1989)
 Azorella selago Hook.f. (in Macquarie Island) = **Azorella macquariensis**

ARALIACEAE

- t **Hydrocotyle novae-zeelandiae** DC., Prodr. [A. P. de Candolle] 4: 67 (1830)
 t **Stilbocarpa polaris** (Homb. & Jacquinot ex Hook.f.) A.Gray, U.S. Expl. Exped., Phan. 15: 714 (1854)

ASTERACEAE (COMPOSITAE)

- Cotula plumosa (Hook.f.) Hook.f. = **Leptinella plumosa**
 t **Leptinella plumosa** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 26 (1844)
 t **Pleurophyllum hookeri** Buchanan, Trans. & Proc. New Zealand Inst. 16: 395 (1884)

BRASSICACEAE (CRUCIFERAE)

- Cardamine corymbosa** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 6 (1844)
 Cardamine depressa Hook.f. var. stellata (Hook.f.) Hook.f. = **Cardamine corymbosa**
 Cardamine glacialis DC. var. subcarnosa (Hook.f.) O.E.Schulz sensu Cheeseman (1919) = **Cardamine corymbosa**

CARYOPHYLLACEAE

- i **Cerastium fontanum** Baumg. subsp. **fontanum**, Enum. Stirp. Transsilv. 1: 425 (1816)
 Cerastium triviale Link sensu Cheeseman (1919) = **Cerastium fontanum** subsp. **fontanum**
 (misapplied in Tasmania)
Colobanthus affinis (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 45 (1855) 1:74
 t **Colobanthus apetalus** (Labill.) Druce var. **alpinus** (Kirk) L.B.Moore, Fl. New Zealand 1: 214 (1961)
 Colobanthus billardierei Fenzl sensu Cheeseman (1919) = **Colobanthus apetalus** var. **alpinus**
 (misapplied in Tasmania)
 t **Colobanthus muscoides** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 14 (1844)
 Stellaria decipiens Hook.f. sensu Cheeseman (1919) = **Stellaria parviflora** (misapplied in Tasmania)
 i **Stellaria media** (L.) Vill., Hist. Pl. Dauphiné (Villars) 3: 615 (1789) 1:71
 t **Stellaria parviflora** Banks & Sol. ex Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 25 (1852)

CRASSULACEAE

- t **Crassula moschata** G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 26 (1789)
 Tillaea moschata (G.Forst.) DC. = **Crassula moschata**

HALORAGACEAE

- t **Myriophyllum triphyllum** Orchard, Brunonia 2: 259 (1980)

ONAGRACEAE

- t **Epilobium brunnescens** (Cockayne) P.H.Raven & Engelhorn subsp. **brunnescens**, New Zealand J. Bot. 9: 350 (1971)
 Epilobium linnaeoides Hook.f. = **Epilobium pedunculare**
 Epilobium nummulariifolium A.Cunn. var. nerteroides Hook.f. sensu Cheeseman (1919) = **Epilobium brunnescens** subsp. **brunnescens** (misapplied in MI)
 t **Epilobium pedunculare** A.Cunn., Ann. Nat. Hist. 3: 31 (1839)

PLANTAGINACEAE

Callitriche antarctica Engelm. ex Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 20 (1867)

POLYGONACEAE

FTO 95

i # x *Rumex crispus* L., Sp. Pl. 1: 335 (1753)

PORTULACACEAE

FTO 100

Montia fontana L. subsp. *fontana*, Sp. Pl. 1: 87 (1753)

RANUNCULACEAE

FTO 47

Ranunculus biternatus Sm. sensu Cheeseman (1919) = *Ranunculus crassipes*

Ranunculus crassipes Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 2: 224 (1845)

ROSACEAE

Acaena adscendens Vahl Sensu Hooker (1844) = *Acaena magellanica*

Acaena magellanica (Lam.) Vahl, Enum. Pl. [Vahl] 1: 297 (1804)

t *Acaena minor* (Hook.f.) Allan, Fl. New Zealand 1: 363 (1961)

Acaena sanguisorbae Vahl var. *minor* Hook.f. = *Acaena minor*

RUBIACEAE

t *Coprosma perpusilla* Colenso subsp. *subantarctica* Orchard, Brunonia 9: 133 (1987)

t *Galium antarcticum* Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 303 bis (1846)

MONOCOTS

CYPERACEAE

t *Carex trifida* Cav., Icon. [Cavanilles] 5: 41, t.465 (1799)

Isolepis aucklandica Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 88 (1844), pl.50 (1845)

4b:102

Scirpus aucklandicus (Hook.f.) Boeckeler = *Isolepis aucklandica*

4b:102

t *Uncinia divaricata* Boott, Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 286 (1853)

t *Uncinia hookeri* Boott, Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 91 (1844); pl.51 (1845)

Uncinia riparia R.Br. var. *hookeri* (Boott) Kük. = *Uncinia hookeri*

JUNCACEAE

t *Juncus scheuchzerioides* Gaudich., Ann. Sci. Nat. (Paris) 5: 100 (1825)

Luzula campestris DC. var. *crinita* (Hook.f.) Buchenau = *Luzula crinita*

t *Luzula crinita* Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 84, pl.48 (1844)

ORCHIDACEAE

e *Corybas dienemus* D.L.Jones, Fl. Australia 50: 572 (1993)

4a:121

Corybas macranthus (Hook.f.) Rchb.f. = *Corybas dienemus*

e *Corybas sulcatus* (M.A.Clem. & D.L.Jones) G.N.Backh., Vict. Naturalist 127: 56 (2010)

Nematoceras dienemum (D.L.Jones) D.L.Jones, M.A.Clem. & Molloy = *Corybas dienemus*

Nematoceras sulcatum M.A.Clem. & D.L.Jones = *Corybas sulcatus*

POACEAE (GRAMINEAE)

i # *Agrostis capillaris* L., Sp. Pl. 1: 62 (1753)

t *Agrostis magellanica* Lam., Tabl. Encycl. 1: 160 (1791)

i # *Agrostis stolonifera* L., Sp. Pl. 1: 62 (1753)

i # x *Anthoxanthum odoratum* L., Sp. Pl. 1: 28 (1753)

Deschampsia cespitosa (L.) P.Beauv., Ess. Agrostogr. 91: 160, t.18, fig.3 (1812)

4b:242

- t **Deschampsia chapmanii** Petrie, Trans. & Proc. New Zealand Inst. 23: 401 (1891)
Deschampsia penicillata Kirk = **Deschampsia cespitosa**
- t **Festuca contracta** Kirk, Trans. & Proc. New Zealand Inst. 27: 353 (1895)
Festuca erecta d'Urv. nom. illeg. = **Festuca contracta**
- i **Poa annua** L., Sp. Pl. 1: 68 (1753) 4b:211
Poa cookii (Hook.f.) Hook.f., Philos. Trans. 168: 22 (1879)
- t **Poa foliosa** (Hook.f.) Hook.f., Handb. N. Zeal. Fl. 338 (1864)
Poa hamiltonii Kirk = **Poa cookii**
- t **Poa litorosa** Cheeseman, Man. New Zealand Fl. 1156 (1906)
- e **Puccinellia macquariensis** (Cheeseman) Allan & Jansen, Trans. & Proc. Roy. Soc. New Zealand 69: 268 (1939)
Triodia macquariensis Cheeseman = **Puccinellia macquariensis**

PTERIDOPHYTES

BLECHNACEAE

- Blechnum pennamarina** (Poir.) Kuhn subsp. **alpina** (R.Br.) T.C.Chambers & P.A.Farrant, Fern Gaz. 15: 96 (1996)
Lomaria penna-marina Trevis. = **Blechnum pennamarina** subsp. **alpina**

DRYOPTERIDACEAE

- Aspidium vestitum (G.Forst.) Sw. = **Polystichum vestitum**
- t **Polystichum vestitum** (G.Forst.) C.Presl, Tent. Pterid. 83 (1836)

GLEICHENIACEAE

- Grammitis poeppigiana (Mett.) Pic.Serm. = **Notogrammitis crassior**

GRAMMITIDACEAE

- Notogrammitis crassior** (Kirk) Parris, New Zealand J. Bot. 50: 467 (2012)
Polypodium australe (R.Br.) Mett. nom. illeg. sensu Cheeseman (1919) = **Notogrammitis billardierei**

HYMENOPHYLLACEAE

- t **Hymenophyllum falklandicum** Baker, Syn. Fil. (Hooker & Baker), ed. 2: 68 (1874)

LYCOPODIACEAE

- Huperzia australiana** (Herter) Holub, Folia Geobot. Phytotax. 20: 70 (1985)
Lycopodium varium R.Br. sensu Cheeseman (1919) = **Huperzia australiana**

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2017 AND 2018 EDITIONS

IA: TAXA NEW TO THE TASMANIAN CENSUS

DICOTYLEDONEAE

ASTERACEAE

e **Ozothamnus buehneri** Puttock ex de Salas & Schmidt-Leb.

e **Ozothamnus floribundus** de Salas & Schmidt-Leb.

FABACEAE

i **Trifolium vesiculosum** Savi

VIOLACEAE

e **Viola serpentinicola** de Salas

MONOCOTYLEDONEAE

ASPARAGACEAE

i # **Furcraea foetida** (L.) Haw.

ORCHIDACEAE

e **Prasophyllum ablittiorum** P.A.Collier

POACEAE

i **Chloris truncata** R.Br.

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2017 AND 2018 EDITIONS

IB: TAXA THAT HAVE CHANGED NAMES BETWEEN 2017 AND 2018

DICOTYLEDONES

ASTERACEAE

Ozothamnus bracteolatus = **Ozothamnus gunnii**
(when Burbidge (1958) synonymised the two names, she chose *Helichrysum gunnii* and so this name takes priority)

Ozothamnus purpurascens *sensu* de Salas & Baker (2017) and others = **Ozothamnus reflexus** (*Phytotaxa* 358(2): 117–138 [2018])

BORAGINACEAE

Austrocynoglossum latifolium = **Hackelia latifolia** (*Aust. Syst. Bot.* 30: 121 [2017])

Cynoglossum suaveolens = **Hackelia suaveolens** (*Aust. Syst. Bot.* 30: 121 [2017])

DROSERACEAE

Drosera gracilis = **Drosera peltata** (*Aust. Syst. Bot.* 25: 49–80 [2012])

Drosera peltata *sensu* Rodway 1903 and later authors = **Drosera gunniana** (*Muelleria* 36: 97–106 [2018])

HALORAGACEAE

Haloragis brownii = **Meionectes brownii** (CHAH 2007)

PITTOSPORACEAE

Billardiera nesophila = **Billardiera macrantha** (FTO 138, v2018:1)

Billardiera viridiflora = **Billardiera macrantha** (FTO 138, v2018:1)

VIOLACEAE

Viola hederacea subsp. curtisiae = **Viola curtisiae** (*Muelleria* 36: 112–117 [2018])

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2017 AND 2018 EDITIONS

IC: TAXA THAT HAVE CHANGED STATUS BETWEEN 2017 AND 2018

DICOTYLEDONEAE

ADOXACEAE

i # **Viburnum tinus** L.

EUPHORBIACEAE

i # **Euphorbia stricta** L.

PLANTAGINACEAE

Veronica notabilis F.Muell. ex Benth.

MONOCOTYLEDONEAE

POACEAE

e **Poa gunnii** Vickery

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2017 AND 2018 EDITIONS

ID: TAXA NOW NOT CONSIDERED TO BE PART OF THE TASMANIAN FLORA

None for this edition.

REFERENCES

- ABRS (Australian Biological Resources Study) (Australian Government: Department of the Environment, Water, Heritage and the Arts). <http://www.environment.gov.au/biodiversity/abrs/index.html>
- APG II (2003) An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. *Botanical Journal of the Linnean Society* 141: 399–436.
- Baker ML, de Salas MF (2012) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Baker ML, de Salas MF (2013) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Baker ML, Duretto MF (2011) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Bentham G (1863) *Flora Australiensis*, Vol. I. (Lovell Reeve and Co.: London)
- Bentham G (1864) *Flora Australiensis*, Vol. II (Lovell Reeve and Co.: London)
- Bentham G (1867) *Flora Australiensis*, Vol. III (Lovell Reeve and Co.: London)
- Bentham G (1868) *Flora Australiensis*, Vol. IV (Lovell Reeve and Co.: London)
- Bentham G (1870) *Flora Australiensis*, Vol. V (Lovell Reeve and Co.: London)
- Bentham G (1873) *Flora Australiensis*, Vol. VI (Lovell Reeve and Co.: London)
- Bentham G (1878) *Flora Australiensis*, Vol. VII (Lovell Reeve and Co.: London)
- Brown R (1810) *Prodromus Florae Novae Hollandiae et Insulae van-Diemen* (Richard Taylor & Son: London)
- Buchanan AM (1995) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania*. Tasmanian Herbarium Occasional Publication No. 5 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (1999) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania*. 3rd edn. Tasmanian Herbarium Occasional Publication No. 6 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (2004) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Buchanan AM (2005) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania*. 4th edn. Tasmanian Herbarium Occasional Publication No. 7 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (2007) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Buchanan AM (2009) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Buchanan AM, McGeary-Brown A, Orchard AE (1989) *A Census of the Vascular Plants of Tasmania*. Tasmanian Herbarium Occasional Publication No. 2 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)

- Burbidge, NT (1958) A monographic study of *Helichrysum* subgenus *Ozothamnus* (Compositae) and of two related genera formerly included therein. *Australian Journal of Botany* 6: 229–284
- Cheeseman TF (1919) The vascular flora of Macquarie Island. *Australasian Antarctic Expedition 1911–1914. Scientific Reports. Series C. Zoology and Botany. Volume VII, Part 3.* 63 pp. (Government Printer: Sydney)
- Cronquist AJ (1981) *An Integrated System of Classification of Flowering Plants.* (Columbia University Press: New York)
- Curtis (1956) *The Student's Flora of Tasmania Part I – Gymnospermae; Angiospermae: Ranunculaceae to Myrtaceae.* 1st edn. (Government Printer: Hobart)
- Curtis WM (1963) *The Student's Flora of Tasmania Part 2 – Angiospermae: Lythraceae to Epacridaceae.* (Government Printer: Hobart)
- Curtis WM (1967) *The Student's Flora of Tasmania Part 3 – Angiospermae: Plumbaginaceae to Salicaceae.* (Government Printer: Hobart)
- Curtis WM (1979) *The Student's Flora of Tasmania Part 4A – Angiospermae: Orchidaceae.* (Government Printer: Hobart)
- Curtis WM, Morris DI (1975) *The Student's Flora of Tasmania Part 1 – Gymnospermae; Angiospermae: Ranunculaceae to Myrtaceae.* 2nd edn. (Government Printer: Hobart)
- Curtis WM, Morris DI (1994) *The Student's Flora of Tasmania Part 4B – Angiospermae: Alismataceae to Burmanniaceae.* (St. Davids Park Publishing: Hobart)
- de Salas MF, Baker ML (2014) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- de Salas MF, Baker ML (2015) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- de Salas MF, Baker ML (2016) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- de Salas MF, Baker ML (2017) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Duretto MF (2009+) *Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart). www.tmag.tas.gov.au/floratasmania
- Garrett M (1996) *The Ferns of Tasmania; Their Ecology and Distribution* (Tasmanian Forest Research Council: Hobart)
- Harris S, Buchanan A, Connolly A (2001) *One Hundred Islands: The Flora of the Outer Fureaux.* (Tasmanian DPIWE: Hobart). p. 197
- Henderson RJF in George AS (Ed) (1987) *Flora of Australia* 45: 209–214, 477–479 (ABRS: Canberra)
- Hewson HJ in George AS (Ed) (1982) *Flora of Australia* 8: 313, map 366 (ABRS: Canberra)
- Hooker JD (1844) *The Botany of the Antarctic Voyage of H. M. Discovery Ships Erebus and Terror in the Years 1839 – 1843 Under the Command of Captain Sir James Clark Ross. Part I: Flora Antarctica* (Reeve Brothers: London)
- Hooker JD (1847) Contributions towards a Flora of Van Diemen's Land. *London Journal of Botany* 6: 461(bis)–479(bis)

- Hooker JD (1860) *The Botany of the Antarctic Voyage of H. M. Discovery Ships Erebus and Terror in the Years 1839 – 1843 Under the Command of Captain Sir James Clark Ross. Part III: Flora Tasmaniae* (Reeve Brothers: London)
- Jarman SJ and Kantvilas GK (2017) *Leptecophylla* in Tasmania: a reassessment of four species. *Swainsona* 31: 1–16
- Labillardiere JJH de (1804–1807) *Novae Hollandiae Plantarum Specimen* (Typographia Dominae Huzard: Paris)
- Maiden JH, Betche E (1916) *A Census of New South Wales Plants* (W. A. Gullick, Government Printer: Sydney)
- McCarthy PM (1998) Ferns, Gymnosperms and Allied Groups. *Flora of Australia* 48. (ABRS: Canberra)
- Morris DI (1977) Miscellaneous notes on endemic Tasmanian plants in the genera *Olearia*, *Ixodia*, *Danthonia*, *Tetrarrhena*. *Records of the Queen Victoria Museum* 55: 1–5
- Raphael TD (1955) Tasmanian garden escapes. *Papers and Proceedings of the Royal Society of Tasmania* 89: 147–150
- Rodway L (1903) *The Tasmanian Flora*. (Government Printer: Hobart)
- Rye BL (1990) Thymelaeaceae. *Flora of Australia* 18: 181, Map 247 (ABRS: Canberra)
- Smith JJ (1912) Epacridaceae. *Nova Guinea* 8: 797
- Townrow JES (1969) A species list of and keys to the grasses of Tasmania. *Papers and Proceedings of the Royal Society of Tasmania* 103: 69–96
- Townrow J (1978) *Papers and Proceedings of the Royal Society of Tasmania* 112
- Willis JH (1970) *A Handbook to Plants in Victoria*. (Melbourne Uni. Press: Melbourne)
- Willis JH (1973) *A Handbook to Plants of Victoria. Vol. 1 – Ferns, Conifers and Monocotyledons*. Ed. 2 (Melbourne Uni. Press: Melbourne)

APPENDIX 2. FAMILY PLACEMENT OF GENERA IN THIS CENSUS

(see Introduction for details regarding this appendix. Names not in current use in Tasmania are indented and in italics)

Abrotanella	Asteraceae	D	Aloe	Asphodelaceae	M
Acacia	Fabaceae	D	Alopecurus	Poaceae	M
Acaena	Rosaceae	D	<i>Alsophila</i>	Cyatheaceae	P
Acanthus	Acanthaceae	D	Alstroemeria	Alstroemeriaceae	M
Acer	Sapindaceae	D	Alternanthera	Amaranthaceae	D
Acetosa	Polygonaceae	D	<i>Alyssum</i>	Brassicaceae	D
Acetosella	Polygonaceae	D	Alyxia	Apocynaceae	D
Achillea	Asteraceae	D	Amaranthus	Amaranthaceae	D
<i>Achnatherum</i>	Poaceae	M	Amelichloa	Poaceae	M
Acianthus	Orchidaceae	M	Ammi	Apiaceae	D
<i>Acion</i>	Restionaceae	M	Ammobium	Asteraceae	D
<i>Aciphylla</i>	Apiaceae	D	Ammophila	Poaceae	M
Acradenia	Rutaceae	D	Amperea	Euphorbiaceae	D
Acrothamnus	Ericaceae	D	Amphibolis	Cymodoceaceae	M
Acrotriche	Ericaceae	D	Amphibromus	Poaceae	M
Actinotus	Apiaceae	D	Amsinckia	Boraginaceae	D
Actites	Asteraceae	D	<i>Anagallis</i>	Myrsinaceae	D
Adiantum	Adiantaceae	P	Anchusa	Boraginaceae	D
Adonis	Ranunculaceae	D	Androstoma	Ericaceae	D
<i>Adriana</i>	Euphorbiaceae	D	Anemone	Ranunculaceae	D
<i>Aegopodium</i>	Apiaceae	D	Angianthus	Asteraceae	D
Aeonium	Crassulaceae	D	<i>Anguillaria</i>	Colchicaceae	M
Agapanthus	Agapanthaceae	M	Anigozanthos	Haemodoraceae	M
Agastachys	Proteaceae	D	Anisodonteia	Malvaceae	D
Agave	Asparagaceae	M	Anisotome	Apiaceae	D
<i>×Agropogon</i>	Poaceae	M	Anodopetalum	Cunoniaceae	D
<i>Agropyron</i>	Poaceae	M	Anogramma	Adiantaceae	P
Agrostemma	Caryophyllaceae	D	Anopterus	Escalloniaceae	D
Agrostis	Poaceae	M	Anredera	Basellaceae	D
Aira	Poaceae	M	Anthemis	Asteraceae	D
Ajuga	Lamiaceae	D	<i>Anthericum</i>	Asphodelaceae	M
<i>Albizia</i>	Fabaceae	D	<i>Anthistiria</i>	Poaceae	M
<i>Alchemilla</i>	Rosaceae	D	<i>Anthocercis</i>	Solanaceae	D
<i>Alepyrum</i>	Centrolepidaceae	M	Anthosachne	Poaceae	M
<i>Aletris</i>	Melanthiaceae	M	Anthoxanthum	Poaceae	M
Alisma	Alismataceae	M	Anthriscus	Apiaceae	D
<i>Allantodia</i>	Athyriaceae	P	<i>Anthyllis</i>	Fabaceae	D
Allittia	Asteraceae	D	Antirrhinum	Plantaginaceae	D
Allium	Alliaceae	M	<i>Anzybas</i>	Orchidaceae	M
Allocauarina	Casuarinaceae	D	Aotus	Fabaceae	D
Almaleea	Fabaceae	D	Apalochlamys	Asteraceae	D
Alnus	Betulaceae	D	Aphanes	Rosaceae	D

Aphelia	Centrolepidaceae	M	Austrofestuca	Poaceae	M
Apium	Apiaceae	D	Austrostipa	Poaceae	M
Apodasmia	Restionaceae	M	Avellinia	Poaceae	M
Aponogeton	Aponogetonaceae	M	Avena	Poaceae	M
<i>Aptenia</i>	Aizoaceae	D	Azolla	Azollaceae	P
<i>Apteropteris</i>	Hymenophyllaceae	P	Azorella	Apiaceae	D
Aquilegia	Ranunculaceae	D	Baeckea	Myrtaceae	D
Arabidopsis	Brassicaceae	D	Ballantinia	Brassicaceae	D
<i>Arachnorchis</i>	Orchidaceae	M	Baloskion	Restionaceae	M
Arbutus	Ericaceae	D	Banksia	Proteaceae	D
Archeria	Ericaceae	D	Barbarea	Brassicaceae	D
Arctium	Asteraceae	D	Bartsia	Orobanchaceae	D
Arctotheca	Asteraceae	D	Bassia	Amaranthaceae	D
Arctotis	Asteraceae	D	<i>Batrachium</i>	Ranunculaceae	D
Arenaria	Caryophyllaceae	D	Bauera	Cunoniaceae	D
Argemone	Papaveraceae	D	Baumea	Cyperaceae	M
Argentina	Rosaceae	D	Bedfordia	Asteraceae	D
Argentipallium	Asteraceae	D	<i>Bellardia</i>	Orobanchaceae	D
Argyrotegium	Asteraceae	D	Bellendena	Proteaceae	D
Aristida	Poaceae	M	Bellis	Asteraceae	D
Aristotelia	Elaeocarpaceae	D	Berberis	Berberidaceae	D
Arrhenatherum	Poaceae	M	Berkheya	Asteraceae	D
<i>Arthrochilus</i>	Orchidaceae	M	Bertya	Euphorbiaceae	D
<i>Arthrocnemum</i>	Amaranthaceae	D	Beta	Amaranthaceae	D
Arthropodium	Laxmanniaceae	M	Betula	Betulaceae	D
<i>Arundo</i>	Poaceae	M	Beyeria	Euphorbiaceae	D
<i>Ascyrum</i>	Hypericaceae	D	Billardiera	Pittosporaceae	D
Asparagus	Asparagaceae	M	Blandfordia	Blandfordiaceae	M
Asperula	Rubiaceae	D	Blechnum	Blechnaceae	P
Asphodelus	Asphodelaceae	M	<i>Boisduvalia</i>	Onagraceae	D
<i>Aspidium</i>	Dryopteridaceae	P	Bolboschoenus	Cyperaceae	M
Asplenium	Aspleniaceae	P	Borago	Boraginaceae	D
Astelia	Asteliaceae	M	Boronia	Rutaceae	D
<i>Aster</i>	Asteraceae	D	Bossiaea	Fabaceae	D
Asterotrachion	Malvaceae	D	Bothriochloa	Poaceae	M
Astroloma	Ericaceae	D	Botrychium	Ophioglossaceae	P
Atherosperma	Atherospermataceae	D	<i>Brachyglottis</i>	Asteraceae	D
Athrotaxis	Cupressaceae	G	Brachyloma	Ericaceae	D
<i>Athyrium</i>	Athyriaceae	P	Brachypodium	Poaceae	M
Atriplex	Amaranthaceae	D	Brachyscome	Asteraceae	D
Australina	Urticaceae	D	<i>Bracteantha</i>	Asteraceae	D
Australopyrum	Poaceae	M	Brassica	Brassicaceae	D
<i>Austrocynoglossum</i>	Boraginaceae	D	Briza	Poaceae	M
<i>Austrodanthonia</i>	Poaceae	M	Bromus	Poaceae	M
Austroderia	Poaceae	M	<i>Brossaea</i>	Ericaceae	D

Brunonia	Goodeniaceae	D	Carpha	Cyperaceae	M
Buddleja	Scrophulariaceae	D	Carpobrotus	Aizoaceae	D
Buglossoides	Boraginaceae	D	<i>Carpodontos</i>	Cunoniaceae	D
Bulbine	Asphodelaceae	M	<i>Carrichtera</i>	Brassicaceae	D
<i>Bunochilus</i>	Orchidaceae	M	Carthamus	Asteraceae	D
Burchardia	Colchicaceae	M	Cassinia	Asteraceae	D
Burnettia	Orchidaceae	M	Cassytha	Lauraceae	D
Bursaria	Pittosporaceae	D	<i>Casuarina</i>	Casuarinaceae	D
<i>Cacalia</i>	Asteraceae	D	Catapodium	Poaceae	M
<i>Caenopteris</i>	Aspleniaceae	P	<i>Caucalis</i>	Apiaceae	D
Caesia	Hemerocallidaceae	M	<i>Caulinia</i>	Posidoniaceae	M
Cakile	Brassicaceae	D	Caustis	Cyperaceae	M
Caladenia	Orchidaceae	M	Cedronella	Lamiaceae	D
Calamagrostis	Poaceae	M	Celmisia	Asteraceae	D
Calandrinia	Portulacaceae	D	<i>Celsia</i>	Scrophulariaceae	D
×Calassodia	Orchidaceae	M	Cenarrhenes	Proteaceae	D
<i>Caldasia</i>	Apiaceae	D	Cenchrus	Poaceae	M
<i>Calea</i>	Asteraceae	D	Centaurea	Asteraceae	D
Caleana	Orchidaceae	M	Centaurium	Gentianaceae	D
Calendula	Asteraceae	D	Centella	Apiaceae	D
Callistachys	Fabaceae	D	Centipeda	Asteraceae	D
<i>Callistemon</i>	Myrtaceae	D	Centranthus	Valerianaceae	D
Callitriche	Plantaginaceae	D	Centrolepis	Centrolepidaceae	M
Callitris	Cupressaceae	G	Centropappus	Asteraceae	D
Calluna	Ericaceae	D	Cerastium	Caryophyllaceae	D
Calocephalus	Asteraceae	D	<i>Ceratochloa</i>	Poaceae	M
Calochilus	Orchidaceae	M	<i>Chaetospora</i>	Cyperaceae	M
Calochlaena	Culcitaceae	P	Chamaecytisus	Fabaceae	D
<i>Calonema</i>	Orchidaceae	M	Chamaemelum	Asteraceae	D
<i>Calonemorchis</i>	Orchidaceae	M	Chamaescilla	Laxmanniaceae	M
Calorophus	Restionaceae	M	<i>Chamaesyce</i>	Euphorbiaceae	D
<i>Caltha</i>	Ranunculaceae	D	Chasmanthe	Iridaceae	M
<i>Calycothrix</i>	Myrtaceae	D	<i>Cheesmania</i>	Brassicaceae	D
Calystegia	Convolvulaceae	D	Cheilanthes	Adiantaceae	P
Calytrix	Myrtaceae	D	Chenopodium	Amaranthaceae	D
Camelina	Brassicaceae	D	Chiloglottis	Orchidaceae	M
Campanula	Campanulaceae	D	Chionogentias	Gentianaceae	D
Campynema	Campynemataceae	M	<i>Chionohebe</i>	Plantaginaceae	D
<i>Candollea</i>	Stylidiaceae	D	Chloris	Poaceae	M
<i>Canthium</i>	Rubiaceae	D	<i>Chlorophytum</i>	Hemerocallidaceae	M
Capsella	Brassicaceae	D	<i>Chondrilla</i>	Asteraceae	D
Cardamine	Brassicaceae	D	Chordifex	Restionaceae	M
<i>Cardaria</i>	Brassicaceae	D	Chorizandra	Cyperaceae	M
Carduus	Asteraceae	D	Chrysanthemoides	Asteraceae	D
Carex	Cyperaceae	M	<i>Chrysanthemum</i>	Asteraceae	D

Chrysocephalum	Asteraceae	D	<i>Ctenopteris</i>	Gleicheniaceae	P
<i>Chrysocoma</i>	Asteraceae	D	Cucumis	Cucurbitaceae	D
Cicendia	Gentianaceae	D	<i>Culcita</i>	Culcitaceae	P
Cichorium	Asteraceae	D	Cullen	Fabaceae	D
Cirsium	Asteraceae	D	<i>Cuphonotus</i>	Brassicaceae	D
Cistus	Cistaceae	D	Cuscuta	Convolvulaceae	D
Cladium	Cyperaceae	M	<i>Cyanicula</i>	Orchidaceae	M
<i>Claytonia</i>	Portulacaceae	D	Cyathea	Cyatheaceae	P
Clematis	Ranunculaceae	D	Cyathodes	Ericaceae	D
<i>Cnicus</i>	Asteraceae	D	<i>Cyclosorus</i>	Thelypteridaceae	P
Coleonema	Rutaceae	D	Cyclosporum	Apiaceae	D
<i>Collomia</i>	Polemoniaceae	D	Cycnogeton	Juncaginaceae	M
Colobanthus	Caryophyllaceae	D	Cymbalaria	Plantaginaceae	D
Comesperma	Polygalaceae	D	Cymbonotus	Asteraceae	D
Conium	Apiaceae	D	<i>Cymodocea</i>	Cymodoceaceae	M
Conospermum	Proteaceae	D	Cynara	Asteraceae	D
Convolvulus	Convolvulaceae	D	Cynodon	Poaceae	M
Conyza	Asteraceae	D	Cynoglossum	Boraginaceae	D
Cooperhooikia	Goodeniaceae	D	Cynosurus	Poaceae	M
Coprosma	Rubiaceae	D	Cyperus	Cyperaceae	M
Cordyline	Laxmanniaceae	M	Cyphanthera	Solanaceae	D
Coronidium	Asteraceae	D	Cyrtostylis	Orchidaceae	M
<i>Coronilla</i>	Fabaceae	D	<i>Cystanthe</i>	Ericaceae	D
<i>Coronopus</i>	Brassicaceae	D	Cystopteris	Athyriaceae	P
Correa	Rutaceae	D	Cytisus	Fabaceae	D
Cortaderia	Poaceae	M	<i>Dacrydium</i>	Podocarpaceae	G
Corunastylis	Orchidaceae	M	Dactylis	Poaceae	M
Corybas	Orchidaceae	M	Damasonium	Alismataceae	M
<i>Corysanthes</i>	Orchidaceae	M	Dampiera	Goodeniaceae	D
<i>Cota</i>	Asteraceae	D	Danthonia	Poaceae	M
Cotoneaster	Rosaceae	D	Daphne	Thymelaeaceae	D
Cotula	Asteraceae	D	Datura	Solanaceae	D
Cotyledon	Crassulaceae	D	Daucus	Apiaceae	D
<i>Crangonorchis</i>	Orchidaceae	M	<i>Davallia</i>	Culcitaceae	P
<i>Crantzia</i>	Apiaceae	D	Daviesia	Fabaceae	D
Craspedia	Asteraceae	D	<i>Decaspora</i>	Ericaceae	D
Crassula	Crassulaceae	D	Delairea	Asteraceae	D
Crataegus	Rosaceae	D	<i>Dendrobium</i>	Orchidaceae	M
<i>Crepidomanes</i>	Hymenophyllaceae	P	<i>Derwentia</i>	Plantaginaceae	D
Crepis	Asteraceae	D	Deschampsia	Poaceae	M
<i>Critesion</i>	Poaceae	M	Desmodium	Fabaceae	D
Crocosmia	Iridaceae	M	<i>Devauxia</i>	Centrolepidaceae	M
Cryptandra	Rhamnaceae	D	Deyeuxia	Poaceae	M
<i>Cryptostemma</i>	Asteraceae	D	Dianella	Hemerocallidaceae	M
Cryptostylis	Orchidaceae	M	Dianthus	Caryophyllaceae	D

<i>Dichanthium</i>	Poaceae	M	Ecballium	Cucurbitaceae	D
Dichelachne	Poaceae	M	Echinochloa	Poaceae	M
Dichondra	Convolvulaceae	D	Echinopogon	Poaceae	M
<i>Dichopogon</i>	Laxmanniaceae	M	Echium	Boraginaceae	D
Dichosciadium	Apiaceae	D	Egeria	Hydrocharitaceae	M
Dicksonia	Dicksoniaceae	P	Ehrharta	Poaceae	M
<i>Didiscus</i>	Araliaceae	D	Einadia	Amaranthaceae	D
<i>Didymotheca</i>	Gyrostemonaceae	D	Elaeocarpus	Elaeocarpaceae	D
Digitalis	Plantaginaceae	D	Elatine	Elatinaceae	D
Digitaria	Poaceae	M	Eleocharis	Cyperaceae	M
<i>Dillenia</i>	Dilleniaceae	D	Eleusine	Poaceae	M
Dillwynia	Fabaceae	D	Elodea	Hydrocharitaceae	M
Dimorphotheca	Asteraceae	D	<i>Elymus</i>	Poaceae	M
Diplarrena	Iridaceae	M	<i>Elynanthus</i>	Cyperaceae	M
Diplaspis	Apiaceae	D	Elytrigia	Poaceae	M
<i>Diplax</i>	Poaceae	M	<i>Embothrium</i>	Proteaceae	D
Diplazium	Athyriaceae	P	Emex	Polygonaceae	D
<i>Diplodium</i>	Orchidaceae	M	Empodisma	Restionaceae	M
Diploxaxis	Brassicaceae	D	Enneapogon	Poaceae	M
Dipodium	Orchidaceae	M	Epacris	Ericaceae	D
Dipogon	Fabaceae	D	Epilobium	Onagraceae	D
Dipsacus	Dipsacaceae	D	<i>Epipactis</i>	Orchidaceae	M
Disa	Orchidaceae	M	Equisetum	Equisetaceae	P
<i>Disarrenum</i>	Poaceae	M	Eragrostis	Poaceae	M
Discaria	Rhamnaceae	D	<i>Erechtites</i>	Asteraceae	D
Diselma	Cupressaceae	G	Erica	Ericaceae	D
<i>Disperis</i>	Orchidaceae	M	Erigeron	Asteraceae	D
Disphyma	Aizoaceae	D	Eriochilus	Orchidaceae	M
Distichlis	Poaceae	M	<i>Eriostemon</i>	Rutaceae	D
Dittrichia	Asteraceae	D	Erodium	Geraniaceae	D
Diuris	Orchidaceae	M	Erophila	Brassicaceae	D
Dockrillia	Orchidaceae	M	<i>Eruca</i>	Brassicaceae	D
Dodonaea	Sapindaceae	D	Eryngium	Apiaceae	D
<i>Dolichos</i>	Fabaceae	D	<i>Erythraea</i>	Gentianaceae	D
Donatia	Donatiaceae	D	Erythranthe	Phrymaceae	D
<i>Doodia</i>	Blechnaceae	P	<i>Erythranthera</i>	Poaceae	M
Draba	Brassicaceae	D	Eschscholzia	Papaveraceae	D
Dracophyllum	Ericaceae	D	Eucalyptus	Myrtaceae	D
<i>Drapetes</i>	Thymelaeaceae	D	Euchiton	Asteraceae	D
<i>Drimys</i>	Winteraceae	D	Eucryphia	Cunoniaceae	D
Drosanthemum	Aizoaceae	D	Euonymus	Celastraceae	D
Drosera	Droseraceae	D	<i>Eupatorium</i>	Asteraceae	D
Drymophila	Luzuriagaceae	M	Euphorbia	Euphorbiaceae	D
Dryopoa	Poaceae	M	Euphrasia	Orobanchaceae	D
Dysphania	Amaranthaceae	D	<i>Eurybia</i>	Asteraceae	D

Eurychorda	Restionaceae	M	<i>Githago</i>	Caryophyllaceae	D
Euryomyrtus	Myrtaceae	D	Gladiolus	Iridaceae	M
Euryops	Asteraceae	D	Glaucium	Papaveraceae	D
Eutaxia	Fabaceae	D	Gleichenia	Gleicheniaceae	P
Ewartia	Asteraceae	D	× <i>Glossadenia</i>	Orchidaceae	M
<i>Exacum</i>	Gentianaceae	D	Glossodia	Orchidaceae	M
<i>Exarrhena</i>	Boraginaceae	D	Glossostigma	Phrymaceae	D
Exocarpos	Santalaceae	D	Glyceria	Poaceae	M
<i>Fabricia</i>	Myrtaceae	D	Glycine	Fabaceae	D
<i>Fagus</i>	Nothofagaceae	D	Gnaphalium	Asteraceae	D
Fallopia	Polygonaceae	D	Gomphocarpus	Asclepidaceae	D
<i>Felicia</i>	Asteraceae	D	Gompholobium	Fabaceae	D
Festuca	Poaceae	M	Gonocarpus	Haloragaceae	D
Ficinia	Cyperaceae	M	Goodenia	Goodeniaceae	D
<i>Filago</i>	Asteraceae	D	Goodia	Fabaceae	D
<i>Fitzroya</i>	Cupressaceae	G	<i>Grammitis</i>	Gleicheniaceae	P
Foeniculum	Apiaceae	D	Gratiola	Plantaginaceae	D
Forstera	Stylidiaceae	D	Grevillea	Proteaceae	D
Frankenia	Frankeniaceae	D	Griselinia	Griselinaceae	D
Fraxinus	Oleaceae	D	Gunnera	Gunneraceae	D
Freesia	Iridaceae	M	<i>Gunnia</i>	Orchidaceae	M
<i>Frenela</i>	Cupressaceae	G	<i>Gymnogramma</i>	Hemionitidiaceae	P
Fuchsia	Onagraceae	D	Gymnoschoenus	Cyperaceae	M
Fumaria	Fumariaceae	D	Gynatrix	Malvaceae	D
Furcraea	Asparagaceae	M	Gypsophila	Caryophyllaceae	D
<i>Fuscospora</i>	Nothofagaceae	D	Gyrostemon	Gyrostemonaceae	D
Gahnia	Cyperaceae	M	Hackelia	Boraginaceae	D
Gaimardia	Centrolepidaceae	M	Haemodorum	Haemodoraceae	M
Galenia	Aizoaceae	D	Hainardia	Poaceae	M
Galinsoga	Asteraceae	D	Hakea	Proteaceae	D
Galium	Rubiaceae	D	Halophila	Hydrocharitaceae	M
Gamochaeta	Asteraceae	D	Haloragis	Haloragaceae	D
Gastridium	Poaceae	M	Hardenbergia	Fabaceae	D
Gastrodia	Orchidaceae	M	<i>Hebe</i>	Plantaginaceae	D
Gaudinia	Poaceae	M	Hedera	Araliaceae	D
Gaultheria	Ericaceae	D	Hedycarya	Monimiaceae	D
Gazania	Asteraceae	D	<i>Hedypnois</i>	Asteraceae	D
Genista	Fabaceae	D	<i>Hedysarum</i>	Fabaceae	D
<i>Genoplesium</i>	Orchidaceae	M	Helichrysum	Asteraceae	D
<i>Genosiris</i>	Iridaceae	M	<i>Helipterum</i>	Asteraceae	D
<i>Gentiana</i>	Gentianaceae	D	<i>Helminthia</i>	Asteraceae	D
Gentianella	Gentianaceae	D	Helminthotheca	Asteraceae	D
Geococcus	Brassicaceae	D	<i>Helxine</i>	Urticaceae	D
Geranium	Geraniaceae	D	Hemarthria	Poaceae	M
Geum	Rosaceae	D	Hemichroa	Amaranthaceae	D

Herpolirion	Hemerocallidaceae	M	Isophysis	Iridaceae	M
Hesperantha	Iridaceae	M	Isopogon	Proteaceae	D
Hesperocyparis	Cupressaceae	G	Isotoma	Campanulaceae	D
Heterozostera	Zosteraceae	M	Ixia	Iridaceae	M
<i>Hewardia</i>	Iridaceae	M	<i>Ixiolaena</i>	Asteraceae	D
Hibbertia	Dilleniaceae	D	<i>Ixodia</i>	Asteraceae	D
<i>Hibiscus</i>	Malvaceae	D	<i>Jonesiopsis</i>	Orchidaceae	M
<i>Hieracium</i>	Asteraceae	D	Juncus	Juncaceae	M
Hierochloe	Poaceae	M	Kelleria	Thymelaeaceae	D
Hirschfeldia	Brassicaceae	D	Kennedia	Fabaceae	D
Histiopteris	Dennstaedtiaceae	P	Kickxia	Plantaginaceae	D
Holcus	Poaceae	M	Kniphofia	Asphodelaceae	M
<i>Homeria</i>	Iridaceae	M	Koeleria	Poaceae	M
Hookerochloa	Poaceae	M	<i>Kohlruschia</i>	Caryophyllaceae	D
Hordeum	Poaceae	M	Kunzea	Myrtaceae	D
Hornungia	Brassicaceae	D	Laburnum	Fabaceae	D
Hovea	Fabaceae	D	Lachnagrostis	Poaceae	M
Humulus	Cannabaceae	D	Lactuca	Asteraceae	D
Huperzia	Lycopodiaceae	P	<i>Lagarosiphon</i>	Hydrocharitaceae	M
<i>Hutchinsia</i>	Brassicaceae	D	Lagarostrobos	Podocarpaceae	G
Hyalosperma	Asteraceae	D	Lagenophora	Asteraceae	D
<i>Hydatella</i>	Hydatellaceae	M	Lagurus	Poaceae	M
Hydrocotyle	Araliaceae	D	Lamium	Lamiaceae	D
Hydrorchis	Orchidaceae	M	<i>Lampocarya</i>	Cyperaceae	M
<i>Hylogyne</i>	Proteaceae	D	Lampranthus	Aizoaceae	D
<i>Hymenanthera</i>	Violaceae	D	Landoltia	Araceae	M
<i>Hymenochilus</i>	Orchidaceae	M	Lapsana	Asteraceae	D
<i>Hymenolobus</i>	Brassicaceae	D	Lasiopetalum	Malvaceae	D
Hymenophyllum	Hymenophyllaceae	P	Lasiospermum	Asteraceae	D
<i>Hyoscyamus</i>	Solanaceae	D	Lastreopsis	Dryopteridaceae	P
Hypericum	Hypericaceae	D	Lathyrus	Fabaceae	D
Hypochaeris	Asteraceae	D	Lavandula	Lamiaceae	D
Hypolaena	Restionaceae	M	<i>Lavatera</i>	Malvaceae	D
Hypolepis	Dennstaedtiaceae	P	Lawrenzia	Malvaceae	D
Hypoxis	Hypoxidaceae	M	Laxmannia	Laxmanniaceae	M
Ilex	Aquifoliaceae	D	Leiocarpa	Asteraceae	D
Imperata	Poaceae	M	Leionema	Rutaceae	D
Indigofera	Fabaceae	D	Lemna	Araceae	M
<i>Inula</i>	Asteraceae	D	Leonotis	Lamiaceae	D
Ipomoea	Convolvulaceae	D	Leontodon	Asteraceae	D
Iris	Iridaceae	M	Lepidium	Brassicaceae	D
Isachne	Poaceae	M	Lepidosperma	Cyperaceae	M
Isoetes	Isoetaceae	P	Lepilaena	Potamogetonaceae	M
Isoetopsis	Asteraceae	D	Leptecophylla	Ericaceae	D
Isolepis	Cyperaceae	M	Leptinella	Asteraceae	D

Leptocarpus	Restionaceae	M	<i>Lychnis</i>	Caryophyllaceae	D
Leptoceras	Orchidaceae	M	Lycium	Solanaceae	D
<i>Leptocyamus</i>	Fabaceae	D	Lycopodiella	Lycopodiaceae	P
Leptomeria	Santalaceae	D	Lycopodium	Lycopodiaceae	P
Leptorhynchos	Asteraceae	D	<i>Lycopsis</i>	Boraginaceae	D
Leptospermum	Myrtaceae	D	Lycopus	Lamiaceae	D
<i>Lepturus</i>	Poaceae	M	<i>Lyonsia</i>	Apocynaceae	D
Lepyrodia	Restionaceae	M	Lyperanthus	Orchidaceae	M
Leucanthemum	Asteraceae	D	Lysimachia	Myrsinaceae	D
Leucochrysum	Asteraceae	D	Lythrum	Lythraceae	D
Leucojum	Amaryllidaceae	M	<i>Malaxis</i>	Orchidaceae	M
Leucophyta	Asteraceae	D	Malus	Rosaceae	D
Leucopogon	Ericaceae	D	Malva	Malvaceae	D
Levenhookia	Stylidiaceae	D	<i>Marianthus</i>	Pittosporaceae	D
Leycesteria	Caprifoliaceae	D	Marrubium	Lamiaceae	D
Leymus	Poaceae	M	Marsilea	Marsileaceae	P
Libertia	Iridaceae	M	Matricaria	Asteraceae	D
Ligustrum	Oleaceae	D	Matthiola	Brassicaceae	D
Lilaeopsis	Apiaceae	D	Maytenus	Celastraceae	D
<i>Limnanthemum</i>	Menyanthaceae	D	Mazus	Mazaceae	D
Limonium	Plumbaginaceae	D	<i>Mecodium</i>	Hymenophyllaceae	P
Limosella	Plantaginaceae	D	Medicago	Fabaceae	D
Linaria	Plantaginaceae	D	<i>Meionectes</i>	Haloragaceae	D
Lindsaea	Lindsaeaceae	P	Melaleuca	Myrtaceae	D
<i>Linguella</i>	Orchidaceae	M	<i>Melandrium</i>	Caryophyllaceae	D
Linum	Linaceae	D	Melicytus	Violaceae	D
Liparophyllum	Menyanthaceae	D	Melilotus	Fabaceae	D
Lissanthe	Ericaceae	D	Melissa	Lamiaceae	D
Lithospermum	Boraginaceae	D	Mentha	Lamiaceae	D
<i>Litobrochia</i>	Pteridaceae	P	Mesembryanthemum	Aizoaceae	D
Lobelia	Campanulaceae	D	<i>Mesomelaena</i>	Cyperaceae	M
Lobularia	Brassicaceae	D	Micranthemum	Picodendraceae	D
Logfia	Asteraceae	D	Microcachrys	Podocarpaceae	G
Lolium	Poaceae	M	Microlaena	Poaceae	M
Lomandra	Asparagaceae	M	Microseris	Asteraceae	D
<i>Lomaria</i>	Blechnaceae	P	Microsorium	Polypodiaceae	P
Lomatia	Proteaceae	D	<i>Microstrobos</i>	Podocarpaceae	G
Lonicera	Caprifoliaceae	D	Microtidium	Orchidaceae	M
<i>Lophochloa</i>	Poaceae	M	Microtis	Orchidaceae	M
<i>Lophopyrum</i>	Poaceae	M	Milligania	Asteliaceae	M
<i>Lophozonia</i>	Nothofagaceae	D	Millotia	Asteraceae	D
Lotus	Fabaceae	D	<i>Mimosa</i>	Fabaceae	D
Lunaria	Brassicaceae	D	<i>Mimulus</i>	Phrymaceae	D
Lupinus	Fabaceae	D	Minuartia	Caryophyllaceae	D
Luzula	Juncaceae	M	Mirabilis	Nyctaginaceae	D

Mirbelia	Fabaceae	D	<i>Oligochaetochilus</i>	Orchidaceae	M
Mitrasacme	Loganiaceae	D	<i>Onobrychis</i>	Fabaceae	D
<i>Mniarum</i>	Caryophyllaceae	D	<i>Onoclea</i>	Blechnaceae	P
Modiola	Malvaceae	D	Ononis	Fabaceae	D
Moenchia	Caryophyllaceae	D	Onopordum	Asteraceae	D
Molineriella	Poaceae	M	Opercularia	Rubiaceae	D
<i>Monerma</i>	Poaceae	M	Ophioglossum	Ophioglossaceae	P
Monotoca	Ericaceae	D	Oreobolus	Cyperaceae	M
Montia	Portulacaceae	D	Oreomyrrhis	Apiaceae	D
Montitega	Ericaceae	D	<i>Oreoporanthera</i>	Phyllanthaceae	D
Moraea	Iridaceae	M	Orites	Proteaceae	D
Muehlenbeckia	Polygonaceae	D	Ornduffia	Menyanthaceae	D
Muscari	Asparagaceae	M	Ornithogalum	Hyacinthaceae	M
Myoporum	Scrophulariaceae	D	Ornithopus	Fabaceae	D
Myosotis	Boraginaceae	D	Orobanche	Orobanchaceae	D
Myosurus	Ranunculaceae	D	Orthoceras	Orchidaceae	M
<i>Myriogyne</i>	Asteraceae	D	<i>Oryzopsis</i>	Poaceae	M
Myriophyllum	Haloragaceae	D	Oschatzia	Apiaceae	D
<i>Myrsiphyllum</i>	Asparagaceae	M	<i>Osteospermum</i>	Asteraceae	D
Nablonium	Asteraceae	D	Ourisia	Plantaginaceae	D
<i>Nanozostera</i>	Zosteraceae	M	Oxalis	Oxalidaceae	D
Narcissus	Amaryllidaceae	M	Oxylobium	Fabaceae	D
Nardus	Poaceae	M	Ozothamnus	Asteraceae	D
Nassella	Poaceae	M	Pachycladon	Brassicaceae	D
Nasturtium	Brassicaceae	D	<i>Panax</i>	Araliaceae	D
Navarretia	Polemoniaceae	D	Pandorea	Bignoniaceae	D
<i>Nemacianthus</i>	Orchidaceae	M	Panicum	Poaceae	M
<i>Nematoceras</i>	Orchidaceae	M	Papaver	Papaveraceae	D
Nematolepis	Rutaceae	D	Pappochroma	Asteraceae	D
<i>Neopaxia</i>	Portulacaceae	D	<i>Paquerina</i>	Asteraceae	D
Nepeta	Lamiaceae	D	Paracaleana	Orchidaceae	M
<i>Nephrodium</i>	Dryopteridaceae	P	<i>Parahebe</i>	Plantaginaceae	D
Nertera	Rubiaceae	D	Parapholis	Poaceae	M
Nicotiana	Solanaceae	D	Paraserianthes	Fabaceae	D
Nonea	Boraginaceae	D	Parentucellia	Orobanchaceae	D
Notelaea	Oleaceae	D	Parietaria	Urticaceae	D
Nothofagus	Nothofagaceae	D	Paronychia	Caryophyllaceae	D
<i>Nothopanax</i>	Araliaceae	D	Parsonsia	Apocynaceae	D
Nothoscordum	Alliaceae	M	<i>Paspalidium</i>	Poaceae	M
<i>Notodanthonia</i>	Poaceae	M	Paspalum	Poaceae	M
Notogrammitis	Grammitidaceae	P	Passiflora	Passifloraceae	D
<i>Nymphoides</i>	Menyanthaceae	D	Pastinaca	Apiaceae	D
Odixia	Asteraceae	D	Patersonia	Iridaceae	M
Oenothera	Onagraceae	D	Pauridia	Hypoxidaceae	M
Olearia	Asteraceae	D	Pelargonium	Geraniaceae	D

Pellaea	Adiantaceae	P	<i>Pleurandra</i>	Dilleniaceae	D
<i>Pennisetum</i>	Poaceae	M	Pleurophyllum	Asteraceae	D
Pentachondra	Ericaceae	D	Pleurosorus	Aspleniaceae	P
Pentaglottis	Boraginaceae	D	<i>Plumatichilos</i>	Orchidaceae	M
Pentapogon	Poaceae	M	Pneumatopteris	Thelypteridaceae	P
<i>Pernettya</i>	Ericaceae	D	Poa	Poaceae	M
Persicaria	Polygonaceae	D	Podalyria	Fabaceae	D
Persoonia	Proteaceae	D	Podocarpus	Podocarpaceae	G
<i>Petalochilus</i>	Orchidaceae	M	Podolepis	Asteraceae	D
Petasites	Asteraceae	D	<i>Podosperma</i>	Asteraceae	D
Petrorhagia	Caryophyllaceae	D	Podotheca	Asteraceae	D
Petroselinum	Apiaceae	D	Polycarpon	Caryophyllaceae	D
Phacelia	Boraginaceae	D	Polygala	Polygalaceae	D
Phalaris	Poaceae	M	Polygonum	Polygonaceae	D
Phebalium	Rutaceae	D	Polyphlebium	Hymenophyllaceae	P
Pheladenia	Orchidaceae	M	<i>Polypodium</i>	Polypodiaceae	P
Pherosphaera	Podocarpaceae	G	<i>Polypodium</i>	Grammitidaceae	P
Philotheca	Rutaceae	D	Polypogon	Poaceae	M
Phlegmariurus	Lycopodiaceae	P	<i>Polypompholyx</i>	Lentibulariaceae	D
Phleum	Poaceae	M	Polyscias	Araliaceae	D
Phormium	Hemerocallidaceae	M	Polystichum	Dryopteridaceae	P
Phragmites	Poaceae	M	Pomaderris	Rhamnaceae	D
Phyllachne	Stylidiaceae	D	Populus	Salicaceae	D
Phyllangium	Loganiaceae	D	Poranthera	Phyllanthaceae	D
Phyllanthus	Phyllanthaceae	D	Portulaca	Portulacaceae	D
Phyllocladus	Podocarpaceae	G	Posidonia	Posidoniaceae	M
Phylloglossum	Lycopodiaceae	P	Potamogeton	Potamogetonaceae	M
Phyllota	Fabaceae	D	Potentilla	Rosaceae	D
<i>Phymatodes</i>	Polypodiaceae	P	<i>Poterium</i>	Rosaceae	D
<i>Phymatosorus</i>	Polypodiaceae	P	Prasophyllum	Orchidaceae	M
Physalis	Solanaceae	D	<i>Pratia</i>	Campanulaceae	D
Phytolacca	Phytolaccaceae	D	Prionotes	Ericaceae	D
Picris	Asteraceae	D	Prostanthera	Lamiaceae	D
<i>Pilitis</i>	Ericaceae	D	Prunella	Lamiaceae	D
Pilosella	Asteraceae	D	Prunus	Rosaceae	D
Pilularia	Marsileaceae	P	<i>Psamma</i>	Poaceae	M
Pimelea	Thymelaeaceae	D	Pseudanthus	Picodendraceae	D
Pinus	Pinaceae	G	<i>Pseudofumaria</i>	Fumariaceae	D
Piptatherum	Poaceae	M	<i>Pseudognaphalium</i>	Asteraceae	D
Pittosporum	Pittosporaceae	D	Pseudopanax	Araliaceae	D
<i>Plagianthus</i>	Malvaceae	D	<i>Psilotum</i>	Psilotaceae	P
Planocarpa	Ericaceae	D	Psoralea	Fabaceae	D
Plantago	Plantaginaceae	D	Psychrophila	Ranunculaceae	D
Platylobium	Fabaceae	D	Pteridium	Dennstaedtiaceae	P
<i>Platyloma</i>	Adiantaceae	P	Pteris	Pteridaceae	P

Pterostylis	Orchidaceae	M	Saponaria	Caryophyllaceae	D
Pterygopappus	Asteraceae	D	Sarcochilus	Orchidaceae	M
Ptilotus	Amaranthaceae	D	Sarcocornia	Amaranthaceae	D
Puccinellia	Poaceae	M	<i>Sarothamnus</i>	Fabaceae	D
Pultenaea	Fabaceae	D	Saxipoa	Poaceae	M
<i>Pygmea</i>	Plantaginaceae	D	Scabiosa	Dipsacaceae	D
Pyrorchis	Orchidaceae	M	Scaevola	Goodeniaceae	D
<i>Racosperma</i>	Fabaceae	D	Scandix	Apiaceae	D
Ranunculus	Ranunculaceae	D	<i>Schedonorus</i>	Poaceae	M
<i>Raoulia</i>	Asteraceae	D	Schenkia	Gentianaceae	D
Raphanus	Brassicaceae	D	Schizacme	Loganiaceae	D
Rapistrum	Brassicaceae	D	Schizaea	Schizaeaceae	P
Reseda	Resedaceae	D	<i>Schizostylis</i>	Iridaceae	M
<i>Restio</i>	Restionaceae	M	<i>Schoenodum</i>	Restionaceae	M
<i>Reynoutria</i>	Polygonaceae	D	<i>Schoenoides</i>	Cyperaceae	M
<i>Rhagadiolus</i>	Asteraceae	D	Schoenoplectus	Cyperaceae	M
Rhagodia	Amaranthaceae	D	Schoenus	Cyperaceae	M
Rhamnus	Rhamnaceae	D	Scilla	Hyacinthaceae	M
Rhodanthe	Asteraceae	D	<i>Scirpus</i>	Cyperaceae	M
Rhododendron	Ericaceae	D	Scleranthus	Caryophyllaceae	D
Rhytidosporum	Pittosporaceae	D	Sclerochloa	Poaceae	M
Ribes	Grossulariaceae	D	<i>Scleroleima</i>	Asteraceae	D
<i>Richea</i>	Asteraceae	D	<i>Sclerostegia</i>	Amaranthaceae	D
Richea	Ericaceae	D	Scorzonera	Asteraceae	D
Ricinocarpos	Euphorbiaceae	D	Scrophularia	Scrophulariaceae	D
<i>Roepera</i>	Zygophyllaceae	D	Scutellaria	Lamiaceae	D
Romulea	Iridaceae	M	Sebaea	Gentianaceae	D
Rorippa	Brassicaceae	D	Secale	Poaceae	M
Rosa	Rosaceae	D	Securigera	Fabaceae	D
Rostraria	Poaceae	M	Sedum	Crassulaceae	D
Rubus	Rosaceae	D	Selaginella	Schizaeaceae	P
Rumex	Polygonaceae	D	Selliera	Goodeniaceae	D
Rumohra	Dryopteridaceae	P	<i>Senebiera</i>	Brassicaceae	D
Ruppia	Ruppiaceae	M	Senecio	Asteraceae	D
<i>Rutidosis</i>	Asteraceae	D	Setaria	Poaceae	M
Rytidosperma	Poaceae	M	<i>Sheffieldia</i>	Theophrastaceae	D
Sagina	Caryophyllaceae	D	Sherardia	Rubiaceae	D
<i>Salicornia</i>	Amaranthaceae	D	Sicyos	Cucurbitaceae	D
Salix	Salicaceae	D	<i>Sieglingia</i>	Poaceae	M
Salpichroa	Solanaceae	D	Sigesbeckia	Asteraceae	D
Salsola	Amaranthaceae	D	Silene	Caryophyllaceae	D
Salvia	Lamiaceae	D	Siloxerus	Asteraceae	D
Sambucus	Adoxaceae	D	Silybum	Asteraceae	D
Samolus	Theophrastaceae	D	<i>Simpliglottis</i>	Orchidaceae	M
Sanguisorba	Rosaceae	D	Sinapis	Brassicaceae	D

Sisymbrium	Brassicaceae	D	Styphelia	Ericaceae	D
Sisyrinchium	Iridaceae	M	Suaeda	Amaranthaceae	D
<i>Skirrhophorus</i>	Asteraceae	D	<i>Sullivania</i>	Orchidaceae	M
Solanum	Solanaceae	D	Swainsona	Fabaceae	D
Soleirolia	Urticaceae	D	Symphytotrichum	Asteraceae	D
Solenogyne	Asteraceae	D	Symphytum	Boraginaceae	D
Soliva	Asteraceae	D	Syzygium	Myrtaceae	D
<i>Sollya</i>	Pittosporaceae	D	Tanacetum	Asteraceae	D
Sonchus	Asteraceae	D	Taraxacum	Asteraceae	D
Sorbus	Rosaceae	D	Tasmania	Winteraceae	D
Sorghum	Poaceae	M	<i>Taurantha</i>	Orchidaceae	M
Sowerbaea	Laxmanniaceae	M	× <i>Taurodium</i>	Orchidaceae	M
Sparaxis	Iridaceae	M	<i>Taxanthera</i>	Plumbaginaceae	D
Spartina	Poaceae	M	Tecticornia	Amaranthaceae	D
Spartium	Fabaceae	D	Teesdalia	Brassicaceae	D
<i>Speculantha</i>	Orchidaceae	M	Telopea	Proteaceae	D
Spergula	Caryophyllaceae	D	Tetracarpaea	Tetracarpaeaceae	D
Spergularia	Caryophyllaceae	D	Tetragonia	Aizoaceae	D
<i>Sphaerocionium</i>	Hymenophyllaceae	P	Tetraria	Cyperaceae	M
Sphaerolobium	Fabaceae	D	Tetrarrhena	Poaceae	M
<i>Spiculaea</i>	Orchidaceae	M	Tetratheca	Elaeocarpaceae	D
Spinifex	Poaceae	M	Teucrium	Lamiaceae	D
Spiranthes	Orchidaceae	M	Thelionema	Hemerocallidaceae	M
<i>Spirodela</i>	Araceae	M	Thelymitra	Orchidaceae	M
Sporanthus	Restionaceae	M	Themeda	Poaceae	M
Sporobolus	Poaceae	M	Thesium	Santalaceae	D
Sprengelia	Ericaceae	D	Thinopyrum	Poaceae	M
Spyridium	Rhamnaceae	D	Thismia	Burmanniaceae	M
Stachys	Lamiaceae	D	Thlaspi	Brassicaceae	D
Stackhousia	Celastraceae	D	<i>Thonandia</i>	Poaceae	M
<i>Statice</i>	Plumbaginaceae	D	Threlkeldia	Amaranthaceae	D
<i>Stegania</i>	Blechnaceae	P	Thryptomene	Myrtaceae	D
<i>Stegostyla</i>	Orchidaceae	M	Thynninorchis	Orchidaceae	M
Stellaria	Caryophyllaceae	D	Thyridia	Phrymaceae	D
Stenanthemum	Rhamnaceae	D	Thysanotus	Laxmanniaceae	M
<i>Stenanthaera</i>	Ericaceae	D	<i>Tillaea</i>	Crassulaceae	D
Stenopetalum	Brassicaceae	D	Tmesipteris	Psilotaceae	P
Stenotaphrum	Poaceae	M	Todea	Osmundaceae	P
Sticherus	Gleicheniaceae	P	Tolpis	Asteraceae	D
Stilbocarpa	Araliaceae	D	Torilis	Apiaceae	D
<i>Stipa</i>	Poaceae	M	Townsonia	Orchidaceae	M
Stonesiella	Fabaceae	D	Trachymene	Araliaceae	D
Stuckenia	Potamogetonaceae	M	Tradescantia	Commelinaceae	M
Stylidium	Stylidiaceae	D	Tragopogon	Asteraceae	D
<i>Stypantra</i>	Hemerocallidaceae	M	<i>Trichinium</i>	Amaranthaceae	D

<i>Trichomanes</i>	Hymenophyllaceae	P	Verbena	Verbenaceae	D
<i>Trichonema</i>	Iridaceae	M	Veronica	Plantaginaceae	D
Tricoryne	Hemerocallidaceae	M	Viburnum	Adoxaceae	D
Tricostularia	Cyperaceae	M	Vicia	Fabaceae	D
Trifolium	Fabaceae	D	<i>Villarsia</i>	Menyanthaceae	D
Triglochin	Juncaginaceae	M	Viminaria	Fabaceae	D
<i>Trigonella</i>	Fabaceae	D	Vinca	Apocynaceae	D
<i>Triodia</i>	Poaceae	M	Viola	Violaceae	D
Tripleurospermum	Asteraceae	D	Vittadinia	Asteraceae	D
Triptilodiscus	Asteraceae	D	Vulpia	Poaceae	M
Trisetum	Poaceae	M	Wahlenbergia	Campanulaceae	D
Trithuria	Hydatellaceae	M	Watsonia	Iridaceae	M
Triticum	Poaceae	M	Westringia	Lamiaceae	D
Tritonia	Iridaceae	M	Wilsonia	Convolvulaceae	D
Trochocarpa	Ericaceae	D	Winifredia	Restionaceae	M
Tropaeolum	Tropaeolaceae	D	Wolffia	Araceae	M
Typha	Typhaceae	M	Wurmbea	Colchicaceae	M
Ulex	Fabaceae	D	Xanthium	Asteraceae	D
Ulmus	Ulmaceae	D	Xanthorrhoea	Xanthorrhoeaceae	M
Uncinia	Cyperaceae	M	Xanthosia	Apiaceae	D
<i>Uniola</i>	Poaceae	M	Xerochrysum	Asteraceae	D
<i>Urochilus</i>	Orchidaceae	M	<i>Xerotes</i>	Asparagaceae	M
Urospermum	Asteraceae	D	Xyris	Xyridaceae	M
Urtica	Urticaceae	D	<i>Zannichellia</i>	Potamogetonaceae	M
Utricularia	Lentibulariaceae	D	Zantedeschia	Araceae	M
<i>Vaccaria</i>	Caryophyllaceae	D	Zieria	Rutaceae	D
Valerianella	Valerianaceae	D	Zostera	Zosteraceae	M
Vallisneria	Hydrocharitaceae	M	Zoysia	Poaceae	M
<i>Valvaria</i>	Ranunculaceae	D	Zygophyllum	Zygophyllaceae	D
Velleia	Goodeniaceae	D			
Vellereophyton	Asteraceae	D			
Verbascum	Scrophulariaceae	D			