

A CENSUS OF THE VASCULAR PLANTS OF TASMANIA, INCLUDING MACQUARIE ISLAND

MF de Salas & ML Baker

2023 edition

Tasmanian Vascular Plant Census 2023

A Census of the Vascular Plants of Tasmania, including Macquarie Island.

2023 edition, published 7 July 2023

MF de Salas and ML Baker

Postal address:

Tasmanian Herbarium
PO Box 5058
UTAS LPO
Sandy Bay, Tasmania 7005
Australia

Street address:

College Road
Sandy Bay, Tasmania 7005
Australia

© 2023 Tasmanian Herbarium, Tasmanian Museum and Art Gallery

Published by the Tasmanian Herbarium, Tasmanian Museum and Art Gallery

GPO Box 1164
Hobart, Tasmania 7001
Australia
<https://www.tmag.tas.gov.au>

Cite as: de Salas, MF, Baker, ML (2023) *A Census of the Vascular Plants of Tasmania, including Macquarie Island*. (Tasmanian Herbarium, Tasmanian Museum and Art Gallery, Hobart) <https://flora.tmag.tas.gov.au/resources/census/>

Introduction

The *Census of the Vascular Plants of Tasmania* is a checklist of every native and naturalised vascular plant taxon for which there is physical evidence of its presence in Tasmania. It includes the correct nomenclature and authorship of the taxon's name, as well as the reference of its original publication.

According to this *Census*, the Tasmanian flora contains 2739 vascular plants, of which 1924 (70%) are considered native and 815 (30%) have naturalised from elsewhere. Among the native taxa, 537 (28%) are endemic to the State. Fifty-two of the State's exotic taxa are considered sparingly naturalised, and are known only from a small number of populations. Twenty-one native taxa are recognised as extinct, whereas seven naturalised taxa are considered to have either not persisted in Tasmania or have been eradicated. The sub-Antarctic Macquarie Island, considered part of Tasmania, supports 50 species of vascular plants, of which 42 are considered native and eight naturalised (two of these have since been eradicated). For some basic statistics on the Tasmanian flora see Tables 1–3.

Compared to the previous edition (de Salas & Baker 2022), the 2023 edition of the *Census* contains six new additions to the State's flora: the newly-discovered, naturalised exotics, *Impatiens balfourii*, *Lythrum junceum* and *Ornithopus perpusillus*; the natives *Eucalyptus dalrympleana* subsp. *lutruwita* and *E. willisii*, and the exotic grass *Thinopyrum obtusiflorum*, which was previously confused for another exotic taxon (Appendix 1a). The names of five taxa have changed since the previous edition (Appendix 1b). Three taxa have had status changes, with the stemless thistle *Onopordum acaulon* no longer considered to be extirpated from Tasmania, and two additional taxa now considered endemic (Appendix 1c). The exotic grass *Thinopyrum elongatum* is no longer considered part of the Tasmanian flora (Appendix 1d).

The *Census* incorporates every name (including synonyms) used to refer to Tasmanian and Macquarie Island plants in the major taxonomic publications about Tasmania, and aims to account for every species name attributed to Tasmania, whether erroneously or correctly.

The classification systems used in this *Census* follows APG IV (2016) for flowering plants (Angiosperms) and McCarthy (1998) for conifers, ferns and their allies. In contrast, the system used to arrange the botanical collections of the Tasmanian Herbarium and in the *Flora of Australia* series, which is published by the Australian Biological Resources Study (ABRS), follows Cronquist (1981), and the *Flora of Tasmania Online* (de Salas 2009+) follows the older APG II (2003) system. To determine the families in which genera are placed in this edition, please refer to Appendix 2 at the end of this document.

This *Census* also serves as an index to *The Student's Flora of Tasmania* (Curtis 1963, 1967, 1979; Curtis & Morris 1975, 1994). Species accounts can be found in *The Student's Flora of Tasmania* by referring to the volume and page number reference that is given in the far right column (e.g. 3:539). Families with accounts completed in the *Flora of Tasmania Online* (de Salas 2009+) are highlighted at the family entry (e.g. FTO 1).

Acknowledgments

The authors would like to thank the APC (Australian Plant Census) group, whose work brings to our attention a myriad of taxonomic updates we might otherwise miss. We would like to thank Lynette Cave of the Tasmanian Herbarium for her assistance in checking the validity and publication details of numerous taxa. Mark Wapstra (ECOtas) provided useful comments on a draft of this publication and for these we are grateful.

TABLE 1: SOME BASIC STATISTICS ON THE STATUS OF TASMANIAN VASCULAR PLANTS

		Native		Naturalised
		non-endemic	endemic	
Basal angiosperms	2	1	1	0
Magnoliids	8	7	1	0
Eudicots	1748	794	365	589
Monocotyledons	861	488	153	220
Gymnosperms	15	2	9	4
Pteridophytes	105	95	8	2
TOTAL	2739	1387	537	815

TABLE 2: SOME BASIC STATISTICS ON THE STATUS OF MACQUARIE ISLAND VASCULAR PLANTS

		Native		Naturalised
		non-endemic	endemic	
Basal angiosperms	0	0	0	0
Magnoliids	0	0	0	0
Eudicots	25	20	1	4
Monocotyledons	20	13	3	4
Gymnosperms	0	0	0	0
Pteridophytes	5	5	0	0
Total	50	38	4	8

TABLE 3: STATISTICS OF TASMANIAN AND MACQUARIE ISLAND VASCULAR PLANT FAMILIES AND GENERA

	Tasmanian families	Tasmanian genera	Macquarie Island families	Macquarie Island genera
Basal angiosperms	1	1	0	0
Magnoliids	4	4	0	0
Eudicots	100	552	14	19
Monocotyledons	38	242	4	12
Gymnosperms	3	10	0	0
Pteridophytes	26	44	5	5
Total	172	853	23	36

Symbols used in species list

- e endemic in Tasmania
 - t within Australia, occurs only in Tasmania
 - x considered by the Tasmanian Herbarium to be extinct or eradicated in Tasmania or Macquarie Island
 - i introduced and naturalised in Tasmania
 - # sparingly naturalised or known from only one or two populations or collections
 - * doubtfully naturalised: collections exist but no evidence exists to establish that this taxon is naturalised in Tasmania
 - n a change since the 2022 edition (see Appendix I for summary)
- no symbol indicates that the taxon is native both in Tasmania and the Australian mainland

TABLE OF CONTENTS

A CENSUS OF THE VASCULAR PLANTS OF TASMANIA, INCLUDING MACQUARIE

ISLAND..... 1

Introduction..... 3

Acknowledgments..... 4

Table 1: Some basic statistics on the status of

Tasmanian vascular plants..... 4

Table 2: Some basic statistics on the status of

Macquarie Island vascular plants 4

Table 3: Statistics of Tasmanian and Macquarie

Island vascular plant families and genera..... 4

Symbols used in species list..... 5

TABLE OF CONTENTS 6

Tasmanian Vascular Plant Census..... 9

Basal angiosperms..... 9

Hydatellaceae FTO 1 9

Magnoliids 9

Atherospermataceae FTO 3 9

Lauraceae FTO 5 9

Monimiaceae FTO 4 9

Winteraceae FTO 2 9

Eudicots..... 9

Acanthaceae FTO 120..... 9

Adoxaceae 9

Aizoaceae FTO 101..... 9

Amaranthaceae FTO 98..... 10

Apiaceae 12

Apocynaceae 13

Aquifoliaceae 13

Araliaceae..... 13

Asclepidaceae..... 14

Asteraceae 14

Balsaminaceae 29

Basellaceae FTO 99..... 29

Berberidaceae FTO 46 29

Betulaceae 29

Bignoniaceae FTO 121 29

Boraginaceae FTO 110..... 29

Brassicaceae..... 30

Campanulaceae..... 33

Cannabaceae 34

Caprifoliaceae 34

Caryophyllaceae 34

Casuarinaceae FTO 67 36

Celastraceae FTO 69 37

Cistaceae 37

Convolvulaceae FTO 111..... 37

Crassulaceae 37

Cucurbitaceae FTO 65 38

Cunoniaceae FTO 72 38

Dilleniaceae FTO 92 39

Dipsacaceae FTO 134..... 40

Donatiaceae FTO 126..... 40

Droseraceae FTO 96 40

Elaeocarpaceae FTO 71 40

Elatinaceae FTO 76 41

Ericaceae FTO 105..... 41

Escalloniaceae FTO 131..... 47

Euphorbiaceae..... 47

Fabaceae 48

Frankeniaceae FTO 93 55

Fumariaceae FTO 45 55

Gentianaceae..... 55

Geraniaceae FTO 54 56

Goodeniaceae FTO 129 57

Griselinaceae FTO 136..... 57

Grossulariaceae FTO 50 57

Gunneraceae FTO 49 57

Gyrostemonaceae FTO 83 57

Haloragaceae 57

Hypericaceae 58

Lamiaceae 59

Lentibulariaceae FTO 119..... 60

Linaceae FTO 77 60

Loganiaceae..... 60

Lythraceae FTO 55 61

Malvaceae 61

Mazaceae 61

Menyanthaceae FTO 128 61

Myrsinaceae 62

Myrtaceae FTO 57 62

Nothofagaceae FTO 66 65

Nyctaginaceae FTO 101.1 65

Oleaceae FTO 113..... 65

Onagraceae..... 65

Orobanchaceae..... 66

Oxalidaceae FTO 70 67

Papaveraceae FTO 44 68

Passifloraceae FTO 81.....	68	Blandfordiaceae.....	89
Phrymaceae FTO 117.....	68	Burmanniaceae FTO 16.....	89
Phyllanthaceae.....	68	Campynemataceae.....	89
Phytolaccaceae.....	68	Centrolepidaceae.....	89
Picrodendraceae FTO 74.....	68	Colchicaceae.....	89
Pittosporaceae FTO 138.....	69	Commelinaceae.....	90
Plantaginaceae.....	69	Cymodoceaceae.....	90
Plumbaginaceae FTO 94.....	71	Cyperaceae.....	90
Polemoniaceae FTO 102.....	71	Haemodoraceae.....	96
Polygalaceae FTO 60.....	71	Hemerocallidaceae.....	96
Polygonaceae FTO 95.....	72	Hyacinthaceae.....	96
Portulacaceae FTO 100.....	73	Hydrocharitaceae.....	96
Proteaceae FTO 48.....	73	Hypoxidaceae.....	97
Ranunculaceae FTO 47.....	75	Iridaceae.....	97
Resedaceae FTO 84.....	77	Juncaceae.....	98
Rhamnaceae.....	77	Juncaginaceae.....	99
Rosaceae.....	78	Laxmanniaceae.....	100
Rubiaceae.....	79	Luzuriagaceae.....	100
Rutaceae FTO 87.....	81	Melanthiaceae.....	100
Salicaceae FTO 80.....	83	Orchidaceae.....	100
Santalaceae FTO 91.....	83	Poaceae.....	112
Sapindaceae FTO 86.....	83	Posidoniaceae.....	126
Scrophulariaceae.....	83	Potamogetonaceae.....	127
Solanaceae FTO 112.....	84	Restionaceae.....	127
Stylidiaceae FTO 127.....	84	Ruppiaceae.....	128
Tetracarpaeaceae FTO 52.....	85	Typhaceae.....	128
Theophrastaceae FTO 103.....	85	Xanthorrhoeaceae.....	128
Thymelaeaceae FTO 89.....	85	Xyridaceae.....	129
Tropaeolaceae FTO 82.....	86	Zosteraceae.....	129
Ulmaceae FTO 63.....	86	Gymnosperms.....	129
Urticaceae FTO 64.....	86	Cupressaceae.....	129
Valerianaceae FTO 135.....	86	Pinaceae.....	130
Verbenaceae.....	86	Podocarpaceae.....	130
Violaceae FTO 79.....	86	Pteridophytes.....	130
Zygophyllaceae FTO 58.....	87	Adiantaceae.....	130
Monocots.....	87	Aspleniaceae.....	130
Agapanthaceae.....	87	Athyriaceae.....	131
Alismataceae.....	87	Azollaceae.....	131
Alliaceae.....	87	Blechnaceae.....	131
Alstroemeriaceae.....	87	Culcitaceae.....	132
Amaryllidaceae.....	87	Cyatheaceae.....	132
Aponogetonaceae.....	88	Dennstaedtiaceae.....	132
Araceae.....	88	Dicksoniaceae.....	133
Asparagaceae.....	88	Dryopteridaceae.....	133
Asphodelaceae.....	88	Equisetaceae.....	133
Asteliaceae.....	88	Gleicheniaceae.....	133

Grammitidaceae	133	Monocots	140
Hemionitidiaceae.....	134	Cyperaceae	140
Hymenophyllaceae.....	134	Juncaceae	140
Isoetaceae	135	Orchidaceae	140
Lindsaeaceae.....	135	Poaceae	140
Lycopodiaceae	135	Pteridophytes	141
Marsileaceae	135	Blechnaceae	141
Ophioglossaceae	136	Dryopteridaceae.....	141
Osmundaceae	136	Grammitidaceae.....	141
Polypodiaceae	136	Hymenophyllaceae	141
Psilotaceae	136	Lycopodiaceae.....	141
Pteridaceae	136	Polypodiaceae.....	141
Schizaeaceae.....	137	APPENDIX 1: CHANGES IN THE CENSUS	
Selaginellaceae.....	137	BETWEEN THE 2022 AND 2023 EDITIONS	
Thelypteridaceae.....	137	142
Macquarie Island Vascular Plant Census	138	Ia: Taxa new to the Tasmanian Census.....	142
Eudicots	138	Eudicots	142
Apiaceae	138	Ib: Taxa that have changed names between 2022	
Araliaceae.....	138	and 2023	142
Asteraceae	138	Eudicots	142
Brassicaceae.....	138	Monocots	142
Caryophyllaceae	138	Pteridophytes	142
Crassulaceae.....	139	Dennstaedtiaceae	142
Haloragaceae	139	Ic: Taxa that have changed status between 2022	
Onagraceae.....	139	and 2023	143
Plantaginaceae	139	Eudicots	143
Polygonaceae FTO 95.....	139	Id: Taxa now not considered to be part of the	
Portulacaceae FTO 100.....	139	Tasmanian Flora.....	143
Ranunculaceae FTO 47.....	139	APPENDIX 2. FAMILY PLACEMENT OF	
Rosaceae	139	GENERA IN THIS CENSUS.....	144
Rubiaceae	139	REFERENCES	157

Tasmanian Vascular Plant Census

BASAL ANGIOSPERMS

HYDATELLACEAE

FTO 1

- Hydatella filamentosa (Rodway) W.M.Curtis = **Trithuria filamentosa** 4b:361
- e **Trithuria filamentosa** Rodway, Pap. & Proc. Roy. Soc. Tasmania 1897: 48 (1898) 4b:361
- Trithuria submersa** Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 79 (1858) 4b:360

MAGNOLIIDS

ATHEROSPERMATACEAE

FTO 3

- Atherosperma moschatum** Labill. subsp. **moschatum**, Nov. Holl. Pl. 2: 74, t.224 (1806) 3:594

LAURACEAE

FTO 5

- Cassytha glabella** f. **dispar** (Schltdl.) J.Z.Weber, J. Adelaide Bot. Gard. 3: 209 (1981) 3:597
- Cassytha glabella** R.Br. f. **glabella**, Prodr. Fl. Nov. Holland. 404 (1810) 3:597
- Cassytha melantha** R.Br., Prodr. Fl. Nov. Holland. 404 (1810) 3:597
- e **Cassytha pedicellosa** J.Z.Weber, J. Adelaide Bot. Gard. 3: 214 (1981)
- Cassytha pubescens** R.Br., Prodr. Fl. Nov. Holland. 404 (1810) 3:597

MONIMIACEAE

FTO 4

- Hedycarya angustifolia** A.Cunn., Ann. Nat. Hist. Ser. 1 1: 215 (1838) 3:595

WINTERACEAE

FTO 2

- Drimys aromatica** (R.Br. ex DC.) F.Muell. = **Tasmannia lanceolata**
- Drimys lanceolata** (Poir.) Baill. = **Tasmannia lanceolata** 1:25
- Tasmannia aromatica** R.Br. ex DC. = **Tasmannia lanceolata**
- Tasmannia lanceolata** (Poir.) A.C.Sm., Taxon 18: 287 (1969) 1:25

EUDICOTS

ACANTHACEAE

FTO 120

- i **Acanthus mollis** L., Sp. Pl. 2: 639 (1753) 3:539

ADOXACEAE

- Sambucus gaudichaudiana** DC., Prodr. [A. P. de Candolle] 4: 322 (1830) 2:265
- i **Sambucus nigra** L., Sp. Pl. 1: 269 (1753) 2:265
- i # **Viburnum tinus** L., Sp. Pl. 1: 267 (1753)

AIZOACEAE

FTO 101

- Aptenia cordifolia** (L.f.) Schwantes = **Mesembryanthemum cordifolium**
- i # **Carpobrotus aequilaterus** (Haw.) N.E.Br., J. Bot. 66: 324 (1928)
- i **Carpobrotus edulis** (L.) N.E.Br. subsp. **edulis**, Gen. S. Afr. Fl. Pl. 249 (1926) 2:238
- Carpobrotus rossii** (Haw.) Schwantes, Gartenflora 77: 68 (1928) 2:238
- Disphyma australe** (Aiton) N.E.Br. sensu Curtis (1963) = **Disphyma crassifolium** subsp. **clavellatum** (misapplied in Tasmania) 2:239
- Disphyma crassifolium** subsp. **clavellatum** (Haw.) Chinnock, Fl. S. Austral., ed. 4, 1: 194 (1986) 2:239

i	Drosanthemum candens (Haw.) Schwantes, Z. Sukkulantenk. 3: 29 (1927)	
i	Galenia pubescens (Eckl. & Zeyh.) Druce var. pubescens , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 624 (1917)	2:241
	<i>Galenia secunda</i> (L.f.) Sond. sensu Curtis (1963) = Galenia pubescens var. pubescens (misapplied in Tasmania)	2:241
i	Lampranthus glaucus (L.) N.E.Br., Gard. Chron. 87: 212 (1930)	2:240
	<i>Mesembryanthemum aequilaterale</i> Haw. sensu Rodway (1903) = Carpobrotus rossii (misapplied in Tasmania)	2:238
	<i>Mesembryanthemum australe</i> Sol. sensu Rodway (1903) = Disphyma crassifolium subsp. clavellatum (misapplied in Tasmania)	2:239
i #	Mesembryanthemum cordifolium L.f., Suppl. Pl. 260 (1782)	
i	Mesembryanthemum crystallinum L., Sp. Pl. 1: 480 (1753)	
	<i>Tetragonia expansa</i> Murray = Tetragonia tetragonoides	2:240
	Tetragonia implexicoma (Miq.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 148 (1856)	2:241
	Tetragonia tetragonoides (Pall.) Kuntze, Revis. Gen. Pl. 1: 264 (1891)	2:240
	<i>Zaleya galericulata</i> (Melville) H.Eichler sensu Walsh (1996) attributed to Tasmania in error	
AMARANTHACEAE		FTO 98
	Alternanthera denticulata R.Br., Prodr. Fl. Nov. Holland. 417 (1810)	3:568
	<i>Alternanthera sessilis</i> (L.) R.Br. ex DC. sensu Hooker (1860) = Alternanthera denticulata (misapplied in Tasmania)	
i	Amaranthus albus L., Syst. Nat., ed. 10: 1268 (1759)	
i	Amaranthus deflexus L., Mant. Pl. 2: 295 (1771)	3:567
i *	<i>Amaranthus graecizans</i> subsp. <i>silvestris</i> (Vill.) Brenan	
	<i>Amaranthus hybridus</i> L. sensu Curtis (1967) = Amaranthus powellii (misapplied in Tasmania)	3:566
i	Amaranthus powellii S.Watson, Proc. Amer. Acad. Arts. 10: 347 (1875)	3:566
	<i>Amaranthus retroflexus</i> L. sensu Curtis (1967) = Amaranthus powellii (misapplied in Tasmania)	3:566
i *	<i>Amaranthus spinosus</i> L.	
	<i>Arthrocnemum arbuscula</i> (R.Br.) Moq. = Tecticornia arbuscula	3:577
?i	Atriplex australasica Moq., Chenop. Monogr. Enum. 59 (1840)	
t	Atriplex billardiarii (Moq.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 215 (1853)	3:575
	Atriplex cinerea Poir., Encycl. (Lamarck) Suppl. 1: 471 (1811)	3:574
	<i>Atriplex halimus</i> L. sensu Brown (1810) = Atriplex cinerea (misapplied in Tasmania)	
	<i>Atriplex hastata</i> L. sensu Curtis (1967) = Atriplex prostrata (misapplied in Tasmania)	3:575
i	Atriplex hortensis L., Sp. Pl. 2: 1053 (1753)	3:576
	Atriplex paludosa R.Br. subsp. paludosa , Prodr. Fl. Nov. Holland. 406 (1810)	3:574
i	Atriplex patula L., Sp. Pl. 2: 1053 (1753)	3:575
	<i>Atriplex patula</i> var. <i>angustifolia</i> Rodway a name of uncertain application	
	<i>Atriplex patula</i> var. <i>littoralis</i> Rodway a name of uncertain application	
i	Atriplex prostrata Boucher ex DC., Fl. Franc. (DC. & Lamarck), ed. 3, 3: 387 (1805)	3:575
?i #	Atriplex semibaccata R.Br., Prodr. Fl. Nov. Holland. 406 (1810)	
	Atriplex suberecta I.Verd., Bothalia 6: 418 (1954)	
i *	<i>Bassia scoparia</i> (L.) A.J.Scott	
i	Beta vulgaris subsp. maritima (L.) Arcang., Comp. Fl. Ital. [Arcangeli]: 593 (1882)	3:573
i	Chenopodium album L., Sp. Pl. 1: 219 (1753)	3:571

	Chenopodium ambiguum R.Br. = Chenopodium glaucum	
	Chenopodium baccatum Labill. sensu Labillardiere (1806) = Rhagodia candolleana (misapplied in Tasmania)	
	Chenopodium capitatum (L.) Ambrosi sensu Buchanan (2009) = Chenopodium foliosum (misapplied in Tasmania)	
x	Chenopodium erosum R.Br., Prodr. Fl. Nov. Holland. 407 (1810)	
i *	Chenopodium foliosum (Moench) Asch.	
	Chenopodium furfuraceum Moq. = Rhagodia candolleana subsp. candolleana	
?i	Chenopodium glaucum L., Sp. Pl. 1: 220 (1753)	3:572
	Chenopodium glaucum subsp. ambiguum (R.Br.) Murr & Thell. ex Thell. = Chenopodium glaucum	
i	Chenopodium murale L., Sp. Pl. 1: 219 (1753)	3:572
	Chenopodium pumilio R.Br. = Dysphania pumilio	3:573
i	Chenopodium vulvaria L., Sp. Pl. 1: 220 (1753)	
i	Dysphania glomulifera (Nees) Paul G.Wilson subsp. glomulifera , Nuytsia 4: 183 (1983)	
i	Dysphania pumilio (R.Br.) Mosyakin & Clemants, Ukrayins'k. Bot. Zhurn. 59: 382 (2002)	3:573
	Einadia nutans (R.Br.) A.J.Scott subsp. nutans , Feddes Repert. 89: 3 (1978)	3:570
	Hemichroa pentandra R.Br., Prodr. Fl. Nov. Holland. 409 (1810)	3:576
	Ptilotus spathulatus (R.Br.) Poir., Encycl. (Lamarck) Suppl. 4: 620 (1816)	3:567
	Rhagodia baccata (Labill.) Moq. sensu Curtis (1967) = Rhagodia candolleana (misapplied in Tasmania)	3:570
	Rhagodia billardierei R.Br. sensu Brown (1810) = Rhagodia candolleana (misapplied in Tasmania)	
	Rhagodia billardierei var. congesta (Hook.f.) Benth. = Chenopodium murale	
	Rhagodia candolleana Moq. subsp. candolleana , Chenop. Monogr. Enum. 10 (1840)	3:570
	Rhagodia nutans R.Br. = Einadia nutans	3:570
	Salicornia arbuscula R.Br. = Tecticornia arbuscula	
	Salicornia australis Sol. ex Benth. nom. illeg. = Salicornia quinqueflora subsp. quinqueflora	
	Salicornia blackiana Ulbr., Nat. Pflanzenfam., ed. 2 [Engler & Prantl] 16c: 552 (1934)	3:579
	Salicornia indica R.Br. sensu Brown (1810) = Salicornia quinqueflora (misapplied in Tasmania)	
	Salicornia quinqueflora Bunge ex Ung.-Sternb. subsp. quinqueflora , Vers. Syst. Salicorn. 59 (1866)	3:578
	Salicornia quinqueflora subsp. tasmanica (Paul G.Wilson) Piirainen & G.Kadereit, Taxon 66: 126 (2017)	3:578
	Salsola australis R.Br., Prodr. Fl. Nov. Holland. 411 (1810)	
	Salsola kali L. sensu Buchanan (2005) = Salsola australis (misapplied in Tasmania)	
	Salsola tragus L. sensu Buchanan (2009) = Salsola australis (misapplied in Tasmania)	
	Sarcocornia blackiana (Ulbr.) A.J.Scott = Salicornia blackiana	3:579
	Sarcocornia quinqueflora (Bunge ex Ung.-Sternb.) A.J.Scott subsp. quinqueflora = Salicornia quinqueflora subsp. quinqueflora	3:578
	Sarcocornia quinqueflora subsp. tasmanica Paul G.Wilson = Salicornia quinqueflora subsp. tasmanica	3:578
	Sclerostegia arbuscula (R.Br.) Paul G.Wilson = Tecticornia arbuscula	3:577
	Suaeda australis (R.Br.) Moq., Ann. Sci. Nat. (Paris) 23: 318 (1831)	3:580
i	Suaeda maritima (L.) Dumort. subsp. maritima , Fl. Belg. (Dumortier): 22 (1827)	
	Tecticornia arbuscula (R.Br.) K.A.Sheph. & Paul G.Wilson, Austral. Syst. Bot. 20: 325 (2007)	3:577
	Threlkeldia diffusa R.Br., Prodr. Fl. Nov. Holland. 410 (1810)	3:577
	Trichinium spathulatum R.Br. = Ptilotus spathulatus	

APIACEAE

	Aciphylla procumbens (F.Muell.) Benth. = Anisotome procumbens	2:261
	Actinotus bellidioides (Hook.f.) Benth., Fl. Austral. 3: 369 (1867)	2:253
e	Actinotus moorei F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1894: 52 (1896)	2:254
e	Actinotus suffocatus (Hook.f.) Rodway, Pap. & Proc. Roy. Soc. Tasmania 1893: 180 (1894)	2:254
i *	Aegopodium podagraria L.	
i	Ammi majus L., Sp. Pl. 1: 243 (1753)	
e	Anisotome procumbens (F.Muell.) C.J.Webb, Fl. & Fauna Alpine Australasia: 395 (1986)	2:261
i	Anthriscus caucalis M.Bieb., Fl. Taur.-Caucas. 1: 230 (1808)	
	Apium annuum P.S.Short, J. Adelaide Bot. Gard. 1: 230 (1979)	
	Apium australe Thouars sensu Bentham (1867) p.p. = Apium prostratum (misapplied in Tasmania)	
	Apium australe Thouars sensu Bentham (1867) p.p. = Apium insulare (misapplied in Tasmania)	
	Apium australe Thouars sensu Bentham (1867) p.p. = Apium annuum (misapplied in Tasmania)	
	Apium insulare P.S.Short, J. Adelaide Bot. Gard. 1: 228 (1979)	
	Apium prostratum var. filiforme (A.Rich.) Kirk, Stud. Fl. New Zealand 196 (1899)	2:255
	Apium prostratum Labill. ex Vent. var. prostratum , Jard. Malmaison 2: t.81 (1805)	2:255
	Azorella dichopetala Benth. nom. illeg. = Dichosciadium ranunculaceum	
	Azorella saxifraga (Hook.f.) Benth. = Oschatzia saxifraga	2:251
	Caldasia brachycarpa Hook.f. = Oreomyrrhis eriopoda	
	Caucalis infesta Curtis = Torilis arvensis	
	Centella cordifolia (Hook.f.) Nannf., Svensk Bot. Tidskr. 18: 418 (1924)	2:247
i	Conium maculatum L., Sp. Pl. 1: 243 (1753)	2:254
	Crantzia lineata Nutt. sensu Bentham (1867) = Lilaeopsis polyantha (misapplied in Tasmania)	
i	Cyclospermum leptophyllum (Pers.) Sprague ex Britton & P.Wilson, Bot. Porto Rico 6: 52 (1925)	
	Daucus brachiatus Sieber ex DC. = Daucus glochidiatus	
i	Daucus carota L., Sp. Pl. 1: 242 (1753)	2:262
	Daucus glochidiatus (Labill.) Fisch., C.A.Mey. & Avé-Lall., Index Seminum [St. Petersburg] 9, Suppl. 11 (1844)	2:262
	Daucus pusillus Michx. sensu Hooker (1860) = Daucus glochidiatus (misapplied in Tasmania)	
e	Dichosciadium ranunculaceum var. tasmanicum (Hook.f.) Domin, Repert. Spec. Nov. Regni Veg. 5: 105 (1908)	2:250
e	Diplaspis cordifolia (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 157 (1856)	2:252
e	Diplaspis hydrocotyle Hook.f., London J. Bot. 6: 469 bis (1847)	2:251
	Eryngium ovinum A.Cunn., Geogr. Mem. New South Wales [Field] 358 (1825)	2:252
	Eryngium rostratum Cav. sensu Curtis (1963) = Eryngium ovinum (misapplied in Tasmania)	2:252
	Eryngium vesiculosum Labill., Nov. Holl. Pl. 1: 73 t.98 (1805)	2:252
i	Foeniculum vulgare Mill., Gard. Dict., ed. 8, no.1 (1768)	2:259
i t	Heracleum mantegazzianum Sommier & Levier, Nuovo Giorn. Bot. Ital. ser. 2, v2: 79 (1895)	
	Lilaeopsis brownii A.W.Hill = Lilaeopsis polyantha	2:260
	Lilaeopsis gunnii A.W.Hill = Lilaeopsis polyantha	
t	Lilaeopsis novae-zelandiae (Gand.) A.W.Hill, J. Linn. Soc. Bot. 47: 549 (1927)	
	Lilaeopsis polyantha (Gand.) H.Eichler, Taxon 12: 296 (1963)	2:260
	Lilaeopsis sp. West Coast (A.Moscal 5655) Tas Herbarium = Lilaeopsis novae-zelandiae	

	Oreomyrrhis andicola (Kunth) Endl. ex Hook.f. sensu Bentham (1867) p.p. = Oreomyrrhis sessiliflora (misapplied in Tasmania)	
	Oreomyrrhis andicola (Kunth) Endl. ex Hook.f. sensu Bentham (1867) p.p. = Oreomyrrhis eriopoda (misapplied in Tasmania)	
	Oreomyrrhis andicola (Kunth) Endl. ex Hook.f. sensu Bentham (1867) p.p. = Oreomyrrhis ciliata (misapplied in Tasmania)	
	Oreomyrrhis argentea (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 162 (1856)	2:257
	Oreomyrrhis brachycarpa (Hook.f.) Hook.f. = Oreomyrrhis eriopoda	
	Oreomyrrhis ciliata Hook.f., London J. Bot. 6: 471 bis (1847)	2:258
	Oreomyrrhis eriopoda (DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 162 (1856)	2:257
e	Oreomyrrhis gunnii Mathias & Constance, Univ. Calif. Publ. Bot. 27: 395 (1955)	2:258
e	Oreomyrrhis sessiliflora Hook.f., London J. Bot. 6: 471 bis (1847)	2:258
e	Oschatzia saxifraga (Hook.f.) Walp., Ann. Bot. Syst. (Walpers) I: 340 (1848)	2:251
i	Pastinaca sativa L., Sp. Pl. I: 262 (1753)	2:261
i	Petroselinum crispum (Mill.) Fuss, Fl. Transsilv. 254 (1866)	2:256
	Scandix glochidiata Labill. = Daucus glochidiatus	
i	Scandix pecten-veneris L., Sp. Pl. I: 256 (1753)	2:259
	Torilis arvensis (Huds.) Link possibly recorded in error	
i	Torilis nodosa (L.) Gaertn., Fruct. Sem. Pl. I: 82, t.20 (1788)	2:262
	Xanthosia dissecta Hook.f., Icon. Pl. 4: t.302 (1841)	2:250
	Xanthosia montana Sieber ex DC. = Xanthosia pilosa	
	Xanthosia pilosa Rudge, Trans. Linn. Soc. London 10: 301 (1811)	2:249
	Xanthosia pusilla Bunge sensu Curtis (1963) = Xanthosia tasmanica (misapplied in Tasmania)	2:250
	Xanthosia tasmanica Domin, Repert. Spec. Nov. Regni Veg. 4: 298 (1907)	2:250
	Xanthosia ternifolia J.M.Hart & Henwood, Austral. Syst. Bot. 13: 256 (2000)	
	Xanthosia tridentata DC., Prodr. [A. P. de Candolle] 4: 75 (1830)	2:249
APOCYNACEAE		
	Alyxia buxifolia R.Br., Prodr. Fl. Nov. Holland. 470 (1810)	3:472
	Lyonsia straminea R.Br. sensu Rodway (1903) = Parsonsia brownii (misapplied in Tasmania)	
	Parsonsia brownii (Britten) Pichon, Notul. Syst. (Paris) 14: 10 (1950)	3:473
	Parsonsia straminea (R.Br.) F.Muell. sensu Curtis (1967) = Parsonsia brownii (misapplied in Tasmania)	3:473
i	Vinca major L., Sp. Pl. I: 209 (1753)	3:472
AQUIFOLIACEAE		
i	Ilex aquifolium L., Sp. Pl. I: 125 (1753)	
ARALIACEAE		
	Didiscus humilis f. breviscapis Domin = Trachymene humilis subsp. breviscapa	
	Didiscus humilis Hook.f. f. humilis = Trachymene humilis subsp. humilis	
	Didiscus pilosus Hook.f. nom. illeg. = Trachymene composita	
i	Hedera helix L., Sp. Pl. I: 202 (1753)	
	Hydrocotyle asiatica L. sensu Rodway (1903) = Centella cordifolia (misapplied in Tasmania)	
	Hydrocotyle callicarpa Bunge, Pl. Preiss. [J.G.C.Lehman] I: 283 (1845)	2:246
	Hydrocotyle capillaris F.Muell. ex Klatt, Linnaea 29: 707 (1859)	2:247
	Hydrocotyle comocarpa F.Muell., Vict. Naturalist 3: 127 (1887)	
	Hydrocotyle foveolata H.Eichler, Suppl. Black's Fl. S. Austral., ed. 2, 248 (1965)	

	Hydrocotyle hirta R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 204 (1820)	2:245
	Hydrocotyle javanica Thunb. sensu Curtis (1963) = Hydrocotyle hirta (misapplied in Tasmania)	2:245
	Hydrocotyle laxiflora DC., Prodr. [A. P. de Candolle] 4: 61 (1830)	2:246
	Hydrocotyle muscosa R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 208 (1820)	2:246
	Hydrocotyle peduncularis R.Br. ex A.Rich. = Hydrocotyle sibthorpioides	
	Hydrocotyle pterocarpa F.Muell., Defin. Austral. Pl. 46 (1855)	2:246
	Hydrocotyle sibthorpioides Lam., Encycl. (Lamarck) 3: 153 (1789)	2:245
	Hydrocotyle tasmanica Hook.f. a name of uncertain application	
	Hydrocotyle tripartita R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 209 (1820)	
	Hydrocotyle vagans Hook.f. a name of uncertain application	
	Nothopanax gunnii (Hook.f.) Seem. = Pseudopanax gunnii	2:264
	Panax gunnii Hook.f. = Pseudopanax gunnii	
	Panax sambucifolius Sieber ex DC. = Polyscias sambucifolia	
	Panax sambucifolius Sieber ex DC. sensu Bentham (1867) = Polyscias sp. Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
	Polyscias sp. Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
	Polyscias aff. sambucifolia = Polyscias sp. Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
i	Polyscias sambucifolia (Sieber ex DC.) Harms, Nat. Pflanzenfam. [Engler & Prantl] III 8: 45 (1894)	
e	Pseudopanax gunnii (Hook.f.) K.Koch, Wochenschr. Gärtnerei Pflanzenk. 2: 366 (1859)	2:264
	Trachymene anisocarpa (Turcz.) B.L.Burtt sensu Curtis (1963) = Trachymene composita (misapplied in Tasmania)	2:248
	Trachymene australis Benth. nom. illeg. = Trachymene composita	
	Trachymene composita (Domin) B.L.Burtt var. composita , J. Bot. 79: 45 (1941)	2:248
	Trachymene composita var. robertsonii (Domin) J.M.Hart, Austral. Syst. Bot. 19: 40 (2006)	
	Trachymene humilis subsp. breviscapa (Domin) P.S.Short, Muelleria 6: 166 (1986)	2:248
	Trachymene humilis (Hook.f.) Benth. subsp. humilis , Fl. Austral. 3: 351 (1867)	2:248
ASCLEPIDACEAE		
i	Gomphocarpus fruticosus (L.) W.T.Aiton subsp. fruticosus , Hort. Kew., ed. 2 [W.T. Aiton], 2: 80 (1811)	
ASTERACEAE		
e	Abrotanella forsteroides (Hook.f.) Benth., Fl. Austral. 3: 554 (1867)	2:359
e	Abrotanella scapigera (F.Muell.) Benth., Fl. Austral. 3: 554 (1867)	2:359
i	Achillea distans Waldst. & Kit. ex Willd., Sp. Pl., ed. 4 [Willdenow] 3: 2207 (1800)	2:351
i	Achillea millefolium L., Sp. Pl. 2: 899 (1753)	2:351
	Achillea tanacetifolia All. = Achillea distans	2:351
	Actites megalocarpus (Hook.f.) Lander, Telopea 1: 130 (1976)	2:390
	Allittia cardiocarpa (F.Muell. ex Benth.) P.S.Short, Muelleria 20: 55 (2004)	2:296
i	Ammobium alatum R.Br., Bot. Mag. 51: t.2459 (1824)	2:343
	Ammobium calyceroides (Cass.) Anderb. = Nablonium calyceroides	2:349
	Angianthus eriocephalus (A.Gray) Benth. = Angianthus preissianus	2:344
	Angianthus preissianus (Steetz) Benth., Fl. Austral. 3: 566 (1867)	2:344
i	Anthemis arvensis L., Sp. Pl. 2: 894 (1753)	2:352
i	Anthemis cotula L., Sp. Pl. 2: 894 (1753)	2:352

	<i>Anthemis nobilis</i> L. = Chamaemelum nobile	2:352
	<i>Anthemis tinctoria</i> L. = Cota tinctoria	2:352
	<i>Apalochlamys billardierei</i> DC. = Apalochlamys spectabilis	
	Apalochlamys spectabilis (Labill.) Steud., Nomencl. Bot. [Steudel], ed. 2, 1: 255 (1840)	2:340
i	Arctium minus (Hill) Bernh., Syst. Verz. (Bernhardi) 154 (1800)	2:375
i	Arctotheca calendula (L.) K.Lewin, J. S. African Bot. 8: 284 (1942)	2:374
i	Arctotheca populifolia (P.J.Bergius) Norl., Aquilo, Ser. Bot. 6: 84 (1967)	
i	Arctotis stoechadifolia P.J.Bergius, Descr. Pl. Cap. 324 (1767)	2:374
	Argentipallium dealbatum (Labill.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:330
	Argentipallium obtusifolium (Sond.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:329
e	Argentipallium × spiceri (F.Muell.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:329
	Argyrotegium fordianum (M.Gray) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	
	Argyrotegium mackayi (Buchanan) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	2:320
	Argyrotegium nitidulum (Hook.f.) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	
	Argyrotegium poliochlorum (N.G.Walsh) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	2:320
	<i>Aster aculeatus</i> Labill. = Olearia ramulosa	
	<i>Aster argophyllus</i> Labill. = Olearia argophylla	
	<i>Aster microphyllus</i> Labill. nom. illeg. = Olearia lepidophylla	
	<i>Aster myrsinoides</i> Labill. = Olearia myrsinoides	
	<i>Aster phlogopappus</i> Labill. = Olearia phlogopappa	
	<i>Aster ramulosus</i> Labill. = Olearia ramulosa	
	<i>Aster stellulatus</i> Labill. = Olearia stellulata	
	<i>Aster subulatus</i> Michx. = Symphyotrichum subulatum	2:299
	<i>Aster viscosus</i> Labill. = Olearia viscosa	
	Bedfordia arborescens Hochr., Candollea 5: 332 (1934)	
e	Bedfordia linearis (Labill.) DC. subsp. linearis , Prodr. [A. P. de Candolle] 6: 441 (1838)	2:371
e	Bedfordia linearis var. curvifolia Orchard, Muellera 19: 93 (2004)	2:371
e	Bedfordia linearis var. oblongifolia Orchard, Muellera 19: 90 (2004)	2:371
e	Bedfordia salicina (Labill.) DC., Prodr. [A. P. de Candolle] 6: 441 (1838)	2:371
	<i>Bellis aculeata</i> Labill. = Brachyscome aculeata	
	<i>Bellis graminea</i> Labill. = Brachyscome graminea	
i	Bellis perennis L., Sp. Pl. 2: 886 (1753)	2:299
	<i>Bellis stipitata</i> Labill. = Lagenophora stipitata	
i	Berkheya rigida (Thunb.) Bolus & Wolley-Dod, Trans. S.African. Philos. Soc. 14: 289 (1904)	
	<i>Brachyglottis brunonis</i> (Hook.f.) B.Nord. = Centropappus brunonis	2:365
	Brachyscome aculeata (Labill.) Less., Syn. Gen. Compos. 192 (1832)	2:296
	<i>Brachyscome angustifolia</i> A.Cunn. ex DC. = Brachyscome graminea	2:295
	<i>Brachyscome cardiocarpa</i> F.Muell. ex Benth. = Allittia cardiocarpa	2:296
	Brachyscome ciliaris (Labill.) Less., Syn. gen. Compos. 192 (1832)	2:298
	<i>Brachyscome ciliaris</i> var. robusta Benth. = Brachyscome rigidula	
	Brachyscome decipiens Hook.f., London J. Bot. 6: 114 (1847)	2:295
	Brachyscome diversifolia (Graham ex Hook.) Fisch. & C.A.Mey., Index Seminum [St. Petersburg (Petropolitanus)] 2: 31 (1835)	2:297

	Brachyscome diversifolia var. maritima Benth. = Brachyscome diversifolia	2:297
	Brachyscome graminea (Labill.) F.Muell., Fragm. (Mueller) 1(3): 49 (1858)	2:295
	Brachyscome linearifolia DC. sensu Hooker (1860) = Allittia cardiocarpa (misapplied in Tasmania)	
	Brachyscome nivalis var. alpina sensu Curtis (1963) = Brachyscome radicans (misapplied in Tasmania)	2:297
	Brachyscome parvula Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 185 (1856)	2:298
	Brachyscome perpusilla (Steetz) J.M.Black, Fl. S. Austral. [J.M. Black] 4: 587 (1929)	
	Brachyscome pumila Walp. sensu Hooker (1860) a name of uncertain application	
	Brachyscome radicans Steetz, Pl. Preiss. [J.G.C.Lehman] 1: 429 (1845)	2:295
t	Brachyscome radicata Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 127 (1852)	2:298
	Brachyscome rigidula (DC.) G.L.Davis, Proc. Linn. Soc. New South Wales 73: 219 (1948)	2:298
	Brachyscome scapiformis DC. = Brachyscome spathulata	2:296
	Brachyscome scapiformis var. tenuiscapa (Hook.f.) Benth. = Brachyscome tenuiscapa	
	Brachyscome sieberi var. gunnii DC. = Brachyscome aculeata	
	Brachyscome spathulata Gaudich., Voy. Uranie, Bot. 468 (1830)	
	Brachyscome spathulata subsp. glabra (DC.) H.M.Stace = Brachyscome spathulata	2:296
	Brachyscome stricta DC. = Brachyscome aculeata	2:296
	Brachyscome tadgellii Tovey & P.Morris sensu Buchanan (1995) previously recorded in error	
e	Brachyscome tasmanica P.S.Short, J. Adelaide Bot. Gard. 28: 160 (2014)	
e	Brachyscome tenuiscapa Hook.f., London J. Bot. 6: 114 (1847)	2:294
	Brachyscome tenuiscapa var. pubescens (Benth.) G.L.Davis sensu Buchanan et al. (1989) = <i>Brachyscome staceae</i> (N.S.W., previously recorded in error)	2:294
	Bracteantha bicolor (Lindl.) Anderb. & Haegi = Xerochrysum bicolor	2:331
	Bracteantha bracteata (Vent.) Anderb. & Haegi sensu Buchanan (1995) = Xerochrysum macsweeneyorum (partly misapplied in Tasmania)	
	Bracteantha palustris Flann = Xerochrysum palustre	
	Bracteantha papillosa (Labill.) Anderb. & Haegi = Xerochrysum papillosum	2:331
	Bracteantha subundulata (Sch.Bip.) Paul G.Wilson = Xerochrysum subundulatum	2:330
	Cacalia linearis Labill. = Bedfordia linearis	
	Cacalia salicina Labill. = Bedfordia salicina	
	Calea aculeata Labill. = Cassinia aculeata	
	Calea spectabilis Labill. = Apalochlamys spectabilis	
i	Calendula arvensis L., Sp. Pl., ed. 2, 2: 1303 (1763)	2:372
i	Calendula officinalis L., Sp. Pl. 2: 921 (1753)	2:373
	Calocephalus brownii (Cass.) F.Muell. = Leucophyta brownii	2:345
	Calocephalus citreus Less., Syn. Gen. Compos. 271 (1832)	2:346
	Calocephalus lacteus Less., Syn. Gen. Compos. 271 (1832)	2:345
	Carduus arvensis (L.) Robson = Cirsium arvense	
	Carduus lanceolatus L. = Cirsium vulgare	
	Carduus marianus L. = Silybum marianum	
i	Carduus nutans L., Sp. Pl. 2: 821 (1753)	
	Carduus pratensis Huds. sensu Rodway (1903) = Cirsium vulgare (misapplied in Tasmania)	
i	Carduus pycnocephalus L., Sp. Pl., ed. 2, 2: 1151 (1763)	
i	Carduus tenuiflorus Curtis, Fl. Londin. (Curtis) 2(6): t.169 (1793)	2:376

i	Carthamus lanatus L., Sp. Pl. 2: 830 (1753)	2:380
i	Carthamus tinctorius L., Sp. Pl. 2: 830 (1753)	
	Cassinia aculeata (Labill.) R.Br. subsp. aculeata , Trans. Linn. Soc. London 12: 127 (1817)	2:339
	Cassinia longifolia R.Br. sensu Curtis (1963) = Cassinia trinerva (misapplied in Tasmania)	2:340
	Cassinia rugata N.G.Walsh, Muelleria 7: 141 (1990)	
	Cassinia spectabilis (Labill.) R.Br. = Apalochlamys spectabilis	2:340
	Cassinia trinerva N.A.Wakef., Vict. Naturalist 68: 69 (1951)	2:340
e	Celmisia asteliifolia Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 35 (1844)	2:310
	Celmisia longifolia Cass. sensu Curtis (1963) = Celmisia asteliifolia (misapplied in Tasmania)	2:310
	Celmisia longifolia var. saxifraga Benth. = Celmisia saxifraga	
e	Celmisia saxifraga (Benth.) W.M.Curtis, Taxon 17: 467 (1968)	2:310
i*	Centaurea calcitrapa L.	2:379
i*	Centaurea cyanus L.	
	Centaurea jacea L. sensu Buchanan (2007) = Centaurea × moncktonii (misapplied in Tasmania)	2:378
i	Centaurea melitensis L., Sp. Pl. 2: 917 (1753)	2:380
i	Centaurea × moncktonii C.E.Britton, Rep. Bot. Soc. Exch. Club Brit. Isles 1920, 6: 172 (1921)	2:378
	Centaurea nigra L. sensu Buchanan (2007) = Centaurea × moncktonii (misapplied in Tasmania)	2:379
i*	Centaurea solstitialis L.	2:379
	Centipeda cunninghamii (DC.) A.Braun & Asch., Index Seminum Hort. Bot. Berol. App. 6 (1867)	
	Centipeda elatinoides (Less.) Benth. & Hook.f. ex O.Hoffm., Nat. Pflanzenfam. [Engler & Prantl] 4(5): 280 (1892)	2:358
	Centipeda minima (L.) A.Braun & Asch. sensu Curtis (1963) = Centipeda elatinoides (misapplied in Tasmania)	2:358
e	Centropappus brunonis Hook.f., London J. Bot. 6: 124 (1847)	2:365
i	Chamaemelum nobile (L.) All., Fl. Pedem. 1: 185 (1785)	2:352
	Chondrilla juncea L. sensu Curtis (1963) anecdotal, possibly recorded in error	2:388
i	Chrysanthemoides monilifera (L.) Norl. subsp. monilifera , Stud. Calendulae 1: 374 (1943)	2:373
	Chrysanthemum leucanthemum L. = Leucanthemum vulgare	2:353
	Chrysanthemum parthenium (L.) Bernh. = Tanacetum parthenium	2:353
	Chrysocephalum apiculatum (Labill.) Steetz subsp. apiculatum , Pl. Preiss. [J.G.C.Lehman] 1: 474 (1845)	2:332
	Chrysocephalum baxteri (A.Cunn. ex DC.) Anderb., Compositae Newslett. 19: 22 (1991)	2:328
	Chrysocephalum semipapposum subsp. asperum (Steetz) Paul G.Wilson, Nuytsia 27: 70 (2016)	
	Chrysocephalum semipapposum subsp. lineare Paul G.Wilson, Nuytsia 27: 67 (2016)	
	Chrysocephalum semipapposum (Labill.) Steetz subsp. semipapposum , Pl. Preiss. [J.G.C.Lehman] 1: 474 (1845)	2:332
	Chrysocoma cinerea Labill. = Ozothamnus turbinatus	
	Chrysocoma reticulata Labill. = Ozothamnus reticulatus	
	Chrysocoma squamata Labill. = Leptorhynchus squamatus	
i	Cichorium intybus L., Sp. Pl. 2: 813 (1753)	2:380
i	Cirsium arvense (L.) Scop. var. arvense , Fl. Carniol., ed. 2, 2: 126 (1772)	2:377
i	Cirsium vulgare (Savi) Ten., Fl. Napol. 5: 209 (1836)	2:376
	Cnicus arvensis (L.) Roth = Cirsium arvense	2:377
	Conyza albida Willd. ex Spreng. = Erigeron sumatrensis	2:315

	<i>Conyza bonariensis</i> (L.) Cronquist = Erigeron bonariensis	2:315
	<i>Conyza canadensis</i> (L.) Cronquist = Erigeron canadensis	2:314
	<i>Conyza chilensis</i> Spreng. = Erigeron primulifolius	2:314
	<i>Conyza floribunda</i> Kunth sensu Curtis (1963) = Erigeron sumatrensis (misapplied in Tasmania)	2:315
	<i>Conyza primulifolia</i> (Lam.) Cuatrec. & Lourteig = Erigeron primulifolius	2:314
	<i>Conyza scabiosifolia</i> J.Rémy = Erigeron primulifolius	2:314
	<i>Conyza sumatrensis</i> (Retz.) E.Walker = Erigeron sumatrensis	2:315
	Coronidium gunnianum (Hook.) N.G.Walsh, <i>Muelleria</i> 32: 20 (2014)	
	<i>Coronidium</i> sp. Lowland Swamps (V.Stajsic 4226) Vic Herbarium = Coronidium gunnianum	
	Coronidium monticola N.G.Walsh, <i>Muelleria</i> 32: 21 (2014)	
	Coronidium scorpioides (Labill.) Paul G.Wilson, <i>Nuytsia</i> 18: 326 (2008)	2:328
i *	<i>Cota tinctoria</i> (L.) J.Gay formerly considered naturalised though no evidence exists to support this	2:352
	Cotula alpina (Hook.f.) Hook.f., <i>Bot. Antarct. Voy. Ill. (Fl. Tasman.)</i> 1: 192 t.51A (1856)	2:356
	Cotula australis (Sieber ex Spreng.) Hook.f., <i>Bot. Antarct. Voy. II. (Fl. Nov.-Zel.)</i> 1: 128 (1852)	2:356
i	Cotula coronopifolia L., <i>Sp. Pl.</i> 2: 892 (1753)	2:356
	<i>Cotula coronopifolia</i> var. <i>integrifolia</i> (Hook.f.) Rodway = Cotula coronopifolia	
	<i>Cotula filicula</i> (Hook.f.) Benth. = Leptinella filicula	2:357
	<i>Cotula filifolia</i> Thunb. sensu Rodway (1903) = Cotula vulgaris var. australasica (misapplied in Tasmania)	
	<i>Cotula integrifolia</i> Hook.f. nom. illeg. = Cotula coronopifolia	
	<i>Cotula longipes</i> (Hook.f.) W.M.Curtis = Leptinella longipes	2:357
	<i>Cotula reptans</i> (Benth.) Benth. = Leptinella reptans	2:357
	<i>Cotula reptans</i> var. <i>major</i> Benth. = Leptinella longipes	
	Cotula vulgaris var. australasica J.H.Willis, <i>Vict. Naturalist</i> 73: 201 (1957)	2:355
	<i>Craspedia alpina</i> Backh. ex Hook.f. = Craspedia macrocephala	2:347
	<i>Craspedia coolaminica</i> J.Everett & Joy Thomps. = Craspedia gracilis	
e	Craspedia cynurica Rozefelds & A.M.Buchanan, <i>Kanunna</i> 4: 106 (2011)	
e	Craspedia glabrata (Hook.f.) Rozefelds, <i>Telopea</i> 9: 814 (2002)	2:347
e	Craspedia glauca (Labill.) Spreng., <i>Syst. Veg. (ed. 16) [Sprengel]</i> 3: 441 (1826)	2:347
	<i>Craspedia glauca</i> var. <i>glabrata</i> Hook.f. ex W.M.Curtis nom. inval. = Craspedia glabrata	2:347
	<i>Craspedia glauca</i> var. <i>gracilis</i> W.M.Curtis = Craspedia gracilis	2:347
	<i>Craspedia glauca</i> var. <i>macrocephala</i> W.M.Curtis nom. inval. = Craspedia macrocephala	2:347
	Craspedia gracilis Hook.f., <i>London J. Bot.</i> 6: 118 (1847)	
e	Craspedia macrocephala Hook., <i>Bot. Mag.</i> 62: t. 3415 (1835)	2:347
	Craspedia paludicola J.Everett & Doust, <i>Telopea</i> 5: 35 (1992)	
e	Craspedia preminghana Rozefelds, <i>Telopea</i> 9: 816 (2002)	
	<i>Craspedia richea</i> Cass. nom. illeg. = Craspedia glauca	
	<i>Craspedia richea</i> var. <i>alpina</i> (Backh. ex Hook.f.) Benth. = Craspedia macrocephala	
	<i>Craspedia richea</i> var. <i>glabrata</i> Hook.f. = Craspedia glabrata	
	<i>Craspedia richea</i> var. <i>gracilis</i> (Hook.f.) Hook.f. = Craspedia gracilis	
	<i>Craspedia richea</i> var. <i>linearis</i> Hook.f. = Craspedia gracilis	
	<i>Craspedia richea</i> var. <i>macrocephala</i> (Hook.) Benth. = Craspedia macrocephala	
e	Craspedia rosulata Rozefelds & A.M.Buchanan, <i>Kanunna</i> 4: 111 (2011)	

i	Crepis capillaris (L.) Wallr., Erst. Beitr. Fl. Hercyn. 287 (1840)	2:384
	<i>Crepis nicaeensis</i> Baldinger & Pers. sensu Curtis (1963) recorded in error	2:384
i	Crepis setosa Haller f., Arch. Bot. (Leipzig) 1(2): 1 (1797)	2:384
	<i>Cryptostemma calendula</i> (L.) R.Br. = Arctotheca calendula	
	<i>Cymbonotus lawsonianus</i> Gaudich. sensu Curtis (1963) = Cymbonotus preissianus (misapplied in Tasmania)	2:373
	Cymbonotus preissianus Steetz, Pl. Preiss 1: 486 (1845)	2:373
i x	Cynara cardunculus subsp. flavescens Wiklund, Bot. J. Linn. Soc. 109: 120 (1992)	
i	Delairea odorata Lem., Ann. Sci. Nat., Bot., sér. 3, 1: 380 (1844)	2:367
i	Dimorphotheca fruticosa (L.) DC., Prodr. [A. P. de Candolle] 6: 71 (1838)	
i	Dittrichia graveolens (L.) Greuter, Exsicc. Genav. Conserv. Bot. Distrib. Fasc. 4: 71 (1973)	2:348
	<i>Erechtites argutus</i> (A.Rich.) DC. = Senecio glomeratus subsp. glomeratus	
	<i>Erechtites gunnii</i> Hook.f. = Senecio gunnii	
	<i>Erechtites hispidula</i> (A.Rich.) DC. = Senecio hispidulus	
	<i>Erechtites prenathoides</i> (A.Rich.) DC. = Senecio prenanthoides	
	<i>Erechtites quadridentata</i> (Labill.) DC. = Senecio quadridentatus	
	<i>Erechtites quadridentata</i> var. <i>glabrescens</i> (DC.) Benth. sensu Bentham (1867) = Senecio quadridentatus (misapplied in Tasmania)	
	<i>Erechtites quadridentata</i> var. <i>gunnii</i> (Hook.f.) Benth. = Senecio gunnii	
	<i>Erigeron bellidioides</i> (Hook.f.) S.J.Forbes & D.I.Morris = Pappochroma bellidioides	
i	Erigeron bonariensis L., Sp. Pl. 2: 863 (1753)	2:315
i	Erigeron canadensis L., Sp. Pl. 2: 863 (1753)	2:314
	<i>Erigeron gunnii</i> (Hook.f.) F.Muell. ex Hook.f. = Pappochroma gunnii	
	<i>Erigeron gunnii</i> var. <i>bellidioides</i> (Hook.f.) Hook.f. = Pappochroma bellidioides	
i	Erigeron karvinskianus DC., Prodr. [A. P. de Candolle] 5: 285 (1836)	2:312
	<i>Erigeron linifolius</i> Willd. = Erigeron bonariensis	
	<i>Erigeron mucronatus</i> DC. = Erigeron karvinskianus	2:312
	<i>Erigeron pappocromus</i> Labill. = Pappochroma pappocromum	2:311
	<i>Erigeron pappocromus</i> var. <i>billardieri</i> Benth. = Pappochroma pappocromum	2:311
	<i>Erigeron pappocromus</i> var. <i>gunnii</i> Benth. = Pappochroma gunnii	2:312
	<i>Erigeron pappocromus</i> var. <i>oblongatus</i> Benth. = Pappochroma tasmanicum	
	<i>Erigeron pappocromus</i> var. <i>stellatus</i> (Hook.f.) Benth. = Pappochroma stellatum	
i x	Erigeron primulifolius (Lam.) Greuter, Willdenowia 33(1): 46 (2003)	2:314
	<i>Erigeron stellatus</i> (Hook.f.) W.M.Curtis = Pappochroma stellatum	2:312
i	Erigeron sumatrensis Retz., Observ. Bot. (Retz.) 5: 28 (1788)	2:315
	<i>Erigeron tasmanicus</i> (Hook.f.) Hook.f. = Pappochroma tasmanicum	2:312
	<i>Erigeron trigonus</i> S.J.Forbes & D.I.Morris = Pappochroma trigonum	
	<i>Euchiton argentifolius</i> (N.A.Wakef.) Anderb. = Argyrotegium mackayi	2:320
	<i>Euchiton collinus</i> Cass. = Euchiton japonicus	2:319
	<i>Euchiton fordianus</i> (M.Gray) P.S.Short = Argyrotegium fordianum	
	Euchiton involucratus (G.Forst.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	2:318
	Euchiton japonicus (Thunb.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	2:319
t	Euchiton lateralis (C.J.Webb) Breitw. & J.M.Ward, New Zealand J. Bot. 36: 303 (1998)	

	Euchiton limosus (D.G.Drury) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	
e	Euchiton litticola A.M.Buchanan, Pap. & Proc. Roy. Soc. Tasmania 133: 115 (1999)	
	<i>Euchiton poliochlorus</i> N.G.Walsh = Argyrotegium poliochlorum	2:320
	Euchiton sphaericus (Willd.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	
	Euchiton traversii (Hook.f.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	2:320
	Euchiton umbricola (J.H.Willis) Anderb., Opera Bot. 104: 167 (1991)	2:319
	<i>Eupatorium ferrugineum</i> Labill. = Ozothamnus ferrugineus	
	<i>Eupatorium rosmarinifolium</i> Labill. = Ozothamnus rosmarinifolius	
	<i>Eurybia alpina</i> Hook.f. = Olearia tasmanica	
	<i>Eurybia argophylla</i> (Labill.) Cass. = Olearia argophylla	
	<i>Eurybia ciliata</i> Benth. = Olearia ciliata	
	<i>Eurybia ericoides</i> Steetz = Olearia ericoides	
	<i>Eurybia erubescens</i> Sieber ex DC. = Olearia erubescens	
	<i>Eurybia floribunda</i> Hook.f. = Olearia floribunda	
	<i>Eurybia fulvida</i> Cass. nom. illeg. = Olearia stellulata	
	<i>Eurybia glandulosa</i> (Labill.) DC. = Olearia glandulosa	
	<i>Eurybia gunniana</i> DC. = Olearia phlogopappa subsp. gunniana	
	<i>Eurybia ledifolia</i> DC. = Olearia ledifolia	
	<i>Eurybia linearifolia</i> DC. = Olearia axillaris	
	<i>Eurybia linifolia</i> Hook.f. = Olearia glutinosa	
	<i>Eurybia lirata</i> (Sims) DC. = Olearia lirata	
	<i>Eurybia myrsinoides</i> (Labill.) Nees = Olearia myrsinoides	
	<i>Eurybia obcordata</i> Hook.f. = Olearia obcordata	
	<i>Eurybia persoonioides</i> DC. = Olearia persoonioides	
	<i>Eurybia pinifolia</i> Hook.f. = Olearia pinifolia	
	<i>Eurybia ramulosa</i> (Labill.) DC. = Olearia ramulosa	
	<i>Eurybia viscosa</i> (Labill.) Cass. = Olearia viscosa	
i	Euryops abrotanifolius (L.) DC., Prodr. [A. P. de Candolle] 6: 443 (1838)	2:372
e	Ewartia catipes (DC.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 2: 238 (1910)	2:322
e	Ewartia meredithiae (F.Muell.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 2: 240 (1910)	2:322
e	Ewartia planchonii (Hook.f.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 3: 253 (1911)	2:321
	<i>Felicia erigeroides</i> DC. sensu Raphael (1955) = Erigeron karvinskianus (misapplied in Tasmania)	
	<i>Filago gallica</i> L. = Logfia gallica	2:315
i	Galinsoga parviflora Cav., Icon. [Cavanilles] 3: 41 t.281 (1795)	2:349
i	Gamochaeta calviceps (Fernald) Cabrera, Bol. Soc. Argent. Bot. 9: 368 (1961)	
i	Gamochaeta purpurea (L.) Cabrera, Bol. Soc. Argent. Bot. 9: 377 (1961)	2:321
i	Gazania linearis (Thunb.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 624 (1917)	
	<i>Gnaphalium alpigenum</i> F.Muell. ex Hook.f. nom. illeg. = Euchiton umbricola	
	<i>Gnaphalium apiculatum</i> Labill. = Chrysocephalum apiculatum	
	<i>Gnaphalium argentifolium</i> N.A.Wakef. = Argyrotegium mackayi	2:320
	<i>Gnaphalium candidissimum</i> Lam. = Vellereophyton dealbatum	2:318
	<i>Gnaphalium collinum</i> Labill. var. <i>collinum</i> = Euchiton japonicus	2:319
	<i>Gnaphalium collinum</i> var. <i>monocephalum</i> Hook.f. = Euchiton lateralis	2:319

Gnaphalium fordianum M.Gray = Argyrotegium fordianum	
Gnaphalium indicum L. recorded in error	
Gnaphalium indutum Hook.f. subsp. indutum , London J. Bot. 6: 121 (1847)	2:320
Gnaphalium involucreatum G.Forst. = Euchiton involucreatus	2:318
Gnaphalium japonicum Thunb. = Euchiton japonicus	
Gnaphalium japonicum var. radicans = Argyrotegium mackayi	
Gnaphalium luteo-album L. = Helichrysum luteoalbum	2:318
Gnaphalium planchonii Hook.f. = Ewartia planchonii	
Gnaphalium polycaulon Pers. sensu Buchanan (2009) recorded in error	
Gnaphalium purpureum L. = Gamochoeta purpurea	2:321
Gnaphalium semipapposum Labill. = Chrysocephalum semipapposum	
Gnaphalium supinum L. sensu Curtis (1963) = Argyrotegium poliochlorum (misapplied in Tasmania)	2:320
Gnaphalium traversii Hook.f. = Euchiton traversii	2:320
Gnaphalium umbricola J.H.Willis = Euchiton umbricola	2:319
Hedypnois cretica (L.) Dum.Cours. = Leontodon rhagadioloides	2:382
Hedypnois rhagadioloides (L.) F.W.Schmidt = Leontodon rhagadioloides	2:382
Helichrysum acuminatum DC. = Xerochrysum subundulatum	2:330
Helichrysum adenophorum F.Muell. recorded in error	
Helichrysum antennarium (DC.) F.Muell. ex Benth. = Ozothamnus antennaria	2:336
Helichrysum apiculatum (Labill.) D.Don = Chrysocephalum apiculatum	2:332
Helichrysum argophyllum (A.Cunn. ex DC.) N.A.Wakef. = Ozothamnus argophyllum	2:335
Helichrysum baccharioides F.Muell. nom. illeg. = Ozothamnus hookeri	
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. = Ozothamnus rodwayi	2:337
Helichrysum backhousei var. backhousei = Ozothamnus rodwayi var. rodwayi	2:337
Helichrysum backhousei var. kingii W.M.Curtis = Ozothamnus rodwayi var. kingii	2:337
Helichrysum backhousei var. oreophilum W.M.Curtis = Ozothamnus rodwayi var. oreophilus	2:337
Helichrysum baxteri A.Cunn. ex DC. = Chrysocephalum baxteri	2:328
Helichrysum bicolor Lindl. = Xerochrysum bicolor	2:331
Helichrysum bracteatum (Vent.) Andrews sensu Buchanan et al. (1989) = Xerochrysum macksweeneyorum (partly misapplied in Tasmania)	
Helichrysum bracteatum var. albidum DC. = Xerochrysum papillosum (Tasmanian material)	
Helichrysum bracteolatum (Hook.f.) Benth. = Ozothamnus gunnii	
Helichrysum cinereum (Labill.) Benth. = Ozothamnus turbinatus	
Helichrysum costatifructum R.V.Sm. = Ozothamnus costatifructus	2:332
Helichrysum dealbatum Labill. = Argentipallium dealbatum	2:330
Helichrysum dendroideum N.A.Wakef. = Ozothamnus ferrugineus	2:335
Helichrysum ericeteum W.M.Curtis = Ozothamnus ericifolius	2:334
Helichrysum expansifolium (P.Morris & J.H.Willis) N.T.Burb. = Ozothamnus expansifolius	2:337
Helichrysum gunnii (Hook.f.) Benth. = Ozothamnus gunnii	2:333
Helichrysum hookeri (Sond.) Druce = Ozothamnus hookeri	2:337
Helichrysum ledifolium (A.Cunn. ex DC.) Benth. = Ozothamnus ledifolius	2:334
Helichrysum leucopsideum DC., Prodr. [A. P. de Candolle] 6: 193 (1838)	2:331
Helichrysum luteoalbum (L.) Rchb., Handb. Gewächsk., ed. 2, 2: 1460 (1829)	2:318

	Helichrysum lycopodioides (Hook.f.) Benth. = Ozothamnus lycopodioides	2:338
	Helichrysum milliganii Hook.f. = Xerochrysum milliganii	2:330
	Helichrysum obcordatum (DC.) Benth. = Ozothamnus obcordatus	2:336
	Helichrysum obtusifolium F.Muell. & Sond. ex Sond. = Argentipallium obtusifolium	2:329
	Helichrysum papillosum Labill. = Xerochrysum papillosum	2:331
	Helichrysum paraliu (N.T.Burb.) W.M.Curtis = Ozothamnus turbinatus	2:333
	Helichrysum pleurandroides F.Muell. sensu Buchanan et al. (1989) = Ozothamnus ericifolius	2:334
e	Helichrysum pumilum Hook.f. var. pumilum , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 213 (1856)	2:330
e	Helichrysum pumilum var. spathulatum A.M.Buchanan, Pap. & Proc. Roy. Soc. Tasmania 121: 54 (1987)	2:330
	Helichrysum purpurascens (DC.) W.M.Curtis = Ozothamnus purpurascens	2:334
	Helichrysum reticulatum (Labill.) Benth. = Ozothamnus reticulatus	2:332
	Helichrysum rosmarinifolium (Labill.) Benth. = Ozothamnus rosmarinifolius	2:335
	Helichrysum rutidolepis DC. sensu Buchanan et al. (1989) p.p. = Coronidium monticola (misapplied in Tasmania)	
	Helichrysum rutidolepis DC. sensu Buchanan et al. (1989) p.p. = Coronidium gunnianum (misapplied in Tasmania)	
	Helichrysum scorpioides Labill. = Coronidium scorpioides	2:328
	Helichrysum scutellifolium (Hook.f.) F.Muell. = Ozothamnus scutellifolius	2:338
	Helichrysum selaginoides (Sond. & F.Muell.) Benth. = Ozothamnus selaginoides	2:339
	Helichrysum semipapposum (Labill.) DC. = Chrysocephalum semipapposum	2:332
	Helichrysum spiceri F.Muell. = Argentipallium × spiceri	2:329
	Helichrysum thyrsoideum (DC.) P.Morris & J.H.Willis = Ozothamnus thyrsoideus	2:335
	Helipterum albicans var. incanum (Hook.) Paul G.Wilson = Leucochrysum albicans var. tricolor	2:324
	Helipterum anthemoides (Sieber ex Spreng.) DC. = Rhodanthe anthemoides	2:324
	Helipterum australe (A.Gray) Druce = Triptilodiscus pygmaeus	
	Helipterum demissum (A.Gray) Druce = Hyalosperma demissum	2:325
	Helipterum exiguum F.Muell. = Hyalosperma demissum	
	Helipterum incanum DC. nom. illeg., nom. superfl. = Leucochrysum albicans var. tricolor	
	Helminthia echioides (L.) Gaertn. = Helminthotheca echioides	
i	Helminthotheca echioides (L.) Holub, Folia Geobot. Phytotax. 8: 176 (1973)	2:383
	Hieracium aurantiacum subsp. carpathicola Nägeli & Peter = Pilosella aurantiaca subsp. aurantiaca	2:385
	Hieracium brunneocroceum Pugsley = Pilosella aurantiaca subsp. aurantiaca	2:385
	Hieracium pilosella L. = Pilosella officinarum subsp. officinarum	
	Hyalosperma demissum (A.Gray) Paul G.Wilson, Nuytsia 7: 85 (1989)	2:325
i	Hypochaeris glabra L., Sp. Pl. 2: 811 (1753)	2:386
i	Hypochaeris radicata L., Sp. Pl. 2: 811 (1753)	2:385
	Inula graveolens (L.) Desf. = Dittrichia graveolens	2:348
	Isoetopsis graminifolia Turcz., Bull. Soc. Imp. Naturalistes Moscou 24: 175 t.3 (1851)	2:360
	Ixiolaena supina F.Muell. = Leiocarpa supina	2:341
	Ixodia achlaena D.I.Morris = Odixia achlaena	
	Ixodia angusta (N.A.Wakef.) N.T.Burb. = Odixia angusta	2:343
i	Lactuca saligna L., Sp. Pl. 2: 796 (1753)	2:388
i *	Lactuca serriola f. integrifolia (Gray) S.D.Prince & R.N.Carter	2:389

i	Lactuca serriola L. f. serriola , Cent. Pl. 2: 29 (1756)	
	Lagenophora billardierei Cass. = Lagenophora stipitata	
	Lagenophora emphysopus Hook.f. nom. illeg. = Solenogyne gunnii	
	Lagenophora gracilis Steetz = Lagenophora sublyrata	
	Lagenophora gunniana Steetz, Pl. Preiss. [J.G.C.Lehmann] 1: 431 (1845)	
	Lagenophora huegelii Benth. sensu Rodway (1903) and subsequent authors = Lagenophora gunniana (misapplied in Tasmania)	2:290
	Lagenophora latifolia Hook.f., London J. Bot. 6: 113 (1847)	
	Lagenophora montana Hook.f., London J. Bot. 6: 113 (1847)	
	Lagenophora stipitata (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 630 (1917)	2:290
	Lagenophora sublyrata (Cass.) A.R.Bean & Jian Wang ter, Austrobaileya 10: 405-442 (2019)	
i	Lapsana communis L. subsp. communis , Sp. Pl. 2: 811 (1753)	
i t	Lasiospermum bipinnatum (Thunb.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 631 (1917)	2:350
	Leiocarpa supina (F.Muell.) Paul G.Wilson, Nuytsia 13: 604 (2001)	2:341
	Leontodon hirtus L. sensu Rodway (1903) = Leontodon saxatilis (misapplied in Tasmania)	
	Leontodon leysseri (Wallr.) Beck sensu Curtis (1963) = Leontodon saxatilis (misapplied in Tasmania)	2:386
i	Leontodon rhagadioloides (L.) Enke & Zidorn, Organisms Diversity Evol. 12: 14 (2012)	2:382
i	Leontodon saxatilis Lam., Fl. Franç. (Lamarck) 2: 115 (1779) (as "1778")	2:386
	Leontodon taraxacoides (Vill.) Mérat = Leontodon saxatilis	2:386
	Leptinella filicula (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 194 (1856)	2:357
	Leptinella intricata Hook.f. = Leptinella reptans	
	Leptinella longipes Hook.f., London J. Bot. 6: 117 (1847)	2:357
	Leptinella reptans (Benth.) D.G.Lloyd & C.J.Webb, New Zealand J. Bot. 25: 103 (1987)	2:357
	Leptorhynchus elongatus DC., Prodr. [A. P. de Candolle] 6: 160 (1838)	2:323
	Leptorhynchus linearis Less. sensu Curtis (1963) = Leptorhynchus nitidulus (misapplied in Tasmania)	2:323
	Leptorhynchus nitidulus DC., Prodr. [A. P. de Candolle] 6: 160 (1838)	2:323
	Leptorhynchus squamatus subsp. alpinus Flann, Austral. Syst. Bot. 15: 217 (2002)	2:323
	Leptorhynchus squamatus (Labill.) Less. subsp. squamatus , Syn. Gen. Compos. 273 (1832)	2:323
i	Leucanthemum × superbum (Bergmans ex J.W.Ingram) D.H.Kent, Watsonia 18: 89 (1990)	
i	Leucanthemum vulgare Lam., Fl. Franç. (Lamarck) 2: 137 (1779) (as "1778")	2:353
	Leucochrysum albicans subsp. tricolor (DC.) N.G.Walsh, Muelleria 34: 13 (2015)	2:324
	Leucophyta brownii Cass., Dict. Sci. Nat., ed. 2 [F.Cuvier] 26: 159 (1823)	2:345
i	Logfia gallica (L.) Coss. & Germ., Ann. Sci. Nat., Bot., sér. 2, 20: 291 (1843)	2:315
	Lordhowea velleioides (A.Cunn. ex DC.) Schmidt-Leb., Taxon 69: 767 (2020)	2:365
	Matricaria chamomilla L. sensu de Salas & Baker (2014) = Matricaria discoidea (misapplied in Tasmania)	
i *	Matricaria chamomilla L.	
i	Matricaria discoidea DC., Prodr. [A. P. de Candolle] 6: 50 (1838)	2:354
	Matricaria matricarioides (Less.) Porter = Matricaria discoidea	2:354
	Matricaria perforata Mérat = Tripleurospermum maritimum subsp. inodorum	
	Matricaria recutita L. sensu de Salas & Baker (2014) = Matricaria chamomilla (misapplied in Tasmania)	
	Microseris forsteri Hook.f. nom. illeg. = Microseris lanceolata	
	Microseris lanceolata (Walp.) Sch.Bip., Jahresber. Pollichia 22-24: 310 (1866)	2:381

	Microseris scapigera (Sol. ex A.Cunn.) Sch.Bip., Jahresber. Pollichia 22-24: 310 (1866)	2:381
	Microseris walteri Gand., Bull. Soc. Bot. France 65: 52 (1918)	
	Millotia muelleri (Sond.) P.S.Short, Muellera 7: 246 (1990)	
	Millotia tenuifolia Cass. var. tenuifolia , Ann. Sci. Nat. (Paris) 17: 417 (1829)	2:342
	Myriogyne minuta (G.Forst.) Less. sensu Bentham (1867) = Centipeda elatinoides (misapplied in Tasmania)	
e	Nablonium calyceroides Cass., Dict. Sci. Nat., ed. 2 [F.Cuvier] 34: 101 (1825)	2:349
e	Odixia achlaena (D.I.Morris) Orchard, Brunonia 4: 194 (1982)	
e	Odixia angusta (N.A.Wakef.) Orchard, Brunonia 4: 194 (1982)	2:343
	Olearia algida N.A.Wakef., Vict. Naturalist 73: 97 (1956)	2:308
	Olearia alpina (Hook.f.) W.M.Curtis nom. illeg. = Olearia tasmanica	2:304
e	Olearia archeri Lander, Muellera 7: 117 (1989)	
	Olearia argophylla (Labill.) F.Muell. ex Benth., Fl. Austral. 3: 470 (1867)	2:303
	Olearia axillaris (DC.) F.Muell. ex Benth., Fl. Austral. 3: 475 (1867)	2:307
	Olearia ciliata (Benth.) F.Muell. ex Benth., Fl. Austral. 3: 488 (1867)	2:309
e	Olearia ericoides (Steetz) N.A.Wakef., Vict. Naturalist. 73: 97 (1956)	2:307
	Olearia erubescens (DC.) Dippel, Handb. Laubholz 1: 290 (1889)	2:303
	Olearia floribunda (Hook.f.) Benth., Fl. Austral. 3: 477 (1867)	2:308
	Olearia glandulosa (Labill.) Benth., Fl. Austral. 3: 483 (1867)	2:309
	Olearia glutinosa (Lindl.) Benth., Fl. Austral. 3: 482 (1867)	2:309
	Olearia gunniana (DC.) Hook.f. ex Hook. = Olearia phlogopappa subsp. gunniana	
e	Olearia hookeri (Sond.) Benth., Fl. Austral. 3: 483 (1867)	2:309
	Olearia lanceolata (Benth.) D.I.Morris sensu Morris (1977) = Olearia archeri (misapplied in Tasmania)	
e	Olearia ledifolia (DC.) Benth., Fl. Austral. 3: 472 (1867)	2:305
	Olearia lepidophylla (Pers.) Benth., Fl. Austral. 3: 477 (1867)	2:308
	Olearia lirata (Sims) Hutch., Gard. Chron., Ser. 3, 61: 14 fig.4 (1917)	2:306
	Olearia myrsinoides (Labill.) F.Muell. ex Benth., Fl. Austral. 3: 470 (1867)	2:303
	Olearia myrsinoides var. erubescens (DC.) Benth. = Olearia erubescens	
e	Olearia obcordata (Hook.f.) Benth., Fl. Austral. 3: 471 (1867)	2:304
e	Olearia persoonioides (DC.) Benth., Fl. Austral. 3: 471 (1867)	2:304
	Olearia persoonioides var. alpina (Hook.f.) Benth. = Olearia tasmanica	
	Olearia persoonioides var. lanceolata Benth. sensu Morris (1977) = Olearia archeri	
e	Olearia phlogopappa subsp. angustifolia (Hook.f.) Messina, Austral. Syst. Bot. 26: 57 (2013)	2:306
e	Olearia phlogopappa subsp. gunniana (DC.) Messina, Austral. Syst. Bot. 26: 60 (2013)	2:306
	Olearia phlogopappa subsp. insularis Messina, Austral. Syst. Bot. 26: 63 (2013)	
e	Olearia phlogopappa (Labill.) DC. subsp. phlogopappa , Prodr. [A. P. de Candolle] 5: 272 (1836)	2:306
	Olearia phlogopappa subsp. salicina (Hook.f.) Messina, Austral. Syst. Bot. 26: 63 (2013)	2:306
e	Olearia phlogopappa subsp. subrepanda (DC.) Messina, Austral. Syst. Bot. 26: 67 (2013)	2:306
	Olearia phlogopappa var. angustifolia (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. angustifolia	2:306
	Olearia phlogopappa var. brevipes (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. gunniana	2:306
	Olearia phlogopappa var. microcephala (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. gunniana	2:306
	Olearia phlogopappa var. salicifolia (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. salicina	2:306

	Olearia phlogopappa var. subrepanda (DC.) J.H.Willis = Olearia phlogopappa subsp. subrepanda	2:306
e	Olearia pinifolia (Hook.f.) Benth., Fl. Austral. 3: 471 (1867)	2:305
	Olearia ramulosa (Labill.) Benth., Fl. Austral. 3: 476 (1867)	2:307
e	Olearia rugosa subsp. intermedia Messina, Austral. Syst. Bot. 26: 76 (2013)	
	Olearia stellulata (Labill.) DC., Prodr. [A. P. de Candolle] 5: 272 (1836)	2:305
	Olearia stellulata var. <i>lirata</i> (Sims) Benth. = Olearia lirata	
	Olearia stellulata var. <i>quercifolia</i> (Sieber ex DC.) Benth. sensu Bentham (1867) = Olearia rugosa (misapplied in Tasmania)	
e	Olearia tasmanica W.M.Curtis, Vict. Naturalist 87: 251 (1970)	2:304
	Olearia viscosa (Labill.) Benth., Fl. Austral. 3: 468 (1867)	2:302
i	Onopordum acanthium L., Sp. Pl. 2: 827 (1753)	2:377
i n	Onopordum acaulon L., Sp. Pl., ed. 2, 2: 1159 (1763)	
	Osteospermum fruticosum (L.) Norl. = Dimorphotheca fruticosa	
e	Ozothamnus antennaria (DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 203 (1856)	2:336
	Ozothamnus argophyllus (A.Cunn. ex DC.) Anderb., Opera Bot. 104: 89 (1991)	2:335
	Ozothamnus backhousei Hook.f. nom. illeg. = Ozothamnus rodwayi	
	Ozothamnus bracteolatus Hook.f. = Ozothamnus gunnii	2:333
e	Ozothamnus buchananii Puttock ex de Salas & Schmidt-Leb., Phytotaxa 358: 134-135 (2018)	
	Ozothamnus cinereus (Labill.) Sw. = Ozothamnus turbinatus	2:333
	Ozothamnus cinereus var. <i>bracteolatus</i> (Hook.f.) Rodway = Ozothamnus gunnii	
e	Ozothamnus costatifructus (R.V.Sm.) Anderb., Opera Bot. 104: 89 (1991)	2:332
e	Ozothamnus ericifolius Hook.f., London J. Bot. 6: 119 (1847)	2:334
e	Ozothamnus × expansifolius (P.Morris & J.H.Willis) Anderb., Opera Bot. 104: 89 (1991)	2:337
	Ozothamnus ferrugineus (Labill.) Sweet, Hort. Brit. [Sweet] 1: 221 (1826)	2:335
	Ozothamnus ferrugineus var. <i>gravesii</i> Rodway = Ozothamnus argophyllus	
e	Ozothamnus floribundus de Salas & Schmidt-Leb., Phytotaxa 358: 135 (2018)	
e	Ozothamnus gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 205 (1856)	2:333
e	Ozothamnus hookeri Sond., Linnaea 25: 509 (1853)	2:337
e	Ozothamnus ledifolius (A.Cunn. ex DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 204 (1856)	2:334
e	Ozothamnus lycopodioides Hook.f., London J. Bot. 6: 119 (1847)	2:338
	Ozothamnus obcordatus DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	2:336
	Ozothamnus purpurascens DC. sensu de Salas & Baker (2017) and earlier authors = Ozothamnus reflexus (misapplied in Tasmania)	2:334
e	Ozothamnus purpurascens DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	
e	Ozothamnus reflexifolius Leeson & Rozefelds, Austral Syst. Bot. 16: 319 (2003)	
e	Ozothamnus reflexus (N.T.Burb.) de Salas & Schmidt-Leb., Phytotaxa 358: 133 (2018)	2:334
e	Ozothamnus reticulatus (Labill.) DC., Prodr. [A. P. de Candolle] 6: 164 (1838)	2:332
e	Ozothamnus rodwayi var. kingii (W.M.Curtis) P.S.Short, Muellera 7: 522 (1992)	2:337
e	Ozothamnus rodwayi var. oreophilus (W.M.Curtis) P.S.Short, Muellera 7: 522 (1992)	2:337
e	Ozothamnus rodwayi Orchard var. rodwayi , Muellera 7: 522 (1992)	2:337
	Ozothamnus rosmarinifolius (Labill.) Sweet, Hort. Brit. [Sweet] 1: 221 (1826)	2:335
	Ozothamnus rosmarinifolius var. <i>ericifolius</i> (Hook.f.) Rodway = Ozothamnus ericifolius	
e	Ozothamnus scutellifolius Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 202 (1856)	2:338

e x	Ozothamnus selaginoides Sond. & F.Muell., Linnaea 25: 510 (1853)	2:339
	Ozothamnus thyrsoides DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	2:335
	Ozothamnus turbinatus DC., Prodr. [A. P. de Candolle] 6: 164 (1838)	2:333
	Pappochroma bellidioides (Hook.f.) G.L.Nesom, Phytologia 85: 277 (1998)	
e	Pappochroma gunnii (Hook.f.) G.L.Nesom, Phytologia 76: 426 (1994)	2:312
e	Pappochroma pappocromum (Labill.) G.L.Nesom, Phytologia 85: 278 (1998)	2:311
e	Pappochroma stellatum (Hook.f.) G.L.Nesom, Phytologia 85: 278 (1998)	2:312
	Pappochroma tasmanicum (Hook.f.) G.L.Nesom, Phytologia 76: 426 (1994)	2:312
e	Pappochroma trigonum (S.J.Forbes & D.I.Morris) G.L.Nesom, Phytologia 85: 279 (1998)	
	Paquerina graminea (Labill.) Cass. ex Less. = Brachyscome graminea	2:295
	Petasites fragrans (Vill.) C.Presl = Petasites pyrenaicus	2:360
i	Petasites pyrenaicus (L.) G.López, Anales Jard. Bot. Madrid 42: 343 (1986)	2:360
	Picris angustifolia DC. subsp. angustifolia , Prodr. [A. P. de Candolle] 7: 130 (1838)	2:383
	Picris angustifolia subsp. merxmuelleri Lack & S.Holzappel, Willdenowia 23: 190 (1993)	2:383
	Picris echioides L. = Helminthotheca echioides	2:383
	Picris hieracioides L. sensu Curtis (1963) = Picris angustifolia (misapplied in Tasmania)	2:383
i	Pilosella aurantiaca (L.) F.W.Schultz & Sch.Bip. subsp. aurantiaca , Flora 42: 426 (1862)	2:385
i x	Pilosella officinarum Vaill. subsp. officinarum , Königl. Akad. Wiss. Paris Anat. Abh. 5: 703 (1754)	
	Podolepis acuminata R.Br. = Podolepis jaceoides	
	Podolepis decipiens Jeanes, Muelleria 33: 26 (2015)	
	Podolepis jaceoides (Sims) Voss, Vilm. Blumengärtn., ed. 3, 1: 537 (1894)	2:348
	Podosperma angustifolia Labill. = Podotheca angustifolia	2:341
?x	Podotheca angustifolia (Labill.) Less., Syn. Gen. Compos. 272 (1832)	2:341
	Pseudognaphalium luteoalbum (L.) Hilliard & B.L.Burt = Helichrysum luteoalbum	2:318
e	Pterygopappus lawrencei Hook.f., London J. Bot. 6: 120 (1847)	2:316
	Raoulia catipes (DC.) Hook.f. = Ewartia catipes	
	Raoulia meredithae (F.Muell.) Rodway = Ewartia meredithae	
	Raoulia planchonii (Hook.f.) Benth. = Ewartia planchonii	
	Rhagadiolus hedyppnois (L.) All. = Leontodon rhagadioloides	
	Rhodanthe anthemoides (Sieber ex Spreng.) Paul G.Wilson, Nuytsia 8: 386 (1992)	2:324
	Richea glauca Labill. = Craspedia glauca	
	Rutidosia multiflora (Nees) B.L.Rob. = Siloxerus multiflorus	2:342
	Rutidosia pumilo Benth. = Siloxerus multiflorus	
e	Scapisenecio albogilvus (I.Thomps.) Schmidt-Leb., Taxon 69: 768 (2020)	2:364
e	Scapisenecio leptocarpus (DC.) Schmidt-Leb., Taxon 69: 768 (2020)	2:364
e	Scapisenecio papillosus (F.Muell.) Schmidt-Leb., Taxon 69: 768-769 (2020)	2:363
e	Scapisenecio pectinatus (DC.) Schmidt-Leb. var. pectinatus , Taxon 69: 769 (2020)	2:364
e	Scapisenecio primulifolius (F.Muell.) Schmidt-Leb., Taxon 69: 769 (2020)	2:364
	Scleroleima forsteroides Hook.f. = Abrotanella forsteroides	
i	Scorzonera laciniata L. var. laciniata , Sp. Pl. 2: 791 (1753)	
	Senecio albogilvus I.Thomps. = Scapisenecio albogilvus	2:364
i	Senecio angulatus L.f., Suppl. Pl. 369 (1782)	
	Senecio australis Willd. sensu Rodway (1903) = Senecio linearifolius (misapplied in Tasmania)	

	Senecio biserratus Belcher, Ann. Missouri Bot. Gard. 43: 43 (1956)	2:368
	Senecio campylocarpus I.Thomps., Muelleria 20: 139 (2004)	
	Senecio capillifolius Hook.f. = Senecio pinnatifolius var. capillifolius	2:365
	Senecio centropappus F.Muell. = Centropappus brunonis	2:365
i	Senecio elegans L., Sp. Pl. 2: 869 (1753)	2:366
	Senecio extensus I.Thomps., Muelleria 19: 150 (2004)	
x	Senecio georgianus DC., Prodr. [A. P. de Candolle] 6: 371 (1838)	
	Senecio glandulosus (A.Cunn. ex DC.) Sch.Bip. = Senecio campylocarpus	
	Senecio glomeratus Desf. ex Poir. subsp. glomeratus , Encycl. (Lamarck) Suppl. 5: 130 (1817)	2:370
	Senecio glomeratus subsp. longifructus I.Thomps., Muelleria 19: 148 (2004)	2:370
	Senecio gunnii (Hook.f.) Belcher, Ann. Missouri Bot. Gard. 43: 60 (1956)	2:370
	Senecio hispidissimus I.Thomps., Muelleria 19: 138 (2004)	
	Senecio hispidulus A.Rich., Voy. Astrolabe 2: 94 t.34 (1834)	2:370
i	Senecio jacobaea L., Sp. Pl. 2: 870 (1753)	2:366
	Senecio lautus G.Forst. ex Willd. sensu Curtis (1963) = Senecio pinnatifolius (sensu lato, misapplied in Tasmania)	2:365
	Senecio leptocarpus DC. = Scapisenecio leptocarpus	2:364
	Senecio linearifolius var. arachnoideus I.Thomps., Muelleria 20: 98 (2004)	2:366
	Senecio linearifolius var. denticulatus I.Thomps., Muelleria 20: 93 (2004)	2:366
	Senecio linearifolius var. latifolius I.Thomps., Muelleria 20: 96 (2004)	2:366
	Senecio linearifolius A.Rich. var. linearifolius , Voy. Astrolabe 2: 129 (1834)	2:366
	Senecio longipilus I.Thomps., Muelleria 19: 193 (2004)	
x	Senecio macrocarpus F.Muell. ex Belcher, Muelleria 5: 119 (1983)	
	Senecio microbasis I.Thomps., Muelleria 19: 175 (2004)	
	Senecio mikanioides Otto ex Harv. = Delairea odorata	2:367
	Senecio minimus Poir., Encycl. (Lamarck) Suppl. 5: 130 (1817)	2:368
	Senecio odoratus Hornem., Enum. Pl. Hort. Hafn. Suppl. [1809] (1809)	2:367
	Senecio × orarius J.M.Black, Trans. & Proc. Roy. Soc. South Australia 52: 230 (1928)	
	Senecio papillosus F.Muell. = Scapisenecio papillosus	2:363
	Senecio pectinatus var. leptocarpus = Scapisenecio leptocarpus	
	Senecio pectinatus var. major F.Muell. ex Belcher recorded in error	
	Senecio pectinatus var. ochroleucus F.Muell. = Scapisenecio albogilvus	2:364
	Senecio pectinatus DC. var. pectinatus = Scapisenecio pectinatus var. pectinatus	2:364
	Senecio pectinatus var. pleiocephalus Benth. sensu Rodway (1903) = Senecio pinnatifolius var. alpinus (misapplied in Tasmania)	
	Senecio phelleus I.Thomps., Muelleria 19: 171 (2004)	
	Senecio pinnatifolius var. alpinus (Ali) I.Thomps., Muelleria 21: 53 (2005)	2:365
e	Senecio pinnatifolius var. capillifolius (Hook.f.) I.Thomps., Muelleria 21: 51 (2005)	2:365
	Senecio pinnatifolius var. lanceolatus (Benth.) I.Thomps., Muelleria 21: 49 (2005)	2:365
	Senecio pinnatifolius var. maritimus (Ali) I.Thomps., Muelleria 21: 54 (2005)	2:365
	Senecio pinnatifolius A.Rich. var. pinnatifolius , Voy. Astrolabe 2: 117 (1834)	2:365
	Senecio pinnatifolius var. pleiocephalus (Rodway) Belcher = Senecio pinnatifolius var. alpinus	
	Senecio prenanthoides A.Rich., Voy. Astrolabe 2: 96 (1834)	

	Senecio primulaefolius F.Muell. = Scapisenecio primulifolius	2:364
	Senecio psilocarpus Belcher & Albr., Muelleria 8: 113 (1994)	
	Senecio quadridentatus Labill., Nov. Holl. Pl. 2: 48 t.194 (1806)	2:369
e	Senecio spathulatus A.Rich. var. spathulatus , Voy. Astrolabe 2: 125 (1834)	2:364
	Senecio squarrosus A.Rich., Voy. Astrolabe 2: 107 t.35 (1834)	2:369
e x	Senecio tasmanicus I.Thomps., Muelleria 19: 158 (2004)	
	Senecio vagus F.Muell. subsp. vagus , Trans. & Proc. Philos. Soc. Victoria 1: 46 (1855)	
	Senecio velleioides A.Cunn. ex DC. = Lordhowea velleioides	2:365
i	Senecio vulgaris L., Sp. Pl. 2: 867 (1753)	2:367
?i #	Sigesbeckia orientalis L., Sp. Pl. 2: 900 (1753)	
	Siloxerus multiflorus Nees, Pl. Preiss. [J.G.C.Lehman] 2: 244 (1845)	2:342
i	Silybum marianum (L.) Gaertn., Fruct. Sem. Pl. 2: 378 t.162 (1791)	2:378
	Skirrhophorus eriocephalus Hook.f. ex A.Gray = Angianthus preissianus	
	Solenogyne bellioides var. gunnii (Hook.f.) G.L.Davis = Solenogyne gunnii	2:292
	Solenogyne dominii L.G.Adams, Brunonia 2: 58 (1979)	
	Solenogyne gunnii (Hook.f.) Cabrera, Blumea 14: 307 (1966)	2:292
i	Soliva sessilis Ruiz & Pav., Syst. Veg. Fl. Peruv. Chil. 225 (1798)	2:358
i #	Soliva stolonifera (Brot.) R.Br. ex G.Don, Hort. Brit. 364 (1830)	
i	Soliva valdiviana Phil., Linnaea 33: 168 (1864)	
i	Sonchus asper (L.) Hill, Herb. Brit. 1: 47 t.34 (1769)	2:390
	Sonchus asper subsp. glaucescens (Jord.) Ball = Sonchus asper	
	Sonchus hydrophilus Boulos, Suppl. Black's Fl. S. Austral. 331 (1965)	
	Sonchus megalocarpus (Hook.f.) J.M.Black = Actites megalocarpus	2:390
i	Sonchus oleraceus L., Sp. Pl. 2: 794 (1753)	2:389
i	Symphotrichum novi-belgii (L.) G.L.Nesom, Phytologia 77: 287 (1995) (as "1994")	
i	Symphotrichum subulatum (Michx.) G.L.Nesom, Phytologia 77: 293 (1995) (as "1994")	2:299
i t	Tanacetum cinerariifolium (Trevir.) Sch.Bip., Tanaceteen: 58 (1844)	
i	Tanacetum parthenium (L.) Sch.Bip., Tanaceteen: 55 (1844)	2:353
i	Tanacetum vulgare L., Sp. Pl. 2: 844 (1753)	2:360
	Taraxacum aristum G.E.Haglund & Markl., Bot. Not. 117: 197 (1964)	
	Taraxacum cygnorum Hand.-Mazz., Monogr. Taraxacum: 55 (1907)	
	Taraxacum dens-leonis Desf. sensu Rodway (1903) = Taraxacum officinale (misapplied in Tasmania)	
i *	Taraxacum kok-saghyz L.E.Rodin	2:387
i	Taraxacum officinale F.H.Wigg., Prim. Fl. Holsat. 56 (1780)	2:387
i	Tolpis barbata (L.) Gaertn., Fruct. Sem. Pl. 2: 372 (1791)	2:381
	Tolpis umbellata Bertol. = Tolpis barbata	2:381
i	Tragopogon porrifolius L. subsp. porrifolius , Sp. Pl. 2: 789 (1753)	2:390
	Tripleurospermum inodorum (L.) Sch.Bip. = Tripleurospermum maritimum subsp. inodorum	
i	Tripleurospermum maritimum subsp. inodorum (L.) Appleq., Taxon 51: 760 (2002)	
	Triptilodiscus pygmaeus Turcz., Bull. Soc. Imp. Naturalistes Moscou 24: 66 (1851)	
i t	Urospermum dalechampii (L.) F.W.Schmidt, Samml. Phys.-Oekon. Aufsätze 1: 275 (1795)	2:391
i	Vellereophyton dealbatum (Thunb.) Hilliard & B.L.Burt, Bot. J. Linn. Soc. 82: 210 (1981)	2:318
	Vittadinia australasica var. oricola N.T.Burb., Brunonia 5: 44 (1982)	

	Vittadinia australis A.Rich. sensu Bentham (1867) p.p. = Vittadinia cuneata (misapplied in Tasmania)	
	Vittadinia australis A.Rich. sensu Bentham (1867) p.p. = Vittadinia australasica (misapplied in Tasmania)	
	Vittadinia australis var. megacephala F.Muell. ex Benth. = Vittadinia megacephala	
e	Vittadinia burbridgeae A.M.Gray & Rozefelds, Kanunnah 1: 9 (2005)	
	Vittadinia cuneata DC. var. cuneata , Prodr. [A. P. de Candolle] 5: 281 (1836)	2:313
	Vittadinia gracilis (Hook.f.) N.T.Burb., Brunonia 5: 54 (1982)	2:313
	Vittadinia megacephala (F.Muell. ex Benth.) J.M.Black recorded in error	2:314
	Vittadinia muelleri N.T.Burb., Proc. Linn. Soc. New South Wales 93: 440 fig.1D (1969)	
	Vittadinia scabra DC. sensu Hooker (1860) = Vittadinia cuneata (misapplied in Tasmania)	
	Vittadinia triloba (Gaudich.) DC. sensu Curtis (1963) = Vittadinia cuneata (misapplied in Tasmania)	2:313
	Vittadinia triloba var. lanuginosa J.M.Black sensu Curtis (1963) = Vittadinia gracilis (misapplied in Tasmania)	2:313
	Vittadinia triloba var. megacephala (F.Muell. ex Benth.) Ewart = Vittadinia megacephala	2:314
i	Xanthium spinosum L., Sp. Pl. 2: 987 (1753)	2:349
e	Xerochrysum alpinum Paul G.Wilson, Nuytsia 28: 36 (2017)	
	Xerochrysum andrewiae T.L.Collins, Austral. Syst. Bot. 35(2): 176 (2022)	
	Xerochrysum bicolor (Lindl.) R.J.Bayer, Kew Bull. 56: 1014 (2001)	2:331
	Xerochrysum bracteatum (Vent.) Tzvelev sensu de Salas & Baker (2021) = Xerochrysum macsweeneyorum (misapplied in Tasmania)	
e	Xerochrysum collierianum A.M.Buchanan, Muelleria 20: 49 (2004)	
i	Xerochrysum macsweeneyorum T.L.Collins, Austral. Syst. Bot. 35(2): 162-163 (2022)	
e	Xerochrysum milliganii (Hook.f.) Paul G.Wilson, Taxon 64: 106 (2015)	2:330
	Xerochrysum palustre (Flann) R.J.Bayer, Kew Bull. 56: 1014 (2001)	
	Xerochrysum papillosum (Labill.) R.J.Bayer, Kew Bull. 56: 1015 (2001)	2:331
	Xerochrysum subundulatum (Sch.Bip.) R.J.Bayer, Kew Bull. 56: 1015 (2001)	2:330
i	Xerochrysum viscosum (Sieber ex DC.) R.J.Bayer, Kew Bulletin 56: 1015 (2001)	
	BALSAMINACEAE	
i n	Impatiens balfourii Hook.f., Bot. Mag. 129: t. 7878 (1903)	
	BASELLACEAE	FTO 99
i *	Anredera cordifolia (Ten.) Steenis	3:580
	BERBERIDACEAE	FTO 46
i *	Berberis aquifolium Pursh	
i	Berberis darwinii Hook., Icon. Pl. 7: t.672 (1844)	
	BETULACEAE	
i *	Alnus cordata (Loisel.) Duby	3:645
i *	Alnus glutinosa (L.) Gaertn.	
i	Betula pendula Roth, Tent. Fl. Germ. 1: 405 (1788)	
	BIGNONIACEAE	FTO 121
	Pandorea pandorana (Andrews) Steenis, Bull. Jard. Bot. Buitenzorg 10: 198 (1928)	3:538
	BORAGINACEAE	FTO 110
i	Amsinckia calycina (Moris) Chater, Bot. J. Linn. Soc. 64: 380 (1971)	3:489
	Amsinckia hispida (Ruiz & Pav.) I.M.Johnst. = Amsinckia calycina	3:489
i *	Amsinckia lycopsoides (Lehm.) Lehm.	

i	Anchusa arvensis (L.) M.Bieb., Fl. Taur.-Caucas. 1: 123 (1808)	
	<i>Anchusa sempervirens</i> L. = Pentaglottis sempervirens	3:491
	<i>Austrocynoglossum latifolium</i> (R.Br.) Popov ex R.R.Mill = Hackelia latifolia	3:488
i	Borago officinalis L., Sp. Pl. 1: 137 (1753)	3:490
i	Buglossoides arvensis (L.) I.M.Johnst., J. Arnold Arbor. 35: 42 (1954)	3:494
	Cynoglossum australe R.Br., Prodr. Fl. Nov. Holland. 495 (1810)	3:489
	<i>Cynoglossum latifolium</i> R.Br. = Hackelia latifolia	3:488
	<i>Cynoglossum suaveolens</i> R.Br. = Hackelia suaveolens	3:488
i	Echium candicans L.f., Suppl. Pl. 131 (1782)	
	<i>Echium lycopsis</i> L. sensu Curtis (1967) = Echium plantagineum (misapplied in Tasmania)	3:495
i	Echium plantagineum L., Mant. Pl. 2: 202 (1771)	3:495
i	Echium vulgare L., Sp. Pl. 1: 139 (1753)	3:495
	<i>Exarrhena suaveolens</i> R.Br. = Myosotis exarrhena	
	Hackelia latifolia (R.Br.) Dimon & M.A.M.Renner, Aust. Syst. Bot. 30: 121-122 (2017)	3:488
	Hackelia suaveolens (R.Br.) Dimon & M.A.M.Renner, Aust. Syst. Bot. 30: 122 (2017)	3:488
	<i>Lithospermum arvense</i> L. = Buglossoides arvensis	3:494
i t	Lithospermum officinale L., Sp. Pl. 1: 132 (1753)	3:494
	<i>Lycopsis arvensis</i> L. = Anchusa arvensis	
i	Myosotis arvensis (L.) Hill, Veg. Syst. 7: 55 (1764)	
	Myosotis australis R.Br. subsp. australis , Prodr. Fl. Nov. Holland. 495 (1810)	3:492
	<i>Myosotis caespitosa</i> Schultz = Myosotis laxa subsp. caespitosa	3:493
i	Myosotis discolor Pers., Syst. Veg., ed. 15 (J.A.Murray) 190 (1798)	3:493
	Myosotis exarrhena F.Muell., Syst. Census Austral. Pl. Suppl. 4: 7 (1889)	3:492
i	Myosotis laxa subsp. caespitosa (Schultz) Hyl. ex Nordh., Norsk. Fl. (Nordhagen): 529 (1940)	3:493
i *	<i>Myosotis scorpioides</i> L.	3:492
	<i>Myosotis suaveolens</i> (R.Br.) Poir. = Myosotis exarrhena	3:492
i	Myosotis sylvatica Hoffm., Deutschl. Fl. (Hoffm.): 61 (1791)	3:493
i *	<i>Nonea lutea</i> (Desr.) Rchb. ex A.DC.	
i	Pentaglottis sempervirens (L.) Tausch ex L.H.Bailey, Man. Cult. Pl., ed. 2: 837 (1949)	3:491
i *	<i>Phacelia tanacetifolia</i> Benth.	3:486
i #	Symphytum officinale L., Sp. Pl. 1: 136 (1753)	
	<i>Symphytum peregrinum</i> Ledeb. = Symphytum officinale	3:490
	<i>Symphytum</i> × <i>uplandicum</i> Nyman sensu Buchanan (1995) and later authors = Symphytum officinale (misapplied in Tasmania)	3:490
BRASSICACEAE		
	<i>Alyssum maritimum</i> (L.) Lam. = Lobularia maritima	1:45
i	Arabidopsis thaliana (L.) Heynh., Fl. Sachsen 1: 538 (1842)	1:50
x	Ballantinia antipoda (F.Muell.) E.A.Shaw, Contr. Gray Herb. 205: 161 (1974)	1:42
e	Barbarea australis Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 14 (1852)	1:47
i	Barbarea intermedia Boreau, Fl. Centre France [Boreau] 2: 48 (1840)	1:48
i	Barbarea verna (Mill.) Asch., Fl. Brandenburg 1: 36 (1860)	1:48
	<i>Barbarea vulgaris</i> W.T.Aiton sensu Bentham (1863) = Barbarea australis (partly misapplied in Tasmania)	

i #	Brassica fruticulosa Cirillo, Pl. Rar. Neapol. 2: 7 (1792) Brassica × juncea (L.) Czern. sensu Buchanan (1999) = Brassica fruticulosa (misapplied in Tasmania)	
i	Brassica × napus L., Sp. Pl. 2: 666 (1753)	1:34
i	Brassica nigra (L.) W.D.J.Koch, Deutschl. Fl. (Röhling), ed. 3, 4: 713 (1833)	1:35
i *	Brassica oleracea L.	
i	Brassica rapa L., Sp. Pl. 2: 666 (1753) Brassica sinapistrum Boiss. = Sinapis arvensis	1:34
i	Brassica tournefortii Gouan, Ill. Observ. Bot. 3: 44, t.20A (1773)	
i	Cakile edentula (Bigelow) Hook., Fl. Bor.-Amer. (Hooker) 1: 59 (1830)	1:38
i	Cakile maritima Scop. subsp. maritima , Fl. Carniol., ed. 2, 2: 35 (1772)	1:38
	Camelina alyssum (Mill.) Thell. sensu Curtis & Morris (1975) = Camelina sativa (misapplied in Tasmania)	1:51
i	Camelina sativa (L.) Crantz, Stirp. Austr. Fasc.1: 17 (1762) Capsella antipoda F.Muell. = Ballantinia antipoda Capsella australis (Hook.f.) Benth. = Ballantinia antipoda	1:51
i	Capsella bursa-pastoris (L.) Medik., Pfl.-Gatt. 1: 85 (1792) Capsella elliptica C.A.Mey. nom. illeg. = Hornungia procumbens Capsella procumbens (L.) Fr. = Hornungia procumbens Capsella tasmanica (Hook.) F.Muell. ex B.D.Jacks. = Hutchinsia tasmanica	1:43 1:43
	Cardamine astoniae I.Thomps., Muelleria 9: 156 (1996) Cardamine aff. corymbosa Hook.f. sensu Hewson (1982) = Cardamine papillata Cardamine dictyosperma Hook. = Rorippa dictyosperma	
i	Cardamine flexuosa With., Arr. Brit. Pl., ed. 3, 3: 578 (1796) Cardamine franklinensis I.Thomps., Muelleria 9: 152 (1996) Cardamine gunnii Hewson, Fl. Australia 8: 390 (1982) Cardamine heterophylla Hook. = Cardamine gunnii	1:46 1:46
i	Cardamine hirsuta L., Sp. Pl. 2: 655 (1753) Cardamine hirsuta var. parvifolia Rodway a name of uncertain application Cardamine hirsuta var. tenuifolia (Hook.) Rodway = Cardamine tenuifolia Cardamine intermedia Hook. sensu Curtis (1956) = Cardamine lilacina Cardamine lilacina Hook., Companion Bot. Mag. 1: 273 (1836) Cardamine papillata I.Thomps., Muelleria 9: 161 (1996) Cardamine paucijuga Turcz., Bull. Soc. Imp. Naturalistes Moscou 27(2): 295 (1854) Cardamine pratensis L. sensu Hooker (1860) = Cardamine tenuifolia (misapplied in Tasmania) Cardamine pratensis var. lilacina (Hook.) Hook.f. = Cardamine lilacina Cardamine radicata Hook.f. = Pachycladon radicans Cardamine stylosa DC. = Rorippa gigantea Cardamine tenuifolia Hook., J. Bot. (Hooker) 1: 247 (1837) Cardamine tryssa I.Thomps., Muelleria 18: 27 (2004)	1:46 1:46
	Cardaria draba (L.) Desv. = Lepidium draba	1:42
i *	Carrichtera annua (L.) DC. Cheesemaniania radicata (Hook.f.) O.E.Schulz = Pachycladon radicans Coronopus didymus (L.) Sm. = Lepidium didymum	1:47 1:41

	Coronopus squamatus (Forssk.) Asch. = Lepidium coronopus	1:41
	Cuphonotus antipodus (F.Muell.) J.M.Black = Ballantinia antipoda	1:42
i	Diplotaxis muralis (L.) DC., Syst. Nat. [Candolle] 2: 634 (1821)	1:36
i	Diplotaxis tenuifolia (L.) DC., Syst. Nat. [Candolle] 2: 632 (1821)	1:36
i	Draba muralis L., Sp. Pl. 2: 642 (1753)	1:45
	Draba muralis L. sensu Curtis & Morris (1975) and earlier = Draba nemorosa (misapplied in Tasmania)	1:45
i t	Draba nemorosa L., Sp. Pl. 2: 643 (1753)	1:45
i	Erophila verna subsp. praecox (Steven) Walters, Feddes Repert. Spec. Nov. Regni Veg. 69: 57 (1964)	1:45
i	Erophila verna (L.) Chevall. subsp. verna , Fl. Gén. Env. Paris 2: 898 (1827)	1:45
i *	Eruca sativa Mill.	
	Geococcus pusillus J.Drumm. ex Harv., Hooker's J. Bot. Kew Gard. Misc. 7: 52 (1855)	1:50
i	Hirschfeldia incana (L.) Lagr.-Foss., Fl. Tarn Garonne: 19 (1847)	1:35
i	Hornungia procumbens (L.) Hayek, Repert. Spec. Nov. Regni Veg. Beih. 30: 480 (1925)	1:44
	Hutchinsia australis Hook.f. = Ballantinia antipoda	
	Hutchinsia tasmanica Hook. a name of uncertain application	
	Hymenolobus procumbens (L.) Nutt. = Hornungia procumbens	1:44
i	Lepidium africanum (Burm.f.) DC., Syst. Nat. [Candolle] 2: 522 (1821)	
i	Lepidium bonariense L., Sp. Pl. 2: 645 (1753)	
i	Lepidium campestre (L.) W.T.Aiton, Hort. Kew., ed. 2 [W.T. Aiton], 4: 88 (1812)	1:40
i	Lepidium coronopus (L.) Al-Shehbaz, Novon 14: 156 (2004)	1:41
	Lepidium cuneifolium DC. = Lepidium foliosum	
	Lepidium desvauxii Thell., Neue Denkschr. Allg. Schweiz. Ges. Gesamnten Naturwiss. 41: 307 (1906)	1:39
i	Lepidium didymum L., Mant. Pl. 1: 92 (1767)	1:41
i	Lepidium draba L., Sp. Pl. 2: 645 (1753)	1:42
t	Lepidium flexicaule Kirk, Trans. & Proc. New Zealand Inst. 14: 380 (1882)	
	Lepidium foliosum Desv., J. Bot. (Desvaux) 3: 164, 180 (1815)	1:39
	Lepidium halmaturinum J.M.Black = Lepidium desvauxii	1:39
i *	Lepidium heterophyllum Benth.	1:40
	Lepidium hyssopifolium Desv., J. Bot. (Desvaux) 3: 179 (1815)	
i	Lepidium latifolium L., Sp. Pl. 2: 644 (1753)	1:41
	Lepidium praetervisum Domin = Lepidium desvauxii	1:39
	Lepidium pseudotasmanicum Thell., Neue Denkschr. Allg. Schweiz. Ges. Gesamnten Naturwiss. 41: 307 (1906)	1:39
	Lepidium ruderales L. sensu Bentham (1863) = Lepidium foliosum (misapplied in Tasmania)	
i	Lepidium sativum L., Sp. Pl. 2: 644 (1753)	1:40
	Lepidium squamatum Forssk. = Lepidium coronopus	1:41
	Lepidium tasmanicum Thell. a name of uncertain application	
i	Lobularia maritima (L.) Desv., J. Bot. (Desvaux) 3: 162 (1815)	1:45
i	Lunaria annua L., Sp. Pl. 2: 653 (1753)	
i	Matthiola incana (L.) W.T.Aiton, Hort. Kew., ed. 2 [W.T. Aiton], 4: 119 (1812)	
i	Nasturtium microphyllum Boenn. ex Rchb., Fl. Germ. Excurs. 2: 683 (1830)	1:49
i	Nasturtium officinale W.T.Aiton, Hort. Kew., ed. 2 [W.T. Aiton], 4: 110 (1812)	1:49

	Nasturtium palustre (L.) DC. = Rorippa palustris	
	Nasturtium terrestre (With.) Aiton = Rorippa palustris	
e	Pachycladon radicans (Hook.f.) Heenan & A.D.Mitch., New Zealand J. Bot. 40: 558 (2002)	1:47
i *	Raphanus maritimus Sm.	1:37
i	Raphanus raphanistrum L., Sp. Pl. 2: 669 (1753)	1:37
i	Rapistrum rugosum (L.) All., Fl. Pedem. 1: 257 t.78 (1785)	1:37
	Rorippa dictyosperma (Hook.) L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 97 (1962)	1:49
	Rorippa gigantea (Hook.) Garn.-Jones, New Zealand J. Bot. 16: 119 (1978)	1:48
	Rorippa islandica (Oeder) Borbás sensu Curtis & Morris (1975) = Rorippa palustris (misapplied in Tasmania)	1:48
	Rorippa microphylla (Boenn. ex Rchb.) H.Hyl. = Nasturtium microphyllum	1:49
	Rorippa nasturtium-aquaticum (L.) Hayek = Nasturtium officinale	1:49
i	Rorippa palustris (L.) Besser, Enum. Pl. [Besser]: 27 (1822)	1:48
	Rorippa stylosa (DC.) Allan = Rorippa gigantea	1:48
i #	Rorippa sylvestris (L.) Besser, Enum. Pl. [Besser]: 27 (1822)	
	Senebiera coronopus (L.) Poir. = Lepidium coronopus	
	Senebiera didyma (L.) Pers. = Lepidium didymum	
i	Sinapis alba L., Sp. Pl. 2: 668 (1753)	
i	Sinapis arvensis L., Sp. Pl. 2: 668 (1753)	1:35
i	Sisymbrium irio L., Sp. Pl. 2: 659 (1753)	
i	Sisymbrium officinale (L.) Scop., Fl. Carniol., ed. 2, 2: 26 (1772)	1:50
i	Sisymbrium orientale L., Cent. Pl. 2: 24 (1756)	1:50
	Stenopetalum lineare R.Br. ex DC., Syst. Nat. [Candolle] 2: 513 (1821)	1:44
i t	Teesdalia nudicaulis (L.) W.T.Aiton, Hort. Kew., ed. 2 [W.T. Aiton], 4: 83 (1812)	1:43
i *	Thlaspi arvense L.	
	Thlaspi tasmanicum (Hook.) Hook.f. = Hutchinsia tasmanica	
CAMPANULACEAE		
	Campanula gracilis var. littoralis (Labill.) R.Br. = Wahlenbergia gymnoclada	
	Campanula gracilis var. vincaeflora R.Br. = Wahlenbergia gracilis	
	Campanula littoralis Labill. = Wahlenbergia gymnoclada	
i *	Campanula rapunculoides L.	2:410
	Isotoma fluviatilis subsp. australis McComb, Contr. New South Wales Natl. Herb. 4: 109 (1970)	2:411
	Lobelia alata Labill. = Lobelia anceps	2:414
	Lobelia anceps L.f., Suppl. Pl. 395 (1782)	2:414
	Lobelia browniana Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 5: 71 (1819)	
	Lobelia cuneiformis Labill. = Lobelia anceps	
	Lobelia dentata Cav., Icon. Pl. 6: 14, t. 522 (1800)	
i #	Lobelia erinus L., Sp. Pl. 2: 932 (1753)	
	Lobelia fluviatilis R.Br. = Isotoma fluviatilis	
	Lobelia gibbosa Labill., Nov. Holl. Pl. 1: 50, t.71 (1805)	2:414
	Lobelia gibbosa var. browniana (Schult.) F.M.Bailey = Lobelia browniana	
	Lobelia irrigua R.Br., Prodr. Fl. Nov. Holland. 563 (1810)	2:412
	Lobelia pedunculata R.Br., Prodr. Fl. Nov. Holland. 563 (1810)	2:413

	<i>Lobelia platycalyx</i> (F.Muell.) F.Muell. = Lobelia irrigua	
	Lobelia pratioides Benth., Fl. Austral. 4: 131 (1868)	2:415
	Lobelia rhombifolia de Vriese, Pl. Preiss. [J.G.C.Lehman] 1: 397 (1845)	2:414
	Lobelia simplicicaulis R.Br., Prodr. Fl. Nov. Holland. 564 (1810)	
	Lobelia surrepens Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 237 (1856)	2:412
	<i>Pratia irrigua</i> (R.Br.) Benth. = Lobelia irrigua	2:412
	<i>Pratia pedunculata</i> (R.Br.) Benth. = Lobelia pedunculata	2:413
	<i>Pratia platycalyx</i> (F.Muell.) Benth. = Lobelia irrigua	2:412
	<i>Pratia surrepens</i> (Hook.f.) E.Wimm. = Lobelia surrepens	2:412
	Wahlenbergia ceracea Lothian, Victorian Nat. 72: 166 (1956)	2:407
	<i>Wahlenbergia consimilis</i> Lothian = Wahlenbergia stricta	2:408
	Wahlenbergia gracilentata Lothian, Proc. Linn. Soc. New South Wales 71: 217 (1947)	2:407
	Wahlenbergia gracilis (G.Forst.) A.DC., Monogr. Campan. 142 (1830)	2:409
	Wahlenbergia gymnoclada Lothian, Proc. Linn. Soc. New South Wales 71: 227 (1947)	2:408
	Wahlenbergia littoricola P.J.Sm. subsp. littoricola , Fl. S. Austral. [J.M.Black], ed. 4, 3: 1380 (1986)	
	Wahlenbergia multicaulis Benth., Enum. Pl. [Endlicher]: 75 (1837)	2:409
	<i>Wahlenbergia quadrifida</i> (R.Br.) A.DC. = Wahlenbergia gracilis	2:409
e	Wahlenbergia saxicola (R.Br.) A.DC., Monogr. Campan. 144 (1830)	2:410
	Wahlenbergia stricta (R.Br.) Sweet subsp. stricta , Hort. Brit. [Sweet], ed. 2: 593 (1830)	2:408
	<i>Wahlenbergia tadgellii</i> Lothian = Wahlenbergia multicaulis	2:409
CANNABACEAE		
i	Humulus lupulus L., Sp. Pl. 2: 1028 (1753)	
CAPRIFOLIACEAE		
i	Leycesteria formosa Wall., Fl. Ind. (Carey & Wallich ed.) 2: 182 (1824)	2:266
i	Lonicera japonica Thunb., Syst. Veg., ed. 14 (J.A.Murray) 216 (1784)	
i #	Lonicera periclymenum L., Sp. Pl. 1: 173 (1753)	2:266
CARYOPHYLLACEAE		
i	Agrostemma githago L., Sp. Pl. 1: 435 (1753)	1:69
i	Arenaria leptoclados (Rchb.) Guss., Fl. Sicul. Syn. 2: 824 (1845)	
i	Arenaria serpyllifolia L., Sp. Pl. 1: 423 (1753)	1:72
i	Cerastium balearicum F.Herm., Verh. Bot. Vereins Prov. Brandenburg 54: 247 (1913)	
	<i>Cerastium fontanum</i> subsp. <i>vulgare</i> (Hartm.) Greuter & Burdet = Cerastium vulgare	1:69
i	Cerastium glomeratum Thuill., Fl. Env. Paris, ed. 2: 226 (1799)	1:69
i	Cerastium semidecandrum L., Sp. Pl. 1: 438 (1753)	
	<i>Cerastium viscosum</i> L. = Cerastium vulgare	
i	Cerastium vulgare Hartm., Hand. Skand. Fl. 182 (1820)	1:69
	<i>Cerastium vulgatum</i> L. sensu Curtis (1956) = Cerastium vulgare (misapplied in Tasmania)	
	Colobanthus affinis (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 45 (1855)	1:74
	Colobanthus apetalus (Labill.) Druce var. apetalus , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 616 (1917)	1:74
	<i>Colobanthus billardierei</i> Fenzl nom. illeg. = Colobanthus apetalus var. apetalus	
	Colobanthus curtisiae J.G.West, Aspects of Tasmanian Botany: 75 (1991)	
	Colobanthus pulvinatus F.Muell., Trans. Philos. Soc. Victoria 1: 101 (1855)	

- i **Dianthus armeria** L., Sp. Pl. 1: 410 (1753)
 Githago segetum Link = **Agrostemma githago**
 Gypsophila australis (Schltdl.) A.Gray = **Gypsophila tubulosa** 1:66
- i **Gypsophila tubulosa** (Jaub. & Spach) Boiss., Diagn. Pl. Orient., Ser. 1, 1: 11 (1842) 1:66
 Kohlruschia prolifera (L.) Kunth sensu Curtis (1956) = **Petrorhagia nanteuillii** (misapplied in Tasmania)
 Kohlruschia velutina (Guss.) Rchb. = **Petrorhagia dubia**
 Lychnis coronaria (L.) Desr. = **Silene coronaria**
 Melandrium album (Mill.) Garcke = **Silene latifolia** subsp. **alba**
 Minuartia hybrida (Vill.) Schischk. sensu Buchanan et al. (1989) = **Minuartia mediterranea** (misapplied in Tasmania)
- i **Minuartia mediterranea** (Ledeb. ex Link) K.Maly, Glasn. Zemaljsk. Muz. Bosni Hercegovini 20: 563 (1908)
 Mniarum biflorum J.R.Forst. & G.Forst. = **Scleranthus biflorus**
 Mniarum fasciculatum R.Br. = **Scleranthus fasciculatus**
- i **Moenchia erecta** (L.) G.Gaertn., B.Mey. & Scherb., Oekon. Fl. Wetterau 1: 219 (1799) 1:70
- i **Paronychia brasiliensis** DC., Encycl. (Lamarck) 5: 23 (1804)
- i **Petrorhagia dubia** (Raf.) G.López & Romo, Anales Jard. Bot. Madrid 45: 363 (1988) 1:66
- i **Petrorhagia nanteuillii** (Burnat) P.W.Ball & Heywood, Bull. Brit. Mus. (Nat. Hist.) Bot. 3: 164 (1964) 1:65
 Petrorhagia prolifera (L.) P.W.Ball & Heywood sensu Curtis & Morris (1975) = **Petrorhagia nanteuillii** (misapplied in Tasmania) 1:65
 Petrorhagia velutina (Guss.) P.W.Ball & Heywood = **Petrorhagia dubia** 1:66
- i **Polycarpon tetraphyllum** (L.) L., Syst. Nat., ed. 10, 2: 881 (1759) 1:76
- i **Sagina apetala** Ard., Animadv. Bot. Spec. Alt. 2: 22 (1764) 1:73
- e **Sagina diemensis** L.G.Adams, Muelleria 9: 64 (1996)
- i **Sagina maritima** Don, Herb. Brit. [Don] 7: 155 (1806) 1:73
Sagina namadgi L.G.Adams, Muelleria 9: 63 (1996)
- i **Sagina procumbens** L., Sp. Pl. 1: 128 (1753) 1:73
- i **Saponaria officinalis** L., Sp. Pl. 1: 408 (1753) 1:67
 Saponaria tubulosa (Jaub. & Spach) F.Muell. = **Gypsophila tubulosa**
- i **Scleranthus annuus** L., Sp. Pl. 1: 406 (1753) 1:77
Scleranthus biflorus (J.R.Forst. & G.Forst.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 74 (1852) 1:76
Scleranthus brockiei P.A.Will., Rec. Domin. Mus. 3: 16 (1956)
Scleranthus diander R.Br., Prodr. Fl. Nov. Holland. 412 (1810) 1:77
Scleranthus fasciculatus (R.Br.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 42 (1855)
 Silene alba (Mill.) E.H.L.Krause = **Silene latifolia** subsp. **alba** 1:67
- i* Silene colorata Poir.
- i* Silene conica L.
- i **Silene coronaria** (L.) Clairv., Man. Herbor. Suisse 145 (1811)
- i# **Silene dichotoma** Ehrh., Beitr. Naturk. [Ehrhart] 7: 144 (1792)
- i **Silene gallica** L. var. **gallica**, Sp. Pl. 1: 417 (1753) 1:68
- i **Silene gallica** var. **quinquevulnera** (L.) W.D.J.Koch, Syn. Fl. Germ. Helv. 1: 100 (1835) 1:68
- i **Silene latifolia** subsp. **alba** (Mill.) Greuter & Burdet, Willdenowia 12: 189 (1982) 1:67
 Silene longicaulis Pourr. ex Lag. sensu Buchanan (1995) = **Silene colorata** (misapplied in Tasmania)

i	Silene nocturna L., Sp. Pl. 1: 416 (1753)	1:68
	<i>Silene pratensis</i> (Rafn) Godr. & Gren. = Silene latifolia subsp. alba	1:67
i	Silene vulgaris (Moench) Garcke, Fl. N. Mitt.-Deutschland, ed. 9: 64 (1869)	1:68
	<i>Spergula apetala</i> Labill. = Colobanthus apetalus	
i	Spergula arvensis L. var. arvensis , Sp. Pl. 1: 440 (1753)	
i	Spergula arvensis var. sativa (Boenn.) Mert. & W.D.J.Koch, Deutschl. Fl. (Mertens & W. D. J. Koch), ed. 3. 3: 360 (1831)	
i	Spergularia bocconei (Scheele) Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner] 5: 849 (1919)	
	<i>Spergularia marginata</i> Kitt. sensu Curtis (1956) = Spergularia tasmanica (misapplied in Tasmania)	
i	Spergularia marina (L.) Griseb., Spic. Fl. Rumel. 1: 213 (1843)	1:75
	<i>Spergularia media</i> (L.) C.Presl sensu Curtis & Morris (1975) = Spergularia tasmanica (misapplied in Tasmania)	1:75
i	Spergularia rubra (L.) J.Presl & C.Presl, Fl. Cech. 94 (1819)	1:75
	<i>Spergularia rubra</i> var. <i>marina</i> (Roth) A.Gray = Spergularia marina	
	<i>Spergularia salina</i> J.Presl & C.Presl = Spergularia marina	
	Spergularia tasmanica (Kindb.) L.G.Adams, Austral. Syst. Bot. 21: 258 (2008)	1:75
	Stellaria angustifolia Hook. subsp. angustifolia , J. Bot. (Hooker) 1: 250 (1834)	
	Stellaria angustifolia subsp. tenella (Benth.) C.H.Mill. & J.G.West, J. Adelaide Bot. Gard. 25: 36 (2012)	
	<i>Stellaria caespitosa</i> Hook.f. = Stellaria angustifolia subsp. angustifolia	
	Stellaria flaccida Hook., Companion Bot. Mag. 1: 275 (1836)	1:71
	<i>Stellaria glauca</i> With. sensu Hooker (1860) = Stellaria angustifolia (misapplied in Tasmania)	
i *	<i>Stellaria graminea</i> L.	1:72
i	Stellaria media (L.) Vill., Hist. Pl. Dauphiné (Villars) 3: 615 (1789)	1:71
	Stellaria multiflora Hook. subsp. multiflora , Companion Bot. Mag. 1: 275 (1836)	
	Stellaria multiflora subsp. nebulosa C.H.Mill. & J.G.West, J. Adelaide Bot. Gard. 25: 48 (2012)	
i	Stellaria pallida (Dumort.) Crép., Man. Fl. Belgique, ed. 2: 19 (1866)	1:72
	<i>Stellaria palustris</i> Retz. sensu Curtis (1956), Curtis & Morris (1975) = Stellaria angustifolia (misapplied in Tasmania)	1:71
	Stellaria pungens Brongn., Voy. Monde, Atlas: t.78 (1826)	1:71
i *	<i>Vaccaria hispanica</i> (Mill.) Rauschert	1:66
	<i>Vaccaria pyramidata</i> Medik. = Vaccaria hispanica	1:66
	<i>Vaccaria segetalis</i> (Neck.) Garcke ex Asch. = Vaccaria hispanica	
CASUARINACEAE		FTO 67
e	Allocasuarina crassa L.A.S.Johnson, Fl. Australia 3: 194 (1989)	
e	Allocasuarina duncanii L.A.S.Johnson & D.I.Morris, Telopea 5: 793 (1994)	
	Allocasuarina littoralis (Salisb.) L.A.S.Johnson, J. Adelaide Bot. Gard. 6: 76 (1982)	3:644
e	Allocasuarina monilifera (L.A.S.Johnson) L.A.S.Johnson, J. Adelaide Bot. Gard. 6: 76 (1982)	3:644
	Allocasuarina paludosa (Sieber ex Spreng.) L.A.S.Johnson, J. Adelaide Bot. Gard. 6: 77 (1982)	3:644
	Allocasuarina verticillata (Lam.) L.A.S.Johnson, J. Adelaide Bot. Gard. 6: 79 (1982)	3:644
e	Allocasuarina zephyrea L.A.S.Johnson, Fl. Australia 3: 199 (1989)	
	<i>Casuarina bicuspidata</i> Benth. sensu Rodway (1903) = Allocasuarina paludosa (misapplied in Tasmania)	3:644
	<i>Casuarina distyla</i> Vent. sensu Rodway (1903) = Allocasuarina monilifera (misapplied in Tasmania)	3:644

	Casuarina littoralis Salisb. = Allocasuarina littoralis	3:644
	Casuarina monilifera L.A.S.Johnson = Allocasuarina monilifera	3:644
	Casuarina paludosa Sieber ex Spreng. = Allocasuarina paludosa	3:644
	Casuarina quadrivalvis Labill. = Allocasuarina verticillata	3:644
	Casuarina stricta Dryand. = Allocasuarina verticillata	3:644
	Casuarina suberosa Otto & A.Dietr. = Allocasuarina littoralis	3:644
	CELASTRACEAE	FTO 69
i	Euonymus europaeus L., Sp. Pl. 1: 197 (1753)	
i	Euonymus japonicus Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 208 (1780)	
i	Maytenus magellanica (Lam.) Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.). 2: 254 (1845)	
	Stackhousia flava Hook. = Stackhousia viminea	1:112
	Stackhousia gunnii Hook.f. = Stackhousia subterranea	1:112
	Stackhousia liniariifolia A.Cunn. = Stackhousia monogyna	
	Stackhousia monogyna Labill., Nov. Holl. Pl. 1: 77 t.104 (1805)	1:112
	Stackhousia pulvinaris F.Muell., Trans. Philos. Soc. Victoria 1: 101 (1855)	1:112
	Stackhousia spathulata Sieber ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 4: 124 (1827)	1:112
	Stackhousia subterranea W.R.Barker, J. Adelaide Bot. Gard. 21: 90 (2007)	1:112
	Stackhousia viminea Sm., Cycl. (Rees) 33 (1816)	1:112
	CISTACEAE	
i	Cistus creticus L., Sp. Pl., ed. 2: 738 (1762)	
i #	Cistus inflatus Pourr. ex Demoly, Acta Bot. Gallica 144: 42 (1998)	
	Cistus psilosepalus Sweet sensu Buchanan (2004) = Cistus inflatus (misapplied in Tasmania)	
	CONVOLVULACEAE	FTO 111
	Calystegia marginata R.Br., Prodr. Fl. Nov. Holland. 483 (1810)	
	Calystegia sepium (L.) R.Br. subsp. sepium , Prodr. Fl. Nov. Holland. 483 (1810)	3:498
i	Calystegia silvatica (Kit.) Griseb. subsp. silvatica , Spic. Fl. Rumel. 1: 74 (1843)	3:498
	Calystegia soldanella (L.) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 4: 184 (1819)	3:499
	Convolvulus angustissimus R.Br. subsp. angustissimus , Prodr. Fl. Nov. Holland. 482 (1810)	3:497
i	Convolvulus arvensis L., Sp. Pl. 1: 153 (1753)	3:497
	Convolvulus erubescens Sims sensu Curtis (1967) = Convolvulus angustissimus subsp. angustissimus (misapplied in Tasmania)	3:497
	Convolvulus sepium L. = Calystegia sepium subsp. sepium	
	Convolvulus soldanella L. = Calystegia soldanella	
i	Cuscuta epithymum (L.) L., Syst. Veg., ed. 13: 140 (1774)	3:501
i x	Cuscuta suaveolens Ser., Ann. Sci. Phys. Nat. Lyon 3: 519 (1840)	
	Cuscuta tasmanica Engelm., Trans. Acad. Sci. St. Louis 1: 512 (1859)	3:501
	Dichondra repens J.R.Forst. & G.Forst., Char. Gen. Pl. 40: t.20 (1775)	3:499
i	Ipomoea indica (Burm.) Merr., Interpr. Herb. Amboin. 445 (1917)	
	Wilsonia backhousei Hook.f., London J. Bot. 6: 275 (1847)	3:500
	Wilsonia humilis R.Br., Prodr. Fl. Nov. Holland. 490 (1810)	3:500
	Wilsonia rotundifolia Hook., Icon. Pl. 5: t.160 (1842)	
	CRASSULACEAE	
i	Aeonium arboreum (L.) Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 185 (1840)	

- i **Aeonium haworthii** Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 193 (1840)
- i **Cotyledon orbiculata** L., Sp. Pl. 1: 429 (1753)
- i **Crassula alata** (Viv.) A.Berger var. **alata**, Nat. Pflanzenfam., ed. 2 [Engler & Prantl] 18a: 389 (1930)
- Crassula closiana** (Gay) Reiche, Fl. Chile [Reiche] 2: 369 (1897)
- Crassula decumbens** Thunb. var. **decumbens**, Prodr. Pl. Cap. 1: 54 (1794) 1:185
- Crassula exserta** (Reader) Ostenf., Dansk Bot. Ark. 2: 47 (1918) 1:184
- Crassula helmsii** (Kirk) Cockayne, Trans. New Zealand Inst. 39: 349 (1907) 1:185
- Crassula macrantha* (Hook.f.) Diels & E.Pritz. = **Crassula decumbens** 1:185
- t **Crassula moschata** G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 26 (1789)
- i **Crassula multicava** Lem. subsp. **multicava**, Ill. Hort. 9: 40 (1862)
- i # **Crassula muscosa** L. var. **muscosa**, Pl. Rar. Afr. 10 (1760)
- i **Crassula natans** var. **minus** (Eckl. & Zeyh.) G.D.Rowley, Cact. Succ. J. Gr. Brit. 40: 53 (1978)
- Crassula pedicellosa* (F.Muell.) Ostenf. = **Crassula closiana**
- Crassula peduncularis** (Sm.) F.Meigen, Bot. Jahrb Syst. 17: 239 (1893) 1:184
- Crassula sieberiana** (Schult. & Schult.f.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 618 (1917) 1:184
- Crassula sieberiana* subsp. *tetramera* Toelken = **Crassula tetramera**
- i # **Crassula tetragona** subsp. **robusta** (Toelken) Toelken, J. S. African Bot. 41: 122 (1975)
- Crassula tetramera** (Toelken) A.P.Druce & Sykes, New Zealand J. Bot. 25: 128 (1987)
- i **Sedum acre** L., Sp. Pl. 1: 432 (1753) 1:186
- i **Sedum album** L., Sp. Pl. 1: 432 (1753)
- i **Sedum forsterianum** Sm., Engl. Bot. 26: t.1802 (1808)
- i **Sedum praealtum** A. DC., Mém. Soc. Phys. Genève 11: 445 (1847)
- Sedum reflexum* L. sensu Buchanan (2007) = **Sedum rupestre** (misapplied in Tasmania)
- i **Sedum rupestre** L., Sp. Pl. 1: 431 (1753)
- i **Sedum sediforme** (Jacq.) Pau, Acta y Memorias Prim. Congr. Nat. Esp. 246 (1909)
- i t **Sedum sexangulare** L., Sp. Pl. 1: 432 (1753) 1:186
- Tillaea exserta* Reader = **Crassula exserta**
- Tillaea macrantha* Hook.f. = **Crassula decumbens**
- Tillaea purpurata* Hook.f. = **Crassula peduncularis**
- Tillaea recurva* (Hook.f.) Hook.f. = **Crassula helmsii**
- Tillaea sieberiana* Schult. & Schult.f. = **Crassula sieberiana**
- Tillaea verticillaris* DC. = **Crassula sieberiana**
- CUCURBITACEAE** **FTO 65**
- i **Cucumis myriocarpus** Naudin, Ann. Sci. Nat., Bot., sér. 4, 11: 22 (1859)
- i # **Ecballium elaterium** (L.) A.Rich., Dict. Class. Hist. Nat. [Bory] 6: 19 (1824)
- Sicyos angulatus* L. sensu Curtis (1963) = **Sicyos australis** (misapplied in Tasmania) 2:237
- Sicyos australis** Endl., Prodr. Fl. Norfolk.: 67 (1833) 2:237
- CUNONIACEAE** **FTO 72**
- e **Anodopetalum biglandulosum** (A.Cunn. ex Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 148 (1856) 1:180
- Bauera rubioides** Andrews, Bot. Repos. 3: t.198 (1801) 1:180
- Carpodontos lucida* Labill. = **Eucryphia lucida**
- Eucryphia billardiarei* Spach nom. illeg., nom. superfl. = **Eucryphia lucida**

	<i>Eucryphia billardierei</i> var. <i>milliganii</i> (Hook.f.) Benth. nom. illeg. = Eucryphia milliganii	
e	Eucryphia lucida (Labill.) Baill., Hist. Pl. (Baillon) 1: 402 (1869)	1:183
e	Eucryphia milliganii Hook.f. subsp. milliganii , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 54 (1855)	1:183
e	Eucryphia milliganii subsp. pubescens R.W.Barnes, G.J.Jord., R.S.Hill & McCoull, Austral. J. Bot. 48: 488 (2000)	
	DILLENIACEAE	FTO 92
	<i>Dillenia procumbens</i> Labill. = Hibbertia procumbens	
	Hibbertia acicularis (Labill.) F.Muell., Pl. Victoria 1: 17 (1862)	1:23
	<i>Hibbertia angustifolia</i> (R.Br. ex DC.) Benth. = Hibbertia procumbens	
	Hibbertia appressa Toelken, J. Adelaide Bot. Gard. 19: 54 (2000)	
	<i>Hibbertia aspera</i> DC. sensu Curtis & Morris (1975) = Hibbertia hirticalyx (misapplied in Tasmania)	1:23
e	Hibbertia basaltica A.M.Buchanan & Schah., Muellera 22: 105 (2005)	
	<i>Hibbertia billardierei</i> F.Muell. nom. illeg. = Hibbertia empetrifolia	
	<i>Hibbertia billardierei</i> var. <i>monadelpha</i> F.Muell. ex Benth. = Hibbertia hirticalyx	
	<i>Hibbertia billardierei</i> var. <i>obovata</i> R.Br. ex Benth. = Hibbertia hirticalyx	
	<i>Hibbertia calycina</i> (DC.) N.A.Wakef. sensu Buchanan et al. (1989) = Hibbertia mathinnicola (misapplied in Tasmania)	
	<i>Hibbertia densiflora</i> (Hook.f.) F.Muell. = Hibbertia sericea	
	Hibbertia dispar Toelken, J. Adelaide Bot. Gard. 26: 31-69 (2013)	
	Hibbertia empetrifolia (DC.) Hoogland subsp. empetrifolia , Kew Bull. 29: 155 (1974)	1:23
	Hibbertia ericifolia Hook.f. subsp. ericifolia , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 14 (1855) (as <i>H. ericaefolia</i>)	
	<i>Hibbertia fasciculata</i> R.Br. ex DC. sensu Curtis & Morris (1975) = Hibbertia prostrata (misapplied in Tasmania)	1:24
	Hibbertia hirsuta (Hook.) Benth., Fl. Austral. 1: 26 (1863)	1:22
	Hibbertia hirticalyx Toelken, J. Adelaide Bot. Gard. 18: 146 (1998)	1:23
	<i>Hibbertia linearis</i> var. <i>obtusifolia</i> (DC.) Benth. = Hibbertia obtusifolia	
e	Hibbertia mathinnicola Wapstra, Swainsona 35: 154 (2021)	
x	Hibbertia obtusifolia DC., Syst. Nat. [Candolle] 1: 429 (1817)	1:24
	Hibbertia procumbens (Labill.) DC., Syst. Nat. [Candolle] 1: 427 (1817)	1:24
	Hibbertia prostrata Hook., J. Bot. (Hooker) 1: 246 (1834)	1:24
	Hibbertia riparia (R.Br. ex DC.) Hoogland, Kew Bull. 29: 155 (1974)	1:22
	Hibbertia rufa N.A.Wakef., Vict. Naturalist 72: 119 (1955)	1:23
	Hibbertia sericea (R.Br. ex DC.) Benth. var. sericea , Fl. Austral. 1: 26 (1863)	1:22
	<i>Hibbertia serpyllifolia</i> R.Br. ex DC. = Hibbertia ericifolia subsp. ericifolia	1:24
	<i>Hibbertia stricta</i> (DC.) F.Muell. = Hibbertia riparia	
	<i>Hibbertia stricta</i> var. <i>canescens</i> = Hibbertia riparia	
	<i>Hibbertia stricta</i> var. <i>glabriuscula</i> = Hibbertia riparia	
	Hibbertia virgata R.Br. ex DC., Syst. Nat. [Candolle] 1: 428 (1817)	1:24
	<i>Pleurandra acicularis</i> Labill. = Hibbertia acicularis	
	<i>Pleurandra hirsuta</i> Hook. = Hibbertia hirsuta	
	<i>Pleurandra ovata</i> Labill. p.p. = Hibbertia appressa	
	<i>Pleurandra ovata</i> Labill. p.p. = Hibbertia empetrifolia	

Pleurandra ovata var. scabra (R.Br. ex DC.) Hook.f. sensu Hooker(1860) = **Hibbertia hirticalyx** (misapplied in Tasmania)

Pleurandra riparia R.Br. ex DC. (and vars.) = **Hibbertia riparia**

Pleurandra sericea R.Br. ex DC. = **Hibbertia sericea**

DIPSACACEAE

FTO 134

- i **Dipsacus fullonum** L., Sp. Pl. 1: 97 (1753) 2:280
- Dipsacus sylvestris** Huds. = **Dipsacus fullonum** 2:280
- i **Scabiosa atropurpurea** L., Sp. Pl. 1: 100 (1753) 2:280
- i **Scabiosa farinosa** Coss., Ill. Fl. Atlant. 6: 58, t. 134. (1893)

DONATIACEAE

FTO 126

- t **Donatia novae-zelandiae** Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 81 (1852) 2:397

DROSERACEAE

FTO 96

- Drosera arcturi** Hook., J. Bot. (Hooker) 1: 247 (1834) 1:187
 - Drosera auriculata** Backh. ex Planch., Ann. Sci. Nat., Bot., sér. 3, 9: 295 (1848) 1:188
 - Drosera binata** Labill., Nov. Holl. Pl. 1: 78 t.105 (1805) 1:188
 - Drosera foliosa** Hook.f. ex Planch. nom. illeg. = **Drosera hookeri**
 - Drosera glanduligera** Lehm., Nov. Stirp. Pug. [Lehmann] 8: 37 (1844) 1:187
 - Drosera gracilis** Hook.f. ex Planch. = **Drosera peltata** 1:188
 - Drosera gunniana** (Planch.) de Salas, Muelleria 36: 102 (2018)
 - Drosera hookeri** R.P.Gibson, B.J.Conn & Conran, J. Adelaide Bot. Gard. 24: 41 (2010)
 - Drosera macrantha** Endl. sensu Buchanan et al. (1989) = **Drosera macrantha** subsp. **planchonii** (misapplied in Tasmania) 1:189
 - Drosera macrantha** subsp. **planchonii** (Hook.f. ex Planch.) N.G.Marchant, Fl. Australia 8: 383 (1982) 1:189
 - Drosera menziesii** R.Br. ex DC. sensu Rodway (1903) = **Drosera macrantha** subsp. **planchonii** (misapplied in Tasmania)
 - Drosera menziesii** var. **albiflora** Benth. = **Drosera macrantha** subsp. **planchonii**
 - e **Drosera murfetii** Lowrie & Conran, J. Adelaide Bot. Gard. 27: 17 (2014)
 - Drosera peltata** Thunb. sensu Rodway and later (1903) authors = **Drosera gunniana** (misapplied in Tasmania)
 - Drosera peltata** Thunb., Drosera 7 (1797) 1:188
 - Drosera peltata** subsp. **auriculata** (Backh. ex Planch.) Conn = **Drosera auriculata** 1:188
 - Drosera peltata** var. **foliosa** (Hook.f. ex Planch.) Benth. = **Drosera hookeri**
 - Drosera peltata** var. **gracilis** (Hook.f. ex Planch.) Benth. = **Drosera peltata**
 - Drosera planchonii** Hook.f. ex Planch. = **Drosera macrantha** subsp. **planchonii** 1:189
 - Drosera pygmaea** DC., Prodr. [A. P. de Candolle] 1: 317 (1824) 1:187
 - Drosera spatulata** Labill. var. **spatulata**, Nov. Holl. Pl. 1: 79 t.106 fig.1 (1805) 1:187
- ELAEOCARPACEAE** **FTO 71**
- e **Aristotelia peduncularis** (Labill.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 52 (1855) 1:91
 - Elaeocarpus cyaneus** Sims = **Elaeocarpus reticulatus**
 - Elaeocarpus peduncularis** Labill. = **Aristotelia peduncularis**
 - Elaeocarpus reticulatus** Sm., Cycl. 12, no.6 (1809) 1:91
 - Tetratheca ciliata** Lindl., Three Exped. Australia [Mitchell] 2: 205 (1838) 1:60
 - e **Tetratheca** sp. **Flinders Is. (T.Rudman HO510551) Tas Herbarium**
 - e **Tetratheca** sp. **Freycinet Pen. (A.C.Rozefelds 323) Tas Herbarium**

	Tetratheca glandulosa Labill. nom. illeg. = Tetratheca labillardierei	1:60
e	Tetratheca gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.). I: 36, t.7B (1855)	
	Tetratheca labillardierei Joy Thomps., Telopea I: 189 (1976)	1:60
	Tetratheca pilosa subsp. latifolia Joy Thomps., Telopea I: 213 (1976)	
	Tetratheca pilosa Labill. subsp. pilosa , Nov. Holl. Pl. I: 95, t.122 (1805)	1:60
	Tetratheca pilosa var. procumbens = Tetratheca procumbens	
	Tetratheca procumbens Gunn ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 35, t.7A (1855)	1:61
	ELATINACEAE	FTO 76
	Elatine americana (Pursh) Arn. sensu Bentham (1863) = Elatine gratiolooides (misapplied in Tasmania)	
	Elatine gratiolooides A.Cunn., Ann. Nat. Hist. 4: 26 (1840)	1:80
	ERICACEAE	FTO 105
	Acrothamnus hookeri (Sond.) Quinn, Austral. Syst. Bot. 18: 452 (2005)	2:438
	Acrothamnus montanus (R.Br.) Quinn, Austral. Syst. Bot. 18: 452 (2005)	2:433
	Acrotriche affinis DC., Prodr. [A. P. de Candolle] 7: 757 (1839)	
	Acrotriche cordata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 548 (1810)	
	Acrotriche patula sensu Hooker (1860) = Acrotriche serrulata (misapplied in Tasmania)	
	Acrotriche serrulata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:440
e	Androstoma verticillata (Hook.f.) Quinn, Austral. Syst. Bot. 18: 450 (2005)	2:439
i #	Arbutus unedo L., Sp. Pl. I: 395 (1753)	
e	Archeria comberi Melville, Kew Bull. 12: 389 (1957)	2:453
e	Archeria eriocarpa Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 263 t.80B (1857)	2:452
e	Archeria hirtella (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 263 t.81 (1857)	2:452
e	Archeria minor Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 264 (1857)	2:452
e	Archeria serpyllifolia Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 263 t.80A (1857)	2:452
	Archeria serpyllifolia var. minor (Hook.f.) Benth. = Archeria minor	2:452
	Astroloma humifusum (Cav.) R.Br. = Styphelia humifusa	2:424
	Astroloma pinifolium (R.Br.) Benth. = Stenantha pinifolia	2:424
	Brachyloma ciliatum (R.Br.) Benth., Fl. Austral. 4: 173 (1868)	2:432
	Brachyloma ciliatum var. intermedium Rodway = Brachyloma ciliatum	
	Brachyloma daphnoides Benth. sensu Bentham (1868) attributed to Tasmania in error	
	Brachyloma depressum (F.Muell.) Benth., Fl. Austral. 4: 173 (1868)	2:432
	Brossaea lanceolata (Hook.f.) Kuntze = Gaultheria lanceolata	
i t	Calluna vulgaris (L.) Hull, Brit. Fl., ed. 2, 1: 114 (1808)	2:418
	Cyathodes abietina (Labill.) R.Br. = Leptecophylla abietina	2:427
	Cyathodes acerosa R.Br. ex Roem. & Schult. sensu Rodway (1903) = Leptecophylla oxycedrus (misapplied in Tasmania)	
	Cyathodes adscendens Hook.f. = Planocarpa petiolaris	
	Cyathodes dealbata R.Br. = Montitega dealbata	2:427
	Cyathodes disticha Labill. = Trochocarpa disticha	
	Cyathodes divaricata Hook.f. = Leptecophylla divaricata	2:428
e	Cyathodes glauca Labill., Nov. Holl. Pl. I: 57 t.81 (1805)	2:426
	Cyathodes juniperina (J.R.Forst. & G.Forst.) Druce = Leptecophylla pogonocalyx subsp. decipiens	

	Cyathodes juniperina (J.R.Forst. & G.Forst.) Druce sensu Curtis & Morris (1975) p.p. = Leptecophylla oxycedrus (misapplied in Tasmania)	2:427
	Cyathodes macrantha Hook.f. = Cyathodes straminea	
	Cyathodes nitida Jarman = Planocarpa nitida	
	Cyathodes oxycedrus (Labill.) R.Br. = Leptecophylla oxycedrus	
	Cyathodes parvifolia R.Br. = Leptecophylla parvifolia	2:428
	Cyathodes pendulosa Jarman = Leptecophylla pendulosa	
	Cyathodes petiolaris (DC.) Druce = Planocarpa petiolaris	2:426
e	Cyathodes platystoma C.M.Weiller, Austral. Syst. Bot. 9: 502 (1996)	
e	Cyathodes straminea R.Br., Prodr. Fl. Nov. Holland. 539 (1810)	2:426
	Cyathodes straminea var. macrantha (Hook.f.) Rodway = Cyathodes straminea	
	Cyathodes sulcata Mihaich = Planocarpa sulcata	
	Cystanthe acerosa (Lindl.) F.Muell. = Richea acerosa	
	Cystanthe dracophylla (Hook.f.) Kuntze = Richea dracophylla	
	Cystanthe gunnii (Hook.f.) Kuntze = Richea gunnii	
	Cystanthe milliganii (Hook.f.) F.Muell. = Richea milliganii	
	Cystanthe pandanifolia (Hook.f.) Kuntze = Richea pandanifolia	
	Cystanthe procera F.Muell. = Richea procera	
	Cystanthe scoparia (Hook.f.) Kuntze = Richea scoparia	
	Cystanthe sprengelioides R.Br. = Richea sprengelioides	
	Decaspora cunninghamii DC. = Trochocarpa cunninghamii	
	Decaspora disticha (Labill.) R.Br. = Trochocarpa disticha	
	Decaspora gunnii Hook.f. = Trochocarpa gunnii	
	Decaspora thymifolia R.Br. = Trochocarpa thymifolia	
	Dracophyllum alpinum (Menadue) S.Venter = Richea alpina	
	Dracophyllum desgrazii (Hombr. ex Decne.) S.Venter = Richea dracophylla	
	Dracophyllum gunnii (Hook.f.) S.Venter = Richea gunnii	
	Dracophyllum laciniatum S.Venter = Richea acerosa	
e	Dracophyllum milliganii Hook.f., Icon. Pl. 9: t.845 (1852)	2:461
e	Dracophyllum minimum F.Muell., Fragm. (Mueller) 1: 39 (1859)	2:461
	Dracophyllum pandanifolium (Hook.f.) S.Venter = Richea pandanifolia	
	Dracophyllum persistentifolium S.Venter = Richea scoparia	
	Dracophyllum procerum (F.Muell.) S.Venter = Richea procera	
	Dracophyllum sprengelioides (R.Br.) S.Venter = Richea sprengelioides	
	Dracophyllum tasmanicum S.Venter = Richea milliganii	
e	Epacris acuminata Benth., Fl. Austral. 4: 240 (1868)	2:451
e	Epacris apseyensis Crowden, Pap. & Proc. Roy. Soc. Tasmania 120: 17 (1986)	
e	Epacris barbata Melville, Kew Bull. 7: 176 (1952)	2:450
	Epacris campanulata Lodd. ex DC. = Epacris impressa	
e	Epacris cerasicollina Crowden, Muellera 25: 124 (2007)	
	Epacris ceriflora Graham = Epacris impressa	
	Epacris cerinthoides Labill. = Prionotes cerinthoides	
e	Epacris corymbiflora Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 261 (1857)	2:447

- e **Epacris curtisiae** Jarman, Pap. & Proc. Roy. Soc. Tasmania 122: 115 (1988)
- e **Epacris exserta** R.Br., Prodr. Fl. Nov. Holland. 551 (1810) 2:448
Epacris exserta var. *virgata* (Hook.f.) Benth. = **Epacris virgata**
- e **Epacris franklinii** Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 261 (1857) 2:448
- e **Epacris glabella** Jarman, Aspects of Tasmanian Botany: 100 (1991)
- e **Epacris grandis** Crowden, Pap. & Proc. Roy. Soc. Tasmania 120: 19 (1986)
- e **Epacris graniticola** Crowden, Muellera 25: 126 (2007)
- Epacris gunnii** Hook.f., London J. Bot. 6: 272 (1847) 2:451
- e **Epacris heteronema** var. **gigantea** F.Muell., Fragm (Mueller) 4: 127 (1864)
- e **Epacris heteronema** Labill. var. **heteronema**, Nov. Holl. Pl. 1: 42 t.56 (1805)
Epacris heteronema var. *planifolia* = **Epacris heteronema** (Tasmanian material)
Epacris hirtella Hook.f. = **Archeria hirtella**
- Epacris impressa** Labill., Nov. Holl. Pl. 1: 43 t.58 (1805) 2:446
Epacris impressa f. *ceriflora* (Graham) Siebert & Voss = **Epacris impressa**
Epacris impressa f. *diemenica* Gand. = **Epacris impressa**
Epacris impressa f. *lucida* Gand. = **Epacris impressa**
Epacris impressa f. *milliganii* Gand. = **Epacris impressa**
Epacris impressa f. *ruscifolia* (R.Br.) Siebert & Voss = **Epacris impressa**
Epacris impressa var. *campanulata* (Lodd. ex DC.) Hook.f. = **Epacris impressa**
Epacris impressa var. *ceriflora* (Graham) Rodway = **Epacris impressa**
Epacris impressa var. *nivea* Hook.f. = **Epacris impressa**
Epacris impressa var. *ovata* Benth. = **Epacris impressa**
Epacris impressa var. *ruscifolia* (R.Br.) Rodway = **Epacris impressa**
Epacris impressa var. *variabilis* (Lodd. ex Paxton) Hook.f. = **Epacris impressa**
- Epacris lanuginosa** Labill., Nov. Holl. Pl. 1: 42 t.57 (1805) 2:448
- e **Epacris limbata** K.J.Williams & F.Duncan, Aspects of Tasmanian Botany: 95 (1991)
- e **Epacris marginata** Melville, Kew Bull. 7: 175 (1952) 2:449
Epacris micranthera F.Muell. = **Archeria serpyllifolia**
Epacris microphylla R.Br. sensu Bentham (1868) p.p., Rodway (1903) = **Epacris gunnii** (misapplied in Tasmania)
Epacris microphylla Hook.f. nom. illeg., sensu Hooker (1847) = **Epacris petrophila**
Epacris microphylla var. *gunnii* (Hook.f.) Benth. = **Epacris gunnii**
- e **Epacris moscaliana** Crowden, Muellera 25: 127 (2007)
Epacris mucronulata sensu Hooker (1860) p.p. = **Epacris acuminata** (misapplied in Tasmania)
- e **Epacris mucronulata** R.Br., Prodr. Fl. Nov. Holland. 552 (1810) 2:448
- e **Epacris myrtifolia** Labill., Nov. Holl. Pl. 1: 41 t.55 (1805) 2:447
Epacris myrtifolia var. *corymbiflora* (Hook.f.) Rodway = **Epacris corymbiflora**
- e **Epacris navicularis** Jarman, Pap. & Proc. Roy. Soc. Tasmania 112: 3 (1978)
- Epacris obtusifolia** Sm., Exot. Bot. 1: 77 t.40 (1804) 2:447
- Epacris paludosa** R.Br., Prodr. Fl. Nov. Holland. 551 (1810) 2:449
- Epacris petrophila** Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 261 (1857) 2:446
Epacris ruscifolia R.Br. = **Epacris impressa**
- e **Epacris serpyllifolia** R.Br., Prodr. Fl. Nov. Holland. 551 (1810) 2:450

	Epacris serpyllifolia var. squarrosa (Hook.f.) Benth. = Epacris tasmanica	
	Epacris squarrosa Hook.f. = Epacris tasmanica	2:450
e	Epacris stuartii Stapf, Bull. Misc. Inform. Kew 1910: 217 (1910)	2:449
e	Epacris tasmanica W.M.Curtis, Taxon 18: 244 (1969)	2:450
	Epacris variabilis Lodd. ex Paxton nom. illeg., non Courtois = Epacris impressa	
e	Epacris virgata Hook.f., London J. Bot. 6: 271 (1847)	2:448
	Erica andromedaeiflora Andrews = Erica holosericea	2:419
i	Erica arborea L., Sp. Pl. 1: 353 (1753)	2:420
i	Erica baccans L., Mant. Pl. 2: 233 (1771)	2:419
i	Erica caffra L., Sp. Pl. 1: 353 (1753)	2:421
i t	Erica holosericea Salisb., Trans. Linn. Soc. London 6: 352 (1802)	2:419
i	Erica lusitanica Rudolphi, J. Bot. (Schrader) 2: 286 (1800)	2:420
i t	Erica scoparia L., Sp. Pl. 1: 353 (1753)	
	Erica aff. willmorei Knowles & Westc. sensu Curtis (1963) recorded in error	2:420
	Gaultheria antipoda G.Forst. sensu Hooker (1860), Bentham (1868), Rodway (1903) = Gaultheria depressa (misapplied in Tasmania)	
	Gaultheria antipoda var. depressa (Hook.f.) Hook.f. = Gaultheria depressa	
t	Gaultheria depressa Hook.f., London J. Bot. 6: 267 (1847)	2:417
	Gaultheria hispida R.Br., Prodr. Fl. Nov. Holland. 559 (1810)	2:417
e	Gaultheria lanceolata Hook.f., London J. Bot. 6: 267 (1847)	2:416
e	Gaultheria tasmanica (Hook.f.) D.J.Middleton, Edinburgh J. Bot. 47: 299 (1990)	2:416
e	Leptecophylla abietina (Labill.) C.M.Weiller, Muelleria 12: 211 (1999)	2:427
e	Leptecophylla divaricata (Hook.f.) C.M.Weiller, Muelleria 12: 207 (1999)	2:428
	Leptecophylla juniperina (J.R.Forst. & G.Forst.) C.M.Weiller subsp. juniperina sensu de Salas & Baker (2016) p.p. = Leptecophylla pogonocalyx subsp. decipiens (misapplied in Tasmania)	2:427
	Leptecophylla juniperina (J.R.Forst. & G.Forst.) C.M.Weiller subsp. juniperina sensu de Salas & Baker (2016) p.p. = Leptecophylla oxycedrus (misapplied in Tasmania)	2:427
	Leptecophylla juniperina subsp. oxycedrus (Labill.) C.M.Weiller = Leptecophylla oxycedrus	
	Leptecophylla juniperina subsp. parvifolia (R.Br.) C.M.Weiller = Leptecophylla parvifolia	
	Leptecophylla oxycedrus (Labill.) Jarman, Swainsona 31: 1	
e	Leptecophylla parvifolia (R.Br.) Jarman, Swainsona 31: 7	2:428
e	Leptecophylla pendulosa (Jarman) C.M.Weiller, Muelleria 12: 209 (1999)	
e	Leptecophylla pogonocalyx subsp. decipiens Jarman, Swainsona 31: 13 (2017)	
e	Leptecophylla pogonocalyx C.M.Weiller subsp. pogonocalyx , Muelleria 12: 206 (1999)	
	Leucopogon affinis R.Br., Prodr. Fl. Nov. Holland 541 (1810)	2:435
	Leucopogon australis R.Br., Prodr. Fl. Nov. Holland. 541 (1810)	2:436
	Leucopogon ciliatus A.Cunn. ex DC. = Leucopogon collinus	
	Leucopogon ciliatus var. [alpha] Hook.f. = Leucopogon collinus	
	Leucopogon ciliatus var. [beta] Hook.f. p.p. = Leucopogon pilifer	
	Leucopogon ciliatus var. [beta] Hook.f. p.p. = Leucopogon oreophilus	
	Leucopogon collinus (Labill.) R.Br., Prodr. Fl. Nov. Holland. 543 (1810)	2:436
	Leucopogon collinus var. billardierei DC. = Leucopogon collinus	
	Leucopogon collinus var. brownii DC. = Leucopogon collinus	
	Leucopogon ericoides (Sm.) R.Br. = Styphelia ericoides	2:438

	Leucopogon ericoides var. [alpha] Hook.f. = Styphelia ericoides	
	Leucopogon ericoides var. [beta] Hook.f. = Styphelia ericoides	
	Leucopogon esquamatus R.Br. = Styphelia esquamata	2:439
	Leucopogon fraseri A.Cunn. = Styphelia nesophila	2:439
	Leucopogon hookeri Sond. = Acrothamnus hookeri	2:438
	Leucopogon lanceolatus (Sm.) R.Br. = Leucopogon affinis	2:435
	Leucopogon milliganii (F.Muell.) Rodway = Androstoma verticillata	2:439
	Leucopogon montanus (R.Br.) J.H.Willis = Acrothamnus montanus	2:433
	Leucopogon obtusatus nom. illeg., sensu Hooker (1847) = Acrothamnus hookeri	2:438
e	Leucopogon oreophilus J.M.Powell, Aspects of Tasmanian Botany: 108 (1991)	
	Leucopogon parviflorus (Andrews) Lindl., Edwards's Bot. Reg. 18: t.1560 (1832)	2:435
	Leucopogon pilifer N.A.Wakef., Vict. Naturalist 73: 58 (1956)	
	Leucopogon richei (Labill.) R.Br. = Leucopogon parviflorus	
	Leucopogon richei var. [gamma] Hook.f. = Leucopogon affinis	
	Leucopogon richei var. parviflorus (Andrews) Hook.f. = Leucopogon parviflorus	
	Leucopogon rufus Lindl. sensu Bentham (1868) recorded in error	
	Leucopogon stuartii F.Muell. ex Sond. = Styphelia nesophila	2:439
	Leucopogon trichocarpus (Labill.) R.Br. = Styphelia ericoides	
	Leucopogon virgatus var. brevifolius Benth., Fl. Austral. 4: 202 (1868)	2:438
	Leucopogon virgatus (Labill.) R.Br. var. virgatus , Prodr. Fl. Nov. Holland. 543 (1810)	2:438
	Lissanthe ciliata R.Br. = Brachyloma ciliatum	
	Lissanthe daphnoides (Sm.) R.Br. sensu Brown (1810), Hooker (1860) attributed to Tasmania in error	
	Lissanthe montana R.Br. = Acrothamnus montanus	2:433
	Lissanthe strigosa subsp. subulata (R.Br.) J.M.Powell, Telopea 5: 741 (1994)	2:433
	Monotoca elliptica (Sm.) R.Br., Prodr. Fl. Nov. Holland. 546 (1810)	2:441
e	Monotoca empetrifolia R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:443
	Monotoca glauca (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 636 (1917)	2:442
	Monotoca lineata R.Br. = Monotoca glauca	
	Monotoca lineata var. linifolia Rodway = Monotoca linifolia	
e	Monotoca linifolia subsp. algida Jarman, Aspects of Tasmanian Botany: 102 (1991)	2:442
e	Monotoca linifolia (Rodway) W.M.Curtis subsp. linifolia , The Student's Flora of Tasmania 2: 464 (1963)	2:442
	Monotoca scoparia (Sm.) R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:442
	Monotoca scoparia var. submutica Benth. = Monotoca submutica	
e	Monotoca submutica var. autumnalis Jarman, Pap. & Proc. Roy. Soc. Tasmania 112: 1 (1978)	
e	Monotoca submutica (Benth.) Jarman var. submutica , Pap. & Proc. Roy. Soc. Tasmania 112: 1 (1978)	
t	Montitega dealbata (R.Br.) C.M.Weiller, Austral. Syst. Bot. 23: 328 (2010)	2:427
e	Pentachondra ericifolia Hook.f., London J. Bot. 6: 271 (1847)	2:430
e	Pentachondra involucrata R.Br., Prodr. Fl. Nov. Holland. 549 (1810)	2:429
	Pentachondra mucronata Hook.f. = Styphelia nesophila	
	Pentachondra pumila (J.R.Forst. & G.Forst.) R.Br., Prodr. Fl. Nov. Holland. 549 (1810)	2:429
	Pentachondra verticillata Hook.f. = Androstoma verticillata	
	Pernettya lanceolata (Hook.f.) B.L.Burt & A.W.Hill = Gaultheria lanceolata	2:416

	<i>Pernettya tasmanica</i> Hook.f. = Gaultheria tasmanica	2:416
	<i>Pilitis acerosa</i> Lindl. = Richea acerosa	
	<i>Pilitis milliganii</i> Hook.f. = Richea milliganii	
e	Planocarpa nitida (Jarman) C.M.Weiller, Austral. Syst. Bot. 9: 517 (1996)	
e	Planocarpa petiolaris (DC.) C.M.Weiller, Austral. Syst. Bot. 9: 514 (1996)	2:426
e	Planocarpa sulcata (Mihaich) C.M.Weiller, Austral. Syst. Bot. 9: 516 (1996)	
e	Prionotes cerinthoides (Labill.) R.Br., Prodr. Fl. Nov. Holland. 553 (1810)	2:453
i	Rhododendron ponticum L., Sp. Pl., ed. 2: 562 (1762)	
e	Richea acerosa (Lindl.) F.Muell., Fragm. (Mueller) 6: 69 (1867)	2:458
e	Richea alpina Menadue, Austral. Syst. Bot. 13: 798 (2000)	
	<i>Richea angustifolia</i> B.L.Burtt = Richea scoparia	2:460
e	Richea × curtisiae A.M.Gray, Muelleria 2: 143 (1971) = R. pandanifolia × R. scoparia	
e	Richea dracophylla R.Br., Prodr. Fl. Nov. Holland. 555 (1810)	2:460
e	Richea gunnii Hook.f., London J. Bot. 6: 273 (1847)	2:459
e	Richea milliganii (Hook.f.) F.Muell., Fragm. (Mueller) 6: 69 (1867)	2:458
e	Richea pandanifolia Hook.f. subsp. pandanifolia , Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 50 (1844)	2:460
e	Richea pandanifolia subsp. ramulosa Menadue, Austral. Syst. Bot. 13: 795 (2000)	2:460
e	Richea procera (F.Muell.) F.Muell., Fragm. (Mueller) 6: 68 (1867)	2:458
e	Richea scoparia Hook.f., London J. Bot. 6: 273 (1847)	2:459
e	Richea sprengelioides (R.Br.) F.Muell., Fragm. (Mueller) 6: 68 (1867)	2:457
e	Sprengelia distichophylla (Rodway) W.M.Curtis, The Student's Flora of Tasmania 2: 464 (1963)	2:456
	Sprengelia incarnata Sm., Kongl. Vetensk. Acad. Nya Handl. 15: 260 (1794)	2:454
	<i>Sprengelia incarnata</i> f. <i>montana</i> (R.Br.) Siebert & Voss = Sprengelia montana	
	<i>Sprengelia incarnata</i> f. <i>propinqua</i> (A.Cunn. ex DC.) Siebert & Voss = Sprengelia propinqua	
	<i>Sprengelia incarnata</i> var. <i>distichophylla</i> Rodway = Sprengelia distichophylla	
	<i>Sprengelia incarnata</i> var. <i>montana</i> (R.Br.) Domin = Sprengelia montana	
	<i>Sprengelia macrantha</i> Hook.f. = Sprengelia propinqua	
e	Sprengelia minima Crowden, Telopea 15: 62 (2013)	
e	Sprengelia montana R.Br., Prodr. Fl. Nov. Holland. 555 (1810)	2:455
	<i>Sprengelia</i> sp. Mt Field (A.M.Gray 1513) Tas Herbarium = Sprengelia minima	
e	Sprengelia sp. Mt Read (R.K. Crowden 0802 006) Tas Herbarium	
e	Sprengelia propinqua A.Cunn. ex DC., Prodr. [A. P. de Candolle] 7: 768 (1839)	
	<i>Sprengelia propinqua</i> var. <i>demissa</i> F.Muell. = Sprengelia minima	
	Stenantha pinifolia R.Br., Prodr. Fl. Nov. Holland. 538 (1810)	2:424
	<i>Styphelia abietina</i> Labill. = Leptecophylla abietina	
	Styphelia adscendens R.Br., Prodr. Fl. Nov. Holland. 537 (1810)	2:423
	<i>Styphelia billardierei</i> = Cyathodes glauca	
	<i>Styphelia ciliata</i> (R.Br.) F.Muell. = Brachyloma ciliatum	
	<i>Styphelia collina</i> Labill. = Leucopogon collinus	
	<i>Styphelia empetrifolia</i> (R.Br.) F.Muell. = Monotoca empetrifolia	
	Styphelia ericoides Sm., Spec. Bot. New Holland 1(4): 48 (1795)	2:438
	Styphelia esquamata (R.Br.) Spreng., Syst. Veg., ed. 16 [Sprengel] 1: 658 (1824)	2:439
	<i>Styphelia glauca</i> Labill. = Monotoca glauca	

	Styphelia hookeri = Acrothamnus hookeri	
	Styphelia humifusa (Cav.) Pers., Syn. Pl. [Persoon] 1: 174 (1805)	2:424
	Styphelia lanceolata Sm. = Leucopogon affinis	
	Styphelia montana (R.Br.) F.Muell. = Acrothamnus montanus	
	Styphelia mucronata (Hook.f.) J.H.Willis = Styphelia nesophila	
	Styphelia nesophila (DC.) Sleumer, Blumea 12: 153 (1964)	2:439
	Styphelia oxycedrus Labill. = Leptecophylla oxycedrus	
	Styphelia serrulata Labill. = Acrotriche serrulata	
	Styphelia straminea (R.Br.) Spreng. = Cyathodes straminea	
	Styphelia strigosa Sm. = Lissanthe strigosa	
	Styphelia trichocarpa Labill. = Styphelia ericoides	
	Styphelia virgata Labill. = Leucopogon virgatus	
e	Trochocarpa cunninghamii (DC.) W.M.Curtis, The Student's Flora of Tasmania 2: 463 (1963)	2:431
e	Trochocarpa disticha (Labill.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 660 (1824)	2:430
	Trochocarpa disticha var. cunninghamii (DC.) Benth. = Trochocarpa cunninghamii	
	Trochocarpa disticha var. microphylla F.Muell. = Trochocarpa disticha	
	Trochocarpa glauca (Labill.) Spreng. = Cyathodes glauca	
e	Trochocarpa gunnii (Hook.f.) Benth., Fl. Austral. 4: 167 (1868)	2:431
e	Trochocarpa thymifolia (R.Br.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 660 (1824)	2:431
	ESCALLONIACEAE	FTO 131
e	Anopterus glandulosus Labill., Nov. Holl. Pl. 1: 86 t. 112 (1805)	1:181
	EUPHORBIACEAE	
	Adriana quadripartita (Labill.) Müll.Arg. sensu Bentham (1873) recorded in error	
	Amperea spartiooides Brongn. = Amperea xiphoclada var. xiphoclada	
	Amperea xiphoclada (Sieber ex Spreng.) Druce var. xiphoclada , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 604 (1917)	3:637
	Bertya rosmarinifolia (A.Cunn.) Planch. sensu Curtis (1967) = Bertya tasmanica subsp. tasmanica (misapplied in Tasmania)	
e	Bertya tasmanica (Sond. & F.Muell.) Müll.Arg. subsp. tasmanica , Linnaea 34: 63 (1865)	3:637
	Beyeria backhousei Hook.f. = Beyeria lechenaultii	
	Beyeria lechenaultii (DC.) Baill., Adansonia 6: 307 (1866)	3:635
	Beyeria lechenaultii var. latifolia Grüning = Beyeria lechenaultii	
	Beyeria oblongifolia (Klotzsch) Hook.f. = Beyeria viscosa	
	Beyeria opaca F.Muell. sensu Bentham (1873) = Beyeria lechenaultii (misapplied in Tasmania)	
	Beyeria viscosa (Labill.) Miq., Ann. Sci. Nat., Bot., sér. 3, 1: 350 t. 15 (1844)	3:635
	Chamaesyce drummondii (Boiss.) D.C.Hassall = Euphorbia drummondii	3:632
i	Euphorbia cyparissias L., Sp. Pl. 1: 461 (1753)	3:633
	Euphorbia drummondii Boiss. sensu Curtis (1967) recorded in error	3:632
i	Euphorbia exigua L., Sp. Pl. 1: 456 (1753)	
i	Euphorbia helioscopia L., Sp. Pl. 1: 459 (1753)	3:632
i	Euphorbia lathyris L., Sp. Pl. 1: 457 (1753)	3:632
i	Euphorbia paralias L., Sp. Pl. 1: 458 (1753)	3:633
i	Euphorbia peplus L., Sp. Pl. 1: 456 (1753)	3:633

- i # t **Euphorbia stricta** L., Syst. Nat., ed. 10, 2: 1049 (1759)
 Ricinocarpos major F.Muell. sensu Bentham (1873) a name of uncertain application
Ricinocarpos pinifolius Desf., Mém. Mus. Hist. Nat. 3: 459 t.22 (1817) 3:636
- FABACEAE**
- ?i **Acacia acinacea** Lindl., Three Exped. Australia, edn 1, 2: 265 (1838)
 Acacia armata R.Br. = **Acacia paradoxa** 1:127
- e **Acacia axillaris** Benth., London J. Bot. 1: 341 (1842) 1:127
- i **Acacia baileyana** F.Muell., Trans. & Proc. Roy. Soc. Victoria 24: 168 (1888)
 Acacia botrycephala (Vent.) Desf. = **Acacia terminalis** 1:129
 Acacia crassiuscula H.L.Wendl. sensu Hooker (1860), Bentham (1864) = **Acacia uncifolia** (misapplied in Tasmania)
Acacia dealbata Link subsp. **dealbata**, Enum. Hort. Berol. Alt. 2: 445 (1822) 1:130
- i **Acacia decurrens** Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1072 (1806) 1:130
 Acacia decurrens f. mollis (Lindl.) Benth. = **Acacia dealbata** subsp. **dealbata**
 Acacia dependens A.Cunn. ex Benth. nom. illeg. = **Acacia mucronata** subsp. **dependens**
- e **Acacia derwentiana** A.M.Gray, Muelleria 21: 107 (2005)
 Acacia diffusa Ker Gawl. = **Acacia genistifolia**
 Acacia discolor (Andrews) Willd. = **Acacia terminalis**
 Acacia dissitiflora Benth. = **Acacia mucronata** subsp. **longifolia**
- i **Acacia floribunda** (Vent.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1051 (1806)
Acacia genistifolia Link, Enum. Hort. Berol. Alt. 2: 442 (1822) 1:126
Acacia gunnii Benth., London J. Bot. 1: 332 (1842) 1:127
- i **Acacia howittii** F.Muell., Vict. Naturalist 10: 16 (1893)
 Acacia implexa Benth. sensu Buchanan (1999) = **Acacia uncifolia** (misapplied in Tasmania)
 Acacia juniperina (Vent.) Willd. sensu Bentham (1864) = **Acacia ulicifolia** (misapplied in Tasmania)
Acacia leprosa var. **graveolens** Maslin & D.J.Murphy, Muelleria 27: 201 (2009) 1:127
 Acacia linearis (J.C.Wendl.) Sims sensu Hooker (1860), Bentham (1864) = **Acacia mucronata** subsp. **mucronata** (misapplied in Tasmania)
 Acacia longifolia f. dissitiflora (Benth.) Benth. = **Acacia mucronata** subsp. **longifolia**
 Acacia longifolia f. mucronata (Willd. ex H.L.Wendl.) Benth. = **Acacia mucronata**
Acacia longifolia (Andrews) Willd. subsp. **longifolia**, Sp. Pl., ed. 4 [Willdenow], 4: 1052 (1806) 1:129
Acacia longifolia subsp. **sophorae** (Labill.) Court, Fl. Australia 11B: 491 (2001) 1:129
Acacia mearnsii De Wild., Pl. Bequaert. 3: 61 (1925) 1:130
Acacia melanoxydon R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 5: 462 (1813) 1:128
 Acacia mollissima Willd. sensu Hooker (1860) = **Acacia mearnsii** (misapplied in Tasmania)
- e **Acacia mucronata** subsp. **dependens** (Hook.f.) Court, Fl. Australia 11B: 491 (2001) 1:129
Acacia mucronata subsp. **longifolia** (Benth.) Court, Fl. Australia 11B: 491 (2001) 1:129
- e **Acacia mucronata** Willd. ex H.L.Wendl. subsp. **mucronata**, Comm. Acac. Aphyll. 46 t.12 (1820) 1:129
 Acacia mucronata var. dissitiflora (Benth.) Hook.f. = **Acacia mucronata** subsp. **longifolia**
 Acacia mucronata var. linearis (Sims) Rodway = **Acacia mucronata** subsp. **mucronata**
Acacia myrtifolia (Sm.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1054 (1806) 1:128
 Acacia ovoidea Benth. = **Acacia verticillata** subsp. **ovoidea**
 Acacia oxycedrus Sieber ex DC. sensu Bentham (1864) recorded in error

i	Acacia paradoxa DC., Cat. Pl. Horti Monsp. 74 (1813)	1:127
e	Acacia pataczekii D.I.Morris, Records of the Queen Victoria Museum 50: 1 (1974)	1:128
	<i>Acacia penninervis</i> Sieber ex DC. sensu Bentham (1864) recorded in error	
i	Acacia pravissima F.Muell. ex Benth., Linnaea 26: 608 (1854)	
i	Acacia provincialis A.Camus, Bull. Soc. Dendrol. France 64: 68 (1927)	
i	Acacia pycnantha Benth., London J. Bot. 1: 351 (1842)	
i	Acacia retinodes Schldtl., Linnaea 20: 664 (1847)	
	<i>Acacia retinodes</i> var. <i>uncifolia</i> J.M.Black = Acacia uncifolia	1:128
e	Acacia riceana Hensl., Botanist 3: t.135 (1839)	1:127
	Acacia siculiformis A.Cunn. ex Benth., London J. Bot. 1: 337 (1842)	1:126
	<i>Acacia sophorae</i> (Labill.) R.Br. = Acacia longifolia subsp. sophorae	1:129
	Acacia stricta (Andrews) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1052 (1806)	1:127
	<i>Acacia stuartiana</i> F.Muell. ex Benth. = Acacia siculiformis	
	Acacia suaveolens (Sm.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1050 (1806)	1:128
e	Acacia sp. Sugarloaf (A.Moscal 8301) Tas Herbarium	
	Acacia terminalis (Salisb.) J.F.Macbr., Contr. Gray Herb. 59: 7 (1919)	1:129
	Acacia ulicifolia (Salisb.) Court, Vict. Naturalist 73: 173 (1957)	1:126
	Acacia uncifolia (J.M.Black) O'Leary, J. Adelaide Bot. Gard. 21: 100 (2007)	1:128
	<i>Acacia verniciflua</i> A.Cunn. sensu Curtis & Morris (1975) = Acacia leprosa var. graveolens (misapplied in Tasmania)	1:127
	Acacia verticillata subsp. ovoidea (Benth.) Court, Fl. Australia 11B: 492 (2001)	1:126
	Acacia verticillata subsp. ruscifolia (A.Cunn. ex G.Don) Court, Fl. Australia 11B: 492 (2001)	1:126
	Acacia verticillata (L'Hér.) Willd. subsp. verticillata , Sp. Pl., ed. 4 [Willdenow], 4: 1049 (1806)	1:126
	<i>Acacia verticillata</i> var. <i>latifolia</i> Benth. nom. illeg. = Acacia verticillata subsp. ruscifolia	
	<i>Acacia vomeriformis</i> A.Cunn. ex Benth. = Acacia gunnii	1:127
	<i>Albizia lophantha</i> (Willd.) Benth. = Paraserianthes lophantha	1:130
	Almaleea subumbellata (Hook.) Crisp & P.H.Weston, Telopea 4: 310 (1991)	1:141
	<i>Anthyllis vulneraria</i> L. recorded in error, only known from cultivated plants	
	Aotus ericoides (Vent.) G.Don, Gen. Hist. 2: 120 (1832)	1:137
	<i>Aotus ferruginea</i> Labill. = Aotus ericoides	
	<i>Aotus villosa</i> Sm. = Aotus ericoides	1:137
	Bossiaea cinerea R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 4: 268 (1812)	1:147
	<i>Bossiaea cinerea</i> var. <i>rigida</i> Rodway = Bossiaea tasmanica	
	Bossiaea cordifolia Sweet, Fl. Australas. (Sweet) 20: 20 (1827)	
	Bossiaea cordigera Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 95 t.16 (1856)	1:147
	<i>Bossiaea ensata</i> Sieber sensu Hooker (1860) non Sieber = Bossiaea riparia (misapplied in Tasmania)	
	Bossiaea heterophylla Vent., Descr. Pl. Nouv. 1: 7, pl.7 (1800)	
	<i>Bossiaea microphylla</i> Sm. sensu Curtis (1956) = Bossiaea tasmanica (misapplied in Tasmania)	
	<i>Bossiaea obcordata</i> (Vent.) Druce = Bossiaea tasmanica	1:148
	Bossiaea prostrata R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 4: 268 (1812)	1:147
	Bossiaea riparia A.Cunn. ex Benth., Fl. Austral. 2: 166 (1864)	1:148
e	Bossiaea tasmanica I.Thomps., Muelleria 30: 144 (2012)	1:148
i	Callistachys lanceolata Vent., Jard. Malmaison 2:115, t.115 (1805)	

i	Chamaecytisus palmensis (Christ) F.A.Bisby & K.W.Nicholls, Bot. J. Linn. Soc. 74: 114 (1977)	1:151
	<i>Chamaecytisus prolifer</i> Link sensu Curtis & Morris (1975) = Chamaecytisus palmensis (misapplied in Tasmania)	1:151
	<i>Coronilla varia</i> L. = Securigera varia	1:165
	Cullen microcephalum (Rchb. ex Kunze) J.W.Grimes, Muelleria 9: 195 (1996)	1:163
	<i>Cytisus monspessulanus</i> L. = Genista monspessulana	
i	Cytisus multiflorus (L'Hér.) Sweet, Hort. Brit. [Sweet] 112 (1826)	
	<i>Cytisus palmensis</i> (H.Christ) Hutch. = Chamaecytisus palmensis	1:151
	<i>Cytisus prolifer</i> L.f. sensu Curtis (1956) = Chamaecytisus palmensis (misapplied in Tasmania)	
i	Cytisus scoparius (L.) Link, Enum. Hort. Berol. Alt. 2: 241 (1822)	1:151
	Daviesia latifolia R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 3: 20 (1811)	1:136
	Daviesia sejugata G.Chandler & Crisp, Austral. Syst. Bot. 10: 33 (1997)	
	Daviesia ulicifolia subsp. ruscifolia (A.Cunn. ex Benth.) G.Chandler & Crisp, Austral. Syst. Bot. 10: 44 (1997)	1:136
	Daviesia ulicifolia Andrews subsp. ulicifolia , Bot. Repos. 5: t.304 (1803)	1:136
	<i>Daviesia ulicina</i> Sm. nom. illeg., nom. superfl. = Daviesia ulicifolia	
	<i>Daviesia ulicina</i> f. <i>communis</i> Benth. = Daviesia ulicifolia subsp. ulicifolia	
	<i>Daviesia ulicina</i> f. <i>ruscifolia</i> (A.Cunn. ex Benth.) Benth. = Daviesia ulicifolia subsp. ruscifolia	
	<i>Daviesia ulicina</i> f. <i>subumbellata</i> Benth. = Daviesia ulicifolia subsp. ulicifolia	
	<i>Daviesia umbellata</i> Sm. sensu Labillardiere (1805) = Daviesia ulicifolia (misapplied in Tasmania)	
	Desmodium gunnii Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 101 (1856)	1:166
	Desmodium varians (Labill.) G.Don, Gen. Hist. 2: 298 (1832)	1:166
	<i>Desmodium varians</i> var. <i>gunnii</i> (Benth. ex Hook.f.) Benth. = Desmodium gunnii	
	Dillwynia cinerascens R.Br. ex Sims, Bot. Mag. 48: t.2247 (1821)	1:145
	<i>Dillwynia ericifolia</i> f. <i>glaberrima</i> (Sm.) Benth. = Dillwynia glaberrima	
	<i>Dillwynia floribunda</i> Sm. sensu Bentham (1864), Rodway (1903), Curtis (1956) = Dillwynia sericea (misapplied in Tasmania)	
	Dillwynia glaberrima Sm., Ann. Bot. [König & Sims] 1: 510 (1805)	1:144
	Dillwynia sericea A.Cunn., Geogr. Mem. New South Wales: 347 (1825)	1:144
i	Dipogon lignosus (L.) Verdc., Taxon 17: 537 (1968)	
	<i>Dolichos lignosus</i> L. = Dipogon lignosus	
	Eutaxia microphylla (R.Br.) C.H.Wright & Dewar, Johnson's Gard. Dict. 1052 (1894)	1:143
i	Genista linifolia L., Sp. Pl., ed. 2, 2: 997 (1763)	
	<i>Genista maderensis</i> (Webb & Berthel.) Lowe sensu Curtis & Morris (1975) = Genista stenopetala (misapplied in Tasmania)	1:152
i	Genista monspessulana (L.) L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 98 (1962)	1:151
i	Genista × spachiana Webb, Bot. Mag. 71: t.4195 (1845)	
i	Genista stenopetala Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 3(2): 39 (1836)	1:152
	Glycine clandestina J.C.Wendl., Bot. Beob. [Wendland]: 54 (1798)	1:168
	<i>Glycine clandestina</i> var. <i>latrobeana</i> Rodway = Glycine latrobeana	
	Glycine latrobeana (Meisn.) Benth., Fl. Austral. 2: 244 (1864)	1:168
	Glycine microphylla (Benth.) Tindale, Brunonia 9: 181 (1987)	
	Glycine tabacina (Labill.) Benth., Fl. Austral. 2: 244 (1864)	
	Gompholobium ecostatum Kuchel, Suppl. Black's Fl. S. Austral. 182 (1965)	1:135

	Gompholobium ellipticum Labill. = Oxylobium ellipticum	
	Gompholobium huegelii Benth., Enum. Pl. [Endlicher]: 29 (1837)	1:135
	Gompholobium latifolium Labill. nom. illeg., non Sm. = Gompholobium huegelii	
	Goodia lotifolia Salisb., Parad. Lond. 1: t.41 (1806)	1:149
	Goodia lotifolia var. pubescens (Sims) H.B.Will. = Goodia pubescens	1:149
	Goodia pubescens Sims, Bot. Mag. 32: 1310 (1810)	1:149
	Hardenbergia monophylla (Vent.) Benth. = Hardenbergia violacea	
	Hardenbergia violacea (Schneev.) Stearn, J. Bot. 78: 70 (1940)	1:169
i *	Hedysarum coronarium L.	1:165
	Hovea corrickiae J.H.Ross, Muelleria 7: 203 (1990)	
	Hovea heterophylla A.Cunn. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 93 (1856)	1:148
	Hovea lanceolata Sims sensu Buchanan (1999) = Hovea tasmanica (misapplied in Tasmania)	
	Hovea linearis (Sm.) R.Br. sensu Buchanan (1999) = Hovea heterophylla (misapplied in Tasmania)	
	Hovea longifolia R.Br. sensu Curtis (1956), Curtis & Morris (1975) p.p. = Hovea tasmanica (misapplied in Tasmania)	1:149
	Hovea longifolia R.Br. sensu Curtis (1956), Curtis & Morris (1975) p.p. = Hovea montana (misapplied in Tasmania)	1:149
	Hovea magnibractea I.Thomps., Austral. Syst. Bot. 14: 74 (2001)	
	Hovea montana (Hook.f.) J.H.Ross, Muelleria 6: 427 (1988)	1:149
	Hovea purpurea var. montana Hook.f. = Hovea montana	
e	Hovea tasmanica I.Thomps. & J.H.Ross, Austral. Syst. Bot. 14: 68 (2001)	1:149
	Indigofera australis Willd. subsp. australis , Sp. Pl., ed. 4 [Willdenow], 3: 1235 (1802)	1:164
	Indigofera australis var. angulata Benth. = Indigofera australis subsp. australis	
i	Kennedia nigricans Lindl., Edwards's Bot. Reg. 20: 1715, pl. 1715 (1835)	
	Kennedia prostrata R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 4: 299 (1812)	1:169
i	Kennedia rubicunda (Schneev.) Vent., Jard. Malmaison 2: 104 t.104 (1804)	
i #	Laburnum anagyroides Medik., Vorles. Churpfälz. Phys.-Öcon. Ges. 2: 363 (1787)	
i #	Lathyrus nissolia L., Sp. Pl. 2: 729 (1753)	1:168
i	Lathyrus tingitanus L., Sp. Pl. 2: 732 (1753)	
	Leptocyamus clandestinus (J.C.Wendl.) Benth. var. clandestinus = Glycine clandestina	
	Leptocyamus clandestinus var. microphylla (Benth.) Hook.f. = Glycine microphylla	
	Leptocyamus tasmanicus Benth. ex Hook.f. = Glycine latrobeana	
i #	Lotus angustissimus L., Sp. Pl. 2: 774 (1753)	
	Lotus australis Andrews, Bot. Repos. 10 t.624 (1811)	1:162
i	Lotus corniculatus L. var. corniculatus , Sp. Pl. 2: 776 (1753)	1:162
i	Lotus corniculatus var. tenuifolius L., Sp. Pl. 2: 776 (1753)	1:162
	Lotus hispidus Desf. ex DC. sensu Curtis & Morris (1975) = Lotus subbiflorus (misapplied in Tasmania)	1:163
	Lotus pedunculatus Cav. sensu Curtis & Morris (1975) = Lotus uliginosus (misapplied in Tasmania)	1:163
	Lotus suaveolens Pers. = Lotus subbiflorus	1:163
i	Lotus subbiflorus Lag., Varied. Ci. 2(4): 213 (1805)	1:163
	Lotus tenuis Waldst. & Kit. = Lotus corniculatus var. tenuifolius	
i	Lotus uliginosus Schkuhr, Handb. [C.Schkuhr] 2: 412 (1796)	1:163
i #	Lupinus angustifolius L., Sp. Pl. 2: 721 (1753)	1:150

i	Lupinus arboreus Sims, Bot. Mag. 18: t.682 (1803)	1:150
i	Lupinus × regalis Bergmans, Vaste Pl. Rotsheesters: 328 (1924)	
i	Medicago arabica (L.) Huds., Fl. Angl. (Hudson): 288 (1762)	1:154
i #	Medicago arborea L., Sp. Pl. 2: 778 (1753)	
	Medicago denticulata Willd. = Medicago polymorpha	
	Medicago falcata L. sensu Curtis & Morris (1975) = Medicago sativa nothosubsp × varia (misapplied in Tasmania)	1:153
	Medicago hispida var. apiculata (Willd.) Urb. = Medicago polymorpha	
	Medicago hispida var. confinis (W.D.J.Koch) Burnat = Medicago polymorpha	
	Medicago hispida var. denticulata (Willd.) Urb. = Medicago polymorpha	
i	Medicago lupulina L., Sp. Pl. 2: 779 (1753)	1:153
	Medicago maculata Willd. nom. illeg. = Medicago arabica	
i	Medicago minima (L.) L. ex Bartal., Cat. Piante Siena 61 (1776)	1:154
i	Medicago polymorpha L., Sp. Pl. 2: 779 (1753)	1:154
i	Medicago sativa L., Sp. Pl. 2: 778 (1753)	1:153
i #	Medicago sativa nothosubsp × varia (Martyn) Arcang., Comp. Fl. Ital. 160 (1882) = Medicago falcata × M. sativa	1:153
i	Medicago scutellata (L.) Mill., Gard. Dict., ed. 8, no. 2 (1768)	1:154
	Melilotus alba Desr. nom. illeg. = Melilotus albus	
i	Melilotus albus Medik., Vorles. Churpfälz. Phys.-Öcon. Ges. 2: 382 (1787)	1:155
	Melilotus arvensis Wallr. = Melilotus officinalis	
i	Melilotus indicus (L.) All., Fl. Pedem. 1: 308 (1785)	1:155
i	Melilotus officinalis (L.) Pall., Reise Russ. Reich. 3: 537 (1776)	1:155
	Melilotus parviflorus Desf. = Melilotus indicus	
	Mimosa sophorae Labill. = Acacia longifolia subsp. sophorae	
	Mimosa suaveolens Sm. = Acacia suaveolens	
	Mirbelia oxylobioides F.Muell., Fragm. (Mueller) 2: 154 (1861)	
i *	Onobrychis viciifolia Scop.	1:165
	Ononis arvensis L. sensu Rodway (1903) = Ononis spinosa (misapplied in Tasmania)	1:152
	Ononis repens L. sensu Curtis (1956), Curtis & Morris (1975) = Ononis spinosa (misapplied in Tasmania)	1:152
i	Ononis spinosa L., Sp. Pl. 2: 716 (1753)	1:152
i	Ornithopus compressus L., Sp. Pl. 2: 744 (1753)	
i # n	Ornithopus perpusillus L., Sp. Pl. 2: 743 (1753)	
i	Ornithopus pinnatus (Mill.) Druce, J. Bot. 45: 420 (1907)	
i #	Ornithopus sativus Brot., Fl. Lusit. 2: 160 (1805)	
	Oxylobium arborescens R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 3: 10 (1811)	1:134
	Oxylobium ellipticum (Vent.) R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 3: 10 (1811)	1:134
	Oxylobium ellipticum var. angustifolium Benth. = Oxylobium arborescens	
i	Paraserianthes lophantha (Willd.) I.C.Nielsen subsp. lophantha , Bull. Mus. Natl. Hist. Nat., B, Adansonia 5: 326 (1983) - Possibly native in some Furneaux populations, see Harris et al. (2001)	1:130
e	Phyllota diffusa (Hook.f.) F.Muell., Fragm. (Mueller) 1: 8 (1858)	1:137
	Platylobium formosum Sm. sensu Bentham (1864) = Platylobium parviflorum (misapplied in Tasmania)	1:146

	Platylobium formosum subsp. parviflorum (Sm.) A.T.Lee = Platylobium parviflorum	
	Platylobium murrayanum Hook.f. = Platylobium triangulare	
	Platylobium obtusangulum Hook., Bot. Mag. 60: t.3258 (1833)	1:146
	Platylobium parviflorum Sm., Spec. Bot. New Holland 18 (1795)	
	Platylobium triangulare R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 4: 266 (1812)	1:146
i	Podalyria sericea (Andrews) R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 3: 7 (1811)	
	Psoralea adscendens F.Muell. = Cullen microcephalum	1:163
i	Psoralea arborea Sims, Bot. Mag. 46: t. 2090 (1819)	
	Psoralea gunnii Hook.f. = Cullen microcephalum	
i	Psoralea pinnata L., Sp. Pl. 2: 762 (1753)	1:163
	Pultenaea cordata Hook. = Pultenaea juniperina	
	Pultenaea daphnoides J.C.Wendl., Bot. Beob. [Wendland]: 49 (1798)	1:139
	Pultenaea daphnoides var. obcordata (Andrews) Hook.f. = Pultenaea daphnoides	
	Pultenaea dentata Labill., Nov. Holl. Pl. 1: 103 t.131 (1805)	1:141
	Pultenaea diffusa Hook.f. = Phyllota diffusa	
	Pultenaea fasciculata Benth., Commentat. Legum. Gen. 18 (1837)	1:142
	Pultenaea gunnii Benth. subsp. gunnii , Commentat. Legum. Gen. 18 (1837)	1:140
	Pultenaea gunnii var. baeckeoides (A.Cunn. ex Benth.) Rodway = Pultenaea gunnii subsp. gunnii	1:140
	Pultenaea hibbertioides Hook.f. = Pultenaea mollis	1:141
	Pultenaea humilis Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 91 (1856)	1:142
	Pultenaea juniperina Labill., Nov. Holl. Pl. 1: 102 t.130 (1805)	1:142
	Pultenaea juniperina var. latifolia Benth. = Pultenaea juniperina	
	Pultenaea mollis Lindl., Three Exped. Australia [Mitchell] 2: 258 (1838)	1:141
	Pultenaea paleacea var. sericea Benth. = Pultenaea sericea	1:140
	Pultenaea pedunculata Hook., Bot. Mag. 55: t.2859 (1828)	1:140
	Pultenaea pimelioides Hook.f. = Pultenaea dentata	
	Pultenaea prostrata Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 89 (1856)	1:142
	Pultenaea selaginoides Hook.f. = Stonesiella selaginoides	1:141
	Pultenaea sericea (Benth.) Corrick, Muellera 8: 392 (1995)	1:140
	Pultenaea stricta Sims, Bot. Mag. 38: t.1588 (1813)	1:140
	Pultenaea subumbellata Hook. = Almaleea subumbellata	1:141
	Pultenaea tenuifolia R.Br. ex Sims, Bot. Mag. 46: t.2086 (1819)	1:143
	Racosperma axillare (Benth.) Pedley = Acacia axillaris	1:127
	Racosperma dealbatum (Link) Pedley = Acacia dealbata	1:130
	Racosperma decurrens (Willd.) Pedley = Acacia decurrens	1:130
	Racosperma gunnii (Benth.) Pedley = Acacia gunnii	1:127
	Racosperma mearnsii (De Wild.) Pedley = Acacia mearnsii	1:130
	Racosperma melanoxylon (R.Br.) Pedley = Acacia melanoxylon	1:128
	Racosperma myrtifolium (Sm.) Mart. = Acacia myrtifolia	1:128
	Racosperma paradoxum (DC.) Mart. = Acacia paradoxa	1:127
	Racosperma riceanum (Hensl.) Pedley = Acacia riceana	1:127
	Racosperma sophorae (Labill.) Mart. = Acacia longifolia subsp. sophorae	1:129
	Racosperma strictum (Andrews) Mart. = Acacia stricta	1:127

	Racosperma suaveolens (Sm.) Mart. = Acacia suaveolens	l:128
	Racosperma ulicifolium (Salisb.) Pedley = Acacia ulicifolia	l:126
	Racosperma vernicifluum (A.Cunn.) Pedley = Acacia leprosa var. graveolens	l:127
	Racosperma verticillatum (L'Hér.) Pedley = Acacia verticillata	l:126
	Sarothamnus scoparius (L.) Wimm. ex W.D.J.Koch = Cytisus scoparius	l:151
i	Securigera varia (L.) Lassen, Svensk. Bot. Tidskr. 83: 86 (1989)	l:165
i	Spartium junceum L., Sp. Pl. 2: 708 (1753)	
	Sphaerolobium minus Labill., Nov. Holl. Pl. 1: 108, t.138 (1805)	
	Sphaerolobium vimineum Sm., Ann. Bot. [König & Sims] 1: 509 (1805)	l:135
e	Stonesiella selaginoides (Hook.f.) Crisp & P.H.Weston, Taxon 48: 712 (1999)	l:141
	Swainsona lessertiifolia DC., Ann. Sci. Nat., Bot., sér. 1, 4: 99 (1825)	l:164
	Trifolium agrarium L. sensu Rodway (1903) = Trifolium campestre (misapplied in Tasmania)	
i	Trifolium alexandrinum L., Cent. Pl. 1: 25 (1755)	
i	Trifolium angustifolium L., Sp. Pl. 2: 769 (1753)	l:161
i	Trifolium arvense L., Sp. Pl. 2: 769 (1753)	l:160
i	Trifolium campestre Schreb., Die Kleearten Deutschlands 1(4): t.17.4 (1800)	l:157
i	Trifolium cernuum Brot., Phytogr. Lusitan. Select. (1816-1827) 1: 150 (1816)	l:159
i	Trifolium dubium Sibth., Fl. Oxon. 231 (1794)	l:157
i	Trifolium fragiferum L., Sp. Pl. 2: 772 (1753)	l:158
i	Trifolium glomeratum L., Sp. Pl. 2: 770 (1753)	l:159
i	Trifolium hybridum L., Sp. Pl. 2: 766 (1753)	l:159
i	Trifolium incarnatum L., Sp. Pl. 2: 769 (1753)	l:160
i	Trifolium lappaceum L., Sp. Pl. 2: 768 (1753)	
	Trifolium medium Huds. sensu Curtis & Morris (1975) = Trifolium pratense (misapplied in Tasmania)	l:159
i	Trifolium micranthum Viv., Fl. Libyc. Spec. 45, pl. 19, Fig. 1 (1824)	l:158
i	Trifolium ornithopodioides L., Sp. Pl. 2: 766 (1753)	l:152
i	Trifolium pratense L., Sp. Pl. 2: 768 (1753)	l:160
	Trifolium procumbens L. sensu Rodway (1903) = Trifolium dubium (misapplied in Tasmania)	
i	Trifolium repens L., Sp. Pl. 2: 767 (1753)	l:158
i	Trifolium resupinatum L., Sp. Pl. 2: 771 (1753)	l:158
i	Trifolium scabrum L., Sp. Pl. 2: 770 (1753)	l:160
i	Trifolium squamosum L., Amoen. Acad., Linnaeus ed. 4, 105 (1759)	l:161
i	Trifolium stellatum L., Sp. Pl. 2: 769 (1753)	l:161
i	Trifolium striatum L., Sp. Pl. 2: 770 (1753)	l:160
i	Trifolium subterraneum L., Sp. Pl. 2: 767 (1753)	l:159
i	Trifolium suffocatum L., Mant. Pl. 2: 276 (1771)	l:159
i	Trifolium tomentosum L., Sp. Pl. 2: 771 (1753)	l:158
i*	Trifolium uniflorum L.	
i	Trifolium vesiculosum Savi, Fl. Pis. 2: 165 (1798)	
	Trigonella ornithopodioides (L.) DC. = Trifolium ornithopodioides	l:152
i	Ulex europaeus L., Sp. Pl. 2: 741 (1753)	l:150
	Vicia angustifolia L. = Vicia sativa subsp. nigra	l:167
	Vicia cracca L. sensu Curtis & Morris (1975) = Vicia villosa (misapplied in Tasmania)	l:167

i	Vicia hirsuta (L.) Gray, Nat. Arr. Brit. Pl. 2: 614 (1821)	1:166
	<i>Vicia lathyroides</i> L. recorded in error	
i	Vicia sativa subsp. nigra (L.) Ehrh., Hannover. Mag. 15: 229 (1780)	1:167
i	Vicia sativa L. subsp. sativa , Sp. Pl. 2: 736 (1753)	1:167
i	Vicia tetrasperma (L.) Schreb., Spic. Fl. Lips. 26 (1771)	1:167
i	Vicia villosa subsp. eriocarpa (Hauskn.) P.W.Ball, Feddes Repert. 79: 45 (1968)	1:167
	<i>Viminaria denudata</i> (Vent.) Sm. = Viminaria juncea	
	Viminaria juncea (Schrad. & J.C.Wendl.) Hoffmanns., Verz. Pfl.-Kult. 200 (1824)	1:136
FRANKENIACEAE		FTO 93
	Frankenia pauciflora var. gunnii Summerh., J. Linn. Soc. Bot. 48: 366 (1930)	1:64
FUMARIACEAE		FTO 45
i	Fumaria bastardii Boreau, Rev. Bot. Recueil Mans. 2: 359 (1847)	1:30
i	Fumaria densiflora DC., Cat. Pl. Horti Monsp. 113 (1813)	1:30
i	Fumaria muralis Sond. ex W.D.J.Koch subsp. muralis , Syn. Fl. Germ. Helv., ed. 2: 1017 (1845)	1:30
i*	<i>Fumaria officinalis</i> L. subsp. <i>officinalis</i>	
i*	<i>Pseudofumaria alba</i> (Mill.) Lidén subsp. <i>alba</i>	
GENTIANACEAE		
	<i>Centaurium australe</i> (R.Br.) Druce = Schenkia australis	3:479
i	Centaurium erythraea Rafn, Danm. Holst. Fl. 2: 75 (1800)	3:480
	<i>Centaurium pulchellum</i> (Sw.) Druce sensu Curtis (1967) = Centaurium tenuiflorum (misapplied in Tasmania)	3:480
	<i>Centaurium spicatum</i> (L.) Fritsch ex Janch. sensu Buchanan (1999) = Schenkia australis (misapplied in Tasmania)	3:479
i	Centaurium tenuiflorum (Hoffmanns. & Link) Fritsch ex Janch., Mitt. Naturwiss. Vereins Univ. Wien 5: 97 (1907)	3:480
	<i>Chionogentias brevisepala</i> L.G.Adams = Gentianella brevisepala	3:482
	<i>Chionogentias cunninghamii</i> L.G.Adams = Gentianella cunninghamii	3:482
	<i>Chionogentias demissa</i> L.G.Adams = Gentianella demissa	3:482
	<i>Chionogentias diemensis</i> (Griseb.) L.G.Adams = Gentianella diemensis	3:482
	<i>Chionogentias eichleri</i> L.G.Adams = Gentianella eichleri	3:482
e ?x	Chionogentias grandis L.G.Adams, Austral. Syst. Bot. 8: 960 (1995)	3:482
	<i>Chionogentias gunniana</i> L.G.Adams = Gentianella gunniana	3:482
	<i>Chionogentias pleurogynoides</i> (Griseb.) L.G.Adams = Gentianella pleurogynoides	3:482
	<i>Chionogentias polysperes</i> L.G.Adams = Gentianella polysperes	3:482
i	Cicendia filiformis (L.) Delarbre, Fl. Auvergne (Delarbre), ed. 2, 1: 29 (1800)	3:481
	<i>Erythraea australis</i> R.Br. = Schenkia australis	
	<i>Exacum ovatum</i> Labill. = Sebaea ovata	
	<i>Gentiana montana</i> G.Forst. sensu Brown (1810) = Gentianella pleurogynoides (misapplied in Tasmania)	
	<i>Gentiana montana</i> var. <i>diemensis</i> (Griseb.) Hook.f. = Gentianella diemensis subsp. diemensis	
	<i>Gentiana montana</i> var. <i>pleurogynoides</i> (Griseb.) Hook.f. = Gentianella gunniana	
	<i>Gentiana saxosa</i> G.Forst. sensu Rodway (1903) a name of uncertain application (= Gentianella spp.)	
e	Gentianella brevisepala (L.G.Adams) Glenny, New Zealand J. Bot. 42: 518 (2004)	3:482
	<i>Gentianella cunninghamii</i> (L.G.Adams) Glenny subsp. <i>cunninghamii</i> previously cited in error	3:482

e	Gentianella demissa (L.G.Adams) Glenny, Muelleria 26: 95 (2008)	3:482
e	Gentianella diemensis (Griseb.) J.H.Willis subsp. diemensis , Vict. Naturalist 73: 199 (1957)	3:482
e	Gentianella diemensis subsp. plantaginea (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella eichleri (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
	<i>Gentianella grandis</i> (L.G.Adams) Glenny nom. illeg. non Harry Sm. = Chionogentias grandis	3:482
	Gentianella gunniana (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella pleurogynoides subsp. milliganii (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella pleurogynoides (Griseb.) Glenny subsp. pleurogynoides , New Zealand J. Bot. 42: 519 (2004)	3:482
	Gentianella polysperes (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
	Schenkia australis (R.Br.) G.Mans., Taxon 53: 725 (2004)	3:479
	Sebaea albidiflora F.Muell., Trans. Philos. Soc. Victoria 1: 46 (1855)	3:479
	Sebaea ovata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 452 (1810)	3:478
GERANIACEAE		FTO 54
i	Erodium botrys (Cav.) Bertol., Amoen. Ital. 35 (1819)	1:98
i	Erodium cicutarium (L.) L'Hér. ex Aiton, Hort. Kew. [W. Aiton] 2: 414 (1789)	1:97
i *	<i>Erodium malacoides</i> (L.) L'Hér. ex Aiton	1:98
l # t	Erodium maritimum L'Hér. ex Aiton, Hort. Kew. [W. Aiton] 2: 416 (1789)	
i	Erodium moschatum (L.) L'Hér. ex Aiton, Hort. Kew. [W. Aiton] 2: 414 (1789)	1:97
	Geranium brevicaule Hook., J. Bot. (Hooker) 1: 252 (1834)	
i	Geranium dissectum L., Cent. Pl. 1: 21 (1755)	1:96
	<i>Geranium dissectum</i> var. <i>australe</i> Benth. sensu Bentham (1863) p.p. = Geranium retrorsum	
	<i>Geranium dissectum</i> var. <i>australe</i> Benth. sensu Bentham (1863) p.p. = Geranium potentilloides	
	<i>Geranium dissectum</i> var. <i>australe</i> Benth. sensu Bentham (1863) p.p. = Geranium solanderi	
	<i>Geranium dissectum</i> var. <i>pilosum</i> Hook.f. = Geranium solanderi	
	<i>Geranium dissectum</i> var. <i>potentilloides</i> Benth. = Geranium potentilloides	
?i	Geranium homeanum Turcz., Bull. Soc. Imp. Naturalistes Moscou 36: 591 (1863)	
	<i>Geranium microphyllum</i> Hook.f. = Geranium potentilloides var. potentilloides	
i	Geranium molle L., Sp. Pl. 2: 682 (1753)	1:96
	Geranium sp. Pale Pink Flowers (M.Gray 5847) Vic. Herbarium	
	<i>Geranium pilosum</i> Sol. ex Willd. nom. illeg. = Geranium solanderi	
	Geranium potentilloides L'Hér. ex DC. var. potentilloides , Prodr. [A. P. de Candolle] 1: 639 (1824)	1:95
	Geranium retrorsum L'Hér. ex DC., Prodr. [A. P. de Candolle] 1: 644 (1824)	
i t	Geranium rotundifolium L., Sp. Pl. 2: 683 (1753)	1:96
	<i>Geranium sessiliflorum</i> Cav. sensu Rodway (1903) = Geranium brevicaule (misapplied in Tasmania)	
	<i>Geranium sessiliflorum</i> subsp. <i>brevicaule</i> (Hook.) Carolin = Geranium brevicaule	1:95
	Geranium solanderi Carolin, Proc. Linn. Soc. New South Wales 89: 350 (1965)	1:95
i	Geranium yeoi Aedo & Muñoz Garm., Kew Bull. 52: 727 (1997)	
i	Pelargonium × asperum Ehrh. ex Willd., Sp. Pl., ed. 4 [Willdenow] 3: 678 (1800)	1:99
	Pelargonium australe Willd., Sp. Pl., ed. 4 [Willdenow] 3: 675 (1800)	1:98
i	Pelargonium capitatum (L.) L'Hér. ex Aiton, Hort. Kew. [W. Aiton] 2: 425 (1789)	
i	Pelargonium × domesticum L.H.Bailey, Stand. Cycl. Hort. 2532 (1916)	1:99

	Pelargonium inodorum Willd., Enum. Pl. [Willdenow] 2: 702 (1809)	1:99
	Pelargonium littorale Hugel, Bot. Arch.(Hügel): t.5 (1837)	
	GOODENIACEAE	FTO 129
	Brunonia australis Sm. ex R.Br., Prodr. Fl. Nov. Holland. 590 (1810)	2:405
x	Cooperookia barbata (R.Br.) Carolin, Proc. Linn. Soc. New South Wales 92: 213 (1968)	2:401
	Dampiera stricta (Sm.) R.Br., Prodr. Fl. Nov. Holland. 589 (1810)	2:404
	<i>Goodenia amplexans</i> F.Muell. sensu Curtis (1963) recorded in error	2:400
	<i>Goodenia barbata</i> R.Br. = Cooperookia barbata	2:401
	Goodenia elongata Labill., Nov. Holl. Pl. 1: 52, t.75 (1805)	2:401
	Goodenia geniculata R.Br., Prodr. Fl. Nov. Holland. 577 (1810)	2:401
	<i>Goodenia geniculata</i> var. <i>lanata</i> (R.Br.) Rodway = Goodenia lanata	
	<i>Goodenia hederacea</i> Sm. sensu Brown (1810), Hooker (1860) = Goodenia lanata (misapplied in Tasmania)	
	Goodenia humilis R.Br., Prodr. Fl. Nov. Holland. 575 (1810)	2:402
	Goodenia lanata R.Br., Prodr. Fl. Nov. Holland. 577 (1810)	2:401
	Goodenia montana (Hook.f.) K.A.Sheph., Phytokeys 152: 90 (2020)	2:399
	Goodenia ovata Sm., Trans. Linn. Soc. London 2: 347 (1794)	2:400
	Goodenia paradoxa (Hook.f.) K.A.Sheph., Phytokeys 152: 90 (2020)	2:398
x	Goodenia pinnatifida Schldtl., Linnaea 21: 450 (1848)	
	Goodenia radicans (Cav.) Pers., Syn. Pl. (Persoon) 1: 195 (1805)	2:402
	<i>Goodenia repens</i> Labill. = Goodenia radicans	
	Scaevola aemula R.Br., Prodr. Fl. Nov. Holland. 584 (1810)	2:404
	Scaevola albida (Sm.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 644 (1917)	2:404
	<i>Scaevola calendulacea</i> (Andrews) Druce sensu Curtis (1963) recorded in error	
	<i>Scaevola cuneiformis</i> Labill. recorded in error	
	Scaevola hookeri (de Vriese) F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 231 (1856)	2:403
	<i>Scaevola microcarpa</i> Cav. = Scaevola albida	
	<i>Selliera radicans</i> Cav. = Goodenia radicans	2:402
	<i>Velleia montana</i> Hook.f. = Goodenia montana	2:399
	<i>Velleia paradoxa</i> R.Br. = Goodenia paradoxa	2:398
	GRISELINIACEAE	FTO 136
i # t	Griselinia littoralis (Raoul) Raoul, Choix Pl. Nouv.-Zél. 22, t.19 (1846)	
	GROSSULARIACEAE	FTO 50
i t	Ribes sanguineum Pursh, Fl. Amer. Sept. (Pursh) 1: 164 (1813)	
	GUNNERACEAE	FTO 49
e	Gunnera cordifolia (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 125 (1856)	1:194
	GYROSTEMONACEAE	FTO 83
	<i>Didymotheca thesioides</i> Hook.f. = Gyrostemon thesioides	3:581
	Gyrostemon thesioides (Hook.f.) A.S.George, Fl. Australia 8: 392 (1982)	3:581
	HALORAGACEAE	
	Gonocarpus humilis Orchard, Bull. Auckland Inst. Mus. 10: 195 (1975)	
	Gonocarpus micranthus Thunb. subsp. micranthus , Nov. Gen. Pl. [Thunberg] 3: 55 (1783)	1:190
	Gonocarpus montanus (Hook.f.) Orchard, Bull. Auckland Inst. Mus. 10: 172 (1975)	1:192

	Gonocarpus serpyllifolius Hook.f., Icon. Pl. 3: t.290 (1840)	1:192
	Gonocarpus tetragynus Labill., Nov. Holl. Pl. 1: 39, t.53 (1805)	1:191
	Gonocarpus teucroides DC., Prodr. [A. P. de Candolle] 3: 66 (1828)	1:191
	Haloragis aspera Lindl., J. Exped. Trop. Australia [Mitchell]: 306 (1848)	1:191
	Haloragis brownii (Hook.f.) Schindl. = Meionectes brownii	1:192
	Haloragis ceratophylla Endl. sensu Bentham (1864) = Haloragis aspera (misapplied in Tasmania)	
	Haloragis depressa (A.Cunn.) Walp. sensu Rodway (1903) = Gonocarpus serpyllifolius (misapplied in Tasmania)	
	Haloragis depressa (A.Cunn.) Walp. sensu Bentham (1864) = Gonocarpus montanus (misapplied in Tasmania)	
	Haloragis depressa var. montana (Hook.f.) Hook.f. = Gonocarpus montanus	
	Haloragis gunnii Hook.f. = Gonocarpus teucroides	
	Haloragis heterophylla Brongn., Voy. Monde, Atlas: t.68A (1826)	1:190
	Haloragis micrantha (Thunb.) R.Br. ex Sieber & Zucc. = Gonocarpus micranthus	1:190
	Haloragis montana Hook.f. = Gonocarpus montanus	1:192
	Haloragis myriocarpa Orchard, Bull. Auckland Inst. Mus. 10: 132 (1975)	
	Haloragis pinnatifida A.Gray = Haloragis aspera	
	Haloragis serpyllifolia (Hook.f.) Walp. = Gonocarpus serpyllifolius	1:192
	Haloragis tetragyna (Labill.) Hook.f. = Gonocarpus tetragynus	1:191
	Haloragis teucroides (DC.) Schtdl. = Gonocarpus teucroides	1:191
	Meionectes brownii Hook.f., Icon. Pl. 4: t.306 (1841)	1:192
	Myriophyllum amphibium Labill., Nov. Holl. Pl. 2: 70, t.220 (1806)	1:193
i	Myriophyllum aquaticum (Vell.) Verdc., Kew Bull. 28: 36 (1973)	1:193
e	Myriophyllum austropygmaeum Orchard, Brunonia 8: 280 (1986)	
	Myriophyllum brasiliense Cambess. = Myriophyllum aquaticum	1:193
?i	Myriophyllum crispatum Orchard, Brunonia 8: 210 (1986)	
	Myriophyllum elatinoides Gaudich. sensu Curtis (1956), Curtis & Morris (1975) = Myriophyllum salsugineum (misapplied in Tasmania)	1:193
x	Myriophyllum glomeratum Schindl., Pflanzenr. (Engler) 23: 103 (1905)	
	Myriophyllum integrifolium (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 123 (1856)	1:194
	Myriophyllum muelleri Sond., Linnaea 28: 233 (1856)	
	Myriophyllum pedunculatum subsp. longibracteolatum (Schindl.) Orchard, Brunonia 8: 273 (1986)	1:194
	Myriophyllum pedunculatum Hook.f. subsp. pedunculatum , London J. Bot. 6: 474 (1847)	1:194
	Myriophyllum propinquum A.Cunn. sensu Curtis (1956), Curtis & Morris (1975) = Myriophyllum variifolium (misapplied in Tasmania)	
	Myriophyllum propinquum A.Cunn. sensu Curtis (1956), Curtis & Morris (1975) = Myriophyllum simulans (misapplied in Tasmania)	1:193
	Myriophyllum salsugineum Orchard, Brunonia 4: 48 (1981)	1:193
	Myriophyllum simulans Orchard, Brunonia 8: 203 (1986)	1:193
	Myriophyllum variifolium Hook.f., Icon. Pl. 3: t.289 (1840)	1:193
HYPERICACEAE		
	Ascyrum humifusum Labill. = Hypericum pusillum	
	Ascyrum involutum Labill. = Hypericum gramineum	

i	Hypericum androsaemum L., Sp. Pl. 2: 784 (1753)	1:82
i	Hypericum calycinum L., Mant. Pl. 1: 106 (1767)	1:82
	Hypericum gramineum G.Forst., Fl. Ins. Austr. 53 (1786)	1:81
i *	<i>Hypericum humifusum</i> L.	
	Hypericum japonicum Thunb., Fl. Jap. (Thunberg): 295 (1784)	1:81
i	Hypericum perforatum subsp. veronense (Schrank) H.Lindb., Öfvers. Finska Vetensk.-Soc. Förh. 48: 73 (1906)	1:81
i # t	Hypericum pulchrum L., Sp. Pl. 2: 786 (1753)	
t	Hypericum pusillum Choisy, Prodr. Monogr. Hyperic. 50 (1821)	
i	Hypericum tetrapterum Fr. var. tetrapterum , Novit. Fl. Suec. Alt. 236 (1828)	
LAMIACEAE		
	Ajuga australis R.Br., Prodr. Fl. Nov. Holland. 503 (1810)	3:557
i	Ajuga reptans L., Sp. Pl. 2: 561 (1753)	
i	Cedronella canariensis (L.) Webb & Berthel., Hist. Nat. Illes Canaries (Phytogr.) 3: 87 (1845)	3:548
i	Lamium amplexicaule L., Sp. Pl. 2: 579 (1753)	3:552
i	Lamium purpureum L., Sp. Pl. 2: 579 (1753)	3:552
i	Lavandula stoechas L. subsp. stoechas , Sp. Pl. 2: 573 (1753)	
i	Leonotis leonurus (L.) R.Br., Hort. Kew., ed. 2 [W.T. Aiton], 3: 410 (1811)	
	Lycopus australis R.Br., Prodr. Fl. Nov. Holland. 500 (1810)	3:546
i	Marrubium vulgare L., Sp. Pl. 2: 583 (1753)	3:550
i	Melissa officinalis L., Sp. Pl. 2: 592 (1753)	3:546
	Mentha australis R.Br., Prodr. Fl. Nov. Holland. 505 (1810)	3:544
	Mentha diemenica Spreng. var. diemenica , Syst. Veg. (ed. 16) [Sprengel] 2: 724 (1825)	3:544
	Mentha diemenica var. serpyllifolia (Benth.) J.H.Willis, Muellera 1: 144 (1967)	3:544
	<i>Mentha gracilis</i> R.Br. nom. illeg. = Mentha diemenica	
i	Mentha × piperita L., Sp. Pl. 2: 576 (1753)	3:545
i	Mentha pulegium L., Sp. Pl. 2: 577 (1753)	3:545
	<i>Mentha serpyllifolia</i> Benth. = Mentha diemenica var. serpyllifolia	
i #	Mentha spicata L., Sp. Pl. 2: 576 (1753)	3:545
i	Nepeta cataria L., Sp. Pl. 2: 570 (1753)	3:548
x	Prostanthera cuneata Benth., Prodr. [A. P. de Candolle] 12: 560 (1848)	3:554
	Prostanthera lasianthos Labill., Nov. Holl. Pl. 2: 18 t.157 (1806)	3:553
	<i>Prostanthera retusa</i> R.Br. = Prostanthera rotundifolia	
	Prostanthera rotundifolia R.Br., Prodr. Fl. Nov. Holland. 509 (1810)	3:553
i	Prunella laciniata (L.) L., Sp. Pl., ed. 2, 2: 837 (1763)	3:550
i	Prunella vulgaris L., Sp. Pl. 2: 600 (1753)	3:550
	<i>Salvia horminoides</i> Pourr. = Salvia verbenaca	3:547
i	Salvia verbenaca L. var. verbenaca , Sp. Pl. 1: 25 (1753)	3:547
	Scutellaria humilis R.Br., Prodr. Fl. Nov. Holland. 507 (1810)	3:549
i	Stachys arvensis (L.) L., Sp. Pl., ed. 2, 2: 814 (1763)	3:551
i t	Stachys palustris L., Sp. Pl. 2: 580 (1753)	3:551
	Teucrium corymbosum R.Br., Prodr. Fl. Nov. Holland. 504 (1810)	3:556
i t	Teucrium scorodonia L., Sp. Pl. 2: 564 (1753)	

e	Westringia angustifolia R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:555
e	Westringia brevifolia Benth., Labiat. Gen. Spec. 459 (1834)	3:555
	Westringia brevifolia var. raleighii (B.Boivin) W.M.Curtis = Westringia brevifolia	
	Westringia dampieri R.Br. sensu Bentham (1870) misapplied to W. angustifolia or W. rigida	
	Westringia rigida R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:555
e	Westringia rubiifolia R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:556
	LENTIBULARIACEAE	FTO 119
	Polypompholyx tenella (R.Br.) Lehm. = Utricularia tenella	3:537
	Utricularia australis R.Br., Prodr. Fl. Nov. Holland. 430 (1810)	3:536
	Utricularia barkeri R.W.Jobson, Telopea 15: 131 (2013)	
	Utricularia dichotoma Labill. subsp. dichotoma , Nov. Holl. Pl. I: 11, t.8 (1805)	3:536
	Utricularia dichotoma subsp. maritima R.W.Jobson, Austral. Syst. Bot. 33(3): 306 (2020)	
	Utricularia dichotoma subsp. monanthos (Hook.f.) R.W.Jobson, Austral. Syst. Bot. 33(3): 304 (2020)	3:537
	Utricularia dichotoma var. uniflora (R.Br.) Benth. = Utricularia uniflora	
	Utricularia flexuosa Vahl sensu Rodway (1903) = Utricularia australis (misapplied in Tasmania)	3:536
i *	Utricularia gibba L.	
	Utricularia lateriflora R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	3:536
	Utricularia monanthos Hook.f. = Utricularia dichotoma subsp. monanthos	3:537
	Utricularia oppositiflora R.Br., Prodr. Fl. Nov. Holland. 430 (1810)	
	Utricularia tenella R.Br., Prodr. Fl. Nov. Holland. 432 (1810)	3:537
	Utricularia uniflora R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	3:536
	Utricularia violacea R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	
	LINACEAE	FTO 77
	Linum albidum Ewart & Jean White = Linum marginale	
i t	Linum bienne Mill., Gard. Dict., ed. 8, no.8 (1768)	
i t	Linum catharticum L., Sp. Pl. I: 281 (1753)	1:92
	Linum gallicum L. = Linum trigynum	
	Linum marginale A.Cunn., Geogr. Mem. New South Wales [Field]: 357 (1825)	1:92
i	Linum trigynum L., Sp. Pl. I: 279 (1753)	1:93
i	Linum usitatissimum L., Sp. Pl. I: 277 (1753)	1:92
	LOGANIACEAE	
	Mitrasacme archeri Hook.f. = Schizacme archeri	3:475
	Mitrasacme distylis F.Muell. = Phyllangium distylis	3:477
	Mitrasacme divergens Hook.f. = Phyllangium divergens	3:476
	Mitrasacme montana Hook.f. ex Benth. = Schizacme montana	3:475
	Mitrasacme paradoxa R.Br. sensu Curtis (1967) = Phyllangium divergens (misapplied in Tasmania)	3:476
	Mitrasacme pilosa Labill. var. pilosa , Nov. Holl. Pl. I: 36, t.49 (1805)	3:476
	Mitrasacme pilosa var. stuartii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 274 (1857)	3:476
	Mitrasacme serpyllifolia R.Br., Prodr. Fl. Nov. Holland. 454 (1810)	3:475
	Phyllangium distylis (F.Muell.) Dunlop, Fl. Australia 28: 315 (1996)	3:477
	Phyllangium divergens (Hook.f.) Dunlop, Fl. Australia 28: 315 (1996)	3:476
e	Schizacme archeri (Hook.f.) Dunlop, Fl. Australia 28: 314 (1996)	3:475

	Schizacme montana (Hook.f. ex Benth.) Dunlop, Fl. Australia 28: 314 (1996)	3:475
LYTHRACEAE		FTO 55
	Lythrum hyssopifolia L., Sp. Pl. 1: 447 (1753)	2:227
i # n	Lythrum junceum Banks & Sol., Nat. Hist. Aleppo, ed. 2 [A. Russell] 2: 253 (1794)	
	Lythrum salicaria L., Sp. Pl. 1: 446 (1753)	2:226
MALVACEAE		
i t	Anisodonteia capensis (L.) D.M.Bates, Gentes Herb. 10: 327 (1969)	
e	Asterotrichion discolor (Hook.) Melville, Kew Bull. 20: 512 (1967)	1:86
	Gynatrix pulchella (Willd.) Alef., Oesterr. Bot. Z. 12: 35 (1862)	1:87
i *	Hibiscus trionum L.	1:88
	Lasiopetalum baueri Steetz, Pl. Preiss. [J.G.C.Lehman] 2: 339 (1848)	1:90
	<i>Lasiopetalum dasyphyllum</i> Sieber ex Steetz = Lasiopetalum macrophyllum	1:89
	Lasiopetalum discolor Hook., Companion Bot. Mag. 1: 276 (1836)	1:89
	Lasiopetalum macrophyllum Graham, Edinburg New Philos. J. 31: 390 (1841)	1:89
e	Lasiopetalum micranthum Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 51 (1855)	1:90
	<i>Lavatera arborea</i> L. = Malva arborea	1:84
	<i>Lavatera cretica</i> L. sensu Curtis & Morris (1975) p.p. = Malva preissiana (misapplied in Tasmania)	
	<i>Lavatera cretica</i> L. = Malva pseudolavatera	1:84
	<i>Lavatera plebeia</i> var. <i>tomentosa</i> Hook.f. = Malva preissiana	1:83
	Lawrenzia spicata Hook., Icon. Pl. 3: t.261 (1840)	1:88
?i #	Lawrenzia squamata Nees, Pl. Preiss. [J.G.C.Lehman] 1: 242 (1845)	
i	Malva arborea (L.) Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 30 (1836)	1:84
	<i>Malva australiana</i> M.F.Ray = Malva preissiana	1:83
	<i>Malva dendromorpha</i> M.F.Ray nom. illeg., nom. superfl. = Malva arborea	
	<i>Malva linnaei</i> M.F.Ray nom. illeg., nom. superfl. = Malva pseudolavatera	
i	Malva moschata L., Sp. Pl. 2: 690 (1753)	1:85
i	Malva neglecta Wallr., Syll. Pl. Nov. 1: 140 (1824)	1:85
i	Malva nicaeensis All., Fl. Pedem. 2: 40 (1785)	1:85
i	Malva parviflora L., Demonstr. Pl. 18 (1753)	1:85
	Malva preissiana Miq., Pl. Preiss. [J.G.C.Lehman] 1: 238 (1845)	1:83
i	Malva pseudolavatera Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.). 3(2(1)): 29 (1836)	1:84
	<i>Malva rotundifolia</i> L. sensu Rodway (1903) = Malva neglecta (misapplied in Tasmania)	
i	Malva sylvestris L., Sp. Pl. 2: 689 (1753)	1:85
i	Modiola caroliniana (L.) G.Don, Gen. Hist. 1: 466 (1831)	1:86
	<i>Plagianthus pulchellus</i> (Willd.) A.Gray ex Hook.f. = Gynatrix pulchella	1:87
	<i>Plagianthus pulchellus</i> var. <i>tomentosus</i> Rodway = Gynatrix pulchella	
	<i>Plagianthus sidoides</i> Hook. = Asterotrichion discolor	1:86
	<i>Plagianthus spicatus</i> (Hook.) Benth. = Lawrenzia spicata	1:88
MAZACEAE		
	Mazus pumilio R.Br., Prodr. Fl. Nov. Holland. 439 (1810)	3:516
MENYANTHACEAE		FTO 128
	<i>Limnanthemum exaltatum</i> (Sol. ex Sims) F.Muell. = Liparophyllum exaltatum	
	<i>Limnanthemum exiguum</i> F.Muell. = Liparophyllum exiguum	

	Limnanthemum gunnii (Hook.f.) Hook.f. = Liparophyllum gunnii	
	Liparophyllum exaltatum (Sol. ex Sims) Tippery & Les, Novon 19: 408 (2009)	3:483
e	Liparophyllum exiguum (F.Muell.) Tippery & Les, Novon 19: 408 (2009)	3:483
t	Liparophyllum gunnii Hook.f., London J. Bot. 6: 473 bis (1847)	3:484
	Nymphoides crenata (F.Muell.) Kuntze sensu Curtis (1967) recorded in error	3:483
	Nymphoides exigua (F.Muell.) Kuntze = Liparophyllum exiguum	3:483
	Ornduffia reniformis (R.Br.) Tippery & Les, Novon 19: 410 (2009)	3:483
	Ornduffia umbricola (Aston) Tippery & Les var. umbricola , Novon 19: 410 (2009)	
	Villarsia exaltata (Sol. ex Sims) G.Don = Liparophyllum exaltatum	3:483
	Villarsia parnassiifolia (Labill.) R.Br. sensu Brown (1810), Hooker (1860) = Liparophyllum exaltatum (misapplied in Tasmania)	
	Villarsia reniformis R.Br. = Ornduffia reniformis	3:483
	Villarsia umbricola Aston = Ornduffia umbricola	
MYRSINACEAE		
	Anagallis arvensis L. = Lysimachia arvensis	3:467
	Anagallis arvensis subsp. foemina sensu Curtis (1967) = Lysimachia arvensis (misapplied in Tasmania)	3:468
	Anagallis arvensis var. caerulea (L.) Gouan = Lysimachia arvensis	3:468
i	Lysimachia arvensis (L.) U.Manns & Anderb., Willdenowia 39: 51 (2009)	3:467
i *	Lysimachia minima (L.) U.Manns & Anderb.	
i	Lysimachia nummularia L., Sp. Pl. 1: 148 (1753)	3:467
MYRTACEAE		
FTO 57		
	Baeckea diffusa Sieber ex DC. = Euryomyrtus ramosissima	
	Baeckea gunniana Schauer, Repert. Bot. Syst. (Walpers) 2: 920 (1843)	1:198
e	Baeckea leptocaulis Hook.f., Icon. Pl. 3: t.298 (1840)	1:199
	Baeckea ramosissima A.Cunn. = Euryomyrtus ramosissima	1:198
	Baeckea thymifolia Hook.f. = Euryomyrtus ramosissima	
	Callistemon pallidus (Bonpl.) DC. = Melaleuca pallida	1:203
	Callistemon paludosus F.Muell. sensu Curtis (1956), Curtis & Morris (1975) = Melaleuca pallida (misapplied in Tasmania)	1:203
	Callistemon salignus (Sm.) Colvill ex Sweet sensu Bentham (1867) = Melaleuca pallida (misapplied in Tasmania)	
	Callistemon salignus var. australis Benth. = Melaleuca pallida	
	Callistemon salignus var. hebestachys Benth. = Melaleuca pallida	
	Callistemon salignus var. viridiflora Benth. = Melaleuca virens	
	Callistemon viridiflorus (Sims) Sweet = Melaleuca virens	1:203
	Calycothrix glabra (R.Br.) Hook.f. = Calytrix tetragona	
	Calytrix tetragona Labill., Nov. Holl. Pl. 2: 8, t.146 (1806)	1:197
	Eucalyptus acervula Sieber ex DC. sensu Hooker (1860), Rodway (1903) = Eucalyptus ovata var. ovata (misapplied in Tasmania)	
	Eucalyptus aggregata H.Deane & Maiden sensu Curtis (1956) = Eucalyptus rodwayi (misapplied in Tasmania)	
	Eucalyptus ambigua DC. a name of uncertain application	
e	Eucalyptus amygdalina Labill., Nov. Holl. Pl. 2: 14, t.154 (1806)	1:224
	Eucalyptus amygdalina var. nitida (Hook.f.) Benth. = Eucalyptus nitida	

	Eucalyptus amygdalina var. radiata (Sieber ex DC.) Benth. = Eucalyptus radiata subsp. radiata	
e	Eucalyptus archeri Maiden & Blakely, Crit. Rev. Eucalyptus 8: 58 (1929)	1:215
e	Eucalyptus barberi L.A.S.Johnson & Blaxell, Contr. N.S.W. Natl. Herb. 4: 288 (1972)	1:211
	Eucalyptus bicostata Maiden, Blakely & Simmonds sensu Curtis & Morris (1975) = Eucalyptus globulus subsp. pseudoglobulus (misapplied in Tasmania)	1:219
	Eucalyptus brookeriana A.M.Gray, Austral. Forest Res. 9: 111 (1979)	
e	Eucalyptus coccifera Hook.f., London J. Bot. 6: 477 (1847)	1:225
	Eucalyptus coccifera var. parviflora Benth. = Eucalyptus coccifera	
e	Eucalyptus cordata Labill. subsp. cordata , Nov. Holl. Pl. 2: 13, t.152 (1806)	1:218
e	Eucalyptus cordata subsp. quadrangulosa D.Nicolle, B.M.Potts & McKinnon, Pap. & Proc. Roy. Soc. Tasmania 142: 75 (2008)	
	Eucalyptus coriacea Schauer = Eucalyptus pauciflora subsp. pauciflora	
n	Eucalyptus dalrympleana Maiden subsp. dalrympleana sensu Buchanan et al. (1989) = Eucalyptus dalrympleana subsp. lutruwita	1:214
e n	Eucalyptus dalrympleana subsp. lutruwita D.Nicolle, Native Eucalypts of Victoria and Tasmania, South-eastern Australia: 180-181 (2022)	
e n	Eucalyptus delegatensis subsp. tasmaniensis Boland = Eucalyptus tasmaniensis	1:220
	Eucalyptus gigantea Hook.f. = Eucalyptus tasmaniensis	1:220
	Eucalyptus globulus Labill. subsp. globulus , Voy. Rech. Perouse 1: 153, t.13 (1800)	1:218
	Eucalyptus globulus subsp. pseudoglobulus (Naudin) J.B.Kirkp., Bot. J. Linn. Soc. 69: 101 (1975)	1:219
e	Eucalyptus gunnii subsp. divaricata (McAulay & Brett) B.M.Potts, Pap. & Proc. Roy. Soc. Tasmania 135: 57 (2001)	
e	Eucalyptus gunnii Hook.f. subsp. gunnii , London J. Bot. 3: 499 (1844)	1:215
	Eucalyptus haemastoma Sm. sensu Rodway (1903) misapplied to a hybrid involving Eucalyptus sieberi	
e	Eucalyptus johnstonii Maiden, Crit. Rev. Eucalyptus 6: 280 (1922)	1:219
	Eucalyptus linearis Dehnh. = Eucalyptus pulchella	1:224
e	Eucalyptus morrisbyi Brett, Pap. & Proc. Roy. Soc. Tasmania 129: pl. 14-15 (1939)	1:215
	Eucalyptus muelleri T.B.Moore nom. illeg. = Eucalyptus johnstonii	
e	Eucalyptus nebulosa A.M.Gray, Kanunnah 3: 42 (2008)	
i	Eucalyptus nitens (H.Deane & Maiden) Maiden, Crit. Rev. Eucalyptus 2: 272 (1913)	
e	Eucalyptus nitida Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 137, t.29 (1856)	1:225
	Eucalyptus obliqua L'Hér., Sert. Angl. 18, t.20 (1792)	1:220
	Eucalyptus ovata Labill. var. ovata , Nov. Holl. Pl. 2: 13, t.153 (1806)	1:211
	Eucalyptus pauciflora Sieber ex Spreng. subsp. pauciflora , Syst. Veg. (ed. 16) [Sprengel] 4: 195 (1827)	1:222
e n	Eucalyptus perriniana F.Muell. ex Rodway subsp. perriniana , Pap. & Proc. Roy. Soc. Tasmania: 181 (1894)	1:217
e	Eucalyptus pulchella Desf., Cat. Pl. Horti Paris., ed. 3: 284, 408 (1829)	1:224
	Eucalyptus radiata Sieber ex DC. subsp. radiata , Prodr. [A. P. de Candolle] 3: 218 (1828)	1:224
	Eucalyptus radiata subsp. robertsonii sensu Curtis & Morris (1975) = Eucalyptus radiata subsp. radiata (misapplied in Tasmania)	
	Eucalyptus regnans F.Muell., Ann. Rep. Victorian Acclim. Soc. 20 in obs. (1871)	1:220
e	Eucalyptus risdonii Hook.f., London J. Bot. 6: 477 bis (1847)	1:226
	Eucalyptus risdonii var. elata = Eucalyptus tasmaniensis	

e	Eucalyptus rodwayi R.T.Baker & H.G.Sm., Pap. & Proc. Roy. Soc. Tasmania 1912: 191 (1913)	1:211
	Eucalyptus rubida H.Deane & Maiden subsp. rubida , Proc. Linn. Soc. New South Wales 24: 456, t.xl (1899)	1:214
	<i>Eucalyptus salicifolia</i> Cav. = Eucalyptus amygdalina	1:224
	Eucalyptus sieberi L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 125 (1962)	1:222
	<i>Eucalyptus sieberiana</i> F.Muell. nom. illeg. = Eucalyptus sieberi	
	<i>Eucalyptus simmondsii</i> Maiden = Eucalyptus nitida	1:225
	<i>Eucalyptus stuartiana</i> F.Muell. ex Miq. = Eucalyptus ovata var. ovata	
e	Eucalyptus subcrenulata Maiden & Blakely, Crit. Revis. <i>Eucalyptus</i> 8: 59 (1929)	1:219
	<i>Eucalyptus tasmanica</i> Blakely = Eucalyptus tenuiramis	1:226
e n	Eucalyptus tasmaniensis (Boland) D.Nicolle, Native Eucalypts of Victoria and Tasmania, South-eastern Australia 306 (2022)	
e	Eucalyptus tenuiramis Miq., Ned. Kruidk. Arch. 4: 128 (1856)	1:226
e	Eucalyptus urnigera Hook.f., London J. Bot. 6: 477 bis (1847)	1:217
	<i>Eucalyptus urnigera</i> var. <i>elongata</i> Rodway = Eucalyptus urnigera	
e	Eucalyptus vernicosa Hook.f., London J. Bot. 6: 478 bis (1847)	1:219
e n	Eucalyptus viminalis subsp. ×hentyensis Brooker & Slee, J. Adelaide Bot. Gard. 21: 92 (2007) = Eucalyptus ovata × E. viminalis	
	Eucalyptus viminalis Labill. subsp. viminalis , Nov. Holl. Pl. 2: 12, t.151 (1806)	1:214
n	Eucalyptus willisii Ladiges, Humphries & Brooker, Austral. J. Bot. 31: 583 (1983)	
	Euryomyrtus parviflora Miq., Ned. Kruidk. Arch. 4(1): 149 (1856)	
	Euryomyrtus ramosissima (A.Cunn.) Trudgen, Nuytsia 13(3): 560 (2001)	1:198
	<i>Euryomyrtus ramosissima</i> subsp. <i>prostrata</i> (Hook.f.) Trudgen = Euryomyrtus parviflora	1:198
	<i>Fabricia laevigata</i> Gaertn. = Leptospermum laevigatum	
	Kunzea ambigua (Sm.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 629 (1917)	1:202
	<i>Kunzea corifolia</i> (Vent.) Schauer = Kunzea ambigua	
i	Kunzea ericoides (A.Rich.) Joy Thomps., Telopea 2: 379 (1983)	
	<i>Leptospermum flavescens</i> Sm. sensu Rodway (1903) = Leptospermum glaucescens (misapplied in Tasmania)	
	<i>Leptospermum flavescens</i> var. <i>commune</i> Benth. = Leptospermum glaucescens	
	<i>Leptospermum flavescens</i> var. <i>grandiflorum</i> (Lodd., G.Lodd & W.Lodd.) Benth. = Leptospermum grandiflorum	
	<i>Leptospermum flavescens</i> var. <i>nitidum</i> (Hook.f.) Rodway = Leptospermum nitidum	
e	Leptospermum glaucescens S.Schauer, Linnaea 15: 421 (1841)	1:201
e	Leptospermum grandiflorum Lodd., G.Lodd & W.Lodd., G.Lodd. & W.Lodd., Bot. Cab. 6: t.514 (1821)	1:200
	<i>Leptospermum humifusum</i> W.M.Curtis nom. inval. = Leptospermum rupestre	
	Leptospermum laevigatum (Gaertn.) F.Muell., Cat. Pl. Melb. Bot. Gard. 22 (1858)	1:200
	Leptospermum lanigerum (Sol. ex Aiton) Sm., Trans. Linn. Soc. London 3: 263 (1797)	1:200
	<i>Leptospermum lanigerum</i> var. <i>montanum</i> Rodway = Leptospermum lanigerum	
	<i>Leptospermum myrtifolium</i> Sieber ex DC. sensu Hooker (1860), Rodway (1903) = Leptospermum glaucescens (misapplied in Tasmania)	
e	Leptospermum nitidum Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 139 (1856)	1:201
	<i>Leptospermum pilosum</i> Schauer a name of uncertain application	

e	Leptospermum riparium D.I.Morris, Records of the Queen Victoria Museum 50: 2 (1974) Leptospermum rodwayanum Summerh. & H.F.Comber = Leptospermum grandiflorum	1:201
e	Leptospermum rupestre Hook.f., Icon. Pl. 4: t.308 (1840)	1:202
	Leptospermum scoparium J.R.Forst. & G.Forst., Char. Gen. Pl.: 72, t.36, figs.f-l (1775)	1:200
	Leptospermum scoparium var. eximium B.L.Burtt = Leptospermum scoparium Leptospermum sericeum Labill. sensu Curtis (1956) = Leptospermum glaucescens (misapplied in Tasmania)	
	Melaleuca armillaris (Sol. ex Gaertn.) Sm. subsp. armillaris , Trans. Linn. Soc. London 3: 277 (1797)	1:205
	Melaleuca ericifolia Sm., Trans. Linn. Soc. London 3: 276 (1797)	1:204
	Melaleuca gibbosa Labill., Nov. Holl. Pl. 2: 30, t.172 (1806)	1:204
	Melaleuca pallida (Bonpl.) Craven, Novon 16: 472 (2006)	1:203
e	Melaleuca pustulata Hook.f., London J. Bot. 6: 476 bis (1847)	1:205
	Melaleuca squamea Labill., Nov. Holl. Pl. 2: 28, t.168 (1806)	1:204
	Melaleuca squarrosa Donn ex Sm., Trans. Linn. Soc. London 6: 300 (1802)	1:204
e	Melaleuca virens Craven, Novon 16: 473 (2006)	1:203
i	Syzygium smithii (Poir.) Nied., Nat. Pflanzenfam. [Engler & Prantl] III. 7: 85 (1893)	
	Thryptomene micrantha Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 299, t.8 (1853)	1:198
NOTHOFAGACEAE		FTO 66
	Fagus cunninghamii Hook. = Nothofagus cunninghamii	
	Fagus gunnii Hook.f. = Nothofagus gunnii	
	Fuscospora gunnii (Hook.f.) Heenan & Smissen = Nothofagus gunnii	
	Lophozonia cunninghamii (Hook.) Heenan & Smissen = Nothofagus cunninghamii	
	Nothofagus cunninghamii (Hook.) Oerst., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. (ser. 5), 9: 355 (1871)	3:647
e	Nothofagus gunnii (Hook.f.) Oerst., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. (ser. 5), 9: 354 (1871)	3:646
NYCTAGINACEAE		FTO 101B
i	Mirabilis jalapa L., Sp. Pl. 1: 177 (1753)	
OLEACEAE		FTO 113
i	Fraxinus angustifolia Vahl subsp. angustifolia , Enum. Pl. [Vahl] 1: 52 (1804)	
i	Ligustrum vulgare L., Sp. Pl. 1: 7 (1753)	3:470
	Notelaea ligustrina Vent., Choix Pl. 25 (1804)	3:470
ONAGRACEAE		
	Boisduvalia tasmanica (Hook.f.) Munz = Epilobium curtisiae	2:234
	Epilobium adenocaulon Hausskn. = Epilobium ciliatum	2:233
	Epilobium alpinum L. nom. illeg., sensu Rodway (1903) = Epilobium tasmanicum (misapplied in Tasmania)	
	Epilobium billardioreanum Ser. ex DC. subsp. billardioreanum , Prodr. [A. P. de Candolle] 3: 41 (1828)	2:232
	Epilobium billardioreanum subsp. cinereum (A.Rich.) P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 349 (1971)	2:230
	Epilobium billardioreanum subsp. hydrophilum P.H.Raven & Engelhorn sensu Buchanan et al. (1989) = Epilobium billardioreanum subsp. billardioreanum (misapplied in Tasmania)	

- Epilobium billardioreanum** subsp. **intermedium** P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 348 (1971)
- i **Epilobium ciliatum** Raf., Med. Repos. 5: 361 (1808) 2:233
Epilobium confertifolium Hook.f. sensu Bentham (1867) = **Epilobium tasmanicum** (misapplied in Tasmania)
- Epilobium curtisiae** P.H.Raven, Aliso 5: 249, fig.1 (1963) 2:234
Epilobium erosum Hausskn. = **Epilobium gunnianum** 2:230
- e **Epilobium fugitivum** P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 346 (1971)
Epilobium glabellum G.Forst. sensu Rodway (1903) = **Epilobium billardioreanum** (misapplied in Tasmania)
- Epilobium gunnianum** Hausskn., Oesterr. Bot. Z. 29: 149 (1879) 2:230
Epilobium hirtigerum A.Cunn., Ann. Nat. Hist. 3: 33 (1839) 2:231
Epilobium junceum G.Forst. ex Spreng. sensu Curtis (1963) = **Epilobium billardioreanum** subsp. **cinereum** (misapplied in Tasmania) 2:230
- i * t *Epilobium nummulariifolium* R.Cunn. ex A.Cunn.
- i t **Epilobium obscurum** Schreb., Spic. Fl. Lips. 147, 155 (1771)
Epilobium pallidiflorum Sol. ex A.Cunn., Ann. Nat. Hist. 3: 34 (1839) 2:231
- e **Epilobium perpusillum** Hausskn., Monogr. Epilobium: 301, t.21, fig. 90 (1884) 2:233
- i t **Epilobium rotundifolium** G.Forst., Fl. Ins. Austr. 27 (1786)
Epilobium sarmentaceum Hausskn., Oesterr. Bot. Z. 29: 149 (1879) 2:229
Epilobium tasmanicum Hausskn., Monogr. Epilobium: 296, t.20, fig.84 (1884) 2:233
Epilobium tenuipes Hook.f. sensu Hooker (1860) = **Epilobium tasmanicum** (misapplied in Tasmania)
Epilobium tetragonum L. sensu Bentham (1867) = **Epilobium billardioreanum** (misapplied in Tasmania)
- Epilobium willisii** P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 347 (1971)
- i **Fuchsia magellanica** Lam., Encycl. (Lamarck) 2: 565 (1788) 2:235
- i # **Oenothera biennis** L., Sp. Pl. 1: 346 (1753)
- i **Oenothera glazioviana** Micheli, Fl. Bras. (Martius) 13: 178 (1875)
- i **Oenothera stricta** Ledeb. ex Link subsp. **stricta**, Enum. Hort. Berol. Alt. 1: 377 (1821) 2:235
Oenothera tasmanica Hook.f. = **Epilobium curtisiae**

OROBANCHACEAE

- i **Bartsia trixago** L., Sp. Pl. 2: 602 (1753)
Bellardia trixago (L.) All. = **Bartsia trixago**
Euphrasia alpina R.Br. nom. illeg. a name of uncertain application
Euphrasia alpina var. *angustifolia* Benth. sensu Hooker (1860) = **Euphrasia collina** subsp. **collina**
Euphrasia alpina var. *humilis* Benth. sensu Hooker (1860) = **Euphrasia striata**
- e **Euphrasia amphisysepala** W.R.Barker, J. Adelaide Bot. Gard. 10: 204 (1987)
- e **Euphrasia amplidens** W.R.Barker, J. Adelaide Bot. Gard. 26: 23 (2013)
- e **Euphrasia sp. Bivouac Bay (W.R.Barker 7626 et al.) W.R.Barker**
Euphrasia brownii F.Muell. nom. illeg., sensu Rodway (1903) a catch-all name that includes several **Euphrasia** species
Euphrasia brownii var. *striata* (R.Br.) Rodway = **Euphrasia striata** 3:530
Euphrasia collina R.Br. subsp. **collina**, Prodr. Fl. Nov. Holland. 436 (1810) 3:527

e	Euphrasia collina subsp. deflexifolia (Gand.) W.R.Barker, The Endemic Flora of Tasmania 6: 477 (1978)	
e	Euphrasia collina subsp. diemenica (Spreng.) W.R.Barker, The Endemic Flora of Tasmania 6: 477 (1978)	3:528
e	Euphrasia collina subsp. Dukes Marshes (A.Moscal 861) Tas Herbarium	
e	Euphrasia collina subsp. gunnii (Du Rietz) W.R.Barker, J. Adelaide Bot. Gard. 5: 199 (1982)	3:528
e	Euphrasia collina subsp. Northwest Tasmania (M.Visoiu 216) Tas Herbarium	
e	Euphrasia collina subsp. tasmanica (Gand.) W.R.Barker, J. Adelaide Bot. Gard. 21: 93 (2007)	
	Euphrasia collina subsp. tetragona (R.Br.) W.R.Barker, J. Adelaide Bot. Gard. 5: 189 (1982)	
	<i>Euphrasia cuspidata</i> Hook.f. = Euphrasia hookeri	3:532
	<i>Euphrasia diemenica</i> Spreng. = Euphrasia collina subsp. diemenica	3:528
	<i>Euphrasia</i> sp. <i>fabula</i> W.C.Potts & W.R.Barker MS = Euphrasia sp. Bivouac Bay (W.R.Barker 7626 et al.) W.R.Barker	
e	Euphrasia fragosa W.R.Barker, J. Adelaide Bot. Gard. 17: 217 (1996)	
	<i>Euphrasia gibbsiae</i> subsp. aff. <i>subglabrifolia</i> (Du Rietz) W.R.Barker = Euphrasia gibbsiae subsp. Mt Field (W.R.Barker 1187) Tas Herbarium (W.R.Barker 1187) Tas Herbarium	
e	Euphrasia gibbsiae subsp. comberi (Du Rietz) W.R.Barker, J. Adelaide Bot. Gard. 5: 122 (1982)	3:531
e	Euphrasia gibbsiae subsp. discolor W.R.Barker, J. Adelaide Bot. Gard. 5: 128 (1982)	
e	Euphrasia gibbsiae Du Rietz subsp. gibbsiae , Svensk Bot. Tidskr. 42: 104 (1948)	3:531
e	Euphrasia gibbsiae subsp. kingii (W.M.Curtis) W.R.Barker, The Endemic Flora of Tasmania 6: 477 (1978)	3:530
e	Euphrasia gibbsiae subsp. microdonta W.R.Barker, J. Adelaide Bot. Gard. 5: 126 (1982)	
e	Euphrasia gibbsiae subsp. Mt Anne (A.M.Buchanan 5109) Tas Herbarium	
e	Euphrasia gibbsiae subsp. Mt Field (W.R.Barker 1187) Tas Herbarium	
e	Euphrasia gibbsiae subsp. psilantherea (F.Muell.) W.R.Barker, J. Adelaide Bot. Gard. 5: 119 (1982)	
e	Euphrasia gibbsiae subsp. pulvinestris W.R.Barker, J. Adelaide Bot. Gard. 5: 131 (1982)	
e	Euphrasia gibbsiae subsp. wellingtonensis W.R.Barker, J. Adelaide Bot. Gard. 5: 120 (1982)	
	<i>Euphrasia gunnii</i> Du Rietz = Euphrasia collina subsp. gunnii	3:528
e	Euphrasia hookeri Wettst., Monogr. Euphrasia: 268 (1896)	3:532
	<i>Euphrasia kingii</i> W.M.Curtis = Euphrasia gibbsiae subsp. kingii	3:530
	<i>Euphrasia multicaulis</i> Benth. sensu Hooker (1860) = Euphrasia collina subsp. tetragona	
e	Euphrasia phragmostoma W.R.Barker, J. Adelaide Bot. Gard. 5: 103 (1982)	
	Euphrasia scabra R.Br., Prodr. Fl. Nov. Holland. 437 (1810)	3:531
e	Euphrasia semipicta W.R.Barker, J. Adelaide Bot. Gard. 5: 139 (1982)	
e	Euphrasia striata R.Br., Prodr. Fl. Nov. Holland. 436 (1810)	3:530
	<i>Orobanche australiana</i> F.Muell. sensu Buchanan (1995) previously recorded in error	
i	Orobanche minor Sm., Engl. Bot. 6: t.422 (1797)	3:533
i	Parentucellia latifolia (L.) Caruel, Fl. Ital. (Parlatore) 6: 480 (1885)	3:532
i	Parentucellia viscosa (L.) Caruel, Fl. Ital. (Parlatore) 6: 482 (1885)	3:533
	OXALIDACEAE	FTO 70
i	Oxalis articulata Savigny, Encycl. (Lamarck) 4: 686 (1798)	1:102
i	Oxalis corniculata L. subsp. corniculata , Sp. Pl. 1: 435 (1753)	1:101
	Oxalis exilis A.Cunn., Ann. Nat. Hist. 3: 316 (1839)	
i	Oxalis incarnata L., Sp. Pl. 1: 433 (1753)	1:102

	<i>Oxalis lactea</i> Hook. = <i>Oxalis magellanica</i>	1:101
i	<i>Oxalis latifolia</i> Kunth, Nov. Gen. Sp. [H.B.K.] 5: 237, t.467 (1823)	1:101
	<i>Oxalis magellanica</i> G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 33 (1789)	1:101
	<i>Oxalis perennans</i> Haw., Misc. Nat. 181 (1803)	
i	<i>Oxalis pes-caprae</i> L., Sp. Pl. 1: 434 (1753)	1:101
i	<i>Oxalis purpurea</i> L., Sp. Pl. 1: 433 (1753)	1:102
	<i>Oxalis radicata</i> A.Rich., Tent. Fl. Abyss. 2: 123 (1847)	
	<i>Oxalis rubens</i> Haw., Misc. Nat. 182 (1803)	
	PAPAVERACEAE	FTO 44
	<i>Argemone mexicana</i> L. sensu Curtis (1956), Curtis & Morris (1975) = <i>Argemone ochroleuca</i> subsp. <i>ochroleuca</i> (misapplied in Tasmania)	1:28
i	<i>Argemone ochroleuca</i> Sweet subsp. <i>ochroleuca</i> , Brit. Fl. Gard. [Sweet] 3: t.242 (1828)	1:28
i	<i>Eschscholzia californica</i> Cham., Horae Phys. Berol. [Nees]: 73-74, t.15 (1820)	1:29
i	<i>Glaucium flavum</i> Crantz, Stirp. Austr. Fasc. Sp. 2: 133 (1763)	1:28
i	<i>Papaver aculeatum</i> Thunb., Prodr. Pl. Cap. 92 (1800)	1:27
i	<i>Papaver argemone</i> L., Sp. Pl. 1: 506 (1753)	1:27
i	<i>Papaver dubium</i> L., Sp. Pl. 2: 1196 (1753)	1:27
i	<i>Papaver hybridum</i> L., Sp. Pl. 1: 506 (1753)	1:27
i	<i>Papaver rhoeas</i> L., Sp. Pl. 1: 507 (1753)	1:27
i	<i>Papaver somniferum</i> subsp. <i>setigerum</i> (DC.) Arcang., Nouv. Fl. Normandie: 30 (1894)	1:28
i	<i>Papaver somniferum</i> L. subsp. <i>somniferum</i> , Sp. Pl. 1: 508 (1753)	1:28
	PASSIFLORACEAE	FTO 81
?i #	<i>Passiflora cinnabarina</i> Lindl., Gard. Chron. 23: 724 (1855)	
	<i>Passiflora mollissima</i> (Kunth) L.H.Bailey sensu Buchanan (1999) = <i>Passiflora tarminiana</i> (misapplied in Tasmania)	
i	<i>Passiflora tarminiana</i> Coppens & V.E.Barney, Novon 11: 9 (2001)	
	PHRYMACEAE	FTO 117
i	<i>Erythranthe moschata</i> (Douglas ex Lindl.) G.L.Nesom, Phytoneuron 39: 38 (2012)	
	<i>Glossostigma elatinoides</i> (Benth.) Benth. ex Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 189 (1853)	3:518
	<i>Mimulus moschatus</i> Douglas ex Lindl. = <i>Erythranthe moschata</i>	3:516
	<i>Mimulus repens</i> R.Br. = <i>Thyridia repens</i>	3:515
	<i>Thyridia repens</i> (R.Br.) W.R.Barker & Beardsley, Phytoneuron 39: 20 (2012)	
	PHYLLANTHACEAE	
	<i>Oreoporanthera petalifera</i> Orchard & J.B.Davies = <i>Poranthera petalifera</i>	
	<i>Phyllanthus australis</i> Hook.f., London J. Bot. 6: 284 (1847)	3:638
	<i>Phyllanthus gunnii</i> Hook.f., London J. Bot. 6: 284 (1847)	3:638
	<i>Poranthera microphylla</i> Brongn., Ann. Sci. Nat. (Paris) 29: 385 (1833)	3:634
e	<i>Poranthera petalifera</i> (Orchard & J.B.Davies) Halford & R.J.F.Hend., Austrobaileya 7: 22 (2005)	
	PHYTOLACCACEAE	
i	<i>Phytolacca octandra</i> L., Sp. Pl., ed. 2: 631 (1762)	
	PICRODENDRACEAE	FTO 74
	<i>Micrantheum hexandrum</i> Hook.f., London J. Bot. 6: 283 (1847)	3:634
e	<i>Micrantheum serpentinum</i> Orchard, Aspects of Tasmanian Botany: 60 (1991)	

	Pseudanthus divaricatissimus (Müll.Arg.) Benth., Fl. Austral. 6: 60 (1873)	
	Pseudanthus ovalifolius F.Muell., Trans. & Proc. Philos. Inst. Victoria 2: 66 (1857)	3:634
	<i>Pseudanthus tasmanicus</i> Rodway = Muehlenbeckia axillaris (Polygonaceae)	3:593
	PITTOSPORACEAE	FTO 138
	<i>Billardiera alpina</i> (McGill.) E.M.Benn. sensu Buchanan et al. (1989) = Rhytidosporum inconspicuum (misapplied in Tasmania)	
	<i>Billardiera fusiformis</i> Labill. sensu Buchanan (2009) = Billardiera heterophylla (misapplied in Tasmania)	1:59
i	Billardiera heterophylla (Lindl.) L.W.Cayzer & Crisp, Austral. Syst. Bot. 17: 119 (2004)	1:59
e	Billardiera longiflora Labill., Nov. Holl. Pl. 1: 64, t.89 (1805)	1:58
	<i>Billardiera longiflora</i> var. <i>alpina</i> Rodway = Billardiera longiflora	
	<i>Billardiera longiflora</i> var. <i>ovalis</i> (Lindl.) E.M.Benn. = Billardiera ovalis	
	Billardiera macrantha Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 37 (1855)	
	Billardiera mutabilis Salisb., Parad. Lond. 1: t.48 (1806)	1:59
	<i>Billardiera nesophila</i> L.W.Cayzer & D.L.Jones = Billardiera macrantha	
e	Billardiera ovalis Lindl., Edwards's Bot. Reg. 20: t.1719 (1834)	
	<i>Billardiera procumbens</i> (Hook.) E.M.Benn. = Rhytidosporum procumbens	1:58
	<i>Billardiera scandens</i> Sm. sensu Curtis & Morris (1975) = Billardiera mutabilis (misapplied in Tasmania)	1:59
	<i>Billardiera viridiflora</i> L.W.Cayzer & D.L.Jones = Billardiera macrantha	
	Bursaria spinosa Cav. subsp. <i>spinosa</i> , Icon. [Cavanilles] 4: 30, t.350 (1797)	1:57
	<i>Marianthus procumbens</i> (Hook.) Benth. = Rhytidosporum procumbens	1:58
	Pittosporum bicolor Hook., J. Bot. (Hooker) 1: 249 (1834)	1:56
i	Pittosporum crassifolium Banks & Sol. ex A.Cunn., Ann. Nat. Hist. 4: 106 (1840)	
i	Pittosporum eugenioides A.Cunn., Ann. Nat. Hist. 4: 106 (1840)	
i	Pittosporum tenuifolium Gaertn., Fruct. Sem. Pl. 1: 286 (1788)	
i	Pittosporum undulatum Vent., Descr. Pl. Nouv. 76, t.76 (1802)	
i	Pittosporum undulatum subsp. × <i>emmettii</i> W.M.Curtis, Records of the Queen Victoria Museum 50: 3(1974) = Pittosporum bicolor × P. undulatum	1:57
	<i>Rhytidosporum alpinum</i> McGill. sensu Buchanan (1995) = Rhytidosporum inconspicuum (misapplied in Tasmania)	
	Rhytidosporum inconspicuum L.W.Cayzer, Crisp & I.Telford, Austral. Syst. Bot. 12: 700 (1999)	
	Rhytidosporum procumbens (Hook.) F.Muell., Pl. Victoria 1: 75 (1862)	1:58
	<i>Sollya heterophylla</i> Lindl. = Billardiera heterophylla	1:59
	PLANTAGINACEAE	
i #	Antirrhinum majus L., Sp. Pl. 2: 617 (1753)	
	Callitriche brachycarpa Hegelm., Verh. Bot. Vereins Prov. Brandenburg 10: 115 (1868)	1:195
i *	<i>Callitriche brutia</i> Petagna subsp. <i>brutia</i>	
	Callitriche sonderi Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 18 (1867)	
i	Callitriche stagnalis Scop., Fl. Carniol., ed. 2, 2: 251 (1772)	1:195
	Callitriche umbonata Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 19 (1867)	1:196
	<i>Callitriche verna</i> L. sensu Hooker (1860), Bentham (1864) = Callitriche stagnalis (misapplied in Tasmania)	
	<i>Chionohebe ciliolata</i> (Hook.f.) B.G.Briggs & Ehrend. = Veronica ciliolata	

i	Cymbalaria muralis G.Gaertn., B.Mey. & Scherb., Oekon. Fl. Wetterau 2: 397 (1800)	3:514
	Derwentia derwentiana (Andrews) B.G.Briggs & Ehrend. subsp. derwentiana = Veronica derwentiana subsp. derwentiana	3:523
	Derwentia nivea (Lindl.) B.G.Briggs & Ehrend. = Veronica nivea	3:523
i	Digitalis purpurea L., Sp. Pl. 2: 621 (1753)	3:519
	Gratiola latifolia R.Br. = Gratiola peruviana	3:517
	Gratiola nana Benth., Prodr. [A. P. de Candolle] 10: 404 (1846)	3:517
	Gratiola peruviana L., Sp. Pl. 1: 17 (1753)	3:517
	Gratiola pubescens R.Br., Prodr. Fl. Nov. Holland. 435 (1810)	3:517
	Gratiola pumilo F.Muell., Linnaea 25: 431 (1853)	
	Hebe elliptica (G.Forst.) Pennell = Veronica elliptica	
i	Kickxia elatine (L.) Dumort. subsp. elatine , Fl. Belg. (Dumortier): 35 (1827)	3:514
i *	Kickxia spuria subsp. integrifolia (Brot.) R.Fern.	3:514
	Limosella aquatica L. sensu Rodway (1903) = Limosella australis	3:519
	Limosella australis R.Br., Prodr. Fl. Nov. Holland. 443 (1810)	3:519
	Limosella lineata Glück = Limosella australis	3:519
	Linaria spuria (L.) Mill. = Kickxia spuria	
i	Linaria vulgaris Mill., Gard. Dict., ed. 8, LIN I (1768)	3:513
e	Ourisia integrifolia R.Br., Prodr. Fl. Nov. Holland. 439 (1810)	3:520
	Parahebe derwentiana (Andrews) B.G.Briggs & Ehrend. = Veronica derwentiana	3:523
	Plantago antarctica Decne., Prodr. [A. P. de Candolle] 13: 703 (1852)	3:562
	Plantago archeri Hook.f. = Plantago tasmanica var. archeri	
i	Plantago australis Lam., Tabl. Encycl. 1: 339 (1792)	
e	Plantago bellidioides Decne., Prodr. [A. P. de Candolle] 13: 701 (1852)	3:561
	Plantago brownii Rapin = Plantago triantha	
	Plantago carnososa R.Br. = Plantago triantha	
i	Plantago coronopus subsp. commutata (Guss.) Pilg., Repert. Spec. Nov. Regni Veg. 28: 287 (1930)	3:560
i	Plantago coronopus L. subsp. coronopus , Sp. Pl. 1: 115 (1753)	3:560
e	Plantago daltonii Decne., Prodr. [A. P. de Candolle] 13: 703 (1852)	3:563
	Plantago debilis R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:560
	Plantago gaudichaudii Barnéoud, Monogr. Plantag. 15 (1845)	
e	Plantago glabrata Hook.f., London J. Bot. 6: 276 (1847)	3:562
	Plantago glacialis B.G.Briggs, Carolin & Pulley, Contr. New South Wales Natl. Herb. 4: 395 (1973)	3:564
e	Plantago gunnii Hook.f., London J. Bot. 5: 446 (1846)	3:564
	Plantago hispida R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:561
i	Plantago lanceolata L., Sp. Pl. 1: 113 (1753)	3:560
i	Plantago major L., Sp. Pl. 1: 112 (1753)	3:559
	Plantago muelleri Pilg. sensu Curtis (1967) = Plantago glacialis (misapplied in Tasmania)	3:564
e	Plantago paradoxa Hook.f., London J. Bot. 6: 277 (1847)	3:564
e	Plantago tasmanica var. archeri (Hook.f.) W.M.Curtis, The Student's Flora of Tasmania 3: 650 (1967)	3:563
	Plantago tasmanica var. daltonii (Decne.) Hook.f. = Plantago daltonii	
	Plantago tasmanica var. glabrata (Hook.f.) Hook.f. = Plantago glabrata	

e	Plantago tasmanica Hook.f. var. tasmanica , London J. Bot. 6: 276 (1847)	3:562
t	Plantago triantha Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 439 (1824)	3:563
	Plantago varia R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:561
	<i>Pygmea ciliolata</i> Hook.f. = Veronica ciliolata	
	<i>Veronica arguta</i> R.Br. sensu Hooker (1860) a name of uncertain application	
i	Veronica arvensis L., Sp. Pl. 1: 13 (1753)	3:525
	Veronica calycina R.Br., Prodr. Fl. Nov. Holland. 435 (1810)	3:524
t	Veronica ciliolata subsp. fiordensis (Ashwin) Meudt, Austral. Syst. Bot. 21: 413 (2008)	
e	Veronica continua B.G.Briggs, Telopea 11: 278 (2006)	
	Veronica derwentiana Andrews subsp. derwentiana , Bot. Repos 8: t. 531 (1808)	3:523
	<i>Veronica distans</i> var. <i>pubescens</i> Benth. = Veronica novae-hollandiae	3:523
i t	Veronica elliptica G.Forst., Fl. Ins. Austr. 3 (1786)	
e	Veronica formosa R.Br., Prodr. Fl. Nov. Holland. 434 (1810)	3:522
	Veronica gracilis R.Br., Prodr. Fl. Nov. Holland. 435 (1810)	3:523
i	Veronica hederifolia L., Sp. Pl. 1: 13 (1753)	3:525
	<i>Veronica labiata</i> R.Br. nom. illeg. = Veronica derwentiana	
	Veronica nivea Lindl., Edwards's Bot. Reg. 28: 42 (1842)	3:523
	Veronica notabilis F.Muell. ex Benth., Fl. Austral. 4: 511 (1868)	3:524
e	Veronica novae-hollandiae Poir., Encycl. (Lamarck) 8: 526 (1808)	3:523
i *	<i>Veronica peregrina</i> L.	3:525
i	Veronica persica Poir., Encycl. (Lamarck) 8: 542 (1808)	3:526
	Veronica plebeia R.Br., Prodr. Fl. Nov. Holland. 435 (1810)	3:524
i t	Veronica scutellata L., Sp. Pl. 1: 12 (1753)	
i	Veronica serpyllifolia L., Sp. Pl. 1: 12 (1753)	3:525
	PLUMBAGINACEAE	FTO 94
	Limonium australe (R.Br.) Kuntze var. australe , Revis. Gen. Pl. 2: 395 (1891)	3:465
e	Limonium australe var. baudinii (Lincz.) A.M.Gray, Kanunnah 4: 117 (2010)	
	<i>Limonium baudinii</i> Lincz. = Limonium australe var. baudinii	
i #	Limonium sinuatum (L.) Mill., Gard. Dict., ed. 8, 6 (1768)	
	<i>Statice australis</i> (R.Br.) Spreng. = Limonium australe	
	<i>Taxantheme australis</i> R.Br. = Limonium australe	
	POLEMONIACEAE	FTO 102
i *	<i>Collomia grandiflora</i> Douglas ex Lindl.	3:485
	<i>Collomia linearis</i> (Cav.) Nutt. sensu Curtis (1967) = Collomia grandiflora (misapplied in Tasmania)	3:485
i	Navarretia squarrosa (Eschsch.) Hook. & Arn., Bot. Beechey Voy. 368 (1839)	3:485
	POLYGALACEAE	FTO 60
	Comesperma calymega Labill., Nov. Holl. Pl. 2: 23, t.162 (1806)	1:62
	Comesperma defoliatum F.Muell., Pl. Victoria 1: 189 (1862)	1:63
	Comesperma ericinum DC., Prodr. [A. P. de Candolle] 1: 334 (1824)	1:62
	Comesperma retusum Labill., Nov. Holl. Pl. 2: 22, t.160 (1806)	1:62
	Comesperma volubile Labill., Nov. Holl. Pl. 2: 24, t.163 (1806)	1:62
i	Polygala myrtifolia L., Sp. Pl. 2: 703 (1753)	1:63
i	Polygala vulgaris L., Sp. Pl. 2: 702 (1753)	

POLYGONACEAE

FTO 95

- i **Acetosa sagittata** (Thunb.) L.A.S.Johnson & B.G.Briggs, Contr. New South Wales Natl. Herb. 3: 166 (1962)
- i **Acetosella vulgaris** Fourr., Ann. Soc. Linn. Lyon, Ser. 2, 17: 145 (1869) 3:587
- i **Emex australis** Steinh., Ann. Sci. Nat., Bot., sér. 2, 9: 195 (1838) 3:583
- i **Fallopia convolvulus** (L.) Á.Löve, Taxon 19: 300 (1970) 3:591
Fallopia japonica (Houtt.) Ronse Decr. = **Reynoutria japonica**
- Muehlenbeckia adpressa** (Labill.) Meisn., Pl. Vasc. Gen. [Meisner] 2: 227 (1843) 3:592
Muehlenbeckia adpressa var. hastifolia Meisn. = **Muehlenbeckia gunnii**
Muehlenbeckia adpressa var. rotundifolia Benth. nom. illeg. = **Muehlenbeckia adpressa**
Muehlenbeckia australis (G.Forst.) Meisn. sensu Buchanan (2009) = **Muehlenbeckia adpressa** (misapplied in Tasmania)
- Muehlenbeckia axillaris** (Hook.f.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 51 (1848) 3:593
Muehlenbeckia gunnii (Hook.f.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 51 (1848) 3:593
- i **Persicaria capitata** (Buch.-Ham. ex D.Don) H.Gross, Bot. Jahrb. Syst. 49: 277 (1913)
Persicaria decipiens (R.Br.) K.L.Wilson, Telopea 3: 178 (1988) 3:590
Persicaria hydropiper (L.) Delarbre, Fl. Auvergne (Delarbre) 2: 518 (1800) 3:590
- i **Persicaria lapathifolia** (L.) Delarbre, Fl. Auvergne (Delarbre) 2: 519 (1800) 3:591
- i **Persicaria maculosa** Gray, Nat. Arr. Brit. Pl. 2: 269 (1821) 3:591
Persicaria praetermissa (Hook.f.) H.Hara, Fl. E. Himalaya: 73 (1966) 3:589
- ?i **Persicaria prostrata** (R.Br.) Soják, Preslia 46: 154 (1974) 3:590
Persicaria subsessilis (R.Br.) K.L.Wilson, Telopea 3: 180 (1988) 3:591
Polygonum adpressum Labill. = **Muehlenbeckia adpressa**
- i **Polygonum arenastrum** Jord. ex Boreau, Fl. Centre France, ed. 3 [Boreau], 2: 559 (1857) 3:589
- i **Polygonum aviculare** L., Sp. Pl. 1: 362 (1753) 3:588
Polygonum convolvulus L. = **Fallopia convolvulus** 3:591
Polygonum decipiens R.Br. = **Persicaria decipiens** 3:590
Polygonum hydropiper L. = **Persicaria hydropiper** 3:590
Polygonum lapathifolium L. = **Persicaria lapathifolia** 3:591
Polygonum minus Huds. sensu Bentham (1870) = **Persicaria decipiens** (misapplied in Tasmania)
Polygonum persicaria L. = **Persicaria maculosa** 3:591
Polygonum plebeium R.Br. sensu Curtis (1967) = **Polygonum arenastrum** (misapplied in Tasmania) 3:589
Polygonum prostratum R.Br. = **Persicaria prostrata** 3:590
Polygonum strigosum R.Br. sensu Curtis (1967) = **Persicaria praetermissa** (misapplied in Tasmania) 3:589
Polygonum subsessile R.Br. = **Persicaria subsessilis** 3:591
- i **Reynoutria japonica** Houtt., Nat. Hist. 2(8): 640 (1777)
Rumex acetosella L. = **Acetosella vulgaris** 3:587
Rumex angiocarpus Murb. sensu Curtis (1967) = **Acetosella vulgaris** (misapplied in Tasmania) 3:586
Rumex bidens R.Br., Prodr. Fl. Nov. Holland. 421 (1810) 3:586
Rumex brownii Campd., Monogr. Rumex 64: 81 (1819) 3:585
- i **Rumex conglomeratus** Murray, Prodr. Stirp. Gott. 52 (1770) 3:585
- i **Rumex crispus** L., Sp. Pl. 1: 335 (1753) 3:584
Rumex dumosiformis Rech. = **Rumex dumosus** 3:586
Rumex dumosus A.Cunn. ex Meisn., Prodr. [A. P. de Candolle] 14: 62 (1856) 3:586

	Rumex dumosus var. dumosiformis (Rech.f.) Rech.f. = Rumex dumosus	3:586
i	Rumex obtusifolius L., Sp. Pl. 1: 335 (1753)	3:585
	Rumex obtusifolius subsp. transiens (Simonk.) Rech.f. sensu Buchanan (1999) possibly cited in error	
i	Rumex pulcher L. subsp. pulcher , Sp. Pl. 1: 336 (1753)	3:585
	Rumex sagittatus Thunb. = Acetosa sagittata	
	Rumex sanguineus L. sensu Rodway (1903) = Rumex conglomeratus (misapplied in Tasmania)	
	PORTULACACEAE	FTO 100
	Calandrinia calyptrata Hook.f., Icon. Pl. 3: t.296 (1840)	1:78
	Calandrinia caulescens Kunth = Calandrinia ciliata	1:79
i	Calandrinia ciliata (Ruiz & Pav.) DC., Prodr. [A. P. de Candolle] 3: 359 (1828)	1:79
	Calandrinia eremaea Ewart, Fl. Victoria: 486 (1931)	
	Calandrinia granulifera Benth., Fl. Austral. 1: 176 (1863)	1:78
	Calandrinia menziesii (Hook.) Torr. & A.Gray = Calandrinia ciliata	1:79
	Calandrinia neesiana H.Eichler = Calandrinia granulifera	1:78
	Calandrinia pygmaea F.Muell. nom. illeg. = Calandrinia granulifera	
	Claytonia australasica Hook.f. = Montia australasica	1:79
i *	Claytonia perfoliata Donn ex Willd. subsp. perfoliata	
	Montia australasica (Hook.f.) Pax & K.Hoffm., Nat. Pflanzenfam., ed. 2 [Engler & Prantl] 16c: 259 (1934)	1:79
	Montia fontana subsp. chondrosperma (Fenzl) Walters, Watsonia 3: 4 (1953)	1:79
	Neopaxia australasica (Hook.f.) O.Nilsson = Montia australasica	1:79
	Portulaca oleracea L., Sp. Pl. 1: 445 (1753)	1:78
	PROTEACEAE	FTO 48
e	Agastachys odorata R.Br., Trans. Linn. Soc. London 10: 158 (1810)	3:601
	Banksia australis R.Br. = Banksia marginata	
	Banksia depressa R.Br. = Banksia marginata	
	Banksia insularis R.Br. = Banksia marginata	
x	Banksia integrifolia L.f. subsp. integrifolia , Suppl. Pl. 127 (1782)	3:616
	Banksia marginata Cav., Anales Hist. Nat. 1(3): 227, t.13 (1800)	3:615
	Banksia media R.Br. sensu Hooker (1860) = Banksia serrata (misapplied in Tasmania)	
	Banksia serrata L.f., Suppl. Pl. 126 (1782)	3:616
e	Bellenden montana R.Br., Trans. Linn. Soc. London 10: 166 (1810)	3:600
e	Cenarrhenes nitida Labill., Nov. Holl. Pl. 1: 36, t.50 (1805)	3:601
e	Conospermum hookeri (Meisn.) E.M.Benn., Fl. Australia 16: 485 (1995)	3:600
	Conospermum taxifolium C.F.Gaertn. sensu Curtis (1967) = Conospermum hookeri (misapplied in Tasmania)	3:600
	Embothrium tinctorium Labill. = Lomatia tinctoria	
	Embothrium truncatum Labill. = Telopea truncata	
i	Grevillea hybrids	
	Grevillea australis R.Br., Trans. Linn. Soc. London 10: 171 (1810)	3:606
	Grevillea australis var. brevifolia Hook.f. = Grevillea australis	3:606
	Grevillea australis var. erecta Hook.f. = Grevillea australis	3:606
	Grevillea australis var. linearifolia Hook.f. = Grevillea australis	3:606

	Grevillea australis var. montana Hook.f. = Grevillea australis	3:606
	Grevillea australis var. planifolia Hook.f. = Grevillea australis	3:606
	Grevillea australis var. subulata Hook.f. = Grevillea australis	3:606
	Grevillea australis var. tenuifolia (R.Br.) Meisn. = Grevillea australis	3:606
	Grevillea seymouriae Sweet ex Meisn. sensu Meisner (1856) attributed to Tasmania in error	
	Grevillea stuartii Meisn. sensu Hooker (1860) = Grevillea australis	
	Grevillea tenuifolia R.Br. = Grevillea australis	
	Hakea acicularis (Sm. ex Vent.) Knight nom. illeg. sensu Hooker (1860) = Hakea decurrens subsp. platytaenia (misapplied in Tasmania)	
	Hakea acicularis var. lissosperma (R.Br.) Benth. = Hakea lissosperma	
	Hakea decurrens subsp. physocarpa W.R.Barker, J. Adelaide Bot. Gard. 17: 193 (1996)	3:610
	Hakea decurrens subsp. platytaenia W.R.Barker, J. Adelaide Bot. Gard. 17: 196 (1996)	
e	Hakea epiglottis Labill. subsp. epiglottis , Nov. Holl. Pl. 1: 30, t.40 (1805)	3:609
e	Hakea epiglottis subsp. milliganii (Meisn.) R.M.Barker, Fl. Australia 17B: 394 (1999)	
i x	Hakea laurina R.Br., Suppl. Prodr. Fl. Nov. Holl. 29 (1830)	
	Hakea lissosperma R.Br., Trans. Linn. Soc. London 10: 180 (1810)	3:611
e	Hakea megadenia R.M.Barker, Aspects of Tasmanian Botany: 83 (1991)	
	Hakea microcarpa R.Br., Trans. Linn. Soc. London 10: 182 (1810)	3:611
	Hakea nodosa R.Br., Trans. Linn. Soc. London 10: 179 (1810)	3:610
	Hakea pugioniformis Cav. = Hakea teretifolia	
	Hakea rostrata F.Muell. ex Meisn. sensu Curtis (1967) p.p. = Hakea megadenia (misapplied in Tasmania)	3:609
	Hakea rostrata F.Muell. ex Meisn. sensu Curtis (1967) p.p. = Hakea epiglottis (misapplied in Tasmania)	3:609
	Hakea rugosa R.Br. sensu Curtis (1967) p.p. = Hakea megadenia (misapplied in Tasmania)	3:609
	Hakea rugosa R.Br. sensu Curtis (1967) p.p. = Hakea epiglottis (misapplied in Tasmania)	3:609
i	Hakea salicifolia (Vent.) B.L.Burttt subsp. salicifolia , Bull. Misc. Inform. Kew 1: 33 (1941)	
	Hakea sericea Schrad. & J.C.Wendl. sensu Curtis (1967) = Hakea decurrens (misapplied in Tasmania)	3:610
	Hakea teretifolia subsp. hirsuta (Endl.) R.M.Barker, J. Adelaide Bot. Gard. 13: 105 (1990)	3:609
	Hakea ulicina R.Br., Suppl. Prodr. Fl. Nov. Holl. 29 (1830)	3:611
	Hylogyne australis R.Br. = Telopea truncata	
	Isopogon ceratophyllus R.Br., Trans. Linn. Soc. London 10: 72 (1810)	3:599
i #	Lomatia fraseri R.Br., Suppl. Prodr. Fl. Nov. Holl. 34 (1830)	
e	Lomatia polymorpha R.Br., Trans. Linn. Soc. London 10: 200 (1810)	3:613
e	Lomatia tasmanica W.M.Curtis, The Student's Flora of Tasmania 3: 651 (1967)	3:614
e	Lomatia tinctoria (Labill.) R.Br., Trans. Linn. Soc. London 10: 199 (1810)	3:613
e	Orites acicularis (R.Br.) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 3: 427 (1818)	3:605
e	Orites diversifolius R.Br., Trans. Linn. Soc. London 10: 190 (1810)	3:604
e	Orites milliganii Meisn., Prodr. [A. P. de Candolle] 14: 424 (1856)	3:604
e	Orites revolutus R.Br., Trans. Linn. Soc. London 10: 190 (1810)	3:605
e	Persoonia gunnii Hook.f., London J. Bot. 6: 283 (1847)	
	Persoonia gunnii var. angustifolia Benth. = Persoonia muelleri subsp. angustifolia	3:603
	Persoonia gunnii var. oblancoolata Orchard = Persoonia gunnii	3:603
	Persoonia juniperina Labill., Nov. Holl. Pl. 1: 33, t.45 (1805)	3:603

	Persoonia juniperina var. brevifolia Meisn. = Persoonia juniperina	3:603
	Persoonia juniperina var. mollis Orchard = Persoonia juniperina	3:603
	Persoonia juniperina var. ulicina Meisn. = Persoonia juniperina	3:603
e	Persoonia moscalii Orchard, Brunonia 6: 238, fig.12 (1984)	
e	Persoonia muelleri subsp. angustifolia (Benth.) L.A.S.Johnson & P.H.Weston, Fl. Australia 16: 472 (1995)	3:603
e	Persoonia muelleri subsp. densifolia (Orchard) L.A.S.Johnson & P.H.Weston, Fl. Australia 16: 472 (1995)	
e	Persoonia muelleri (P.Parm.) Orchard subsp. muelleri , Brunonia 6: 226 (1984)	
e	Telopea truncata (Labill.) R.Br., Trans. Linn. Soc. London 10: 198 (1810)	3:612
	RANUNCULACEAE	FTO 47
i*	Adonis microcarpa DC.	
e	Anemone crassifolia Hook., Icon. Pl. 3(6): t.257 (1840)	1:11
i	Aquilegia vulgaris L., Sp. Pl. 1: 533 (1753)	
	Batrachium trichophyllum (Chaix) F.W.Schultz = Ranunculus trichophyllum	1:14
	Caltha introloba F.Muell. sensu Bentham (1863) = Psychrophila phylloptera (misapplied in Tasmania)	
	Caltha novae-zelandiae Hook. sensu Rodway (1903) = Psychrophila phylloptera (misapplied in Tasmania)	
	Caltha phylloptera A.W.Hill = Psychrophila phylloptera	1:20
	Clematis aristata R.Br. ex Ker Gawl., Bot. Reg. 3: t.238 (1817)	1:9
	Clematis aristata subsp. confertissima Kuntze = Clematis aristata	
	Clematis aristata subsp. gentianoides (DC.) Kuntze = Clematis gentianoides	
	Clematis aristata subsp. gunniana Kuntze = Clematis clitorioides	
	Clematis aristata subsp. procumbens Kuntze = Clematis gentianoides	
	Clematis aristata subsp. tasmanica Kuntze = Clematis gentianoides	
	Clematis aristata var. blanda (Hook.) Benth. = Clematis clitorioides	
	Clematis aristata var. coriacea (DC.) Benth. = Clematis aristata	
	Clematis aristata var. gentianoides (DC.) F.Muell. = Clematis gentianoides	
	Clematis aristata var. gunniana (Kuntze) Domin = Clematis clitorioides	
	Clematis aristata var. minor Hook.f. = Clematis clitorioides	
	Clematis blanda Hook. = Clematis clitorioides	
	Clematis clitorioides DC., Syst. Nat. [Candolle] 1: 158 (1817)	
	Clematis clitorioides var. decipiens Domin = Clematis clitorioides	
	Clematis coriacea DC. = Clematis aristata	
	Clematis decipiens H.Eichler ex Jeanes, Fl. Australia 2: 461 (2007)	
e	Clematis gentianoides DC., Syst. Nat. [Candolle] 1: 159 (1817)	1:10
	Clematis gentianoides var. normalis Domin nom. inval. = Clematis gentianoides	
	Clematis gentianoides var. procumbens = Clematis gentianoides	
	Clematis gentianoides var. tasmanica (Kuntze) Domin = Clematis gentianoides	
	Clematis hexapetala subsp. brachystemon Kuntze = Clematis clitorioides	
	Clematis linearifolia Steud. sensu Hooker (1860) = Clematis clitorioides (misapplied in Tasmania)	
	Clematis microphylla DC., Syst. Nat. [Candolle] 1: 147 (1817)	1:10
i	Clematis vitalba L. var. vitalba , Sp. Pl. 1: 544 (1753)	1:10
	Myosurus australis F.Muell., Trans. Philos. Soc. Victoria 1: 6 (1854)	1:11

	Myosurus minimus L. sensu Curtis & Morris (1975) = Myosurus australis (misapplied in Tasmania)	1:11
e	Psychrophila phylloptera (A.W.Hill) H.Eichler, Fl. Australia 2: 459 (2007)	1:20
t	Ranunculus acaulis Banks & Sol. ex DC., Syst. Nat. [Candolle] 1: 270 (1817)	1:17
i	Ranunculus acris L. subsp. acris , Sp. Pl. 1: 554 (1753)	1:18
	Ranunculus amphitrichus Colenso, Trans. & Proc. New Zealand Inst. 17: 237 (1885)	1:17
i*	Ranunculus arvensis L.	1:18
e	Ranunculus collicola Menadue, Brunonia 8(2): 373 (1986)	
	Ranunculus collinus R.Br. ex DC., Syst. Nat. [Candolle] 1: 271 (1817)	1:17
	Ranunculus concinnus (Hook.f.) Melville = Ranunculus decurvus	1:15
	Ranunculus cuneatus Hook. nom. illeg. = Ranunculus triplodontus	
e	Ranunculus decurvus (Hook.f.) Melville, Kew Bull. 10: 202 (1955)	1:15
	Ranunculus diminutus B.G.Briggs, Telopea 5(4): 583 (1994)	
i*	Ranunculus flammula L. subsp. flammula	
	Ranunculus glabrifolius Hook., J. Bot. (Hooker) 1: 243 (1834)	1:17
	Ranunculus gunnianus Hook., J. Bot. (Hooker) 1: 244, t.133 (1834)	1:14
	Ranunculus hirtus Banks & Sol. ex DC. nom. illeg. = Ranunculus pimpinellifolius	
	Ranunculus inconspicuus Hook.f. = Ranunculus collinus	
	Ranunculus inundatus R.Br. ex DC. sensu Curtis & Morris (1975) = Ranunculus amphitrichus (misapplied in Tasmania)	1:17
e	Ranunculus jugosus Menadue, Brunonia 8(2): 377 (1986)	
	Ranunculus lappaceus Sm., Cycl. (Rees) 29(2): no.61 (1815)	1:14
	Ranunculus lappaceus var. nanus (Hook.) Benth. = Ranunculus nanus	
	Ranunculus lappaceus var. pimpinellifolius (Hook.) Benth. = Ranunculus pimpinellifolius	
	Ranunculus lappaceus var. scapiger (Hook.) Benth. = Ranunculus scapiger	
	Ranunculus lappaceus var. subsericeus Benth. = Ranunculus pascuinus	
	Ranunculus millanii F.Muell. sensu Rodway (1903) = Ranunculus setaceus (misapplied in Tasmania)	
i	Ranunculus muricatus L., Sp. Pl. 1: 555 (1753)	1:18
e	Ranunculus nanus Hook., J. Bot. (Hooker) 1: 242 (1834)	1:16
i	Ranunculus parviflorus L., Syst. Nat., ed. 10, 2: 1087 (1759)	1:19
e	Ranunculus pascuinus (Hook.f.) Melville, Kew Bull. 10: 198 (1955)	1:15
	Ranunculus philonotis Retz. sensu Bentham (1863) = Ranunculus sardous (misapplied in Tasmania)	
	Ranunculus pimpinellifolius Hook., J. Bot. (Hooker) 1: 243 (1834)	1:14
	Ranunculus plebeius R.Br. ex DC. sensu Curtis (1956) attributed to Tasmania in error	
e	Ranunculus prasinus Menadue, Brunonia 8: 375 (1986)	
	Ranunculus pumilio R.Br. ex DC. var. pumilio , Syst. Nat. [Candolle] 1: 271 (1817)	1:19
i	Ranunculus repens L., Sp. Pl. 1: 554 (1753)	1:18
	Ranunculus rivularis Banks & Sol. ex DC. sensu Curtis & Morris (1975) = Ranunculus amphitrichus	1:17
	Ranunculus rivularis var. inconspicuus Benth. = Ranunculus collinus	
	Ranunculus rivularis var. major Benth. = Ranunculus glabrifolius	
	Ranunculus rivularis var. subfluitans Benth. nom. illeg. = Ranunculus amphitrichus	
i	Ranunculus sardous Crantz, Stirp. Austr. Fasc. 2: 84 (1763)	1:19
	Ranunculus scapiger Hook., J. Bot. (Hooker) 1: 224 (1834)	1:15
i*	Ranunculus sceleratus L. subsp. sceleratus	1:20

	Ranunculus sessiliflorus R.Br. ex DC. var. sessiliflorus , Syst. Nat. [Candolle] 1: 302 (1817)	1:19
e	Ranunculus setaceus Rodway, Pap. & Proc. Roy. Soc. Tasmania 1900-1901: 107 (1902)	1:14
?i	Ranunculus trichophyllus Chaix, Hist. Pl. Dauphiné (Villars) 1: 335 (1786)	1:14
	<i>Ranunculus trichophyllus</i> subsp. <i>drouetii</i> (F.W.Schultz ex Godr.) A.R.Clapham = Ranunculus trichophyllus	
i	Ranunculus trilobus Desf., Fl. Atlant. 1: 437, t.113 (1798)	1:19
e	Ranunculus triplodontus Melville, Kew Bull. 10: 204 (1955)	1:16
	<i>Valvaria gentianoides</i> (DC.) Ser. = Clematis gentianoides	
RESEDACEAE		FTO 84
i	Reseda alba L., Sp. Pl. 1: 449 (1753)	1:53
i	Reseda lutea L., Sp. Pl. 1: 449 (1753)	1:52
i	Reseda luteola L., Sp. Pl. 1: 448 (1753)	1:52
	<i>Reseda odorata</i> L. sensu Baker & de Salas (2012) = Reseda lutea (misapplied in Tasmania)	
RHAMNACEAE		
e	Cryptandra alpina Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 75, t.12B (1855)	1:121
	Cryptandra amara Sm., Cycl. (Rees) 10: no.2 (1808)	1:120
e	Cryptandra exilis D.I.Morris, Aspects of Tasmanian Botany: 57 (1991)	
	<i>Cryptandra mollis</i> Hook.f. = Spyridium parvifolium var. molle	
	<i>Cryptandra obovata</i> Hook.f. = Spyridium obovatum	
	<i>Cryptandra parvifolia</i> Hook.f. = Spyridium parvifolium var. parvifolium	
	<i>Cryptandra pimelioides</i> Hook.f. = Stenanthemum pimeleoides	
	<i>Cryptandra sieberi</i> Fenzl = Cryptandra amara	
	<i>Cryptandra tomentosa</i> Lindl. sensu Buchanan et al. (1989) = Cryptandra exilis	
	<i>Cryptandra vexillifera</i> Hook. = Spyridium vexilliferum	
	<i>Discaria australis</i> Hook. nom. illeg. = Discaria pubescens (misapplied in Tasmania)	
	Discaria pubescens (Brongn.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 620 (1917)	1:121
	<i>Pomaderris affinis</i> N.A.Wakef. = Pomaderris intermedia	1:114
	Pomaderris apetala Labill. subsp. apetala , Nov. Holl. Pl. 1: 62, t.87 (1805)	1:115
	Pomaderris apetala subsp. maritima N.G.Walsh & Coates, Muelleria 10: 34 (1997)	
	Pomaderris aspera Sieber ex DC., Prodr. [A. P. de Candolle] 2: 33 (1825)	
	<i>Pomaderris discolor</i> (Vent.) Poir. sensu Hooker (1860) = Pomaderris intermedia (misapplied in Tasmania)	
	Pomaderris elachophylla F.Muell., Fragm. (Mueller) 2: 131 (1861)	1:116
e	Pomaderris elliptica var. diemenica N.G.Walsh & Coates, Muelleria 10: 51 (1997)	
	Pomaderris elliptica Labill. var. elliptica , Nov. Holl. Pl. 1: 61, t.86 (1805)	1:114
	<i>Pomaderris ferruginea</i> Sieber ex Fenzl sensu Bentham (1863) recorded in error	
	Pomaderris intermedia Sieber ex DC., Prodr. [A. P. de Candolle] 2: 33 (1825)	1:114
	<i>Pomaderris kumeraho</i> A.Cunn. sensu Curtis (1956) attributed to Tasmania in error	
	Pomaderris oraria F.Muell. ex Reissek subsp. oraria , Linnaea 29: 268 (1858)	1:116
	Pomaderris paniculosa subsp. paralia N.G.Walsh, Muelleria 7: 274 (1990)	
	Pomaderris phyllicifolia subsp. ericoides (Maiden & Betche) N.G.Walsh & Coates, Muelleria 10: 52 (1997)	
	Pomaderris phyllicifolia Lodd. ex Link subsp. phyllicifolia , Enum. Hort. Berol. Alt. 1: 232 (1821)	1:116
	Pomaderris pilifera N.A.Wakef. subsp. pilifera , Vict. Naturalist 68: 140 (1951)	1:115

e	Pomaderris pilifera subsp. talpicutica A.M.Gray & Wapstra, Muelleria 25: 129 (2007)	
	Pomaderris racemosa Hook., J. Bot. (Hooker) 1: 256 (1834-35)	1:116
i	Rhamnus alaternus L., Sp. Pl. 1: 193 (1753)	
n	Spyridium eriocephalum Fenzl, Enum. Pl. [Endlicher]: 24 (1837)	1:119
e	Spyridium gunnii (Hook.f.) Benth., Fl. Austral. 1: 429 (1863)	1:118
e	Spyridium lawrencei (Hook.f.) Benth., Fl. Austral. 1: 430 (1863)	1:119
	<i>Spyridium microphyllum</i> (F.Muell. ex Reissek) Druce = Spyridium lawrencei	1:119
e	Spyridium obcordatum (Hook.f.) W.M.Curtis, Vict. Naturalist 87: 251 (1970)	1:117
	<i>Spyridium obovatum</i> var. <i>gunnii</i> (Hook.f.) Rodway = Spyridium gunnii	
e	Spyridium obovatum (Hook.) Benth. var. obovatum , Fl. Austral. 1: 429 (1863)	1:118
e	Spyridium obovatum var. velutinum (F.Muell. ex Reissek) Benth., Fl. Austral. 1: 429 (1863)	1:118
e	Spyridium parvifolium var. molle (Hook.f.) Benth., Fl. Austral. 1: 428 (1863)	1:118
	Spyridium parvifolium (Hook.) F.Muell. var. parvifolium , Fragm. (Mueller) 3: 79 (1862)	1:118
	<i>Spyridium serpyllaceum</i> (Reissek & F.Muell.) F.Muell. nom. illeg. = Spyridium obcordatum	
e	Spyridium ulicinum (Hook.) Benth., Fl. Austral. 1: 434 (1863)	1:119
	Spyridium vexilliferum (Hook.) Reissek var. vexilliferum , Linnaea 29: 285 (1858)	1:119
e	Stenanthemum pimeleoides (Hook.f.) Benth., Fl. Austral. 1: 436 (1863)	1:120
ROSACEAE		
	<i>Acaena agnipila</i> var. <i>aequitspina</i> Orchard = Acaena × ovina	1:176
	<i>Acaena agnipila</i> var. <i>tenuispica</i> (Bitter) Orchard = Acaena × ovina	1:176
	<i>Acaena anserinifolia</i> (J.R.Forst. & G.Forst.) Druce sensu Curtis (1956) = Acaena novae-zelandiae	
	Acaena × anserovina Orchard, Trans. Roy. Soc. South Australia 93: 104 (1969)	1:176
	Acaena echinata Nees, Pl. Preiss. [J.G.C.Lehman] 1: 95 (1844)	1:175
	<i>Acaena echinata</i> var. <i>retrorsumpilosa</i> (Bitter) Orchard = Acaena echinata	1:175
	<i>Acaena echinata</i> var. <i>subglabralyx</i> (Bitter) Orchard = Acaena echinata	1:175
	<i>Acaena echinata</i> var. <i>tylacantha</i> Orchard = Acaena echinata	1:175
e	Acaena montana Hook.f., London J. Bot. 6: 476 bis (1847)	1:175
	Acaena novae-zelandiae Kirk, Trans. Proc. New Zealand Inst. 3: 177 (1871)	1:175
	Acaena × ovina A.Cunn., Geog. Mem. New South Wales [Field]: 358 (1825)	1:175
	<i>Acaena ovina</i> var. <i>velutina</i> Orchard = Acaena × ovina	1:175
	Acaena pallida (Kirk) Allan, Fl. New Zealand 1: 360 (1961)	
	<i>Acaena sanguisorbae</i> (L.) Vahl sensu Bentham (1864) = Acaena novae-zelandiae (misapplied in Tasmania)	
	<i>Acaena sanguisorbae</i> var. <i>montana</i> (Hook.f.) Hook.f. = Acaena montana	
	<i>Alchemilla arvensis</i> (L.) Scop. = Aphanes arvensis	
i	Aphanes arvensis L., Sp. Pl. 1: 123 (1753)	1:174
	Aphanes australiana (Rothm.) Rothm., Bull. Misc. Inform. Kew 1938: 270 (1938)	
	<i>Aphanes inexpectata</i> W.Lippert sensu Buchanan (1999) = Aphanes microcarpa	
i	Aphanes microcarpa (Boiss. & Reut.) Rothm., Repert. Spec. Nov. Regni Veg. 42: 172 (1937)	
?i	Argentina anserina (L.) Rydb., Mem. Dept. Bot. Columbia Coll. 2: 159 (1898)	1:173
i	Cotoneaster franchetii Bois, Rev. Hort. [Paris] 74: 379 (1902)	
i	Cotoneaster glaucophyllus var. serotinus (Hutch.) L.T.Lu & Brach, Novon 12: 495 (2002)	
i	Cotoneaster pannosus Franch., Pl. Delavay. 223 (1890)	

i	Cotoneaster simonsii Baker, Refug. Bot. [Saunders] 1: t.55 (1869) Cotoneaster symondsii T.Moore = Cotoneaster simonsii	
i	Crataegus monogyna Jacq., Fl. Austriac. (Jacquin) 3: 50 (1775) Geum renifolium F.Muell. = Geum talbotianum	1:178
e	Geum talbotianum W.M.Curtis, Records of the Queen Victoria Museum 50: 4 (1974)	1:172
x	Geum urbanum var. strictum Hook.f., Bot. Antarct. Voy. III (Fl. Tasman.) 1: 114 (1856)	1:172
i	Malus domestica Borkh., Theor. Prakt. Handb. Forstbot. 2: 1272-1276 (1803) Malus pumila Mill. = Malus domestica	
i	Potentilla anglica Laichard., Veg. Eur. 1: 475 (1790) Potentilla anserina L. = Argentina anserina	1:173 1:173
i	Potentilla recta L., Sp. Pl. 1: 497 (1753)	1:173
i	Potentilla reptans L., Sp. Pl. 1: 499 (1753) Poterium polygamum Waldst. & Kit. = Sanguisorba minor	1:173 1:176
	Poterium sanguisorba L. sensu Rodway (1903) = Sanguisorba minor	1:176
i	Prunus cerasifera Ehrh., Gartenkalender 4: 192 (1785)	
i	Prunus domestica subsp. insititia (L.) Bonnier & Layens, Fl. France [Rouy & Foucard]: 95 (1894) Prunus insititia L. = Prunus domestica subsp. insititia	1:178
i	Prunus laurocerasus L., Sp. Pl. 1: 474 (1753)	
i	Prunus spinosa L., Sp. Pl. 1: 475 (1753)	1:178
i	Rosa canina L., Sp. Pl. 1: 491 (1753)	1:177
i	Rosa rubiginosa L., Mant. Pl. 2: 564 (1771)	1:177
i	Rubus anglocandicans A.Newton, Watsonia 11: 243 (1977)	1:171
i	Rubus echinatus Lindl., Syn. Brit. Fl. 94 (1829)	
i	Rubus erythrops Eedes & A.Newton, Watsonia 12: 135 (1978) Rubus fruticosus L. a catch-all name for all the blackberry species of Rubus	
e	Rubus gunnianus Hook., Icon. Pl. 3: t.291 (1840)	1:171
i	Rubus laciniatus Willd., Hort. Berol. [Willdenow] 2(8): t.82 (1806)	1:171
i	Rubus leucostachys Schleich. ex Sm., Engl. Fl. 2: 403 (1824)	1:171
i	Rubus loganobaccus L.H.Bailey, Gentes Herb. 1: 155 (1923) Rubus macropodus Ser. ex DC. sensu Hooker (1860) = Rubus parvifolius	
	Rubus parvifolius L., Sp. Pl. 2: 1197 (1753)	1:171
i	Rubus philadelphicus Blanch., Torreya 7: 56 (1907)	
i	Rubus polyanthemus Lindeb., Bot. Not. 1883: 105 (1883)	
i	Rubus rubritinctus W.C.R.Watson, Watsonia 3: 287 (1956)	
i #	Rubus rugosus Sm., Cycl. (Rees) 30: no 34 (1815)	
i	Rubus sp. Tasmania (J.R.Hosking 1551) SA Herbarium	
i	Rubus vestitus Weihe, Comp. Fl. German. 1: 684 (1825)	
i	Sanguisorba minor Scop., Fl. Carniol., ed. 2, 1: 110 (1771) Sanguisorba minor subsp. muricata (Spach) Briq. = Sanguisorba minor	1:176 1:176
i	Sorbus aucuparia L., Sp. Pl. 1: 477 (1753)	
RUBIACEAE		
	Asperula charophyton Airy Shaw & Turrill sensu Curtis (1963) recorded in error	2:276
	Asperula conferta Hook.f., London J. Bot. 6: 464 bis (1847)	2:275

	<i>Asperula conferta</i> var. <i>abbreviata</i> Airy Shaw & Turrill = Asperula conferta	2:275
	<i>Asperula conferta</i> var. <i>scoparioides</i> Airy Shaw & Turrill = Asperula conferta	2:275
	Asperula gunnii Hook.f., London J. Bot. 6: 464 bis (1847)	2:275
	<i>Asperula gunnii</i> var. <i>curta</i> (Hook.f.) Airy Shaw & Turrill = Asperula gunnii	2:276
	<i>Asperula gunnii</i> var. <i>pusilla</i> (Hook.f.) Benth. = Asperula pusilla	
	Asperula minima Hook.f., London J. Bot. 6: 464 bis (1847)	2:276
	Asperula oblanceolata I.Thomps., Muellera 27: 68 (2009)	
	<i>Asperula oligantha</i> F.Muell. nom. illeg., sensu Rodway (1903) a catch-all name that includes most Tasmanian Asperula species	
	Asperula pusilla Hook.f., London J. Bot. 6: 464 bis (1847)	2:276
	Asperula scoparia Hook.f. subsp. scoparia , London J. Bot. 6: 463 bis (1847)	2:275
	Asperula subsimplex Hook.f., London J. Bot. 6: 463 bis (1847)	2:276
	<i>Canthium quadrifidum</i> Labill. = Coprosma quadrifida	
	<i>Coprosma billardierei</i> Hook.f. nom. illeg. = Coprosma quadrifida	
	Coprosma hirtella Labill., Nov. Holl. Pl. 1: 70, t.95 (1805)	2:268
	Coprosma moorei F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1893: 179, t.I (1894)	2:269
	Coprosma nitida Hook.f., London J. Bot. 6: 465 bis (1847)	2:269
	Coprosma nivalis W.R.B.Oliv., Bull. Bernice P. Bishop Mus. 132: 37 (1935)	
	Coprosma perpusilla Colenso subsp. perpusilla , Trans. & Proc. New Zealand Inst. 22: 466 (1890)	
	Coprosma pumila Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.). 2: 543 (1847)	2:269
	Coprosma quadrifida (Labill.) B.L.Rob., Proc. Amer. Acad. Arts 45: 409 (1910)	2:268
i	Coprosma repens A.Rich., Voy. Astrolabe I: 264 (1832)	
i	Coprosma robusta Raoul, Ann. Sci. Nat., Bot., sér. 3, 2: 121 (1844)	
e	Galium albescens Hook.f., London J. Bot. 6: 462 bis (1847)	2:273
i	Galium aparine L., Sp. Pl. 1: 108 (1753)	2:273
	Galium australe DC., Prodr. [A. P. de Candolle] 4: 608 (1830)	2:273
	Galium binifolium subsp. conforme I.Thomps., Muellera 27: 88 (2009)	
	Galium ciliare Hook.f. subsp. ciliare , London J. Bot. 6: 461 bis (1847)	2:272
	Galium ciliare subsp. terminale I.Thomps., Muellera 27: 82 (2009)	
	Galium compactum Ehrend. & McGill., Telopea 2: 370 (1983)	
	Galium densum Hook.f., London J. Bot. 6: 461 bis (1847)	
i	Galium divaricatum Pourr. ex Lam., Encycl. (Lamarck) 2: 580 (1788)	
	Galium gaudichaudii subsp. parviflorum I.Thomps., Muellera 27: 98 (2009)	2:272
	Galium leiocarpum I.Thomps., Muellera 27: 79 (2009)	
i	Galium murale (L.) All., Fl. Pedem. 1: 8 (1785)	2:273
i	Galium palustre L., Sp. Pl. 1: 105 (1753)	
	<i>Galium squalidum</i> Hook.f. = Galium australe	
i *	<i>Galium tricornutum</i> Dandy	
	<i>Galium umbrosum</i> G.Forst. nom. illeg., sensu Rodway (1903) a catch-all name that includes all glabrous-fruited Tasmanian Galium	
	<i>Galium vagans</i> Hook.f. = Galium binifolium subsp. conforme (uncertain)	
i # t	Galium verum L., Sp. Pl. 1: 107 (1753)	
	<i>Nertera depressa</i> Banks & Sol. ex Gaertn. = Nertera granadensis	2:270

	Nertera granadensis (Mutis ex L.f.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 637 (1917)	2:270
	Opercularia ovata Hook.f., London J. Bot. 6: 465 bis (1847)	2:270
	Opercularia varia Hook.f., London J. Bot. 6: 466 bis (1847)	2:271
i	Sherardia arvensis L., Sp. Pl. 1: 102 (1753)	2:277
RUTACEAE		FTO 87
e	Acradenia frankliniae Kippist ex Lindl., Gard. Chron. 1852(23): 538 (1852)	1:106
	<i>Boronia anemonifolia</i> A.Cunn. subsp. <i>anemonifolia</i> = Cyanothamnus anemonifolius subsp. anemonifolius	
	<i>Boronia anemonifolia</i> subsp. <i>variabilis</i> (Hook.) P.G.Neish = Cyanothamnus anemonifolius subsp. variabilis	1:105
	<i>Boronia anemonifolia</i> var. <i>dentigera</i> (F.Muell.) Benth. = Cyanothamnus anemonifolius subsp. anemonifolius	
e	Boronia citriodora Gunn ex Hook.f. subsp. citriodora , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 68 (1855)	1:105
e	Boronia citriodora subsp. orientalis Duretto, Muellera 17: 83 (2003)	
e	Boronia citriodora subsp. paulwilsonii Duretto, Muellera 17: 81 (2003)	
e	Boronia elisabethiae Duretto, Muellera 17: 88 (2003)	
e	Boronia gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 68, t.10 (1855)	
e	Boronia hemichiton Duretto, Muellera 17: 87 (2003)	
e	Boronia hippopala Duretto, Muellera 17: 84 (2003)	
	<i>Boronia nana</i> var. <i>hyssopifolia</i> Melville = Cyanothamnus nanus var. hyssopifolius	1:105
	<i>Boronia nana</i> Hook. var. <i>nana</i> = Cyanothamnus nanus var. nanus	1:105
	Boronia parviflora Sm., Tracts Nat. Hist. 295: t.6 (1798)	1:105
	<i>Boronia pilonema</i> Labill. = Boronia parviflora	
	Boronia pilosa Labill. subsp. pilosa , Nov. Holl. Pl. 1: 97, t.124 (1805)	1:105
e	Boronia pilosa subsp. tasmanensis Duretto, Muellera 17: 97 (2003)	
	<i>Boronia pilosa</i> var. <i>floribunda</i> (Hook.) Hook.f. = Boronia pilosa subsp. pilosa	1:105
	<i>Boronia pilosa</i> var. <i>laricifolia</i> (Hook.) Hook.f. = Boronia pilosa subsp. pilosa	1:105
	<i>Boronia pinnata</i> var. <i>citriodora</i> (Gunn ex Hook.f.) Rodway = Boronia citriodora	
	<i>Boronia pinnata</i> var. <i>gunnii</i> (Hook.f.) Benth. = Boronia gunnii	
	<i>Boronia polygalifolia</i> Sm. sensu Bentham (1863) = Cyanothamnus nanus var. nanus (misapplied in Tasmania)	
	<i>Boronia polygalifolia</i> var. <i>trifoliata</i> Benth. = Cyanothamnus nanus var. nanus	
	Boronia rhomboidea Hook., Icon. Pl. 8: t.722 (1845)	1:105
e	Boronia rozefeldsii Duretto, Muellera 17: 101 (2003)	
	<i>Boronia tetrandra</i> var. <i>grandiflora</i> Hook. = Boronia gunnii	
	<i>Boronia variabilis</i> Hook. = Cyanothamnus anemonifolius subsp. variabilis	
i	Coleonema pulchellum I.Williams, J. S. African Bot. 47: 89 (1981)	
	Correa alba Andrews var. alba , Bot. Repos. 1: t.18 (1798)	1:109
e	Correa alba var. rotundifolia DC., Prodr. [A. P. de Candolle] 1: 719 (1824)	1:109
	Correa backhouseana Hook. var. backhouseana , J. Bot. (Hooker) 1: 253 (1834)	1:110
e	Correa lawrenceana var. ferruginea Hook.f., Bot. Antarct. Voy. III (Fl. Tasman.) 1: 62 (1855)	
e	Correa lawrenceana Hook. var. lawrenceana , J. Bot. (Hooker) 1: 254 (1834)	1:111
	<i>Correa lawrenciana</i> var. <i>glabra</i> Benth. = Correa lawrenceana var. lawrenceana	

e	Correa reflexa var. nummulariifolia (Hook.f.) Paul G.Wilson, Trans. Roy. Soc. South Australia 85: 30 (1961)	1:110
	Correa reflexa (Labill.) Vent. var. reflexa , Jard. Malmaison 1: t.13 (1803)	1:110
	<i>Correa rufa</i> (Labill.) Vent. sensu Brown (1810) = Correa alba	
	<i>Correa speciosa</i> Donn ex Andrews = Correa reflexa	
	<i>Correa speciosa</i> var. <i>backhouseana</i> (Hook.) Benth. = Correa backhouseana	
	<i>Correa speciosa</i> var. <i>normalis</i> Benth. nom. inval., nom. superfl. = Correa reflexa	
	<i>Cyanothamnus anemonifolius</i> (A.Cunn.) Duretto & Heslewood subsp. <i>anemonifolius</i> recorded in error	
	Cyanothamnus anemonifolius subsp. variabilis (Hook.) Duretto & Heslewood, Taxon 69: 493 (2020)	1:105
	Cyanothamnus nanus var. hyssopifolius (Melville) Duretto & Heslewood, Taxon 69: 493 (2020)	1:105
	Cyanothamnus nanus (Hook.) Duretto & Heslewood var. nanus , Taxon 69: 493 (2020)	1:105
	<i>Eriostemon daviesii</i> (Hook.f.) F.Muell. = Phebalium daviesii	
	<i>Eriostemon hillebrandii</i> F.Muell. nom. illeg., sensu Rodway (1903) = Leionema bilobum	
	<i>Eriostemon montanus</i> (Hook.f.) F.Muell. = Leionema montanum	
	<i>Eriostemon obovalis</i> A.Cunn. sensu Bentham (1863) = Philothea verrucosa (misapplied in Tasmania)	
	<i>Eriostemon oldfieldii</i> F.Muell. = Leionema oldfieldii	
	<i>Eriostemon squameus</i> Labill. = Nematolepis squamea	
	<i>Eriostemon verrucosus</i> A.Rich. = Philothea verrucosa	1:107
	<i>Eriostemon virgatus</i> A.Cunn. ex Hook. = Philothea virgata	1:107
e	Leionema bilobum subsp. truncatum (Hook.f.) Duretto & K.L.Durham, Muelleria 23: 11 (2006)	1:108
e	Leionema montanum (Hook.) Paul G.Wilson, Nuytsia 12: 275 (1998)	1:108
e	Leionema oldfieldii (F.Muell.) Paul G.Wilson, Nuytsia 12: 276 (1998)	1:108
e	Nematolepis squamea subsp. retusa (Hook.) Paul G.Wilson, Nuytsia 12: 279 (1998)	1:109
	Nematolepis squamea (Labill.) Paul G.Wilson subsp. squamea , Nuytsia 12: 279 (1998)	1:109
	<i>Phebalium billardierei</i> A.Juss. = Nematolepis squamea	
	<i>Phebalium bilobum</i> Lindl. = Leionema bilobum	1:108
e	Phebalium daviesii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 358 (1859)	1:108
	<i>Phebalium glandulosum</i> var. <i>daviesii</i> (Hook.f.) Benth. = Phebalium daviesii	
	<i>Phebalium montanum</i> Hook. = Leionema montanum	1:108
	<i>Phebalium oldfieldii</i> (F.Muell.) Benth. = Leionema oldfieldii	1:108
	<i>Phebalium squameum</i> (Labill.) Engl. = Nematolepis squamea	1:109
	<i>Phebalium truncatum</i> Hook.f. = Leionema bilobum subsp. truncatum	
e	Philothea freyciana Rozefelds, Muelleria 15: 23 (2001)	
	Philothea verrucosa (A.Rich.) Paul G.Wilson, Nuytsia 12: 260 (1998)	1:107
	Philothea virgata (Hook.f.) Paul G.Wilson, Nuytsia 12: 260 (1998)	1:107
	Zieria arborescens Sims subsp. arborescens , Bot. Mag. 34: t.1395 (1811)	1:103
	<i>Zieria cytisoides</i> Sm. sensu Curtis & Morris (1975) = Zieria littoralis	
	Zieria littoralis J.A.Armstr., Austral. Syst. Bot. 15: 389 (2002)	1:103
	<i>Zieria smithii</i> Jacks. sensu Bentham (1863) = Zieria arborescens subsp. arborescens (misapplied in Tasmania)	
	<i>Zieria smithii</i> var. <i>macrophylla</i> (Bonpl.) Benth. = Zieria arborescens subsp. arborescens	
	Zieria veronicea (F.Muell.) Benth. subsp. veronicea , Fl. Austral. 1: 305 (1863)	1:103

SALICACEAE		FTO 80
i	Populus alba L., Sp. Pl. 2: 1034 (1753)	
	Salix alba × fragilis sensu Curtis (1967) = Salix × fragilis nothovar. fragilis	3:648
i *	Salix alba var. vitellina (L.) Stokes	
	Salix atrocinerea Brot. sensu Curtis (1967) = Salix × reichardtii	3:649
	Salix babylonica L. sensu Curtis (1967) = Salix × pendulina nothovar. pendulina	3:648
i *	Salix × calodendron Wimm.	
i	Salix cinerea L. subsp. cinerea , Sp. Pl. 2: 1021 (1753)	3:649
i	Salix cinerea subsp. oleifolia (Sm.) Macreight, Man. Brit. Bot. (Macreight): 212 (1837)	3:649
i	Salix × fragilis L. nothovar. fragilis , Sp. Pl. 2: 1017 (1753)	3:648
i *	Salix matsudana 'Tortuosa'	
i *	Salix × pendulina Wender. nothovar. pendulina	
i #	Salix purpurea L., Sp. Pl. 2: 1017 (1753)	
i	Salix × reichardtii A.Kern., Verh. Zool.-Bot. Ges. Wien 10: 249 (1860)	3:649
i *	Salix × rubens Schrank	3:648
i *	Salix × sepulcralis nothovar. chrysocoma (Dode) Meikle	
SANTALACEAE		FTO 91
	Exocarpos cupressiformis Labill., Voy. Rech. Perouse 1: 156, t.14 (1800)	3:628
e	Exocarpos humifusus R.Br., Prodr. Fl. Nov. Holland. 356 (1810)	3:629
	Exocarpos nanus Hook.f., London J. Bot. 6: 281 (1847)	3:629
	Exocarpos strictus R.Br., Prodr. Fl. Nov. Holland. 357 (1810)	3:628
	Exocarpos syrticola (F.Muell. ex Miq.) Stauffer, Mitt. Bot. Mus. Univ. Zurich 213: 173 (1959)	3:628
	Leptomeria billardierei R.Br. = Leptomeria drupacea	3:626
	Leptomeria drupacea (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 632 (1917)	3:626
e	Leptomeria glomerata F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 370 (1859)	3:627
x	Thesium australe R.Br., Prodr. Fl. Nov. Holland. 353 (1810)	3:626
	Thesium drupaceum Labill. = Leptomeria drupacea	
SAPINDACEAE		FTO 86
i	Acer pseudoplatanus L., Sp. Pl. 2: 1054 (1753)	
	Dodonaea ericifolia G.Don = Dodonaea filiformis	1:122
e	Dodonaea filiformis Link, Enum. Hort. Berol. Alt. 1: 381 (1821)	1:122
	Dodonaea viscosa subsp. spatulata (Sm.) J.G.West, Brunonia 7: 43 (1984)	1:122
SCROPHULARIACEAE		
i	Buddleja davidii Franch., Nouv. Arch. Mus. Hist. Nat. Paris, Ser. 2, 10: 65 (1888)	
	Celsia cretica L. = Verbascum creticum	3:513
	Myoporum adscendens R.Br. = Myoporum insulare	
	Myoporum insulare R.Br., Prodr. Fl. Nov. Holland. 516 (1810)	3:540
	Myoporum parvifolium R.Br., Prodr. Fl. Nov. Holland. 516 (1810)	3:540
	Myoporum serratum R.Br. nom. illeg., sensu Bentham (1870) = Myoporum insulare (misapplied in Tasmania)	
	Myoporum serratum var. obovatum Benth. = Myoporum insulare	
	Myoporum tasmanicum A.DC. = Myoporum insulare	
	Scrophularia aquatica L. sensu Curtis (1967) = Scrophularia auriculata	3:515

i	Scrophularia auriculata L., Sp. Pl. 2: 620 (1753)	3:515
i	Verbascum blattaria L., Sp. Pl. 1: 178 (1753)	3:512
i	Verbascum creticum (L.) Cav., Elench. Pl. Horti Matr. 39 (1803)	3:513
i	Verbascum thapsus L., Sp. Pl. 1: 177 (1753)	3:512
i	Verbascum virgatum Stokes, Bot. Arr. Brit. Pl., ed. 2: 227 (1787)	3:512

SOLANACEAE**FTO 112**

	Anthocercis tasmanica (Miers) Hook.f. = Cyphanthera tasmanica	3:509
e	Cyphanthera tasmanica Miers, Ann. Mag. Nat. Hist., Ser. 2, 11: 377 (1853)	3:509
i	Datura ferox L., Amoen. Acad., Linnaeus ed. 3: 403 (1756)	3:508
i	Datura stramonium L., Sp. Pl. 1: 179 (1753)	3:508
i*	Hyoscyamus albus L.	3:509
	Hyoscyamus niger L. sensu Curtis (1967) = Hyoscyamus albus	3:509
i	Lycium barbarum L., Sp. Pl. 1: 192 (1753)	
i	Lycium ferocissimum Miers, Ann. Mag. Nat. Hist., Ser.2, 14: 187 (1854)	3:507
i t	Nicotiana rustica L., Sp. Pl. 1: 180 (1753)	
i*	Nicotiana sylvestris Speg.	
i	Physalis peruviana L., Sp. Pl., ed. 2, 2: 1670 (1763)	
i	Salpichroa organifolia (Lam.) Thell., Mem. Soc. Sci. Nat. Math. Cherbourg 38: 452 (1912)	3:506
	Solanum americanum Mill. sensu Buchanan (2004) = Solanum nodiflorum (misapplied in Tasmania)	
	Solanum aviculare G.Forst. sensu Bentham (1868) = Solanum laciniatum (misapplied in Tasmania)	
i t	Solanum dulcamara L., Sp. Pl. 1: 185 (1753)	3:504
i	Solanum furcatum Dunal ex Poir., Encycl. (Lamarck) Suppl. 3: 750 (1814)	3:504
	Solanum laciniatum Aiton, Hort. Kew. [W. Aiton] 1: 247 (1789)	3:505
i #	Solanum linearifolium Geras. ex Symon, J. Adelaide Bot. Gard. 4: 81 (1981)	
i	Solanum marginatum L.f., Suppl. Pl. 147 (1782)	3:506
i	Solanum mauritianum Scop., Delic. Fl. Faun. Insubr. 3: 16, t. 8 (1788)	
i	Solanum nigrum L., Sp. Pl. 1: 186 (1753)	3:504
	Solanum nitidibaccatum Bitter = Solanum physalifolium var. nitidibaccatum	3:505
i*	Solanum nodiflorum Jacq.	
	Solanum opacum A.Braun & Bouché, Index Seminum Hort. Berol. 8: 18 no.38 (1853)	
i	Solanum physalifolium var. nitidibaccatum (Bitter) Edmonds, Bot. J. Linn. Soc. 92: 27 (1986)	3:505
i	Solanum pseudocapsicum L., Sp. Pl. 1: 184 (1753)	3:506
	Solanum sarrachoides Sendtn. = Solanum physalifolium var. nitidibaccatum	
i	Solanum triflorum Nutt., Gen. N. Amer. Pl. [Nuttall] 1: 128 (1818)	
	Solanum vescum F.Muell., Trans. & Proc. Victorian Inst. Advancem. Sci. 1: 69 (1855)	3:506
	Solanum vescum var. davidii Geras. (a cultivar name.)	

STYLIDIACEAE**FTO 127**

	Candollea armeria Labill. = Stylidium armeria	
	Candollea serrulata Labill. = Stylidium graminifolium	
e	Forstera bellidifolia Hook., Icon. Pl. 9: t.851 (1851)	2:395
x	Levenhookia dubia Sond., Pl. Preiss. [J.G.C.Lehman] 1: 392 (1845)	2:395
t	Phyllachne colensoi (Hook.f.) Berggr., Minneskr. Kongl. Fysiogr. Sällsk. Lund 8: 11, t.3 figs.1-27 (1877)	2:396
	Stylidium armeria (Labill.) Labill. subsp. armeria , Nov. Holl. Pl. 2: 66 (1806)	

	Stylidium beagleholei J.H.Willis, Muelleria 1: 153 (1967)	2:394
	Stylidium brachyphyllum Sond. sensu Curtis (1963) = Stylidium beagleholei	2:394
	Stylidium despectum R.Br., Prodr. Fl. Nov. Holland. 571 (1810)	2:394
	Stylidium dilatatum W.D.Jacks. & R.J.E.Wiltshire = Stylidium armeria subsp. armeria	
	Stylidium graminifolium Sw., Sp. Pl., ed. 4 [Willdenow], 4: 146 (1805)	2:393
	Stylidium inundatum R.Br. sensu Buchanan (2005) = Stylidium beagleholei	2:394
	Stylidium melastachys R.Br. = Stylidium armeria	
	Stylidium perpusillum Hook.f., London J. Bot. 6: 266 (1847)	2:394
	Stylidium umbellatum (Labill.) Labill. sensu Brown (1810) a name of uncertain application	
	TETRACARPAEACEAE	FTO 52
e	Tetracarpaea tasmannica Hook., Icon. Pl. 3: t.264 (1840)	1:182
	THEOPHRASTACEAE	FTO 103
	Samolus littoralis R.Br. nom. illeg. = Samolus repens	
	Samolus repens (J.R.Forst. & G.Forst.) Pers. var. repens , Syn. Pl. (Persoon) 1: 171 (1805)	3:468
	Sheffieldia incana Labill. = Samolus repens	
	THYMELAEACEAE	FTO 89
i t	Daphne laureola L., Sp. Pl. 1: 356 (1753)	
	Drapetes tasmanicus Hook.f. = Kelleria dieffenbachii	3:625
	Kelleria dieffenbachii (Hook.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 61 (1848)	3:625
	Pimelea axiflora F.Muell. ex Meisn. subsp. axiflora , Linnaea 26: 345 (1854)	3:622
	Pimelea cernua R.Br. = Pimelea linifolia	
e	Pimelea cinerea R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:619
	Pimelea curviflora R.Br., Prodr. Fl. Nov. Holland. 362 (1810)	3:624
	Pimelea curviflora var. gracilis (R.Br.) Threlfall = Pimelea curviflora	3:624
	Pimelea curviflora var. sericea Benth. = Pimelea curviflora	3:624
	Pimelea drupacea Labill., Nov. Holl. Pl. 1: 10 (1805)	3:622
e	Pimelea filiformis Hook.f., London J. Bot. 6: 280 (1847)	3:622
	Pimelea flava R.Br. subsp. flava , Prodr. Fl. Nov. Holland. 361 (1810)	3:623
	Pimelea sp. Freycinet (A.M.Buchanan 15902) Tas Herbarium (A.M.Buchanan 15902) Tas Herbarium = Pimelea leiophylla	
	Pimelea glauca R.Br., Prodr. Fl. Nov. Holland. 360 (1810)	3:619
	Pimelea gracilis R.Br. = Pimelea curviflora	
	Pimelea gunnii Hook.f. = Pimelea cinerea	
	Pimelea humilis R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:620
	Pimelea incana R.Br. = Pimelea nivea	
e	Pimelea leiophylla A.M.Gray & M.Baker, Muelleria 35: 16 (2016)	
	Pimelea ligustrina Labill. subsp. ligustrina , Nov. Holl. Pl. 1: 9, f.3 (1805)	
	Pimelea lindleyana Meisn. = Pimelea linifolia	3:620
	Pimelea linifolia Sm., Spec. Bot. New Holland 31, t.11 (1793)	3:620
	Pimelea linifolia Sm. subsp. linifolia = Pimelea linifolia	
	Pimelea linifolia subsp. linoides (A.Cunn.) Threlfall = Pimelea linifolia	
	Pimelea micrantha F.Muell. ex Meisn., Linnaea 26: 351 (1854)	3:624
e	Pimelea milliganii Meisn., Prodr. [A. P. de Candolle] 14: 509 (1857)	3:619

e	Pimelea nivea Labill., Nov. Holl. Pl. 1: 10 (1805)	3:621
	Pimelea pauciflora R.Br., Prodr. Fl. Nov. Holland. 360 (1810)	3:622
	<i>Pimelea phyllicoides</i> Meisn. sensu Rye (1990) probably recorded in error	
e	Pimelea pygmaea F.Muell. & C.Stuart ex Meisn., Linnaea 26: 346 (1853)	3:623
e	Pimelea sericea R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:621
	Pimelea serpyllifolia R.Br. subsp. serpyllifolia , Prodr. Fl. Nov. Holland. 360 (1810)	3:623
	<i>Pimelea spatulata</i> Labill. = Pimelea linifolia	
	<i>Pimelea stricta</i> Meisn. sensu Curtis (1967) = Pimelea linifolia	3:624
	Pimelea sp. Tunbridge (A.Moscal 9026) Tas Herbarium	
	TROPAEOLACEAE	FTO 82
i	Tropaeolum majus L., Sp. Pl. 1: 345 (1753)	
	ULMACEAE	FTO 63
i	Ulmus × hollandica Mill., Gard. Dict., ed. 8, 5 (1768)	3:642
	URTICACEAE	FTO 64
	<i>Australina muelleri</i> Wedd. = Australina pusilla subsp. muelleri	3:641
	Australina pusilla subsp. muelleri (Wedd.) Friis & Wilmot-Dear, Nordic. J. Bot. 7: 126 (1987)	3:641
	Australina pusilla (Poir.) Gaudich. subsp. pusilla , Voy. Bonite, Bot. 3: t. 114A (1852)	3:641
	<i>Helxine soleirolii</i> Req. sensu Curtis (1967) = Soleirolia soleirolii	3:640
	Parietaria cardiostegia Greuter, Fl. Australia 3: 190 (1989)	
	Parietaria debilis G.Forst., Fl. Ins. Austr. 73 (1786)	3:640
i *	<i>Parietaria judaica</i> L.	
i	Soleirolia soleirolii (Req.) Dandy, Feddes Repert. 70: 4 (1965)	3:640
	Urtica incisa Poir., Encycl. (Lamarck) Suppl. 4: 224 (1816)	3:639
i	Urtica urens L., Sp. Pl. 2: 984 (1753)	3:639
	VALERIANACEAE	FTO 135
i	Centranthus ruber (L.) DC. subsp. ruber , Fl. Franc. (DC. & Lamarck), ed. 3, 4(2): 239 (1805)	2:278
i	Valerianella eriocarpa Desv., J. Bot. (Desvaux) 2: 314, t. 11 fig.2 (1809)	2:278
i	Valerianella locusta (L.) Laterr., Fl. Bordel., ed. 2, 93 (1821)	
i t	Valerianella rimosa Bastard, J. Bot. Agric. 3: 20 (1814)	
	VERBENACEAE	
i	Verbena bonariensis L., Sp. Pl. 1: 20 (1753)	
	<i>Verbena incompta</i> P.W.Michael sensu Buchanan (1999) = Verbena bonariensis (misapplied in Tasmania)	
i	Verbena officinalis L., Sp. Pl. 1: 20 (1753)	3:541
	VIOLACEAE	FTO 79
	<i>Hymenanthera angustifolia</i> DC. = Melicytus angustifolius	
	<i>Hymenanthera banksii</i> F.Muell. nom. illeg., nom. superfl. = Melicytus dentatus	
	<i>Hymenanthera dentata</i> DC. sensu Curtis & Morris (1975) p.p. = Melicytus angustifolius (misapplied in Tasmania)	
	<i>Hymenanthera dentata</i> DC. = Melicytus dentatus	1:55
e	Melicytus angustifolius (DC.) Garn.-Jones subsp. angustifolius , New Zealand J. Bot. 25: 127 (1987)	
	Melicytus angustifolius subsp. divaricatus Stajsic & R.Douglas, Austral. Syst. Bot. 27: 320 (2014)	
x	Melicytus dentatus (DC.) Molloy & Mabb., Curtis's Bot. Mag. 17: 234 (2000)	1:55

i	Viola arvensis Murray, Prodr. Stirp. Gott. 73 (1770)	1:55
	Viola betonicifolia Sm. subsp. betonicifolia , Cycl. (Rees) 37: no.7 (1817)	1:54
	Viola calejana G.Don, Gen. Hist. 1: 329 (1831)	1:55
	Viola cleistogamoides (L.G.Adams) Seppelt, Fl. S. Australia, ed. 4, 2: 870 (1986)	
t	Viola cunninghamii Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 16 (1852)	1:54
	Viola curtisiae (L.G.Adams) K.R.Thiele, Muelleria 36: 109 (2018)	
	Viola fuscoviolacea (L.G.Adams) T.A.James, Muelleria 9: 35 (1996)	
	<i>Viola hederacea</i> subsp. <i>cleistogamoides</i> L.G.Adams = Viola cleistogamoides	
	<i>Viola hederacea</i> subsp. <i>curtisiae</i> L.G.Adams = Viola curtisiae	
	<i>Viola hederacea</i> subsp. <i>fuscoviolacea</i> L.G.Adams = Viola fuscoviolacea	
	Viola hederacea Labill. subsp. hederacea , Nov. Holl. Pl. 1: 66, t.91 (1805)	1:54
i	Viola odorata L., Sp. Pl. 2: 934 (1753)	
e	Viola serpentinicola de Salas, Muelleria 36: 113 (2018)	
	<i>Viola sieberiana</i> Spreng. sensu de Salas & Baker (2017) and earlier = Viola hederacea subsp. hederacea (misapplied in Tasmania)	1:54
	ZYGOPHYLLACEAE	FTO 58
	<i>Roepera billardierei</i> (DC.) G.Don = Zygophyllum billardierei	
	<i>Roepera latifolia</i> Hook.f. sensu Hooker (1860) recorded in error	
	<i>Zygophyllum apiculatum</i> F.Muell. sensu Curtis & Morris (1975) recorded in error	1:93
	Zygophyllum billardierei DC., Prodr. [A. P. de Candolle] 1: 705 (1824)	1:93

MONOCOTS

AGAPANTHACEAE

- i **Agapanthus praecox** subsp. **orientalis** (F.M.Leight.) F.M.Leight., J. S. African Bot. 4: 21 (1965)

ALISMATACEAE

- i **Alisma lanceolatum** With., Arr. Brit. Pl., ed. 3, 2: 362 (1796)
- i **Alisma plantago-aquatica** L., Sp. Pl. 1: 342 (1753) 4b:4
- Damasonium australe* Salisb. = **Damasonium minus** 4b:6
- Damasonium minus** (R.Br.) Buchenau, Abh. Naturwiss. Vereins Bremen 2: 20 (1869) 4b:6

ALLIACEAE

- i **Allium ampeloprasum** L., Sp. Pl. 1: 294 (1753)
- i **Allium neapolitanum** Cirillo, Pl. Rar. Neap. 1: 13, t.4 (1788) 4b:392
- i **Allium triquetrum** L., Sp. Pl. 1: 300 (1753) 4b:392
- i **Allium vineale** L., Sp. Pl. 1: 299 (1753) 4b:392
- i **Nothoscordum borbonicum** Kunth, Enum. Pl. [Kunth] 4: 463 (1843) 4b:394
- Nothoscordum gracile* (Aiton) Stearn sensu Curtis & Morris (1994) = **Nothoscordum borbonicum** 4b:394

ALSTROEMERIACEAE

- i # **Alstroemeria aurea** Graham, Edinburgh New Philos. J. 15: 181 (1833)

AMARYLLIDACEAE

- i **Leucojum aestivum** L., Syst. Nat., ed. 10. 2: 975 (1759)
- i **Narcissus pseudonarcissus** L., Sp. Pl. 1: 289 (1753) 4b:394
- i **Narcissus tazetta** L., Sp. Pl. 1: 290 (1753)

APONOGETONACEAE

- i **Aponogeton distachyos** L.f., Suppl. Pl. 215 (1782) 4b:13

ARACEAE

- Landoltia punctata** (G.Mey.) Les & D.J.Crawford, Novon 9: 532 (1999)
Lemna disperma Hegelm., Bot. Zeitung (Berlin) 29: 655 (1871) 4b:32
 Lemna minor L. sensu Rodway (1903) = **Lemna disperma** 4b:32
Lemna trisulca L., Sp. Pl. 2: 970 (1753) 4b:32
 Spirodela polyrhiza (L.) Schleid. probably misapplied to **Landoltia punctata**
 Wolffia arrhiza (L.) Horkel ex Wimm. sensu Willis (1973) = **Wolffia australiana** 4b:32
Wolffia australiana (Benth.) Hartog & Plas, Blumea 20: 151 (1972) 4b:32
 i **Zantedeschia aethiopica** (L.) Spreng., Sys. Veg. (ed. 16) [Sprengel] 3: 765 (1826) 4b:30

ASPARAGACEAE

- i **Agave americana** L., Sp. Pl. 1: 323 (1753)
 i **Asparagus asparagoides** (L.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 3: 414 (1914)
 i **Asparagus officinalis** L., Sp. Pl. 1: 313 (1753) 4b:370
 i **Asparagus scandens** Thunb., Prod. Pl. Cap. 66 (1794)
 i# **Furcraea foetida** (L.) Haw., Syn. Pl. Succ. 73 (1812)
 Lomandra glauca (R.Br.) Ewart sensu Willis (1973) = **Lomandra nana** 4b:422
Lomandra longifolia Labill., Nov. Holl. Pl. 1: 92, t.119 (1805) 4b:422
Lomandra nana (A.T.Lee) A.T.Lee, Fl. Australia 46: 223 (1986) 4b:422
 i **Muscari armeniacum** Leichtlin ex Baker, Gard. Chron. 798 (1878)
 Myrsiphyllum asparagoides (L.) Willd. = **Asparagus asparagoides**
 Myrsiphyllum scandens (Thunb.) Oberm. = **Asparagus scandens**
 Xerotes glauca R.Br. sensu Rodway (1903) = **Lomandra nana** 4b:422
 Xerotes longifolia (Labill.) R.Br. = **Lomandra longifolia** 4b:422

ASPHODELACEAE

- i **Aloe maculata** All., Auct. Syn. Meth. Stirp. Hort. Regii Taur. 13 (1773)
 Aloe saponaria (Aiton) Haw. = **Aloe maculata**
 Anthericum semibarbatum R.Br. = **Bulbine semibarbata**
 i **Asphodelus fistulosus** L., Sp. Pl. 1: 309 (1753) 4b:380
Bulbine bulbosa (R.Br.) Haw., Revis. Pl. Succ. 33 (1821) 4b:383
Bulbine crassa D.I.Morris & Duretto, Muelleria 22: 93 (2006)
Bulbine glauca (Raf.) E.M.Watson, Fl. Australia 45: 469 (1987) 4b:382
Bulbine semibarbata (R.Br.) Haw., Revis. Pl. Succ. 33 (1821) 4b:382
 i **Kniphofia uvaria** (L.) Oken, Allg. Naturgesch. 3: 566 (1841)

ASTELIACEAE

- e **Astelia alpina** R.Br. var. **alpina**, Prodr. Fl. Nov. Holland. 291 (1810) 4b:370
 e **Astelia sp. Quartzite (A.M.Buchanan 16828) Tas Herbarium**
 Astelia stylosa F.Muell. ex Hook.f. = **Milligania stylosa**
 e **Milligania densiflora** Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 298 (1853) 4b:374
 e **Milligania johnstonii** F.Muell. ex Benth., Fl. Austral. 7: 26 (1878) 4b:371
 e **Milligania lindoniana** Rodway ex W.M.Curtis, Records of the Queen Victoria Museum 45: 1 (1972) 4b:372
 e **Milligania longifolia** Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 297 (1853) 4b:373

e	Milligania stylosa (F.Muell. ex Hook.f.) F.Muell. ex Benth., Fl. Austral. 7: 27 (1878)	4b:373
BLANDFORDIACEAE		
	<i>Blandfordia grandiflora</i> var. <i>backhousii</i> (Lindl.) Hook.f. = Blandfordia punicea	
	<i>Blandfordia marginata</i> Herb. = Blandfordia punicea	4b:374
e	Blandfordia punicea (Labill.) Sweet, Hort. Brit. [Sweet], ed 2: 517 (1830)	4b:374
BURMANNIACEAE		
	FTO 16	
	Thismia rodwayi F.Muell., Vict. Naturalist 7: 115 (1890)	4b:423
CAMPYNEMATACEAE		
e	Campynema lineare Labill., Nov. Holl. Pl. 1: 93, t.121 (1805)	4b:395
	<i>Campynema pygmaeum</i> F.Muell. ex Benth. = Campynema lineare	
CENTROLEPIDACEAE		
	<i>Alepyrum monogynum</i> Hook.f. = Centrolepis monogyna	
	<i>Alepyrum muelleri</i> Hook.f. = Centrolepis glabra	
	<i>Alepyrum muscoides</i> Hook.f. = Centrolepis muscoides	
	<i>Alepyrum polygynum</i> R.Br. = Centrolepis polygyna	
	Aphelia gracilis Sond., Linnaea 28: 227 (1856)	4b:49
	<i>Aphelia gunnii</i> Hook.f. = Aphelia gracilis	
	Aphelia pumilio F.Muell. ex Sond., Linnaea 28: 226 (1856)	4b:49
	Centrolepis aristata (R.Br.) Poir., Syst. Veg., ed. 15 bis [Roemer & Schultes] 1: 44 (1817)	4b:54
	Centrolepis fascicularis Labill., Nov. Holl. Pl. 1: 7, t.1 (1804)	4b:55
	Centrolepis glabra (F.Muell. ex Sond.) Hieron., Abh. Naturf. Ges. Halle 12: 209 (1873)	4b:52
e	Centrolepis monogyna (Hook.f.) Benth., Fl. Austral. 7: 205 (1878)	4b:53
	<i>Centrolepis monogyna</i> subsp. <i>paludicola</i> (W.M.Curtis) D.A.Cooke = Centrolepis monogyna	4b:53
e	Centrolepis muscoides (Hook.f.) Hieron., Abh. Naturf. Ges. Halle 12: 209 (1873)	4b:53
	<i>Centrolepis paludicola</i> W.M.Curtis = Centrolepis monogyna	4b:53
e	Centrolepis pedderensis W.M.Curtis, Brunonia 7: 299 (1984)	4b:53
	Centrolepis polygyna (R.Br.) Hieron., Abh. Naturf. Ges. Halle 12: 210 (1873)	4b:51
	<i>Centrolepis pulvinata</i> (R.Br.) Poir. = Centrolepis strigosa subsp. pulvinata	4b:55
e	Centrolepis strigosa subsp. pulvinata (R.Br.) D.A.Cooke, J. Adelaide Bot. Gard. 15: 28 (1992)	4b:55
	Centrolepis strigosa (R.Br.) Poir. subsp. strigosa , Syst. Veg., ed. 15 bis [Roemer & Schultes] 1: 43 (1817)	4b:55
	<i>Centrolepis tenuior</i> (R.Br.) Poir. sensu Hooker (1860) = Centrolepis strigosa subsp. strigosa	
	<i>Devauxia billardierei</i> R.Br. = Centrolepis fascicularis	
	<i>Devauxia pulvinata</i> R.Br. = Centrolepis strigosa subsp. pulvinata	
	<i>Devauxia tenuior</i> R.Br. = Centrolepis strigosa subsp. strigosa	
e	Gaimardia amblyphylla W.M.Curtis, Brunonia 7: 299 (1984)	4b:57
e	Gaimardia fitzgeraldii F.Muell. & Rodway, Pap. & Proc. Roy. Soc. Tasmania 1894-5: 55 (1896)	4b:57
t	Gaimardia setacea Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 267 (1853)	4b:57
COLCHICACEAE		
	<i>Anguillaria dioica</i> R.Br. = Wurmbea dioica subsp. dioica	
	<i>Anguillaria uniflora</i> R.Br. = Wurmbea uniflora	
	Burchardia umbellata R.Br., Prodr. Fl. Nov. Holland. 273 (1810)	4b:396
	Wurmbea biglandulosa (R.Br.) T.D.Macfarl. subsp. biglandulosa , Brunonia 3: 191 (1980)	

	Wurmbea dioica (R.Br.) F.Muell. subsp. dioica , Fragm. (Mueller) 10: 119 (1877)	4b:396
	Wurmbea latifolia subsp. vanessae R.J.Bates, J. Adelaide Bot. Gard. 16: 48 (1995)	4b:398
	Wurmbea uniflora (R.Br.) T.D.Macfarl., Brunonia 3: 194 (1980)	4b:398
	COMMELINACEAE	
	Tradescantia albiflora Kunth = Tradescantia fluminensis	4b:36
i	Tradescantia fluminensis Vell., Fl. Flumin. 140 (1829)	4b:36
	CYMODOCEACEAE	
	Amphibolis antarctica (Labill.) Sond. & Asch. ex Asch., Linnaea 35: 164 (1867)	4b:27
	Cymodocea antarctica (Labill.) Endl. ex Kunth = Amphibolis antarctica	4b:27
	CYPERACEAE	
	Baumea acuta (Labill.) Palla = Machaerina acuta	4b:131
	Baumea arthropphylla (Nees) Boeckeler = Machaerina arthropphylla	4b:129
	Baumea articulata (R.Br.) S.T.Blake = Machaerina articulata	4b:128
	Baumea gunnii (Hook.f.) S.T.Blake = Machaerina gunnii	4b:130
	Baumea juncea (R.Br.) Palla = Machaerina juncea	4b:129
	Baumea planifolia (Benth.) K.L.Wilson = Machaerina planifolia	
	Baumea rubiginosa (Spreng.) Boeckeler = Machaerina rubiginosa	4b:129
	Baumea tetragona (Labill.) S.T.Blake = Machaerina tetragona	4b:131
	Bolboschoenus caldwelii (V.J.Cook) Soják, Cas. Nár. Mus., Odd. Prír. 141: 62 (1972)	4b:92
	Bolboschoenus medianus (V.J.Cook) Soják, Cas. Nár. Mus., Odd. Prír. 141: 63 (1972)	4b:93
	Carex acicularis Boott = Carex archeri	4b:148
	Carex albula Allan sensu Curtis & Morris (1994) recorded in error	4b:164
e	Carex sp. Algonkian Rivulet (S.J.Jarman HO110282) Tas Herbarium	4b:163
	Carex appressa R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:152
	Carex appressa f. minor Kük. = Carex appressa	4b:152
	Carex appressa var. virgata (Boott) Kük. = Carex appressa	4b:153
	Carex archeri Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 98 (1858)	4b:148
	Carex austrocompacta K.L.Wilson = Uncinia compacta	
	Carex austrotenella K.L.Wilson = Uncinia tenella	
e	Carex barbata Boott, Ill. Gen. Carex 1: 68, t.187 (1858)	4b:160
	Carex bichenoviana Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 101 (1858)	4b:167
	Carex breviculmis R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:158
i *	Carex buxbaumii Wahlenb.	
	Carex caespitosa L. sensu Brown (1810) = Carex gaudichaudiana	
	Carex canescens L. sensu Hooker (1860) = Carex curta (misapplied in Tasmania)	4b:155
	Carex capillacea Boott, Ill. Gen. Carex 1: 44, t.110 (1858)	4b:148
e	Carex cataractae R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:162
	Carex cephalotes F.Muell., Trans. Philos. Soc. Victoria 1: 110 (1855)	4b:149
	Carex cheesemanniana (Boeckeler) K.A.Ford = Uncinia nervosa	
	Carex chlorantha R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:149
	Carex aff. cirrhosa Berggr. sensu Curtis & Morris (1994) = Carex sp. Algonkian Rivulet (S.J.Jarman HO110282) Tas Herbarium	4b:163
	Carex curta Gooden., Trans. Linn. Soc. London 2: 145 (1794)	4b:155

i t	Carex demissa Hornem., Fl. Dan., 7(21): 4, t.1342 (1806)	4b:161
	Carex aff. diandra Schrank sensu Curtis & Morris (1994) = Carex sp. Western Tasmania (A.Moscal 7489) Tas Herbarium (A.Moscal 7489) Tas Herbarium	4b:150
i	Carex divisa Huds., Fl. Angl. (Hudson): 348 (1762)	4b:149
i	Carex divulsa Stokes, Bot. Arr. Brit. Pl., ed. 2. 2: 1035 (1787)	4b:150
	Carex fascicularis Sol. ex Boott, Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 283 (1853)	4b:166
i	Carex flacca Schreb., Spicil. Fl. Lips. 178 (1771)	4b:157
	Carex flaccida (S.T.Blake) K.L.Wilson = Uncinia flaccida	
i t	Carex flagellifera Colenso, Trans. & Proc. New Zealand Inst. 16: 342 (1884)	4b:163
	Carex flava L. sensu Rodway (1903) p.p. = Carex lepidocarpa (misapplied in Tasmania)	
	Carex flava L. sensu Rodway (1903) p.p. = Carex demissa (misapplied in Tasmania)	
	Carex flava L. sensu Rodway (1903) p.p. = Carex flaviformis (misapplied in Tasmania)	
	Carex flava L. sensu Rodway (1903) p.p. = Carex cataractae (misapplied in Tasmania)	
t	Carex flaviformis Nelves, Kew Bull. 10: 84 (1955)	4b:162
	Carex gaudichaudiana Kunth, Enum. Pl. [Kunth] 2: 417 (1837)	4b:156
	Carex gunniana Boott, Proc. Linn. Soc. London 1: 258 (1845)	4b:160
	Carex hypandra F.Muell. ex Benth., Fl. Austral. 7: 439 (1878)	4b:157
	Carex inversa R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:153
	Carex iynx Nelves, Proc. Linn. Soc. London 155: 279 (1944)	4b:159
i t	Carex lepidocarpa Tausch, Flora 17: 179 (1834)	4b:161
i	Carex leporina L., Sp. Pl. 2: 973 (1753)	4b:155
	Carex littorea Labill. = Carex pumila	
	Carex longebrachiata Boeckeler, Linnaea 41: 282 (1877)	4b:158
	Carex longifolia R.Br. sensu Rodway (1903) = Carex iynx (misapplied in Tasmania)	
	Carex longifolia R.Br. = Carex longebrachiata	
	Carex ovalis Gooden. = Carex leporina	
	Carex paniculata L. sensu Rodway (1903) = Carex appressa (misapplied in Tasmania)	4b:152
i * t	Carex pilulifera L.	
	Carex polyantha F.Muell., Trans. Philos. Soc. Victoria 1: 110 (1855)	4b:156
	Carex pseudocyperus L. sensu Rodway (1903) = Carex fascicularis (misapplied in Tasmania)	4b:166
	Carex pumila Thunb. ex Murray, Syst. Veg., ed. 14 (J. A. Murray). 846 (1784)	4b:166
	Carex raleighii Nelves, Bull. Misc. Inform. Kew 1939: 310 (1939)	4b:154
i *	Carex scoparia Schkuhr ex Willd.	4b:154
	Carex subtilis K.A.Ford = Uncinia elegans	
	Carex tasmanica Kük., Bull. Herb. Boissier 4: 59 (1904)	4b:165
	Carex tereticaulis F.Muell., Fragm. (Mueller) 8: 256 (1874)	4b:151
i *	Carex testacea Sol. ex Boott	4b:164
	Carex umbricola K.L.Wilson = Uncinia riparia	
	Carex virgata Sol. ex Boott = Carex appressa	4b:153
	Carex vulgaris Fr. sensu Rodway (1903) = Carex gaudichaudiana (misapplied in Tasmania)	4b:156
e	Carex sp. Western Tasmania (A.Moscal 7489) Tas Herbarium	4b:150
	Carpha alpina R.Br., Prodr. Fl. Nov. Holland. 230 (1810)	4b:87
e	Carpha curvata W.M.Curtis, Brunonia 7: 303 (1985)	4b:88

e	Carpha rodwayi W.M.Curtis, Brunonia 7: 302 (1985)	4b:88
	Caustis pentandra R.Br., Prodr. Fl. Nov. Holland. 240 (1810)	4b:137
	Chaetospora axillaris R.Br. = Schoenus maschalinus	
	Chaetospora capillacea Hook.f. nom. illeg. = Netrostylis capillaris	
	Chaetospora imberbis R.Br. = Schoenus apogon	
	Chaetospora nitens R.Br. = Schoenus nitens	
	Chaetospora tenuissima Hook.f. nom. illeg. = Schoenus lepidosperma	
	Chorizandra australis K.L.Wilson, Telopea 5: 594 (1994)	4b:138
	Chorizandra cymbaria R.Br. sensu Rodway (1903) = Chorizandra australis	4b:138
	Chorizandra enodis Nees, Pl. Preiss. [J.G.C.Lehman] 2: 73 (1846)	4b:138
	Cladium acutum (Labill.) Poir. = Machaerina acuta	
	Cladium filum (Labill.) R.Br. = Gahnia filum	4b:136
	Cladium glomeratum R.Br. = Machaerina rubiginosa	4b:129
	Cladium gunnii Hook.f. = Machaerina gunnii	4b:130
	Cladium junceum R.Br. = Machaerina juncea	4b:129
	Cladium laxiflorum Hook.f. = Machaerina gunnii	
	Cladium mariscus (L.) Pohl recorded in error	
?i #	Cladium procerum S.T.Blake, Trans. Roy. Soc. South Australia 67: 57 (1943)	4b:428
	Cladium schoenoides R.Br. = Machaerina acuta	4b:131
	Cladium tetraquetrum Hook.f. = Machaerina tetragona	4b:131
i	Cyperus congestus Vahl, Enum. Pl. [Vahl] 2: 358 (1805)	4b:91
i	Cyperus eragrostis Lam., Tabl. Encycl. 1: 146 (1791)	4b:90
	Cyperus gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 80, t.140, fig.A (1858)	4b:91
	Cyperus lucidus R.Br., Prodr. Fl. Nov. Holland. 218 (1810)	4b:91
	Cyperus sanguineo-fuscus Nees = Cyperus lucidus	
?i #	Cyperus sanguinolentus Vahl, Enum. Pl. [Vahl] 2: 351 (1805)	4b:90
	Cyperus tenellus L.f. = Isolepis levynsiana	4b:90
	Eleocharis acicularis (L.) Roem. & Schult. sensu Rodway (1903) = Eleocharis pusilla	4b:108
	Eleocharis acuta R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	Eleocharis gracilis R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	Eleocharis pusilla R.Br., Prodr. Fl. Nov. Holland. 225 (1810)	4b:108
	Eleocharis sphacelata R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	Elynanthus capillaceus Benth. = Netrostylis capillaris	4b:132
	Ficinia nodosa (Rottb.) Goetgh., Muasya & D.A.Simpson, Novon 10: 133 (2000)	4b:105
	Gahnia filum (Labill.) F.Muell., Key to the System of Victorian Plants 1: 456 (1888)	4b:136
	Gahnia fitzgeraldii F.Muell. ex Rodway = Gahnia microstachya	4b:134
	Gahnia graminifolia Rodway nom. illeg. = Gahnia rodwayi	4b:134
	Gahnia grandis (Labill.) S.T.Blake, Contr. Queensland Herb. 8: 33 (1969)	4b:135
	Gahnia melanocarpa R.Br. sensu Buchanan et al. (1989) = Gahnia grandis (misapplied in Tasmania)	
	Gahnia microstachya Benth., Fl. Austral. 7: 414 (1878)	4b:134
	Gahnia psittacorum Labill. = Gahnia grandis	4b:135
	Gahnia radula (R.Br.) Benth., Fl. Austral. 7: 417 (1878)	4b:135
e	Gahnia rodwayi F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1892: 93 (1893)	4b:134

	Gahnia sieberiana Kunth, Enum. Pl. [Kunth] 2: 332 (1837)	4b:135
	Gahnia trifida Labill., Nov. Holl. Pl. 1: 89, t.116 (1805)	4b:136
	Gymnoschoenus sphaerocephalus (R.Br.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 83, t.142 (1858)	4b:119
e	Isolepis alpina Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 86, t.143, fig.B (1858)	4b:103
	Isolepis aucklandica Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 88 (1844), pl.50 (1845)	4b:102
	<i>Isolepis cartilaginea</i> R.Br. = Isolepis marginata	
	Isolepis cernua (Vahl) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 106 (1817)	4b:99
	Isolepis crassiuscula Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 86, t.143, fig.A (1858)	4b:98
	Isolepis fluitans (L.) R.Br., Prodr. Fl. Nov. Holland. 221 (1810)	4b:98
	Isolepis habra (Edgar) Soják, Casopsis Narodniho Muzea v Praze 148: 194 (1980)	4b:101
	Isolepis hookeriana Boeckeler, Flora 41: 418 (1858)	4b:104
i	Isolepis hystrix (Thunb.) Nees, Linnaea 7: 496 (1832)	
	Isolepis inundata R.Br., Prodr. Fl. Nov. Holland. 222 (1810)	4b:100
	<i>Isolepis lenticularis</i> R.Br. sensu Hooker (1860) = Isolepis fluitans	
?i	Isolepis levynsiana Muasya & D.A.Simpson, Novon 17: 59 (2007)	4b:90
e	Isolepis limbata W.M.Curtis, Brunonia 7: 300 (1985)	4b:103
	Isolepis marginata (Thunb.) A.Dietr., Sp. Pl., ed. 6. 1(2): 110 (1832)	4b:104
	Isolepis montivaga (S.T.Blake) K.L.Wilson, Telopea 2: 168 (1981)	4b:103
	<i>Isolepis nodosa</i> (Rottb.) R.Br. = Ficinia nodosa	4b:105
	Isolepis platycarpa (S.T.Blake) Soják, Cas. Nár. Muz. Praze, Rada Prír. 148: 194 (1980)	4b:99
	Isolepis producta (C.B.Clarke) K.L.Wilson, Telopea 2: 168 (1981)	4b:98
i	Isolepis prolifera (Rottb.) R.Br., Prodr. Fl. Nov. Holland. 223 (1810)	
	<i>Isolepis riparia</i> R.Br. = Isolepis cernua	
	<i>Isolepis saviana</i> Schult. nom. illeg. sensu Hooker (1860) a name of uncertain application	
i t	Isolepis setacea (L.) R.Br., Prodr. Fl. Nov. Holland. 222 (1810)	4b:105
	Isolepis stellata (C.B.Clarke) K.L.Wilson, Telopea 2: 169 (1981)	4b:104
	Isolepis subtilissima Boeckeler, Flora 41: 416 (1858)	4b:101
e	Isolepis tasmanica (S.T.Blake) K.L.Wilson, Telopea 2: 170 (1981)	4b:102
	Isolepis wakefieldiana (S.T.Blake) K.L.Wilson, Telopea 2: 170 (1981)	4b:100
	<i>Lampocarya hexandra</i> R.Br. = Gahnia trifida	
	<i>Lepidosperma angustifolia</i> Hook.f. sensu Hooker (1860) = Lepidosperma laterale	
	Lepidosperma concavum R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:126
	Lepidosperma curtisiae K.L.Wilson & D.I.Morris, Telopea 5: 423 (1993)	4b:123
	<i>Lepidosperma elatior</i> Labill. orth. var. sensu Rodway (1903) = Lepidosperma elatius	4b:124
	Lepidosperma elatius Labill., Nov. Holl. Pl. 1: 15, t.11 (1805)	4b:124
	<i>Lepidosperma elatius</i> var. <i>ensiforme</i> Rodway = Lepidosperma ensiforme	4b:125
	<i>Lepidosperma elatius</i> var. <i>oldfieldii</i> (Hook.f.) Rodway = Lepidosperma oldfieldii	4b:125
	Lepidosperma ensiforme (Rodway) D.I.Morris, The Student's Flora of Tasmania 4b: 425 (1994)	4b:125
	<i>Lepidosperma falcatum</i> Rodway = Lepidosperma tortuosum	
	Lepidosperma filiforme Labill., Nov. Holl. Pl. 1: 17, t.15 (1805)	4b:121
	Lepidosperma forsythii A.A.Ham., Proc. Linn. Soc. New South Wales 35: 411 (1910)	4b:122
	Lepidosperma gladiatum Labill., Nov. Holl. Pl. 1: 15, t.12 (1805)	4b:125

e	Lepidosperma globosum Labill., Nov. Holl. Pl. 1: 16, t.14 (1805)	4b:123
	Lepidosperma gunnii Boeckeler, Linnaea 38: 325 (1874)	4b:123
e	Lepidosperma inops F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1892: 93 (1893)	4b:122
	Lepidosperma laterale R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:124
	Lepidosperma lineare R.Br. sensu Rodway (1903) = Lepidosperma gunnii	4b:123
	Lepidosperma lineare var. inops (F.Muell. ex Rodway) Rodway = Lepidosperma inops	4b:122
	Lepidosperma longitudinale Labill., Nov. Holl. Pl. 1: 16, t.13 (1805)	4b:124
e	Lepidosperma monticola G.T.Plunkett & J.J.Bruhl, Phytokeys 28: 26 (2013)	
	Lepidosperma neesii Kunth, Enum. Pl. [Kunth] 2: 319 (1837)	4b:127
e	Lepidosperma oldfieldii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 91, t.146A (1858)	4b:125
	Lepidosperma squamatum Labill. sensu Rodway (1903) = Lepidosperma concavum	4b:126
	Lepidosperma tetragonum Labill. = Machaerina tetragona	
	Lepidosperma tortuosum F.Muell., Fragm. (Mueller) 9: 23 (1875)	4b:121
	Lepidosperma viscidum R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:126
	Machaerina acuta (Labill.) J.Kern, Acta Bot. Neerl. 8: 266 (1959)	4b:131
	Machaerina arthropylla (Nees) T.Koyama, Bot. Mag. (Tokyo) 69: 62 (1956)	4b:129
	Machaerina articulata (R.Br.) T.Koyama, Bot. Mag. (Tokyo) 69: 62 (1956)	4b:128
	Machaerina gunnii (Hook.f.) J.Kern, Acta Bot. Neerl. 8: 266 (1959)	4b:130
	Machaerina juncea (R.Br.) T.Koyama, Bot. Mag. (Tokyo) 69: 64 (1956)	4b:129
?i	Machaerina planifolia (Benth.) K.L.Wilson, Telopea 18: 130 (2015)	
	Machaerina rubiginosa (Spreng.) T.Koyama, J. Fac. Sci. Univ. Tokyo, Sect. 3, Bot. 8: 122 (1961)	4b:129
	Machaerina tetragona (Labill.) T.Koyama ex Jessop, Fl. South Australia Ed. 3, 1: 286 (1978)	4b:131
	Mesomelaena sphaerocephala (R.Br.) Benth. = Gymnoschoenus sphaerocephalus	4b:119
	Netrostylis capillaris (F.Muell.) R.L.Barrett, J.J.Bruhl & K.L.Wilson, Telopea 24: 57 (2021)	4b:132
e	Oreobolus acutifolius S.T.Blake, Contr. Queensland Herb. 8: 39 (1969)	4b:109
	Oreobolus distichus F.Muell., Trans. Philos. Soc. Victoria 1: 109 (1855)	4b:109
e	Oreobolus oligocephalus W.M.Curtis, Brunonia 7: 301 (1985)	4b:110
e	Oreobolus oxycarpus subsp. brownii Seberg, Bot. J. Linn. Soc. 96: 178 (1988)	4b:110
	Oreobolus pumilio R.Br. subsp. pumilio , Prodr. Fl. Nov. Holland. 236 (1810)	4b:109
e	Oreobolus tholicarpus D.I.Morris, Muellera 15: 28 (2001)	
	Schoenoides oligocephala (W.M.Curtis) Seberg = Oreobolus oligocephalus	4b:110
	Schoenoplectus pungens (Vahl) Palla, Bot. Jahrb. Syst. 10: 299 (1888)	4b:94
	Schoenoplectus tabernaemontani (C.C.Gmel.) Palla, Bot. Jahrb. Syst. 10: 299 (1888)	4b:95
	Schoenoplectus validus (Vahl) Á.Löve & D.Löve = Schoenoplectus tabernaemontani	4b:95
e	Schoenus absconditus Kük., Repert. Spec. Nov. Regni Veg. 44: 99 (1938)	4b:117
	Schoenus acutus Labill. = Machaerina acuta	
	Schoenus apogon Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 77 (1817)	4b:114
	Schoenus axillaris (R.Br.) Poir. = Schoenus maschalinus	4b:116
e	Schoenus biglumis Kük., Repert. Spec. Nov. Regni Veg. 44: 164 (1938)	4b:118
	Schoenus brevifolius R.Br., Prodr. Fl. Nov. Holland. 231 (1810)	4b:113
	Schoenus brownii Hook.f. = Schoenus apogon	4b:114
	Schoenus calyptratus Kük., Repert. Spec. Nov. Regni Veg. 48: 248 (1940)	4b:117
	Schoenus carsei Cheeseman, Man. New Zealand Fl. 781 (1906)	4b:113

	Schoenus filum Labill. = Gahnia filum	
	Schoenus fluitans Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 81 (1858)	4b:114
	Schoenus latelaminatus Kük., Repert. Spec. Nov. Regni Veg. 44: 88 (1938)	4b:116
	Schoenus lepidosperma (F.Muell.) K.L.Wilson subsp. lepidosperma , Telopea 5: 619 (1994)	4b:114
	Schoenus maschalinus Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 77 (1817)	4b:116
	Schoenus nitens (R.Br.) Poir., Encycl. (Lamarck) Suppl. 2: 252 (1812)	4b:118
e	Schoenus pygmaeus S.T.Blake, Contr. Queensland Herb. 8: 41 (1969)	4b:116
	Schoenus tenuissimus (Hook.f.) Benth. sensu Rodway (1903), Curtis & Morris (1994) = Schoenus lepidosperma subsp. lepidosperma	4b:114
	Schoenus tesquorum J.M.Black, Fl. S. Austral. [J.M. Black] 1: 90 (1922)	4b:115
	Schoenus turbinatus (R.Br.) Poir., Encycl. (Lamarck) Suppl. 2: 251 (1811)	4b:118
	Scirpus americanus Pers. sensu Willis (1970) = Schoenoplectus pungens	4b:94
	Scirpus antarcticus L. sensu Willis (1970) = Isolepis marginata	4b:104
	Scirpus aucklandicus (Hook.f.) Boeckeler = Isolepis aucklandica	4b:102
	Scirpus caldwelii V.J.Cook = Bolboschoenus caldwelii	4b:92
	Scirpus cartilagineus (R.Br.) Poir. = Isolepis marginata	4b:104
	Scirpus cartilagineus var. propinquus (Nees) Benth. = Isolepis inundata	
	Scirpus cernuus Vahl = Isolepis cernua	4b:99
	Scirpus crassiusculus (Hook.f.) Benth. = Isolepis crassiuscula	4b:98
	Scirpus fluitans L. = Isolepis fluitans	4b:98
	Scirpus fluviatilis (Torr.) A.Gray sensu Willis (1970) = Bolboschoenus medianus	4b:93
	Scirpus hookerianus (Boeckeler) S.T.Blake = Isolepis hookeriana	4b:104
	Scirpus inundatus (R.Br.) Poir. = Isolepis inundata	4b:100
	Scirpus lacustris L. sensu Rodway (1903) = Schoenoplectus tabernaemontani	4b:95
	Scirpus lenticularis (R.Br.) Poir. sensu Rodway (1903) = Isolepis fluitans	4b:98
	Scirpus maritimus L. sensu Rodway (1903) = Bolboschoenus caldwelii	4b:92
	Scirpus montivagus S.T.Blake = Isolepis montivaga	4b:103
	Scirpus nodosus Rottb. = Ficinia nodosa	4b:105
	Scirpus platycarpus S.T.Blake = Isolepis platycarpa	4b:99
	Scirpus productus C.B.Clarke = Isolepis producta	4b:98
	Scirpus pungens Vahl = Schoenoplectus pungens	4b:94
	Scirpus riparius (R.Br.) Poir. = Isolepis cernua	4b:99
	Scirpus setaceus L. = Isolepis setacea	4b:105
	Scirpus stellatus C.B.Clarke = Isolepis stellata	4b:104
	Scirpus subtilissimus (Boeckeler) S.T.Blake = Isolepis subtilissima	4b:101
	Scirpus tasmanicus S.T.Blake = Isolepis tasmanica	4b:102
	Scirpus triqueter L. sensu Brown (1810) = Schoenoplectus pungens (misapplied in Tasmania)	
	Scirpus validus Vahl = Schoenoplectus tabernaemontani	4b:95
	Scirpus wakefieldianus S.T.Blake = Isolepis wakefieldiana	4b:100
	Tetraria capillaris (F.Muell.) J.M.Black = Netrostylis capillaris	4b:132
	Tricostularia pauciflora (F.Muell.) Benth., Fl. Austral. 7: 383 (1878)	4b:127
	Uncinia compacta R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:142
t	Uncinia elegans (Kük.) Hamlin, Rec. Domin. Mus. 19: 11 (1959)	4b:140

	Uncinia flaccida S.T.Blake, Proc. Roy. Soc. Queensland 51: 49 (1940)	4b:143
t	Uncinia nervosa Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 102 (1858)	4b:142
	Uncinia riparia R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:140
	Uncinia tenella R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:143
HAEMODORACEAE		
i #	Anigozanthos flavidus DC., Liliac. (Redouté) 3: t. 176 (1807)	
e	Haemodorum distichophyllum Hook., Icon. Pl. 9: t.866 (1851)	4b:364
HEMEROCALLIDACEAE		
	Caesia alpina Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 373 (1859)	4b:386
	Caesia calliantha R.J.F.Hend., Fl. Australia 45: 471 (1987)	4b:387
	Caesia corymbosa R.Br. = Chamaescilla corymbosa	
	Caesia parviflora var. minor R.J.F.Hend., Fl. Australia 45: 471 (1987)	4b:386
	Caesia parviflora R.Br. var. parviflora , Prodr. Fl. Nov. Holland. 277 (1810)	4b:386
	Caesia parviflora var. vittata (R.Br.) R.J.F.Hend., Fl. Australia 45: 472 (1987)	4b:386
	Caesia vittata R.Br. = Caesia parviflora var. vittata	
	Caesia vittata R.Br. sensu Rodway (1903) = Caesia calliantha	4b:387
	Chlorophytum alpinum (Hook.f.) Benth. ex Baker = Caesia alpina	4b:386
	Dianella amoena G.W.Carr & P.F.Horsfall, Muelleria 8: 369 (1995)	4b:377
	Dianella archeri Hook.f. = Dianella tasmanica	
	Dianella brevicaulis (Ostenf.) G.W.Carr & P.F.Horsfall, Muelleria 8: 375 (1995)	4b:378
	Dianella caerulea Sims sensu Henderson (1987) = Dianella amoena (misapplied in Tasmania)	
	Dianella laevis R.Br. = Dianella amoena	4b:377
	Dianella longifolia R.Br. sensu Curtis & Morris (1994) = Dianella amoena	4b:377
	Dianella longifolia var. aspera Rodway a name of uncertain application	
	Dianella revoluta var. brevicaulis Ostenf. = Dianella brevicaulis	4b:378
	Dianella revoluta R.Br. var. revoluta , Prodr. Fl. Nov. Holland. 280 (1810)	4b:378
	Dianella tasmanica Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 57, t.133A (1858)	4b:378
	Herpolirion novae-zelandiae Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 258 (1853)	4b:383
	Herpolirion tasmaniae Hook.f. = Herpolirion novae-zelandiae	
i	Phormium tenax J.R.Forst. & G.Forst., Char. Gen. Pl.: 48, t.24 (1775)	4b:418
	Stypantra caespitosa R.Br. = Thelionema caespitosum	4b:379
	Stypantra umbellata R.Br. = Thelionema umbellatum	
	Thelionema caespitosum (R.Br.) R.J.F.Hend., Austrobaileya 2: 109 (1985)	4b:379
	Thelionema umbellatum (R.Br.) R.J.F.Hend., Austrobaileya 2: 109 (1985)	4b:380
	Tricoryne elatior R.Br., Prodr. Fl. Nov. Holland. 278 (1810)	4b:391
HYACINTHACEAE		
	Ornithogalum angustifolium Boreau sensu Buchanan (1999) = Ornithogalum umbellatum	
i	Ornithogalum umbellatum L., Sp. Pl. 1: 307 (1753)	4b:369
i #	Scilla peruviana L., Sp. Pl. 1: 309 (1753)	4b:391
HYDROCHARITACEAE		
i	Egeria densa Planch., Ann. Sci. Nat., Bot., sér. 3, 11: 80 (1849)	4b:8
i	Elodea canadensis Michx., Fl. Bor.-Amer. (Michaux) 1: 20 (1803)	4b:8
	Elodea densa (Planch.) Casp. = Egeria densa	4b:8

	Halophila australis Doty & B.C.Stone, Brittonia 18: 306, fig.2 (1966)	4b:13
	Halophila ovalis (R.Br.) Hook.f. sensu Rodway (1903) = Halophila australis	4b:13
i *	Lagarosiphon major (Ridl.) Moss	4b:9
	Vallisneria americana Michx. sensu Buchanan (2007) = Vallisneria australis	4b:11
	Vallisneria australis S.W.L.Jacobs & Les, Syst. Bot. 33: 62 (2008)	4b:11
	Vallisneria gigantea Graebn. sensu Curtis & Morris (1994) = Vallisneria australis	4b:11
	Vallisneria spiralis L. sensu Rodway (1903) = Vallisneria australis	4b:11
HYPOXIDACEAE		
	Hypoxis glabella R.Br. var. glabella = Pauridia glabella var. glabella	
	Hypoxis hygrometrica Labill. var. hygrometrica , Nov. Holl. Pl. 1: 82 t.108 (1805)	4b:376
	Hypoxis hygrometrica var. villosisepala R.J.F.Hend., Fl. Australia 45: 488 (1987)	4b:377
	Hypoxis pusilla Hook.f. = Pauridia glabella var. glabella	4b:375
	Hypoxis vaginata var. brevistigmata R.J.F.Hend. = Pauridia vaginata var. brevistigmata	4b:376
	Hypoxis vaginata Schldtl. var. vaginata = Pauridia vaginata var. vaginata	4b:376
	Pauridia glabella (R.Br.) Snijman & Kocyan var. glabella , Phytotaxa 116: 27 (2013)	4b:375
	Pauridia vaginata var. brevistigmata (R.J.F.Hend.) Snijman & Kocyan, Phytotaxa 116: 31 (2013)	4b:376
	Pauridia vaginata (Schldtl.) Snijman & Kocyan var. vaginata , Phytotaxa 116: 31 (2013)	4b:376
IRIDACEAE		
i	Chasmanthe floribunda (Salisb.) N.E.Br., Trans. Roy. Soc. South Africa 20: 274 (1932)	
i	Crocoshia × crocosmiiflora (Lemoine ex E.Morren) N.E.Br., Trans. Roy. Soc. South Africa 20: 264 (1932)	4b:417
e	Diplarrena latifolia Benth., Fl. Austral. 6: 400 (1873)	4b:405
	Diplarrena moraea Labill., Voy. Rech. Pérouse 1: 157 (1800)	4b:405
	Diplarrena moraea var. alpina Hook.f. = Diplarrena moraea	
i	Freesia a complex of garden hybrids involving F. alba & F. leichtlinii	4b:416
	Genosiris fragilis Labill. = Paterosonia fragilis	
i	Gladiolus × colvillii Sweet, Brit. Fl. Gard. [Sweet] 2: t.155 (1826)	
i	Gladiolus communis subsp. byzantinus (Mill.) A.P.Ham., Bot. J. Linn. Soc. 76: 358 (1978)	4b:413
	Gladiolus cuspidatus Jacq. = Gladiolus undulatus	4b:413
i	Gladiolus tristis L., Sp. Pl., ed. 2: 53 (1762)	4b:411
i	Gladiolus undulatus L., Mant. Pl. 1: 27 (1767)	4b:413
i t	Hesperantha coccinea (Backh. & Harv.) Goldblatt & J.C.Manning, Novon 6: 263 (1996)	4b:417
	Hewardia tasmanica Hook. = Isophysis tasmanica	4b:401
	Homeria breyniana (L.) G.J.Lewis sensu Willis (1973) = Moraea flaccida	4b:408
	Homeria flaccida Sweet = Moraea flaccida	4b:408
i	Iris foetidissima L., Sp. Pl. 1: 39 (1753)	4b:406
i	Iris germanica L., Sp. Pl. 1: 38 (1753)	4b:406
e	Isophysis tasmanica (Hook.) T.Moore, Proc. Linn. Soc. London 2: 212 (1853)	4b:401
i	Ixia flexuosa L., Sp. Pl., ed. 2: 51 (1762)	4b:414
i	Ixia maculata L., Sp. Pl., ed. 2: 1664 (1763)	4b:414
i	Ixia polystachya L., Sp. Pl., ed. 2: 51 (1762)	4b:414
	Libertia laurencei Hook.f. = Libertia pulchella	
	Libertia pulchella (R.Br.) Spreng. var. pulchella , Syst. Veg. (ed. 16) [Sprengel] 1: 69 (1824)	4b:402

e	Libertia pulchella var. pygmaea D.I.Morris, The Student's Flora of Tasmania 4b: 425 (1994)	4b:402
i	Moraea flaccida (Sweet) Steud., Nomencl. Bot. [Steudel], ed. 2. 2: 160 (1841)	4b:408
	Patersonia fragilis (Labill.) Asch. & Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner]. 3: 532 (1906)	4b:403
	<i>Patersonia glauca</i> R.Br. = Patersonia fragilis	4b:403
	<i>Patersonia longiscapa</i> Sweet = Patersonia occidentalis	4b:403
	Patersonia occidentalis R.Br. var. occidentalis , Prodr. Fl. Nov. Holland. 304 (1810)	4b:403
	<i>Romulea longifolia</i> (Salisb.) Baker = Romulea rosea var. australis	4b:409
	<i>Romulea minutiflora</i> Klatt sensu Buchanan (2009) probably Romulea rosea	
i	Romulea rosea var. australis (Ewart) M.P.de Vos, J. S. African Bot. Suppl. 9: 254 (1972)	4b:409
	<i>Schizostylis coccinea</i> Backh. & Harv. = Hesperantha coccinea	4b:417
i	Sisyrinchium iridifolium Kunth, Nov. Gen. Sp. [H.B.K.] 1: 324 (1816)	4b:402
i	Sparaxis bulbifera (L.) Ker Gawl., Ann. Bot. [König & Sims] 1: 226 (1804)	4b:415
	<i>Trichonema roseum</i> Ker Gawl. sensu Rodway (1903) = Romulea rosea	4b:409
i #	Tritonia gladiolaris (Lam.) Goldblatt & J.C.Manning, Bothalia 36: 57 (2006)	4b:416
	<i>Tritonia lineata</i> (Salisb.) Ker Gawl. = Tritonia gladiolaris	4b:416
	<i>Watsonia bulbifera</i> J.W.Mathews & L.Bolus = Watsonia meriana var. bulbillifera	4b:408
i	Watsonia meriana var. bulbillifera (J.W.Mathews & L.Bolus) D.A.Cooke, J. Adelaide Bot. Gard. 18: 6 (1998)	4b:408
i	Watsonia meriana (L.) Mill. var. meriana , Gard. Dict., ed. 8. no.1 (1768)	4b:409
i	Watsonia versfeldii J.W.Mathews & L.Bolus, Ann. Bolus Herb. 3: 140 (1922)	4b:409
	<i>Watsonia versfeldii</i> var. <i>alba</i> J.W.Mathews & L.Bolus = Watsonia versfeldii	4b:409

JUNCACEAE

i	Juncus acuminatus Michx., Fl. Bor.-Amer. (Michaux) 1: 192 (1803)	4b:75
i	Juncus acutiflorus Ehrh. ex Hoffm., Deutschl. Fl. (Hoffm.) 1: 125 (1791)	4b:77
i	Juncus acutus L., Sp. Pl. 1: 325 (1753)	
	Juncus amabilis Edgar, New Zealand J. Bot. 2: 186, figs.7, 21 (1964)	4b:67
	Juncus antarcticus Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 79, pl.46 (1844)	4b:71
i	Juncus articulatus L., Sp. Pl. 1: 327 (1753)	4b:77
e	Juncus astreptus L.A.S.Johnson, Aspects of Tasmanian Botany: 41 (1991)	4b:66
	Juncus australis Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 66, t.134a (1858)	4b:67
	Juncus bassianus L.A.S.Johnson, Aspects of Tasmanian Botany: 40 (1991)	4b:66
	Juncus bufonius L., Sp. Pl. 1: 328 (1753)	4b:63
i	Juncus bulbosus L., Sp. Pl. 1: 327 (1753)	4b:73
	Juncus caespiticus E.Mey., Pl. Preiss. [J.G.C.Lehman] 2: 47 (1846)	4b:72
	<i>Juncus capillaceus</i> Hook.f. sensu Rodway (1903) = Juncus sandwithii	4b:74
i	Juncus capitatus Weigel, Observ. Bot. (Weigel): 28 (1772)	4b:70
	<i>Juncus communis</i> E.Mey. sensu Rodway (1903) = Juncus australis	4b:67
i	Juncus conglomeratus L., Sp. Pl. 1: 326 (1753)	4b:69
e	Juncus curtisiae L.A.S.Johnson, Aspects of Tasmanian Botany: 44 (1991)	4b:74
i	Juncus effusus L., Sp. Pl. 1: 326 (1753)	4b:69
	Juncus falcatus E.Mey. subsp. falcatus , Syn. Luzul. 34 (1823)	4b:71
	Juncus filicaulis Buchenau, Proc. Linn. Soc. New South Wales 28: 912 (1904)	4b:68
	Juncus fockei Buchenau, Bot. Jahrb. Syst. 12: 358 (1890)	4b:75

i	Juncus gerardii Loisel., J. Bot. (Desvaux) 2: 284 (1809)	
	Juncus gregiflorus L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 243 (1963)	4b:66
	<i>Juncus gunnii</i> Hook.f. = Juncus pauciflorus	
	Juncus holoschoenus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:75
i	Juncus indeseptus Steud., Syn. Pl. Glum. 2: 304 (1855)	4b:72
	Juncus kraussii subsp. australiensis (Buchenau) Snogerup, Willdenowia 23: 61 (1993)	4b:70
	<i>Juncus maritimus</i> Lam. sensu Rodway (1903) = Juncus kraussii subsp. australiensis	4b:70
i #	Juncus microcephalus Kunth, Bonpland & Kunth, Nov. Gen. Sp. [H.B.K.] 1: 237 (1816)	4b:75
	Juncus pallidus R.Br., Prodr. Fl. Nov. Holland. 258 (1810)	4b:64
	Juncus pauciflorus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:65
	Juncus planifolius R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:71
	Juncus prismatocarpus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:73
	Juncus procerus E.Mey., Linnaea 3: 367 (1828)	4b:65
	<i>Juncus pusillus</i> Buchenau sensu Willis (1973) = Juncus sandwithii	4b:74
e	Juncus ratkowskyanus L.A.S.Johnson, Aspects of Tasmanian Botany: 43 (1991)	4b:74
	Juncus revolutus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:63
	Juncus sandwithii Lourteig, Comite National Francais des Recherches Antarctiques 23: 44 (1968)	4b:74
	Juncus sarophorus L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 242 (1963)	4b:68
i t	Juncus squarrosus L., Sp. Pl. 1: 327 (1753)	4b:62
	Juncus subsecundus N.A.Wakef., Vict. Naturalist 73: 211 (1957)	4b:69
i	Juncus tenuis Willd., Sp. Pl., ed. 4 [Willdenow] 2: 214 (1799)	4b:62
	Juncus vaginatus R.Br., Prodr. Fl. Nov. Holland. 258 (1810)	4b:65
	Luzula acutifolia H.Nordensk. subsp. acutifolia , Bot. Not. 122: 85 (1969)	4b:84
	Luzula atrata Edgar, New Zealand J. Bot. 13: 794 (1975)	4b:83
e	Luzula australasica Steud. subsp. australasica , Syn. Pl. Glumac. 2: 294 (1855)	4b:82
i t	Luzula campestris (L.) DC., Fl. Franc. (DC. & Lamarck), ed. 3. 3: 161 (1805)	4b:81
i t	Luzula congesta (Thuill.) Lej., Fl. Spa 1: 168 (1811)	4b:81
	Luzula densiflora (H.Nordensk.) Edgar, New Zealand J. Bot. 13: 786 (1975)	4b:80
	Luzula flaccida (Buchenau) Edgar, New Zealand J. Bot. 13: 786 (1975)	4b:80
	Luzula meridionalis H.Nordensk., Bot. Not. 122: 71 (1969)	4b:78
	Luzula modesta Buchenau, Pflanzenr. (Engler) 25: 80, fig.51 (1906)	4b:82
i t	Luzula multiflora (Ehrh.) Lej., Fl. Spa 1: 169 (1811)	4b:81
	Luzula novae-cambriae Gand., Bull. Soc. Bot. France 46: 392 (1900)	4b:82
	<i>Luzula oldfieldii</i> Hook.f. = Luzula australasica subsp. australasica	4b:82
e	Luzula poimena W.M.Curtis, Brunonia 7: 297 (1985)	4b:83

JUNCAGINACEAE

	Cycnogeton alcockiae (Aston) Mering & Kadereit, Diversity, Phylogeny, and Evolution in the Monocotyledons: 73 (2010)	4b:427
	Cycnogeton procerum (R.Br.) Buchenau, Abh. Naturwiss. Vereins Bremen 224 (1867)	4b:14
	Cycnogeton rheophilum (Aston) Mering & Kadereit, Diversity, Phylogeny, and Evolution in the Monocotyledons: 73 (2010)	4b:427
	<i>Triglochin alcockiae</i> Aston = Cycnogeton alcockiae	4b:427
	<i>Triglochin centrocarpum</i> Hook. = Triglochin nana (misapplied in Tasmania)	4b:16

Triglochin decipiens R.Br. = Triglochin striata	
Triglochin minutissima F.Muell., Fragm. (Mueller) 6: 82 (1867)	4b:16
Triglochin mucronata R.Br., Prodr. Fl. Nov. Holland. 343 (1810)	4b:16
Triglochin nana F.Muell., Fragm. (Mueller) 6: 82 (1867)	4b:16
Triglochin procera R.Br. = Cycnogeton procerum	4b:14
Triglochin rheophila Aston = Cycnogeton rheophilum	4b:427
Triglochin striata Ruiz & Pav., Fl. Peruv. 3: 72 (1802)	4b:16
Triglochin triandra Michx. sensu Hooker (1860) = Triglochin striata	

LAXMANNIACEAE

Arthropodium laxum Hook.f. nom. illeg. = Arthropodium strictum	
Arthropodium milleflorum (DC.) J.F.Macbr., Contr. Gray Herb. 3(56): 2 (1918)	4b:384
Arthropodium minus R.Br., Prodr. Fl. Nov. Holland. 276 (1810)	4b:385
Arthropodium paniculatum (Haw.) R.Br. = Arthropodium milleflorum	4b:384
e Arthropodium pendulum DC., Cat. Pl. Horti Monsp. 80 (1813)	
Arthropodium strictum R.Br., Prodr. Fl. Nov. Holland. 276 (1810)	4b:388
Chamaescilla corymbosa (R.Br.) F.Muell. ex Benth. var. corymbosa , Fl. Austral. 7: 48 (1878)	4b:387
i Cordyline australis (G.Forst.) Endl., Prodr. Fl. Norfolk. 29 (1833)	
Dichopogon strictus (R.Br.) Baker = Arthropodium strictum	4b:388
Laxmannia minor R.Br. sensu Hooker (1860) = Laxmannia orientalis	
Laxmannia morrisii Keighery = Laxmannia squarrosa	
Laxmannia orientalis Keighery, Fl. Australia 45: 492 (1987)	4b:388
Laxmannia sessiliflora Decne. sensu Rodway (1903) = Laxmannia orientalis	4b:388
Laxmannia squarrosa Lindl. recorded in error	
Sowerbaea juncea Andrews, Bot. Repos. 2: t.81 (1800)	4b:389
Thysanotus patersonii R.Br., Prodr. Fl. Nov. Holland. 284 (1810)	4b:389

LUZURIAGACEAE

Dryophila cyanocarpa R.Br., Prodr. Fl. Nov. Holland. 292 (1810)	4b:369
--	--------

MELANTHIACEAE

Aletris punicea Labill. = Blandfordia punicea (Blandfordiaceae)	
--	--

ORCHIDACEAE

Acianthus bifolius R.Br. = Chiloglottis reflexa	
Acianthus caudatus R.Br., Prodr. Fl. Nov. Holland. 321 (1810)	4a:117
Acianthus exsertus R.Br. sensu Curtis (1979) = Acianthus pusillus	4a:117
Acianthus pusillus D.L.Jones, Austral. Orchid Res. 2: 7 (1991)	4a:117
Acianthus reniformis (R.Br.) Schltr. = Cyrtostylis reniformis	4a:119
Acianthus viridis Hook.f. = Townsonia viridis	4a:118
Anzybas fordhamii (Rupp) D.L.Jones & M.A.Clem. = Corybas fordhamii	4a:124
Anzybas unguiculatus (R.Br.) D.L.Jones & M.A.Clem. = Corybas unguiculatus	4a:124
Arachnorchis anthracina (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia anthracina	
Arachnorchis australis (G.W.Carr) D.L.Jones & M.A.Clem. = Caladenia australis	
Arachnorchis brachyscapa (G.W.Carr) D.L.Jones & M.A.Clem. = Caladenia brachyscapa	
Arachnorchis cardiochila (Tate) D.L.Jones & M.A.Clem. = Caladenia cardiochila	
Arachnorchis caudata (Nicholls) D.L.Jones & M.A.Clem. = Caladenia caudata	4a:101

	Arachnorchis clavigera (A.Cunn. ex Lindl.) D.L.Jones & M.A.Clem. = Caladenia clavigera	4a:105
	Arachnorchis dienema (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia dienema	
	Arachnorchis dilatata (R.Br.) D.L.Jones & M.A.Clem. = Caladenia dilatata	4a:100
	Arachnorchis echidnachila (Nicholls) D.L.Jones & M.A.Clem. = Caladenia echidnachila	4a:101
	Arachnorchis helvina (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia helvina	
	Arachnorchis lindleyana (Rchb.f.) D.L.Jones & M.A.Clem. = Caladenia lindleyana	
	Arachnorchis pallida (Lindl.) D.L.Jones & M.A.Clem. = Caladenia pallida	4a:104
	Arachnorchis patersonii (R.Br.) D.L.Jones & M.A.Clem. = Caladenia patersonii	4a:100
	Arachnorchis saggicola (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia saggicola	
	Arthrochilus huntianus (F.Muell.) Blaxell subsp. huntianus = Thynninorchis huntiana	4a:89
	Arthrochilus huntianus subsp. nothofagicola D.L.Jones = Thynninorchis nothofagicola	
	Bunochilus melagrammus (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis melagramma	4a:27
	Bunochilus stenochilus (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis stenochila	
	Bunochilus tunstallii (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = Pterostylis tunstallii	
	Bunochilus williamsonii (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis williamsonii	
	Burnettia cuneata Lindl., Gen. Sp. Orchid. Pl. 518 (1840)	4a:92
	Caladenia alata R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:107
	Caladenia alba R.Br. recorded in error	
	Caladenia alpina R.S.Rogers, Trans. Roy. Soc. South Australia 51: 12 (1927)	4a:111
e	Caladenia angustata Lindl., Gen. Sp. Orchid. Pl. 420 (1840)	4a:108
e	Caladenia anthracina D.L.Jones, Austral. Orchid Res. 3: 21 (1998)	
	Caladenia atkinsonii Rodway = Caladenia carnea	4a:107
e	Caladenia atrata D.L.Jones, Muelleria 8: 178 (1994)	4a:111
e	Caladenia atrochila D.L.Jones, Austral. Orchid Res. 3: 23 (1998)	
	Caladenia aurantiaca (R.S.Rogers) Rupp, Proc. Linn. Soc. New South Wales 71: 280 (1947)	
	Caladenia australis G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 2 (1991)	
	Caladenia barbata Lindl. sensu Hooker (1860) = Pheladenia deformis	
	Caladenia brachyscapa G.W.Carr, Muelleria 6: 439 (1988)	
	Caladenia caerulea R.Br. sensu Bentham (1873) = Cyanicula caerulea	
e	Caladenia campbellii D.L.Jones, Austral. Orchid Res. 3: 25 (1998)	
x	Caladenia cardiochila Tate, Trans. Roy. Soc. South Australia 9: 60, t.2 (1887)	
	Caladenia carnea R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:106
	Caladenia carnea var. pygmaea R.S.Rogers sensu Curtis (1953) = Caladenia pusilla	
	Caladenia carnea var. quadriseriata Benth. = Caladenia gracilis	
	Caladenia catenata (Sm.) Druce var. catenata sensu Curtis (1979) p.p. = Caladenia sylvicola (misapplied in Tasmania)	
	Caladenia catenata (Sm.) Druce var. catenata sensu Curtis (1979) p.p. = Caladenia carnea (misapplied in Tasmania)	4a:106
	Caladenia catenata var. exigua sensu Curtis (1979) = Caladenia alata	4a:107
	Caladenia catenata var. gigantea sensu Curtis (1979) = Caladenia carnea	4a:106
	Caladenia catenata var. minor (Hook.f.) W.M.Curtis = Caladenia mentiens	4a:106
e	Caladenia caudata Nicholls, Vict. Naturalist 64: 231 (1948)	4a:101
	Caladenia clavigera A.Cunn. ex Lindl., Gen. Sp. Orchid. Pl. 422 (1840)	4a:105

	Caladenia congesta R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:112
	Caladenia cordiformis R.S.Rogers = Caladenia clavigera	
	Caladenia corynepetala D.L.Jones = Caladenia dilatata	4a:100
e	Caladenia cracens D.L.Jones, Muelleria 9: 46 (1996)	4a:111
	Caladenia cucullata Fitzg. sensu Curtis (1979) p.p. = Caladenia gracilis (misapplied in Tasmania)	
	Caladenia cucullata Fitzg. sensu Curtis (1979) p.p. = Caladenia atrata (misapplied in Tasmania)	4a:111
	Caladenia deformis R.Br. = Pheladenia deformis	4a:113
e	Caladenia dienema D.L.Jones, Austral. Orchid Res. 3: 28 (1998)	
	Caladenia dilatata R.Br., Prodr. Fl. Nov. Holland. 325 (1810)	4a:100
	Caladenia dimorpha Fitzg. sensu Curtis (1979) = Caladenia gracilis (?)	4a:109
e	Caladenia echidnachila Nicholls, Pap. & Proc. Roy. Soc. Tasmania 1932: 13, t.6 (1933)	4a:101
	Caladenia filamentosa R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:99
	Caladenia fuscata (Rchb.f.) M.A.Clem. & D.L.Jones, Austral. Orchid Res. 1: 25 (1989)	
	Caladenia gracilis R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:110
e	Caladenia helvina D.L.Jones, Austral. Orchid Res. 2: 26, f.30 (1991)	
	Caladenia iridescens R.S.Rogers sensu Curtis (1979) = Caladenia transitoria	4a:112
	Caladenia latifolia R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:105
e	Caladenia lindleyana (Rchb.f.) M.A.Clem. & D.L.Jones, Austral. Orchid Res. 1: 27 (1989)	
	Caladenia longii R.S.Rogers = Caladenia angustata	4a:108
	Caladenia lyallii Hook.f. sensu Curtis (1979) p.p. = Caladenia alpina (misapplied in Tasmania)	
	Caladenia lyallii Hook.f. sensu Curtis (1979) p.p. = Caladenia cracens (misapplied in Tasmania)	4a:111
	Caladenia mentiens D.L.Jones, Austral. Orchid Res. 3: 35 (1998)	4a:106
	Caladenia menziesii R.Br. = Leptoceras menziesii	4a:99
e	Caladenia pallida Lindl., Gen. Sp. Orchid. Pl. 421 (1840)	4a:104
	Caladenia patersonii R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:100
	Caladenia patersonii var. dilatata (R.Br.) Benth. = Caladenia dilatata	
	Caladenia praecox Nicholls sensu Curtis (1979) = Caladenia angustata (?)	4a:109
	Caladenia prolata D.L.Jones, Austral. Orchid Res. 2: 30 (1991)	
	Caladenia pusilla W.M.Curtis, The Student's Flora of Tasmania 4a: 133 (1980)	4a:107
	Caladenia reticulata Fitzg. sensu Curtis (1979) = Caladenia lindleyana	
e	Caladenia saggicola D.L.Jones, Austral. Orchid Res. 3: 39 (1998)	
	Caladenia simulans G.W.Carr = Caladenia dilatata	
	Caladenia suaveolens (R.Br.) Rchb.f. = Lyperanthus suaveolens	4a:94
e	Caladenia sylvicola D.L.Jones, Austral. Orchid Res. 3: 40 (1998)	
	Caladenia testacea R.Br. sensu Rodway (1903) = Caladenia atrata	
e	Caladenia tonellii D.L.Jones, Austral. Orchid Res. 3: 41 (1998)	
	Caladenia transitoria D.L.Jones, Austral. Orchid Res. 3: 42 (1998)	4a:112
	Caladenia tutelata R.S.Rogers = Phelodia tutelata	4a:113
	Caladenia venusta G.W.Carr sensu Buchanan (1995) = Caladenia saggicola	
e	Caladenia vulgaris var. nunguensis Wapstra & Broadfield, The Orchadian 20(4): 149 (2021)	
	Caladenia vulgaris D.L.Jones var. vulgaris , Austral. Orchid Res. 2: 34 (1991)	
	×Calassodia tutelata (R.S.Rogers) M.A.Clem. nom. inval. = Phelodia tutelata	4a:113
	Caleana major R.Br., Prodr. Fl. Nov. Holland. 329 (1810)	4a:87

	<i>Caleana minor</i> R.Br. = Paracaleana minor	4a:88
	Calochilus campestris R.Br., Prodr. Fl. Nov. Holland. 320 (1810)	4a:53
e	Calochilus herbaceus Lindl., Gen. Sp. Orchid. Pl. 459 (1840)	4a:55
	Calochilus imberbis R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 4 (1927)	4a:53
	Calochilus paludosus R.Br., Prodr. Fl. Nov. Holland. 320 (1810)	4a:56
	Calochilus platytilus D.L.Jones, Orchadian 15: 547 (2008)	4a:55
	<i>Calochilus robertsonii</i> Benth. sensu Curtis (1979) = Calochilus platytilus	4a:55
	<i>Calochilus saprophyticus</i> R.S.Rogers sensu Curtis (1953) = Calochilus campestris	
	<i>Calonema filamentosum</i> (R.Br.) D.L.Jones & M.A.Clem. = Caladenia filamentosa	4a:99
	<i>Calonemorhis filamentosa</i> (R.Br.) Szlach. = Caladenia filamentosa	4a:99
	Chiloglottis cornuta Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 69 (1844)	4a:85
	<i>Chiloglottis diphylla</i> R.Br. sensu Rodway (1903) = Chiloglottis reflexa	4a:86
e	Chiloglottis grammata G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 20 (1991)	4a:86
e	Chiloglottis gunnii Lindl., Gen. Sp. Orchid. Pl. 387 (1840)	4a:84
	<i>Chiloglottis</i> × <i>pescottiana</i> R.S.Rogers sensu Curtis (1953, 1979) = Chiloglottis grammata	4a:86
	<i>Chiloglottis platytila</i> G.W.Carr = Chiloglottis gunnii	
	Chiloglottis reflexa (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 614 (1917)	4a:86
	Chiloglottis trapeziformis Fitzg., Austral. Orch. 1(3): t.9 (1877)	4a:86
e	Chiloglottis triceratops D.L.Jones, Austral. Orchid Res. 3: 66 (1998)	
	<i>Chiloglottis trilabra</i> Fitzg. sensu Jones et al. (1999) = Chiloglottis reflexa (misapplied in Tasmania)	
	Chiloglottis valida D.L.Jones, Austral. Orchid Res. 2: 43 (1991)	
e	Chiloglottis sp. Wielangta (M.Wapstra 934) Tas Herbarium	
	Corunastylis archeri (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:82
e	Corunastylis brachystachya (Lindl.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:79
	Corunastylis despectans (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:76
e	Corunastylis firthii (Cady) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:80
	Corunastylis morrisii (Nicholls) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:83
	Corunastylis nuda (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:82
e	Corunastylis nudiscapa (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:79
	Corunastylis pumila (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:80
e	Corunastylis tasmanica (D.L.Jones) D.L.Jones & M.A.Clem., Orchadian 13: 462 (2002)	4a:77
	Corybas aconitiflorus Salisb., Parad. Lond. 1(2): t.83 (1806)	4a:123
	<i>Corybas diemenicus</i> (Lindl.) Rupp sensu Curtis (1979) = Corybas incurvus (misapplied in Tasmania)	4a:121
	Corybas diemenicus (Lindl.) Rchb.f., Beitr. Syst. Pflanzenk. 42 (1871)	4a:121
	<i>Corybas dilatatus</i> (Rupp & Nicholls) Rupp & Nicholls ex Rupp sensu Curtis (1979) = Corybas diemenicus (misapplied in Tasmania)	4a:121
	Corybas fimbriatus (R.Br.) Rchb.f., Beitr. Syst. Pflanzenk. 42 (1871)	4a:121
	Corybas fordhamii (Rupp) Rupp, Vict. Naturalist 59: 61 (1942)	4a:124
	Corybas incurvus D.L.Jones & M.A.Clem., Kew Bull. 43: 135 (1988)	4a:121
	Corybas unguiculatus (R.Br.) Rchb.f., Beitr. Syst. Pflanzenk. 43 (1871)	4a:124
	<i>Corysanthes bicalcarata</i> R.Br. = Corybas aconitiflorus	4a:123
	<i>Corysanthes diemenica</i> Lindl. = Corybas diemenicus	4a:121

	<i>Corysanthes dilatata</i> Rupp & Nicholls sensu Nicholls & Olsen (1941) = Corybas diemenicus (misapplied in Tasmania)	
	<i>Corysanthes fimbriata</i> R.Br. = Corybas fimbriatus	4a:121
	<i>Corysanthes incurva</i> (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = Corybas incurvus	4a:121
	<i>Corysanthes pruinosa</i> R.Cunn. sensu Rodway (1903) = Corybas incurvus	4a:121
	<i>Corysanthes unguiculata</i> R.Br. = Corybas unguiculatus	
	<i>Crangonorchis pedoglossa</i> (Fitzg.) D.L.Jones & M.A.Clem. = Pterostylis pedoglossa	4a:13
	Cryptostylis leptochila F.Muell. ex Benth., Fl. Austral. 6: 334 (1873)	4a:126
	<i>Cryptostylis longifolia</i> R.Br. = Cryptostylis subulata	4a:125
	Cryptostylis subulata (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 15 (1871)	4a:125
	<i>Cyanicula caerulea</i> (R.Br.) Hopper & A.P.Br. recorded in error	
	Cyrtostylis reniformis R.Br., Prodr. Fl. Nov. Holland. 322 (1810)	4a:119
	Cyrtostylis robusta D.L.Jones & M.A.Clem., Lindleyana 2: 157 (1987)	
	<i>Dendrobium milliganii</i> F.Muell. = Dockrillia striolata	
	<i>Dendrobium striolatum</i> Rchb.f. = Dockrillia striolata	4a:129
	<i>Diplodium alatum</i> (Labill.) D.L.Jones & M.A.Clem. = Pterostylis alata	4a:20
	<i>Diplodium atrans</i> (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis atrans	4a:22
	<i>Diplodium decurvum</i> (R.S.Rogers) D.L.Jones & M.A.Clem. = Pterostylis decurva	4a:22
	<i>Diplodium grandiflorum</i> (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis grandiflora	4a:20
	<i>Dipodium punctatum</i> (Sm.) R.Br. sensu Curtis (1979) = Dipodium roseum	4a:131
	Dipodium roseum D.L.Jones & M.A.Clem., Austral. Orchid Res. 2: 51 (1991)	4a:131
i	Disa bracteata Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 211 (1800)	
	<i>Disperis alata</i> Labill. = Pterostylis alata	
	Diuris chryseopsis D.L.Jones, Austral. Orchid Res. 3: 74 (1998)	4a:34
	<i>Diuris corymbosa</i> Lindl. sensu Curtis (1979) = Diuris orientis	4a:36
	<i>Diuris flavopurpurea</i> Messmer sensu Curtis (1979) = Diuris pardina	4a:35
e	Diuris lanceolata Lindl., Gen. Sp. Orchid. Pl. 508 (1840)	4a:34
	<i>Diuris longifolia</i> R.Br. sensu Curtis (1979) = Diuris orientis	4a:36
	<i>Diuris maculata</i> Sm. sensu Curtis (1979) = Diuris pardina	4a:34
	Diuris monticola D.L.Jones, Austral. Orchid Res. 3: 76 (1998)	
	Diuris orientis D.L.Jones, Austral. Orchid Res. 3: 77 (1998)	4a:36
	<i>Diuris palachila</i> R.S.Rogers sensu Curtis (1979) = Diuris chryseopsis × D. pardina	4a:35
	Diuris palustris Lindl., Gen. Sp. Orchid. Pl. 507 (1840)	4a:32
	Diuris pardina Lindl., Gen. Sp. Orchid. Pl. 507 (1840)	4a:34
	<i>Diuris pedunculata</i> R.Br. sensu Curtis (1979) p.p.maj. = Diuris chryseopsis (misapplied in Tasmania)	4a:34
	Diuris sulphurea R.Br., Prodr. Fl. Nov. Holland. 316 (1810)	4a:36
	Dockrillia striolata (Rchb.f.) Rauschert, Feddes Repert. 94(7-8): 447 (1983)	4a:129
	<i>Dockrillia striolata</i> subsp. <i>chrysantha</i> D.L.Jones = Dockrillia striolata	
	<i>Dockrillia striolata</i> subsp. <i>milliganii</i> (F.Muell.) D.L.Jones = Dockrillia striolata	
	<i>Epipactis cucullata</i> Labill. = Eriochilus cucullatus	
	<i>Epipactis reflexa</i> Labill. = Chiloglottis reflexa	
	<i>Eriochilus autumnalis</i> R.Br. sensu Rodway (1903) = Eriochilus cucullatus	4a:91
	Eriochilus cucullatus (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 27 (1871)	4a:91

Eriochilus magenteus D.L.Jones sensu Baker & Duretto (2011) = Eriochilus cucullatus possibly reported in error	
Gastrodia procera G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 22 (1991)	
Gastrodia sesamoides R.Br., Prodr. Fl. Nov. Holland. 330 (1810)	4a:127
Gastrodia surcula D.L.Jones, Orchadian 15: 554 (2008)	
Genoplesium archeri (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis archeri	4a:82
Genoplesium brachystachyum (Lindl.) D.L.Jones & M.A.Clem. = Corunastylis brachystachya	4a:79
Genoplesium despectans (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis despectans	4a:76
Genoplesium firthii (Cady) D.L.Jones = Corunastylis firthii	4a:80
Genoplesium morrisii (Nicholls) D.L.Jones & M.A.Clem. = Corunastylis morrisii	4a:83
Genoplesium nudiscapum (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis nudiscapa	4a:79
Genoplesium nudum (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis nuda	4a:82
Genoplesium pumilum (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis pumila	4a:80
Genoplesium tasmanicum D.L.Jones = Corunastylis tasmanica	4a:77
×Glossadenia tutelata Kavulak nom. inval. = Phelodia tutelata	
Glossodia major R.Br., Prodr. Fl. Nov. Holland. 326 (1810)	4a:90
Gunnia australis Lindl. sensu Hooker (1860) = Sarcochilus australis	
Hydrorchis orbicularis (R.S.Rogers) D.L.Jones & M.A.Clem., Orchadian 13: 462 (2002)	4a:60
Hymenochilus cycnocephalus (Fitzg.) D.L.Jones & M.A.Clem. sensu Buchanan (2005) = Pterostylis ziegeleri	4a:26
Hymenochilus muticus (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis mutica	4a:25
Hymenochilus pratensis (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis pratensis	
Hymenochilus rubenachii (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis rubenachii	
Hymenochilus wapstrarum (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis wapstrarum	
Hymenochilus ziegeleri (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis ziegeleri	
Jonesiopsis filamentosa (R.Br.) D.L.Jones & M.A.Clem. = Caladenia filamentosa	4a:99
Leptoceras menziesii (R.Br.) Lindl., Gen. Sp. Orchid. Pl. 416 (1840)	4a:99
Linguella nana (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis nana	4a:14
Lyperanthus nigricans R.Br. = Pyrorchis nigricans	4a:93
Lyperanthus suaveolens R.Br., Prodr. Fl. Nov. Holland. 325 (1810)	4a:94
Malaxis subulata Labill. = Cryptostylis subulata	
Microtidium atratum (Lindl.) D.L.Jones & M.A.Clem., Orchadian 13: 463 (2002)	4a:60
Microtis arenaria Lindl., Gen. Sp. Orchid. Pl. 396 (1840)	4a:58
Microtis atrata Lindl. = Microtidium atratum	4a:60
Microtis biloba Nicholls = Microtis arenaria	4a:58
Microtis oblonga R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 339 (1923)	4a:59
Microtis orbicularis R.S.Rogers = Hydrorchis orbicularis	4a:60
Microtis parviflora R.Br., Prodr. Fl. Nov. Holland. 321 (1810)	4a:59
Microtis porrifolia var. parviflora (R.Br.) Rodway nom. illeg., sensu Rodway (1903) = Microtis parviflora	
Microtis pulchella R.Br. sensu Hooker (1860) p.p. = Microtis arenaria (misapplied in Tasmania)	
Microtis pulchella R.Br. sensu Hooker (1860) p.p. = Microtis unifolia (misapplied in Tasmania)	
Microtis rara R.Br. sensu Curtis (1979) = Microtis oblonga	4a:59

	Microtis unifolia (G.Forst.) Rchb.f., Beitr. Syst. Pflanzenk. 62 (1871)	4a:58
	Nemacianthus caudatus (R.Br.) D.L.Jones & M.A.Clem. = Acianthus caudatus	4a:117
	Oligochaetochilus commutatus (D.L.Jones) Szlach. = Pterostylis commutata	
	Oligochaetochilus pratensis (D.L.Jones) Szlach. = Pterostylis pratensis	
	Oligochaetochilus rubenachii (D.L.Jones) Szlach. = Pterostylis rubenachii	
	Oligochaetochilus squamatus (R.Br.) Szlach. = Pterostylis squamata	4a:27
	Oligochaetochilus stenochilus (D.L.Jones) Szlach. = Pterostylis stenochila	
	Oligochaetochilus wapstrarum (D.L.Jones) Szlach. = Pterostylis wapstrarum	
	Oligochaetochilus williamsonii (D.L.Jones) Szlach. = Pterostylis williamsonii	
	Oligochaetochilus ziegleri (D.L.Jones) Szlach. = Pterostylis ziegleri	
	Orthoceras strictum R.Br., Prodr. Fl. Nov. Holland. 317 (1810)	4a:30
	Paracaleana minor (R.Br.) Blaxell, Contr. New South Wales Natl. Herb. 4: 281 (1972)	4a:88
	Paraprasophyllum abblittiorum M.A.Clem. & D.L.Jones nom. inval. = Prasophyllum abblittiorum	
	Paraprasophyllum abblittiorum D.L.Jones nom. inval. = Prasophyllum abblittiorum	
e	Paraprasophyllum alpinum (R.Br.) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 33 (2019)	4a:75
e	Paraprasophyllum amoenum (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 33 (2019)	
e	Paraprasophyllum apoxychilum (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 33 (2019)	
e	Paraprasophyllum atratum (D.L.Jones & D.T.Rouse) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 33 (2019)	
	Paraprasophyllum brevilabre D.L.Jones nom. inval. = Prasophyllum brevilabre	
	Paraprasophyllum brevilabre M.A.Clem. & D.L.Jones nom. inval. = Prasophyllum brevilabre	
e	Paraprasophyllum castaneum (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 34 (2019)	
e	Paraprasophyllum concinnum (Nicholls) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 34 (2019)	4a:73
e	Paraprasophyllum crebriflorum (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 34 (2019)	
e	Paraprasophyllum favonium (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 35 (2019)	
e	Paraprasophyllum incorrectum (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 35 (2019)	
e	Paraprasophyllum incurvum (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 35 (2019)	
e	Paraprasophyllum limnetes (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 35 (2019)	
	Paraprasophyllum lindleyanum (Rchb.f.) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 35 (2019)	4a:74
e	Paraprasophyllum milfordense (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 35 (2019)	
e	Paraprasophyllum mimulum (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 35 (2019)	4a:69
e	Paraprasophyllum olidum (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 36 (2019)	

- e **Paraprasophyllum perangustum** (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 36 (2019) 4a:72
- e **Paraprasophyllum pulchellum** (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 37 (2019)
- e **Paraprasophyllum robustum** (Nicholls) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 37 (2019)
- e **Paraprasophyllum rostratum** (Lindl.) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 37 (2019)
- e **Paraprasophyllum secutum** (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 37 (2019)
- Paraprasophyllum sphacelatum** (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 37 (2019)
- e **Paraprasophyllum stellatum** (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 37 (2019)
- Paraprasophyllum tadgellianum D.L.Jones nom. inval. = **Prasophyllum tadgellianum**
- Paraprasophyllum tadgellianum M.A.Clem. & D.L.Jones nom. inval. = **Prasophyllum tadgellianum**
- e **Paraprasophyllum taphanyx** (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 38 (2019)
- e **Paraprasophyllum truncatum** (Lindl.) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 38 (2019) 4a:71
- e **Paraprasophyllum tunbridgense** (D.L.Jones) M.A.Clem. & D.L.Jones, Australian Orchid Rev. 84(5): 38 (2019)
- Petalochilus alatus (R.Br.) D.L.Jones & M.A.Clem. = **Caladenia alata**
- Petalochilus atrochilus (D.L.Jones) D.L.Jones & M.A.Clem. = **Caladenia atrochila**
- Petalochilus aurantiacus (R.S.Rogers) D.L.Jones & M.A.Clem. = **Caladenia aurantiaca**
- Petalochilus campbellii (D.L.Jones) D.L.Jones & M.A.Clem. = **Caladenia campbellii**
- Petalochilus carneus (R.Br.) D.L.Jones & M.A.Clem. = **Caladenia carneus** 4a:106
- Petalochilus fuscatus (Rchb.f.) D.L.Jones & M.A.Clem. = **Caladenia fuscata**
- Petalochilus mentiens (D.L.Jones) D.L.Jones & M.A.Clem. = **Caladenia mentiens**
- Petalochilus prolatus (D.L.Jones) D.L.Jones & M.A.Clem. = **Caladenia prolata**
- Petalochilus pusillus (W.M.Curtis) D.L.Jones & M.A.Clem. = **Caladenia pusilla** 4a:107
- Petalochilus sylvicola (D.L.Jones) D.L.Jones & M.A.Clem. = **Caladenia sylvicola**
- Petalochilus tonellii (D.L.Jones) D.L.Jones & M.A.Clem. = **Caladenia tonellii**
- Petalochilus vulgaris (D.L.Jones) D.L.Jones & M.A.Clem. = **Caladenia vulgaris**
- Pheladenia deformis** (R.Br.) D.L.Jones & M.A.Clem., Orchadian 13: 411 (2001) 4a:113
- ×**Phelodia tutelata** (R.S.Rogers) Kellermann, Swainsona 35: 65 (2021)
- Plumatichilos plumosum (Cady) Szlach. (Tasmanian plants) = **Pterostylis straminea** 4a:24
- Plumatichilos stramineus D.L.Jones = **Pterostylis straminea**
- Plumatichilos tasmanicum (D.L.Jones) Szlach. = **Pterostylis tasmanica**
- e **Prasophyllum ablittiorum** P.A.Collier, Muelleria 36: 5 (2017)
- Prasophyllum album R.S.Rogers sensu Curtis (1979) a name of uncertain application 4a:69
- Prasophyllum alpestre D.L.Jones sensu Buchanan (1999) = **Paraprasophyllum mimulum** (misapplied in Tasmania)
- Prasophyllum alpinum R.Br. = **Paraprasophyllum alpinum** 4a:75
- Prasophyllum amoenum D.L.Jones = **Paraprasophyllum amoenum**

	Prasophyllum apoxychilum D.L.Jones = Paraprasophyllum apoxychilum	
	Prasophyllum archeri Hook.f. = Corunastylis archeri	4a:82
e	Prasophyllum sp. Arthurs Lake (R.Smith DLJI 1363) Tas Herbarium	
	Prasophyllum atratum D.L.Jones = Paraprasophyllum atratum	
	Prasophyllum australe R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:66
	Prasophyllum beaugleholei Nicholls = Corunastylis nuda	4a:82
	Prasophyllum brachystachyum Lindl. = Corunastylis brachystachya	4a:79
	Prasophyllum brainei R.S.Rogers = Paraprasophyllum lindleyanum	4a:74
	Prasophyllum brevilabre (Lindl.) Hook.f., Bot. Antarct. Voy. Ill. (Fl. Tasman.) 2: 11, t.110A (1858)	4a:68
	Prasophyllum buftonianum J.H.Willis = Corunastylis pumila	4a:80
	Prasophyllum castaneum D.L.Jones = Paraprasophyllum castaneum	
	Prasophyllum concinnum Nicholls = Paraprasophyllum concinnum	4a:73
	Prasophyllum correctum D.L.Jones sensu Buchanan (1999) = Paraprasophyllum incorrectum (misapplied in Tasmania)	
	Prasophyllum crebriflorum D.L.Jones = Paraprasophyllum crebriflorum	
	Prasophyllum despectans Hook.f. = Corunastylis despectans	4a:76
	Prasophyllum elatum R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:67
	Prasophyllum favonium D.L.Jones = Paraprasophyllum favonium	
	Prasophyllum firthii Cady = Corunastylis firthii	4a:80
	Prasophyllum fitzgeraldii R.S.Rogers & Maiden sensu Buchanan (1995) recorded in error	
	Prasophyllum flavum R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:66
	Prasophyllum frenchii F.Muell. sensu Curtis (1979) a name of uncertain application	4a:73
	Prasophyllum fuscum R.Br. sensu Curtis (1979) a name of uncertain application	4a:75
	Prasophyllum gracile Lindl. sensu Curtis (1979) a name of uncertain application	4a:72
	Prasophyllum incorrectum D.L.Jones = Paraprasophyllum incorrectum	
	Prasophyllum incurvum D.L.Jones = Paraprasophyllum incurvum	
	Prasophyllum intricatum C.Stuart ex Benth. = Corunastylis archeri	4a:82
	Prasophyllum limnetes D.L.Jones = Paraprasophyllum limnetes	
	Prasophyllum lindleyanum Rchb.f. = Paraprasophyllum lindleyanum	4a:74
	Prasophyllum lutescens Lindl. sensu Hooker (1860) = Prasophyllum australe	
	Prasophyllum lutescens var. brevilabre Lindl. = Prasophyllum brevilabre	
	Prasophyllum milfordense D.L.Jones = Paraprasophyllum milfordense	
	Prasophyllum mimulum D.L.Jones = Paraprasophyllum mimulum	4a:69
	Prasophyllum aff. montanum R.J.Bates & D.L.Jones sensu Buchanan (2009) = Prasophyllum sp. Arthurs Lake (R.Smith DLJI 1363) Tas Herbarium	
	Prasophyllum morrisii Nicholls = Corunastylis morrisii	4a:83
	Prasophyllum nigricans R.Br. sensu Curtis (1979) = Corunastylis tasmanica	4a:77
	Prasophyllum nudiscapum Hook.f. = Corunastylis nudiscapa	4a:79
	Prasophyllum nudum Hook.f. = Corunastylis nuda	
	Prasophyllum odoratum R.S.Rogers sensu Curtis (1979) a name of uncertain application	4a:68
	Prasophyllum olidum D.L.Jones = Paraprasophyllum olidum	
	Prasophyllum parviflorum (R.S.Rogers) Nicholls sensu Curtis (1979) a name of uncertain application	4a:74
	Prasophyllum patens R.Br. sensu Rodway (1903) = Prasophyllum truncatum	4a:71

	Prasopphyllum patens var. robustum Nicholls = Paraprasopphyllum robustum	
	Prasopphyllum perangustum D.L.Jones = Paraprasopphyllum perangustum	4a:72
	Prasopphyllum pulchellum D.L.Jones = Paraprasopphyllum pulchellum	
	Prasopphyllum pyriforme E.Coleman sensu Buchanan (2005) = Paraprasopphyllum rostratum	
	Prasopphyllum robustum (Nicholls) M.A.Clem. & D.L.Jones = Paraprasopphyllum robustum	
	Prasopphyllum rogersii Rupp sensu Curtis (1979) = Paraprasopphyllum perangustum	4a:72
	Prasopphyllum rostratum Lindl. = Paraprasopphyllum rostratum	
	Prasopphyllum rufum R.Br. sensu Curtis (1979) = Corunastylis tasmanica	4a:79
	Prasopphyllum secutum D.L.Jones = Paraprasopphyllum secutum	
	Prasopphyllum sphacelatum D.L.Jones = Paraprasopphyllum sphacelatum	
	Prasopphyllum stellatum D.L.Jones = Paraprasopphyllum stellatum	
	Prasopphyllum suttonii R.S.Rogers & B.Rees sensu Curtis (1979) = Paraprasopphyllum mimulum	4a:69
	Prasopphyllum tadgellianum (R.S.Rogers) R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 338 (1923)	
	Prasopphyllum taphanx D.L.Jones = Paraprasopphyllum taphanx	
	Prasopphyllum truncatum Lindl. = Paraprasopphyllum truncatum	4a:71
	Prasopphyllum tunbridgense D.L.Jones = Paraprasopphyllum tunbridgense	
	Prasopphyllum uroglossum Rupp sensu Curtis (1979) a name of uncertain application	4a:76
	Pterostylis acuminata R.Br. sensu Curtis (1953) = Pterostylis × ingens	
e	Pterostylis alata (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 70 (1871)	4a:20
	Pterostylis alpina R.S.Rogers sensu Curtis (1979) = Pterostylis scabrida	4a:19
e	Pterostylis aphylla Lindl., Gen. Sp. Orchid. Pl. 392 (1840)	4a:24
	Pterostylis atrans D.L.Jones, Muelleria 8: 185 (1994)	4a:22
e	Pterostylis atriola D.L.Jones, Austral. Orchid Res. 3: 140 (1998)	
	Pterostylis barbata Lindl. sensu Rodway (1903) = Pterostylis straminea	4a:24
e	Pterostylis commutata D.L.Jones, Muelleria 8: 186 (1994)	
	Pterostylis concinna R.Br., Prodr. Fl. Nov. Holland. 326 (1810)	4a:11
	Pterostylis cucullata R.Br. subsp. cucullata , Prodr. Fl. Nov. Holland. 327 (1810)	
	Pterostylis curta R.Br., Prodr. Fl. Nov. Holland. 326 (1810)	4a:12
	Pterostylis cycnocephala Fitzg. sensu Curtis (1979) = Pterostylis ziegeleri	4a:26
	Pterostylis decurva R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 339, t.27 (1923)	4a:22
e	Pterostylis dubia R.Br., Prodr. Fl. Nov. Holland. 328 (1810)	4a:16
	Pterostylis falcata R.S.Rogers, Proc. Roy. Soc. Victoria 28: 106, t.9 (1915)	4a:17
	Pterostylis foliata Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) I: 249 (1853)	4a:19
e	Pterostylis furcata Lindl., Gen. Sp. Orchid. Pl. 390 (1840)	4a:17
	Pterostylis grandiflora R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:20
	Pterostylis × ingens (Rupp) D.L.Jones, Orchadian 5: 54 (1976)	4a:12
	Pterostylis longifolia R.Br. sensu Curtis (1979) p.p. = Pterostylis tunstallii (misapplied in Tasmania)	
	Pterostylis longifolia R.Br. sensu Curtis (1979) p.p. = Pterostylis williamsonii (misapplied in Tasmania)	
	Pterostylis longifolia R.Br. sensu Curtis (1979) p.p. = Pterostylis stenochila (misapplied in Tasmania)	
	Pterostylis longifolia R.Br. sensu Curtis (1979) p.p. = Pterostylis melagramma (misapplied in Tasmania)	4a:27
	Pterostylis lustra D.L.Jones, Austral. Orchid Res. 5: 87 (2006)	

	Pterostylis melagramma D.L.Jones, Austral. Orchid Res. 3: 145 (1998)	4a:27
	Pterostylis mutica R.Br., Prodr. Fl. Nov. Holland. 328 (1810)	4a:25
	Pterostylis nana R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:14
	Pterostylis nutans R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:13
	Pterostylis obtusa R.Br. sensu Curtis (1979) = Pterostylis atrans	4a:22
	Pterostylis parviflora R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:23
	Pterostylis pedoglossa Fitzg., Austral. Orchids 1(3): 5th plate (1877)	4a:13
	Pterostylis pedunculata R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:14
	Pterostylis plumosa Cady (Tasmanian populations) = Pterostylis straminea	4a:24
	Pterostylis praecox Lindl. sensu Rodway (1903) = Pterostylis alata	4a:20
e	Pterostylis pratensis D.L.Jones, Austral. Orchid Res. 3: 149 (1998)	
	Pterostylis pusilla R.S.Rogers sensu Curtis (1953) = Pterostylis squamata	
e	Pterostylis rubenachii D.L.Jones, Austral. Orchid Res. 3: 150 (1998)	
	Pterostylis rufa R.Br. sensu Curtis (1979) = Pterostylis squamata	4a:27
	Pterostylis sanguinea D.L.Jones & M.A.Clem., Austral. Orchid Res. 1: 126 (1989)	4a:28
e	Pterostylis scabrida Lindl., Gen. Sp. Orchid. Pl. 389 (1840)	4a:19
	Pterostylis squamata R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:27
e	Pterostylis stenochila D.L.Jones, Austral. Orchid Res. 3: 153 (1998)	
e	Pterostylis straminea (D.L.Jones) D.L.Jones, Austral. Orchid Rev. 84(6): 42 (2019)	
	Pterostylis tasmanica D.L.Jones, Muelleria 8: 190 (1994)	
	Pterostylis × toveyana Ewart & Sharman, Proc. Roy. Soc. Victoria 28: 235 (1916)	4a:21
	Pterostylis tunstallii D.L.Jones & M.A.Clem., Austral. Orchid Res. 1: 128 (1989)	
	Pterostylis uliginosa D.L.Jones, Austral. Orchid Res. 3: 155 (1998)	
	Pterostylis vereenae R.S.Rogers sensu Curtis (1953) = Pterostylis foliata	
	Pterostylis vittata Lindl. sensu Curtis (1979) = Pterostylis sanguinea	4a:28
e	Pterostylis wapstrarum D.L.Jones, Austral. Orchid Res. 3: 156 (1998)	
e	Pterostylis williamsonii D.L.Jones, Austral. Orchid Res. 3: 157 (1998)	4a:27
e	Pterostylis ziegelieri D.L.Jones, Austral. Orchid Res. 3: 158 (1998)	4a:26
	Pyrorchis nigricans (R.Br.) D.L.Jones & M.A.Clem., Phytologia 77: 449 (1994)	4a:93
	Sarcochilus australis (Lindl.) Rchb.f., Ann. Bot. Syst. (Walpers) 6: 501 (1863)	4a:131
	Sarcochilus parviflorus Lindl. sensu Rodway (1903) = Sarcochilus australis	4a:131
	Simpliglottis cornuta (Hook.f.) Szlach. = Chiloglottis cornuta	4a:85
	Simpliglottis grammata (G.W.Carr) Jeanes = Chiloglottis grammata	
	Simpliglottis gunnii (Lindl.) Szlach. = Chiloglottis gunnii	4a:84
	Simpliglottis triceratops (D.L.Jones) Jeanes = Chiloglottis triceratops	
	Simpliglottis valida (D.L.Jones) Szlach. = Chiloglottis valida	
	Speculantha aphylla (Lindl.) D.L.Jones & M.A.Clem. = Pterostylis aphylla	4a:24
	Speculantha atriola (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis atriola	
	Speculantha parviflora (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis parviflora	4a:23
	Speculantha uliginosa (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis uliginosa	
	Spiculaea huntiana (F.Muell.) Schltr. = Thynninorchis huntiana	4a:89
	Spiranthes alticola D.L.Jones, Orchadian 15: 555 (2008)	
	Spiranthes australis (R.Br.) Lindl., Bot. Reg. 10: subt.823 (1824)	4a:128

	<i>Spiranthes sinensis</i> subsp. <i>australis</i> (R.Br.) Kitam. = <i>Spiranthes australis</i>	4a:128
	<i>Stegostyla alpina</i> (R.S.Rogers) D.L.Jones & M.A.Clem. = <i>Caladenia alpina</i>	4a:111
	<i>Stegostyla angustata</i> (Lindl.) D.L.Jones & M.A.Clem. = <i>Caladenia angustata</i>	4a:108
	<i>Stegostyla atrata</i> (D.L.Jones) D.L.Jones & M.A.Clem. = <i>Caladenia atrata</i>	
	<i>Stegostyla congesta</i> (R.Br.) D.L.Jones & M.A.Clem. = <i>Caladenia congesta</i>	4a:112
	<i>Stegostyla cracens</i> (D.L.Jones) D.L.Jones & M.A.Clem. = <i>Caladenia cracens</i>	
	<i>Stegostyla gracilis</i> (R.Br.) D.L.Jones & M.A.Clem. = <i>Caladenia gracilis</i>	4a:110
	<i>Stegostyla transitoria</i> (D.L.Jones) D.L.Jones & M.A.Clem. = <i>Caladenia transitoria</i>	
	<i>Sullivania minor</i> (R.Br.) D.L.Jones & M.A.Clem. = <i>Paracaleana minor</i>	4a:88
	<i>Taurantha concinna</i> (R.Br.) D.L.Jones & M.A.Clem. = <i>Pterostylis concinna</i>	4a:11
	× <i>Taurodium toveyanum</i> (Ewart & Sharman) D.L.Jones & M.A.Clem. sensu Buchanan (2005) = <i>Pterostylis × toveyana</i>	
e	<i>Thelymitra aggericola</i> D.L.Jones, <i>The Orchadian</i> 12: 517 (1999)	
	<i>Thelymitra angustifolia</i> R.Br. sensu Hooker (1860) a name of uncertain application	
	<i>Thelymitra antennifera</i> (Lindl.) Hook.f., <i>Bot. Antarct. Voy. III. (Fl. Tasman.)</i> 2: 4, t.101A (1858)	4a:51
	<i>Thelymitra arenaria</i> Lindl., <i>Gen. Sp. Orchid. Pl.</i> 519 (1840)	
	<i>Thelymitra aristata</i> Lindl., <i>Gen. Sp. Orchid. Pl.</i> 521 (1840)	4a:42
	<i>Thelymitra atronitida</i> Jeanes, <i>Muelleria</i> 14: 91 (2000)	
	<i>Thelymitra azurea</i> R.S.Rogers sensu Buchanan (1995) = <i>Thelymitra jonesii</i>	
	<i>Thelymitra benthamiana</i> Rchb.f., <i>Beitr. Syst. Pflanzenk.</i> 55 (1871)	
	<i>Thelymitra bracteata</i> J.Z.Weber ex Jeanes, <i>Muelleria</i> 19: 43 (2004)	
	<i>Thelymitra brevifolia</i> Jeanes, <i>Muelleria</i> 19: 30 (2004)	
	<i>Thelymitra canaliculata</i> R.Br. sensu Curtis (1979) = <i>Thelymitra jonesii</i>	4a:46
	<i>Thelymitra carnea</i> R.Br., <i>Prodr. Fl. Nov. Holland.</i> 314 (1810)	4a:50
	<i>Thelymitra chasmogama</i> R.S.Rogers sensu Curtis (1979) a plant of uncertain hybrid origin	4a:47
	<i>Thelymitra circumsepta</i> Fitzg., <i>Austral. Orchids</i> 1: t.1 (1878)	4a:48
	<i>Thelymitra cyanea</i> (Lindl.) Benth., <i>Fl. Austral.</i> 6: 323 (1873)	4a:49
	<i>Thelymitra decora</i> Cheeseman sensu Buchanan (1995) = <i>Thelymitra simulata</i>	
	<i>Thelymitra erosa</i> D.L.Jones & M.A.Clem., <i>Austral. Orchid Res.</i> 3: 184 (1998)	
	<i>Thelymitra exigua</i> Jeanes, <i>Muelleria</i> 19: 28 (2004)	
	<i>Thelymitra flexuosa</i> Endl., <i>Nov. Stirp. Dec.</i> 3: 23 (1839)	4a:51
	<i>Thelymitra grandiflora</i> Fitzg. sensu Curtis (1953) = <i>Thelymitra aristata</i>	
	<i>Thelymitra holmesii</i> Nicholls, <i>Vict. Naturalist</i> 49: 263 (1933)	4a:43
e	<i>Thelymitra imbricata</i> D.L.Jones & M.A.Clem., <i>Austral. Orchid Res.</i> 3: 186 (1998)	4a:43
	<i>Thelymitra improcera</i> D.L.Jones & M.A.Clem., <i>Austral. Orchid Res.</i> 3: 187 (1998)	4a:46
	<i>Thelymitra inflata</i> Jeanes, <i>Muelleria</i> 19: 71 (2004)	
	<i>Thelymitra × irregularis</i> Nicholls, <i>Vict. Naturalist</i> 63: 126 (1946)	4a:48
	<i>Thelymitra ixioides</i> Sw., <i>Ksvenska Vet. Akad. Handl.</i> 21: 253 (1800)	4a:44
e	<i>Thelymitra jonesii</i> Jeanes, <i>Muelleria</i> 15: 81 (2001)	4a:46
	<i>Thelymitra juncifolia</i> Lindl., <i>Gen. Sp. Orchid. Pl.</i> 522 (1840)	
	<i>Thelymitra longifolia</i> J.R.Forst. & G.Forst. sensu Bentham (1873) = <i>Thelymitra nuda</i>	
	<i>Thelymitra longiloba</i> D.L.Jones & M.A.Clem., <i>Austral. Orchid Res.</i> 3: 191 (1998)	4a:46
	<i>Thelymitra lucida</i> Jeanes, <i>Muelleria</i> 19: 70 (2004)	

	Thelymitra luteocilium Fitzg. sensu Curtis (1979) = Thelymitra rubra	4a:47
	Thelymitra × macmillanii F.Muell. sensu Curtis (1979) = a hybrid involving Thelymitra nuda	4a:49
	Thelymitra malvina M.A.Clem., D.L.Jones & Molloy, Austral. Orchid Res. 1: 141 (1989)	
	Thelymitra media R.Br. sensu Curtis (1979) p.p. = Thelymitra longiloba (misapplied in Tasmania)	
	Thelymitra media R.Br. sensu Curtis (1979) p.p. = Thelymitra improcera (misapplied in Tasmania)	4a:46
	Thelymitra megcalyptra Fitzg. sensu Curtis (1979) = Thelymitra imbricata	4a:43
	Thelymitra × merraniae Nicholls, Vict. Naturalist 46: 139 (1929)	
	Thelymitra mucida Fitzg., Gard. Chron. 17: 495 (1882)	4a:46
	Thelymitra nuda R.Br., Prodr. Fl. Nov. Holland. 314 (1810)	4a:44
	Thelymitra nuda var. grandiflora Lindl. = Thelymitra imbricata	
	Thelymitra pauciflora R.Br., Prodr. Fl. Nov. Holland. 314 (1810)	4a:42
	Thelymitra pauciflora var. holmesii (Nicholls) Nicholls = Thelymitra holmesii	4a:43
	Thelymitra peniculata Jeanes, Muelleria 19: 50 (2004)	
e	Thelymitra polychroma D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 193 (1998)	
	Thelymitra pulchella Hook.f. recorded in error	
	Thelymitra retecta Rupp = Thelymitra circumsepta	4a:48
	Thelymitra rubra Fitzg., Gard. Chron. 17: 495 (1882)	4a:50
e	Thelymitra silena D.L.Jones, The Orchadian 12: 518 (1999)	
	Thelymitra simulata D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 195 (1998)	
	Thelymitra smithiana (Gunn ex Lindl.) Hook.f. = Thelymitra flexuosa	
e	Thelymitra spadicea D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 196 (1998)	
e	Thelymitra sparsa D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 197 (1998)	
	Thelymitra × truncata R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 41: 343, t.17 (1917)	4a:45
	Thelymitra venosa R.Br. sensu Curtis (1979) = Thelymitra cyanea	4a:48
	Thelymitra versicolor Lindl. = Thelymitra nuda	
e	Thelymitra viridis Jeanes, Muelleria 19: 36 (2004)	
x	Thynninorchis huntiana (F.Muell.) D.L.Jones & M.A.Clem., Orchadian 13: 457 (2002)	4a:89
e	Thynninorchis nothofagicola (D.L.Jones) D.L.Jones & M.A.Clem., Orchadian 13: 457 (2002)	
t	Townsonia viridis (Hook.f.) Schltr., Repert. Spec. Nov. Regni Veg. 9: 250 (1911)	4a:118
	Urochilus sanguineus (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = Pterostylis sanguinea	4a:28
POACEAE		
	Achnatherum caudatum (Trin.) S.W.L.Jacobs & J.Everett = Amelichloa caudata	4b:192
	×Agropogon littoralis (Sm.) C.E.Hubb. = Polypogon lutosus	4b:283
	Agropyron elongatum (Host) P.Beauv. = Thinopyrum obtusiflorum	4b:295
	Agropyron junceiforme (Á.Löve & D.Löve) Á.Löve & D.Löve = Thinopyrum junceiforme	4b:293
	Agropyron junceum (L.) P.Beauv. = Thinopyrum junceiforme	4b:293
	Agropyron pectinatum (Labill.) P.Beauv. = Australopyrum pectinatum	4b:301
	Agropyron repens (L.) P.Beauv. = Elytrigia repens	4b:295
	Agropyron scabrum (R.Br.) P.Beauv. = Anthosachne scabra	4b:296
	Agropyron velutinum Nees = Australopyrum velutinum	4b:301
	Agrostis aemula R.Br. = Lachnagrostis aemula	
	Agrostis aemula R.Br. var. aemula = Lachnagrostis aemula	4b:258
	Agrostis aemula var. setifolia (Hook.f.) Vickery = Lachnagrostis semibarbata var. semibarbata	4b:259

	<i>Agrostis aequata</i> Nees = Lachnagrostis rudis	4b:262
	<i>Agrostis</i> sp. aff. <i>australiensis</i> Mez sensu Curtis & Morris (1994) = Agrostis diemenica	4b:257
	Agrostis australiensis Mez, Feddes Repert. Spec. Nov. Regni Veg. 17: 302 (1921)	4b:257
	<i>Agrostis australiensis</i> Mez sensu Curtis & Morris (1994) = Lachnagrostis rudis	4b:257
	<i>Agrostis avenacea</i> J.F.Gmel. = Lachnagrostis filiformis	4b:259
	Agrostis bettyae S.W.L.Jacobs, Telopea 9: 679 (2001)	
	<i>Agrostis billardierei</i> R.Br. var. <i>billardierei</i> = Lachnagrostis billardierei subsp. billardierei	4b:260
	<i>Agrostis billardierei</i> var. <i>collicola</i> D.I.Morris = Lachnagrostis collicola	4b:261
	<i>Agrostis billardierei</i> var. <i>filifolia</i> Vickery = Lachnagrostis semibarbata var. filifolia	4b:261
	<i>Agrostis billardierei</i> var. <i>robusta</i> Vickery = Lachnagrostis robusta	4b:261
	<i>Agrostis billardierei</i> var. <i>tenuiseta</i> D.I.Morris = Lachnagrostis billardierei subsp. tenuiseta	4b:261
i	Agrostis capillaris L., Sp. Pl. 1: 62 (1753)	4b:264
	<i>Agrostis capillaris</i> var. <i>aristata</i> (Parn.) Druce = Agrostis capillaris	4b:264
	<i>Agrostis capillaris</i> L. var. <i>capillaris</i> = Agrostis capillaris	4b:264
	<i>Agrostis contracta</i> F.Muell. ex Hook.f. = Deyeuxia contracta	
	<i>Agrostis crinita</i> (L.f.) R.Br. = Dichelachne crinita	
e	Agrostis diemenica D.I.Morris, Telopea 10: 765 (2004)	4b:257
i	Agrostis gigantea Roth, Tent. Fl. Germ. 1: 31 (1788)	4b:264
	<i>Agrostis</i> sp. aff. <i>hiemalis</i> (Walter) Britton, Sterns & Poggenb. sensu Curtis & Morris (1994) = Agrostis propinqua	4b:258
	Agrostis joyceae S.W.L.Jacobs, Telopea 9: 680 (2001)	
	<i>Agrostis lacunarum</i> D.I.Morris = Lachnagrostis lacunarum	4b:260
	<i>Agrostis lobata</i> R.Br. = Deyeuxia quadriseta	
	<i>Agrostis montana</i> R.Br. = Deyeuxia monticola	
	Agrostis muelleriana Vickery, Contr. New South Wales Natl. Herb. 1: 103 (1941)	4b:256
	<i>Agrostis ovata</i> G.Forst. sensu Labillardiere (1805) = Echinopogon ovatus	
	<i>Agrostis</i> sp. aff. <i>parviflora</i> R.Br. sensu Curtis & Morris (1994) = Agrostis thompsoniae	4b:257
	Agrostis parviflora R.Br., Prodr. Fl. Nov. Holland. 170 (1810)	4b:256
	Agrostis propinqua S.W.L.Jacobs, Telopea 9: 681 (2001)	4b:258
	<i>Agrostis quadrifida</i> Labill. = Pentapogon quadrifidus	
	<i>Agrostis quadriseta</i> (Labill.) R.Br. = Deyeuxia quadriseta	
	<i>Agrostis rudis</i> Roem. & Schult. sensu Curtis & Morris (1994) = Lachnagrostis morrisii	4b:261
	<i>Agrostis scabra</i> R.Br. sensu Rodway (1903) p.p. = Agrostis propinqua (misapplied in Tasmania)	
	<i>Agrostis</i> sp. aff. <i>scabra</i> R.Br. sensu Curtis & Morris (1994) = Agrostis propinqua	4b:258
	<i>Agrostis scabra</i> R.Br. sensu Rodway (1903) p.p. = Agrostis parviflora (misapplied in Tasmania)	
	<i>Agrostis sciurea</i> R.Br. = Dichelachne micrantha	
	<i>Agrostis semiverticillata</i> (Forssk.) C.Chr. = Agrostis viridis	4b:283
i	Agrostis stolonifera L., Sp. Pl. 1: 62 (1753)	4b:262
	<i>Agrostis tenuis</i> Sibth. = Agrostis capillaris	4b:264
	Agrostis thompsoniae S.W.L.Jacobs, Telopea 9: 682 (2001)	4b:257
	Agrostis venusta Trin., Mém. Acad. Imp. Sci. St.-Pétersbourg, Ser. 6 Sci. Math., Seconde Pt. Sci. Nat. 4: 340 (1841)	4b:256
	<i>Agrostis virginica</i> L. sensu Labillardiere (1805) = Sporobolus virginicus	

i	Agrostis viridis Gouan, Hortus Monsp. 546 (1762)	4b:283
	<i>Agrostis vulgaris</i> With. sensu Spicer (1878) = Agrostis capillaris	4b:264
i	Aira caryophyllea L. subsp. <i>caryophyllea</i> , Sp. Pl. 1: 66 (1753)	4b:246
i *	<i>Aira cupaniana</i> Guss.	
	<i>Aira elegans</i> Willd. ex Gaudin = Aira elegantissima	4b:247
i	Aira elegantissima Schur, Verh. Mitth. Siebenbürg. Vereins Naturwiss. Hermannstadt 4: 85 (1853)	4b:247
i	Aira praecox L., Sp. Pl. 1: 65 (1753)	4b:246
	<i>Alopecurus agrestis</i> L. = Alopecurus myosuroides	
i	Alopecurus geniculatus L., Sp. Pl. 1: 60 (1753)	4b:284
i	Alopecurus myosuroides Huds., Fl. Angl. (Hudson): 23 (1762)	4b:285
i	Alopecurus pratensis L. subsp. <i>pratensis</i> , Sp. Pl. 1: 60 (1753)	4b:284
i	Amelichloa caudata (Trin.) Arriaga & Barkworth, Sida 22: 148 (2006)	4b:192
i	Ammophila arenaria (L.) Link subsp. <i>arenaria</i> , Hort. Berol. [Link] 1: 105 (1827)	4b:274
	Amphibromus archeri (Hook.f.) P.Morris, Vict. Naturalist 51: 146 (1934)	4b:232
?i #	Amphibromus fluitans Kirk, Trans. & Proc. New Zealand Inst. 16: 374 (1884)	
	Amphibromus macrorhinus S.W.L.Jacobs & Lapinpuro, Telopea 2: 723 (1986)	4b:233
	Amphibromus neesii Steud., Syn. Pl. Glumac. 1: 328 (1854)	4b:234
	Amphibromus nervosus (Hook.f.) Baill., Hist. Pl. 12: 203 (1894)	
	Amphibromus recurvatus Swallen, Amer. J. Bot. 18: 415 (1931)	4b:232
	Amphibromus sinuatus S.W.L.Jacobs & Lapinpuro, Telopea 2: 727 (1986)	4b:233
	<i>Anthistiria australis</i> R.Br. = Themeda triandra	
	<i>Anthistiria ciliata</i> L.f. sensu Rodway (1903) = Themeda triandra	4b:358
i	Anthosachne kingiana subsp. <i>multiflora</i> (Banks & Sol. ex Hook.f.) Govaerts, J. Adelaide Bot. Gard. 27: 24 (2014)	
	Anthosachne scabra (R.Br.) Nevski, Trudy Sredne-Aziatsk. Gosud. Univ., Ser. 8b, Bot. 17: 65 (1934)	4b:296
	<i>Anthoxanthum crinitum</i> L.f. sensu Brown (1810) = Dichelachne crinita	
i	Anthoxanthum odoratum L., Sp. Pl. 1: 28 (1753)	4b:250
i	Aristida benthamii Henrard var. <i>benthamii</i> , Meded. Rijks-Herb. 58A: 246, t.117 (1932)	4b:323
	<i>Aristida jerichoensis</i> (Domin) Henrard sensu Buchanan et al. (1989) = Aristida benthamii var. <i>benthamii</i>	4b:323
	<i>Arrhenatherum avenaceum</i> (Scop.) P.Beauv. sensu Rodway (1903) = Arrhenatherum elatius	4b:234
i	Arrhenatherum elatius var. <i>bulbosum</i> (Willd.) Spenn., Fl. Friburg. 1: 113 (1825)	4b:234
	<i>Arundo penicillatum</i> Labill. = Rytidosperma penicillatum	
	<i>Arundo phragmites</i> L. sensu Brown (1810) = Phragmites australis	
	<i>Arundo poiformis</i> Labill. sensu Labillardiere (1805) = Poa poiformis	
	<i>Arundo semiannularis</i> Labill. = Rytidosperma semiannulare	
	Australopyrum pectinatum (Labill.) Á.Löve, Feddes Repert. 95: 443 (1984)	4b:301
	Australopyrum velutinum (Nees) B.K.Simon, Austrobaileya 2: 241 (1986)	4b:301
	<i>Austrodanthonia alpicola</i> (Vickery) H.P.Linder sensu Linder (2005) = Rytidosperma oreophilum (misapplied in Tasmania)	
	<i>Austrodanthonia caespitosa</i> (Gaudich.) H.P.Linder = Rytidosperma caespitosum	4b:312
	<i>Austrodanthonia carphoides</i> (F.Muell. ex Benth.) H.P.Linder = Rytidosperma carphoides	4b:306
	<i>Austrodanthonia diemenica</i> (D.I.Morris) H.P.Linder = Rytidosperma diemenicum	4b:311
	<i>Austrodanthonia geniculata</i> (J.M.Black) H.P.Linder = Rytidosperma geniculatum	4b:308

	<i>Austrodanthonia induta</i> (Vickery) H.P.Linder = Rytidosperma indutum	4b:312
	<i>Austrodanthonia laevis</i> (Vickery) H.P.Linder = Rytidosperma laeve	4b:312
	<i>Austrodanthonia penicillata</i> (Labill.) H.P.Linder = Rytidosperma penicillatum	4b:313
	<i>Austrodanthonia pilosa</i> (R.Br.) H.P.Linder = Rytidosperma pilosum	4b:313
	<i>Austrodanthonia popinensis</i> (D.I.Morris) H.P.Linder = Rytidosperma fulvum	4b:316
	<i>Austrodanthonia procera</i> (Vickery) S.W.L.Jacobs = Rytidosperma indutum	4b:312
	<i>Austrodanthonia racemosa</i> (R.Br.) H.P.Linder = Rytidosperma racemosum	4b:314
	<i>Austrodanthonia racemosa</i> (R.Br.) H.P.Linder var. <i>racemosa</i> = Rytidosperma racemosum var. racemosum	4b:314
	<i>Austrodanthonia remota</i> (D.I.Morris) H.P.Linder = Rytidosperma remotum	4b:316
	<i>Austrodanthonia setacea</i> (R.Br.) H.P.Linder = Rytidosperma setaceum	4b:311
	<i>Austrodanthonia tenuior</i> (Steud.) H.P.Linder = Rytidosperma tenuius	4b:310
i t	Austroderia richardii (Endl.) N.P.Barker & H.P.Linder, Ann. Missouri Bot. Gard. 97: 344 (2010)	4b:319
	<i>Austrofestuca hookeriana</i> (F.Muell. ex Hook.f.) S.W.L.Jacobs = Hookerchloa hookeriana	4b:223
	Austrofestuca littoralis (Labill.) E.B.Alexeev, Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. 81(5): 55 (1976)	4b:223
e	Austrostipa aphylla (Rodway) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:192
	Austrostipa bigeniculata (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:190
	Austrostipa blackii (C.E.Hubb.) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:191
	Austrostipa flavescens (Labill.) S.W.L.Jacobs & J.Everett, Telopea 6: 585 (1996)	4b:190
	Austrostipa mollis (R.Br.) S.W.L.Jacobs & J.Everett, Telopea 6: 587 (1996)	4b:189
	Austrostipa nodosa (S.T.Blake) S.W.L.Jacobs & J.Everett, Telopea 6: 587 (1996)	4b:188
	Austrostipa pubinodis (Trin. & Rupr.) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:187
	Austrostipa rudis subsp. australis (J.Everett & S.W.L.Jacobs) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:186
	Austrostipa scabra subsp. falcata (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:188
	Austrostipa scabra (Lindl.) S.W.L.Jacobs & J.Everett subsp. scabra , Telopea 6: 588 (1996)	4b:188
	Austrostipa semibarbata (R.Br.) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:189
	Austrostipa stipoides (Hook.f.) S.W.L.Jacobs & J.Everett, Telopea 6: 589 (1996)	4b:186
	Austrostipa stuposa (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 589 (1996)	4b:191
i *	<i>Avellinia michelii</i> (Savi) Parl.	
	<i>Avena alba</i> Vahl sensu Townrow (1969) = Avena barbata	4b:236
i	Avena barbata Pott ex Link, J. Bot. (Shrader) 2: 314,315 (1799)	4b:236
i	Avena fatua L., Sp. Pl. 1: 80 (1753)	4b:237
	<i>Avena filiformis</i> G.Forst. sensu Labillardiere (1805) = Lachnagrostis filiformis	
i	Avena ludoviciana Durieu, Actes Soc. Linn. Bordeaux 20: 41 (1855)	4b:238
	<i>Avena quadriseta</i> Labill. = Deyeuxia quadriseta	
i	Avena sativa L., Sp. Pl. 1: 79 (1753)	4b:237
	<i>Avena sterilis</i> subsp. <i>ludoviciana</i> (Durieu) Gillet & Magne = Avena ludoviciana	4b:238
i	Avena strigosa Schreb., Spic. Fl. Lips. 52 (1771)	4b:237
i	Bothriochloa macra (Steud.) S.T.Blake, Proc. Roy. Soc. Queensland 80: 64 (1969)	4b:355
i	Brachypodium distachyon (L.) P.Beauv., Ess. Agrostogr. 101, 155, 156 (1812)	4b:292
i	Briza maxima L., Sp. Pl. 1: 70 (1753)	4b:208
i	Briza minor L., Sp. Pl. 1: 70 (1753)	4b:208

i	Bromus alopecuroides Poir., Voy. Barbarie 2: 100 (1789)	4b:288
	Bromus arenarius Labill., Nov. Holl. Pl. 1: 23, t.28 (1805)	4b:288
i	Bromus brevis Nees ex Steud., Syn. Pl. Glumac. 1: 326 (1854)	4b:290
i	Bromus catharticus Vahl, Symb. Bot. (Vahl) 2: 22 (1791)	4b:290
i	Bromus cecadilla Steud., Syn. Pl. Glumac. 1: 321 (1854)	4b:290
i	Bromus diandrus Roth, Bot. Abh. Beobacht. 44 (1787)	4b:288
	<i>Bromus fonkii</i> Phil. = Bromus lithobius	4b:290
i	Bromus hordeaceus L., Sp. Pl. 1: 77 (1753)	4b:287
	<i>Bromus japonicus</i> var. <i>vestitus</i> sensu Buchanan (2005) = Bromus arenarius	4b:288
i	Bromus lithobius Trin., Linnaea 10: 303 (1836)	4b:290
	<i>Bromus macrostachys</i> Desf. sensu Townrow (1969) = Bromus alopecuroides	4b:288
i	Bromus madritensis var. <i>ciliatus</i> Guss., Fl. Sicul. Syn. 1: 78 (1843)	4b:289
	<i>Bromus mollis</i> L. = Bromus hordeaceus	4b:287
i	Bromus sterilis L., Sp. Pl. 1: 77 (1753)	4b:289
	<i>Bromus thominii</i> Hardouin sensu Townrow (1969) = Bromus hordeaceus	4b:287
	<i>Bromus unioloides</i> Kunth = Bromus catharticus	4b:290
	<i>Bromus willdenowii</i> Kunth = Bromus catharticus	4b:290
i x	Calamagrostis epigejos (L.) Roth, Tent. Fl. Germ. 1: 34 (1788)	4b:273
i	Catapodium marinum (L.) C.E.Hubb., Kew Bull. 9: 375 (1954)	4b:225
i	Catapodium rigidum (L.) C.E.Hubb., Fl. Bedfordshire: 437 (1953)	4b:224
i	Cenchrus clandestinus (Hochst. ex Chiov.) Morrone, Ann. Bot. (Oxford) 106(1): 127 (2010)	4b:348
i	Cenchrus longisetus M.C.Johnst., Sida 1(3): 182 (1963)	4b:349
i	Cenchrus macrourus (Trin.) Morrone, Ann. Bot. (Oxford) 106(1): 128 (2010)	4b:351
	<i>Cenchrus purpurascens</i> Thunb. recorded in error	4b:351
	<i>Ceratochloa unioloides</i> DC. = Bromus catharticus	4b:290
i	Chloris truncata R.Br., Prodr. Fl. Nov. Holland. 186 (1810)	
i	Cortaderia jubata (Lemoine) Stapf, Bot. Mag. 124, t.7607 (1898)	4b:320
	<i>Cortaderia richardii</i> (Endl.) Zotov = Austroderia richardii	4b:319
i	Cortaderia selloana (Schult. & Schult.f.) Asch. & Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner] 2: 325 (1900)	4b:320
	<i>Critesion marinum</i> (Huds.) Á.Löve = Hordeum marinum	4b:300
	<i>Critesion murinum</i> (L.) Á.Löve = Hordeum murinum	4b:298
i	Cynodon dactylon (L.) Pers. var. <i>dactylon</i> , Syn. Pl. (Persoon) 1: 85 (1805)	4b:330
i	Cynosurus cristatus L., Sp. Pl. 1: 72 (1753)	4b:207
i	Cynosurus echinatus L., Sp. Pl. 1: 72 (1753)	4b:207
i	Dactylis glomerata L., Sp. Pl. 1: 71 (1753)	4b:221
	<i>Danthonia archeri</i> Hook.f. = Amphibromus archeri	
	<i>Danthonia caespitosa</i> Gaudich. = Rytidosperma caespitosum	4b:312
	<i>Danthonia carphoides</i> var. <i>angustior</i> Vickery = Rytidosperma carphoides	4b:306
i	Danthonia decumbens (L.) DC., Lam., Fl. Franc. (DC. & Lamarck), ed. 3. 3: 33 (1805)	4b:317
	<i>Danthonia diemenica</i> D.I.Morris = Rytidosperma diemenicum	4b:311
	<i>Danthonia dimidiata</i> Vickery = Rytidosperma dimidiatum	4b:317
	<i>Danthonia eriantha</i> Lindl. sensu Townrow (1969) a name of uncertain application	

	Danthonia fortuneae-hibernae Renvoize = Rytidosperma fortuneae-hibernae	4b:310
	Danthonia geniculata J.M.Black = Rytidosperma geniculatum	4b:308
	Danthonia gracilis Hook.f. = Rytidosperma gracile	4b:309
	Danthonia laevis Vickery = Rytidosperma laeve	4b:312
	Danthonia longifolia R.Br. sensu Townrow (1969) = Rytidosperma tenuius	4b:310
	Danthonia nervosa Hook.f. = Amphibromus nervosus	
	Danthonia nitens D.I.Morris = Rytidosperma nitens	4b:315
	Danthonia nivicola Vickery = Rytidosperma nivicola	4b:315
	Danthonia nudiflora P.Morris = Rytidosperma nudiflorum	4b:314
	Danthonia pallida R.Br. sensu Bentham (1878) = Rytidosperma pallidum	
	Danthonia pauciflora R.Br. = Rytidosperma pauciflorum	4b:309
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. = Rytidosperma penicillatum	4b:313
	Danthonia penicillata var. pallida (R.Br.) Rodway sensu Rodway (1903) = Rytidosperma pallidum	
	Danthonia penicillata var. pilosa (R.Br.) Rodway = Rytidosperma pilosum	
	Danthonia penicillata var. racemosa (R.Br.) Rodway = Rytidosperma racemosum	
	Danthonia penicillata var. semiannularis (Labill.) Rodway = Rytidosperma semiannulare	
	Danthonia penicillata var. setacea (R.Br.) Rodway = Rytidosperma setaceum	
	Danthonia pilosa R.Br. = Rytidosperma pilosum	4b:313
	Danthonia popinensis D.I.Morris = Rytidosperma fulvum	4b:316
	Danthonia procera Vickery = Rytidosperma indutum	4b:312
	Danthonia pulvinorum D.I.Morris = Rytidosperma nivicola	4b:315
	Danthonia purpurascens Vickery sensu Townrow (1969) = Rytidosperma tenuius	4b:310
	Danthonia racemosa R.Br. = Rytidosperma racemosum	4b:314
	Danthonia racemosa var. penicillata (Labill.) Benth. nom. illeg. = Rytidosperma penicillatum	
	Danthonia remota D.I.Morris = Rytidosperma remotum	4b:316
	Danthonia semiannularis var. gracilis (Hook.f.) Hook.f. = Rytidosperma gracile	4b:308
	Danthonia semiannularis (Labill.) R.Br. var. semiannularis = Rytidosperma semiannulare	4b:309
	Danthonia setacea R.Br. = Rytidosperma setaceum	4b:311
	Danthonia subulata Hook.f. = Rytidosperma setaceum	
	Danthonia tenuior (Steud.) Conert = Rytidosperma tenuius	4b:310
	Deschampsia cespitosa (L.) P.Beauv., Ess. Agrostogr. 91: 160, t.18, fig.3 (1812)	4b:242
t	Deschampsia gracillima Kirk, J. Bot. 29: 237 (1891)	4b:243
	Deyeuxia accedens Vickery = Deyeuxia frigida	4b:271
	Deyeuxia aequata (Nees) Benth. = Lachnagrostis rudis	4b:261
e	Deyeuxia apsleyensis D.I.Morris, Muelleria 7: 160 (1990)	4b:273
	Deyeuxia benthamiana Vickery = Deyeuxia scaberula	4b:270
	Deyeuxia billardierei (R.Br.) Kunth = Lachnagrostis billardierei	4b:260
	Deyeuxia brachyathera (Stapf) Vickery, Contr. New South Wales Natl. Herb. 1: 68 (1940)	4b:272
	Deyeuxia carinata Vickery, Contr. New South Wales Natl. Herb. 1: 58 (1940)	4b:272
	Deyeuxia contracta (F.Muell. ex Hook.f.) Vickery, Contr. New South Wales Natl. Herb. 1: 65 (1940)	4b:269
	Deyeuxia decipiens (R.Br.) Vickery, Contr. New South Wales Natl. Herb. 1: 70 (1940)	4b:269
	Deyeuxia densa Benth., Fl. Austral. 7: 582 (1878)	4b:270
	Deyeuxia forsteri Kunth = Lachnagrostis filiformis	4b:259

	Deyeuxia frigida F.Muell. ex Benth., Fl. Austral. 7: 583 (1878)	4b:271
	Deyeuxia gunniana (Nees) Benth., Fl. Austral. 7: 584 (1878)	4b:267
	Deyeuxia innominata D.I.Morris, Muelleria 7: 164 (1990)	4b:268
e x	Deyeuxia lawrencei Vickery, Contr. New South Wales Natl. Herb. 1: 48 (1940)	4b:266
	Deyeuxia minor F.Muell. ex Benth., Fl. Austral. 7: 582 (1878)	4b:270
	<i>Deyeuxia montana</i> (R.Br.) Benth. = Deyeuxia monticola	4b:268
	Deyeuxia monticola (Roem. & Schult.) Vickery, Contr. New South Wales Natl. Herb. 1: 56 (1940)	4b:268
	<i>Deyeuxia parviseta</i> Vickery sensu Townrow (1969) = Deyeuxia innominata	4b:268
	Deyeuxia quadriseta (Labill.) Benth., Fl. Austral. 7: 581 (1878)	4b:267
	Deyeuxia rodwayi Vickery, Contr. New South Wales Natl. Herb. 1: 60 (1940)	4b:271
	Deyeuxia scaberula Vickery, Contr. New South Wales Natl. Herb. 1: 64 (1940)	4b:270
	<i>Deyeuxia scabra</i> Kunth sensu Rodway (1903) p.p. = Deyeuxia scaberula (misapplied in Tasmania)	
	<i>Deyeuxia scabra</i> Kunth sensu Rodway (1903) p.p. = Deyeuxia contracta (misapplied in Tasmania)	
i *	<i>Dichanthium sericeum</i> (R.Br.) A.Camus subsp. <i>sericeum</i>	4b:355
	Dichelachne crinita (L.f.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 293 (1853)	4b:277
	Dichelachne inaequiglumis (Hack. ex Cheeseman) Edgar & Connor, New Zealand J. Bot. 20: 307 (1982)	4b:278
	Dichelachne micrantha (Cav.) Domin, Biblioth. Bot. 20(85): 353 (1915)	4b:278
	Dichelachne montana Endl., Prodr. Fl. Norfolk. 20 (1833)	
	Dichelachne parva B.K.Simon, Austrobaileya 1: 462 (1982)	
	Dichelachne rara (R.Br.) Vickery, Contr. New South Wales Natl. Herb. 1: 337 (1951)	4b:279
	<i>Dichelachne sciurea</i> (R.Br.) Hook.f. sensu Rodway (1903) = Dichelachne spp. excluding Dichelachne crinita	
	Dichelachne sieberiana Trin. & Rupr., Sp. Gram. Stipac. 2-3 (1842)	
	<i>Dichelachne stipoides</i> Hook.f. = Austrostipa stipoides	
i *	<i>Digitaria ciliaris</i> (Retz.) Koeler	4b:347
i	Digitaria sanguinalis (L.) Scop., Fl. Carniol., ed. 2. 2: 52 (1772)	4b:346
i *	<i>Digitaria ternata</i> (Hochst. ex A.Rich.) Stapf	4b:346
	<i>Diplax tasmanica</i> Hook.f. = Microlaena tasmanica	
	<i>Disarrenum antarcticum</i> Labill. = Hierochloe redolens	
	Distichlis distichophylla (Labill.) Fassett, Rhodora 27: 71 (1925)	4b:324
	<i>Distichlis maritima</i> Raf. sensu Rodway (1903) = Distichlis distichophylla	4b:324
	Dryopoa dives (F.Muell.) Vickery, Contr. New South Wales Natl. Herb. 3: 196 (1963)	4b:199
i	Echinochloa crus-galli (L.) P.Beauv., Ess. Agrostogr. 53 (1812)	4b:336
	<i>Echinochloa crus-galli</i> var. <i>frumentacea</i> W.Wright = Echinochloa frumentacea	4b:338
i	Echinochloa esculenta (A.Braun) H.Scholz, Taxon 41: 523 (1992)	4b:336
i	Echinochloa frumentacea Link, Hort. Berol. [Link] 1: 204 (1827)	4b:338
i *	<i>Echinochloa oryzoides</i> (Ard.) Fritsch	
	<i>Echinochloa utilis</i> Ohwi & Yabuno = Echinochloa esculenta	4b:336
	Echinopogon ovatus (G.Forst.) P.Beauv., Ess. Agrostogr. 42, 161, t.9 fig.5 (1812)	4b:275
	<i>Ehrharta acuminata</i> (R.Br.) Spreng. = Tetrarrhena acuminata	4b:182
i	Ehrharta calycina Sm., Pl. Icon. Ined. 2: t.33 (1790)	4b:178
	<i>Ehrharta distichophylla</i> Labill. = Tetrarrhena distichophylla	4b:183

i	Ehrharta erecta Lam. var. erecta , Encycl. (Lamarck) 2: 347 (1786)	4b:179
	Ehrharta juncea (R.Br.) Spreng. = Tetrarrhena juncea	4b:183
i	Ehrharta longiflora Sm., Pl. Icon. Ined. 2: t.32 (1790)	4b:179
	Ehrharta oreophila var. minor (D.I.Morris) L.P.M.Willemse = Tetrarrhena oreophila var. minor	4b:182
	Ehrharta oreophila (D.I.Morris) L.P.M.Willemse var. oreophila = Tetrarrhena oreophila var. oreophila	4b:182
	Ehrharta stipoides Labill. = Microlaena stipoides	4b:181
	Ehrharta tasmanica var. subalpina (F.Muell. ex Benth.) L.P.M.Willemse = Microlaena tasmanica var. subalpina	4b:182
	Ehrharta tasmanica (Hook.f.) L.P.M.Willemse var. tasmanica = Microlaena tasmanica var. tasmanica	4b:181
i	Ehrharta villosa Schult.f., Syst. Veg., ed. 15 bis [Roemer & Schultes] 7: 1374 (1830)	4b:184
i #	Eleusine indica (L.) Gaertn., Fruct. Sem. Pl. 1: 8 (1788)	
i	Eleusine tristachya (Lam.) Lam., Tabl. Encycl. 1: 57 (1791)	
	Elymus elongatus (Host) Runemark = Thinopyrum obtusiflorum	4b:295
	Elymus farctus subsp. boreali-atlanticus (Simonet & Guin.) Melderis = Thinopyrum junceiforme	
	Elymus multiflorus (Banks & Sol. ex Hook.f.) Á.Löve & Connor = Anthosachne kingiana subsp. multiflora	
	Elymus repens (L.) Gould = Elytrigia repens	4b:295
	Elymus scaber (R.Br.) Á.Löve = Anthosachne scabra	4b:296
i	Elytrigia repens (L.) Desv. ex Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. I, Fl. Sist. Vyssh. Rast. 1: 14 (1933)	4b:295
i	Enneapogon nigricans (R.Br.) P.Beauv., Ess. Agrostogr. 82, 161, 171 (1812)	
?i	Eragrostis brownii (Kunth) Nees, Cat. Ind. Pl. 2: 105 (1834)	4b:326
i	Eragrostis cilianensis (All.) Vignolo ex Janch., Mitt. Naturwiss. Vereins Univ. Wien 5(9): 110 (1907)	4b:326
i	Eragrostis curvula (Schrad.) Nees, Fl. Afr. Austral. III. 397 (1841)	4b:327
i	Eragrostis minor Host, Icon. Descr. Gram. Austriac. 4: 15 (1809)	
	Eragrostis molybdea Vickery = Eragrostis brownii	4b:326
i	Eragrostis parviflora (R.Br.) Trin., Mém. Acad. Imp. Sci. St.Pétersbourg Hist. Acad. 11: 411 (1830)	
i	Eragrostis pilosa (L.) P.Beauv., Ess. Agrostogr. 71, 162, 175 (1812)	
i #	Eragrostis tenuifolia (A.Rich.) Hochst. ex Steud., Syn. Pl. Glumac. 1: 268 (1854)	4b:327
	Erythranthera australis (Petrie) Zotov = Rytidosperma australe	4b:318
	Festuca archeri E.B.Alexeev = Festuca arundinacea	4b:428
i	Festuca arundinacea Schreb., Spic. Fl. Lips. 57 (1771)	4b:197
	Festuca asperula Vickery sensu Townrow (1969) = Festuca plebeia	4b:196
	Festuca bromoides L. = Vulpia bromoides	4b:203
	Festuca distichophylla (Labill.) Hook.f. nom. illeg. = Distichlis distichophylla	
	Festuca dives F.Muell. = Dryopoa dives	4b:199
	Festuca duriuscula L. sensu Bentham (1878) = Festuca plebeia (misapplied in Tasmania)	
	Festuca elatior subsp. arundinacea (Schreb.) Hack. = Festuca arundinacea	4b:197
	Festuca hookeriana F.Muell. ex Hook.f. = Hookerochloa hookeriana	4b:223
	Festuca littoralis Labill. = Austrofestuca littoralis	4b:223
i	Festuca nigrescens Lam., Encycl. (Lamarck) 2: 460 (1788)	4b:197
	Festuca ovina L. sensu Rodway (1903) = Festuca plebeia	4b:196
	Festuca pectinata Labill. = Australopyrum pectinatum	

e	Festuca plebeia R.Br., Prodr. Fl. Nov. Holland. 178 (1810)	4b:196
i	Festuca rubra L., Sp. Pl. 1: 74 (1753)	4b:197
	<i>Festuca scabra</i> Labill. nom. illeg., non Vahl = Anthosachne scabra	
	<i>Gastridium lendigerum</i> (L.) Gaudin sensu Rodway (1903) = Gastridium ventricosum	4b:280
i t	Gastridium ventricosum (Gouan) Schinz & Thell., Vierteljahrsschr. Naturf. Ges. Zürich 58: 39 (1913)	4b:280
i	Gaudinia fragilis (L.) P.Beauv., Ess. Agrostogr. 95 (1812)	4b:238
	Glyceria australis C.E.Hubb., Bull. Misc. Inform. Kew. 1934: 450 (1934)	4b:228
i	Glyceria declinata Bréb., Fl. Normandie, ed. 3: 354 (1859)	4b:229
i t	Glyceria fluitans (L.) R.Br., Prodr. Fl. Nov. Holland. 179 (1810)	4b:229
	<i>Glyceria fluitans</i> (L.) R.Br. sensu Rodway (1903) = Glyceria australis	4b:228
i	Glyceria maxima (Hartm.) Holmb., Bot. Not. 72: 97 (1919)	4b:229
	<i>Glyceria notata</i> Chevall. sensu Buchanan (2005) = Glyceria plicata	
i *	<i>Glyceria plicata</i> (Fr.) Fr.	4b:229
	<i>Glyceria stricta</i> Hook.f. = Puccinellia stricta	4b:205
i	Hainardia cylindrica (Willd.) Greuter, Boissiera 13: 177 (1967)	4b:227
	<i>Hemarthria compressa</i> (L.f.) R.Br. sensu Bentham (1878) = Hemarthria uncinata (misapplied in Tasmania)	
	Hemarthria uncinata R.Br. var. uncinata , Prodr. Fl. Nov. Holland. 207 (1810)	4b:359
	<i>Hierochloe antarctica</i> (Labill.) R.Br. = Hierochloe redolens	
	<i>Hierochloe borealis</i> Roem. & Schult. sensu Hooker (1860) = Hierochloe fraseri (misapplied in Tasmania)	
e	Hierochloe fraseri Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 93 (1845)	4b:248
	Hierochloe rariflora Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 93 (1845)	4b:249
	Hierochloe redolens (Vahl) R.Br. ex Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 514 (1817)	4b:247
	<i>Hierochloe redolens</i> var. <i>fraseri</i> (Hook.f.) Benth. = Hierochloe fraseri	
i	Holcus lanatus L., Sp. Pl. 2: 1048 (1753)	4b:245
i *	<i>Holcus mollis</i> L.	4b:245
	Hookerochloa hookeriana (F.Muell. ex Hook.f.) E.B.Alexeev, Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. 90: 106 (1985)	4b:223
i	Hordeum distichon L., Sp. Pl. 1: 85 (1753)	4b:297
i	Hordeum glaucum Steud., Syn. Pl. Glumac. 1: 352 (1854)	4b:298
i	Hordeum hystrix Roth, Catal. Bot. 1: 23 (1797)	4b:300
i	Hordeum leporinum Link, Linnaea 9: 133 (1834)	4b:298
i	Hordeum marinum Huds., Fl. Angl. (Hudson) (ed. 2) 1: 57 (1778)	4b:300
	<i>Hordeum marinum</i> subsp. <i>gussoneanum</i> (Parl.) Thell. = Hordeum hystrix	4b:300
i	Hordeum murinum L., Sp. Pl. 1: 85 (1753)	4b:298
	<i>Hordeum murinum</i> subsp. <i>glaucum</i> (Steud.) Tzvelev = Hordeum glaucum	4b:298
	<i>Hordeum murinum</i> subsp. <i>leporinum</i> (Link) Arcang. = Hordeum leporinum	4b:298
	<i>Hordeum nodosum</i> L. sensu Bentham (1878) a name of uncertain application	
i	Hordeum vulgare L., Sp. Pl. 1: 84 (1753)	4b:297
	<i>Imperata arundinacea</i> Cirillo sensu Rodway (1903) = Imperata cylindrica var. major	4b:353
	Imperata cylindrica var. major (Nees) C.E.Hubb., Grasses of Mauritius & Rodriguez: 96 (1940)	4b:353
	Isachne globosa (Thunb. ex Murray) Kuntze, Revis. Gen. Pl. 2: 778 (1891)	

	Koeleria cristata (L.) Bertol. sensu Rodway (1903) = Koeleria macrantha	4b:240
	Koeleria cristata Pers. = Rostraria cristata	4b:241
i x	Koeleria macrantha (Ledeb.) Schult., Mant. 2 (Schultes): 345 (1824)	4b:240
	Koeleria phleoides (Vill.) Pers. sensu Rodway (1903) = Rostraria cristata	4b:241
	Lachnagrostis aemula (R.Br.) Trin., Fund. Agrost. (Trinius) 128 (1820)	4b:258
	Lachnagrostis aequata (Nees) S.W.L.Jacobs = Lachnagrostis rudis	4b:261
	Lachnagrostis billardierei (R.Br.) Trin. subsp. billardierei , Fund. Agrost. (Trinius) 128 (1820)	4b:260
e	Lachnagrostis billardierei subsp. tenuiseta (D.I.Morris) S.W.L.Jacobs, Telopea 9: 445 (2001)	4b:261
e	Lachnagrostis collicola (D.I.Morris) S.W.L.Jacobs, Telopea 9: 445 (2001)	4b:261
	Lachnagrostis filiformis (G.Forst.) Trin., Fund. Agrost. (Trinius) 128 (1820)	4b:259
e	Lachnagrostis lacunarum (D.I.Morris) S.W.L.Jacobs, Telopea 9: 446 (2001)	4b:260
e	Lachnagrostis morrisii A.J.Br., Muellera 24: 127 (2006)	4b:261
	Lachnagrostis punicea subsp. filifolia (Vickery) S.W.L.Jacobs = Lachnagrostis semibarbata var. filifolia	4b:261
	Lachnagrostis punicea (A.J.Br. & N.G.Walsh) S.W.L.Jacobs subsp. punicea = Lachnagrostis semibarbata var. semibarbata	4b:259
	Lachnagrostis robusta (Vickery) S.W.L.Jacobs, Telopea 9: 447 (2001)	4b:261
	Lachnagrostis rudis subsp. nana A.J.Br., Muellera 33: 93 (2015)	
	Lachnagrostis rudis (Roem. & Schult.) Trin. subsp. rudis , Fund. Agrost. 128 (1820)	
	Lachnagrostis scabra (P.Beauv.) Nees ex Steud. nom. inval. = Lachnagrostis rudis	4b:261
	Lachnagrostis semibarbata var. filifolia (Vickery) A.J.Br., Muellera 38: 23 (2019)	4b:259
	Lachnagrostis semibarbata (Trin.) A.J.Br. var. semibarbata , Muellera 38: 23 (2019)	4b:259
i	Lagurus ovatus L., Sp. Pl. 1: 81 (1753)	4b:281
	Lepturus cylindricus (Willd.) Trin. = Hainardia cylindrica	4b:227
	Lepturus incurvatus Trin. = Parapholis incurva	4b:226
i t	Leymus arenarius (L.) Hochst., Flora 31: 118 (1848)	
i	Lolium loliaceum (Bory & Chaub. ex Fauché) Hand.-Mazz., Ann. K. K. Naturhist. Hofmus. 28: 32 (1914)	4b:202
i	Lolium multiflorum Lam., Fl. Franç. (Lamarck) 3: 621 (1779)	4b:201
i	Lolium perenne L., Sp. Pl. 1: 83 (1753)	4b:201
	Lolium perenne var. italicum (A.Braun) Rodway = Lolium multiflorum	
i	Lolium rigidum Gaudin, Agrost. Helv. 1: 334 (1811)	4b:201
i	Lolium temulentum f. arvense (With.) Junge, Jahrb. Hamburg. Wiss. Anst. Beih. 30: 314 (1913)	4b:200
	Lophochloa cristata (L.) Hyl. = Rostraria cristata	4b:241
	Lophopyrum elongatum (Host) Á.Löve = Thinopyrum obtusiflorum	4b:295
	Lophopyrum ponticum (Podp.) Á.Löve sensu Buchanan (2005) = Thinopyrum obtusiflorum	4b:295
	Microlaena gunnii Hook.f. = Microlaena stipoides	
	Microlaena stipoides (Labill.) R.Br. var. stipoides , Prodr. Fl. Nov. Holland. 210 (1810)	4b:181
e	Microlaena tasmanica var. subalpina F.Muell. ex Benth., Fl. Austral. 7: 553 (1878)	4b:182
e	Microlaena tasmanica (Hook.f.) Benth. var. tasmanica , Fl. Austral. 7: 552 (1878)	4b:181
i *	Molineriella minuta (L.) Rouy	
	Monerma cylindrica (Willd.) Coss. & Durieu = Hainardia cylindrica	4b:227
i t	Nardus stricta L., Sp. Pl. 1: 53 (1753)	4b:184
i	Nassella leucotricha (Trin. & Rupr.) R.W.Pohl, Taxon 39: 610 (1990)	

i	Nassella neesiana (Trin. & Rupr.) Barkworth, Taxon 39: 611 (1990)	
i	Nassella trichotoma (Nees) Hack. ex Arechav., Anales Mus. Nac. Montevideo 1: 366 (1896)	4b:193
	Notodanthonia caespitosa (Gaudich.) Zotov = Rytidosperma caespitosum	4b:312
	Notodanthonia carphoides (F.Muell. ex Benth.) Zotov = Rytidosperma carphoides	4b:306
	Notodanthonia diemenica (D.I.Morris) H.P.Linder = Rytidosperma diemenicum	4b:311
	Notodanthonia geniculata (J.M.Black) Zotov = Rytidosperma geniculatum	4b:308
	Notodanthonia gracilis (Hook.f.) Zotov = Rytidosperma gracile	4b:309
	Notodanthonia laevis (Vickery) Zotov = Rytidosperma laeve	4b:312
	Notodanthonia penicillata (Labill.) Zotov = Rytidosperma penicillatum	4b:313
	Notodanthonia pilosa (R.Br.) Zotov = Rytidosperma pilosum	4b:313
	Notodanthonia popinensis (D.I.Morris) H.P.Linder = Rytidosperma fulvum	4b:316
	Notodanthonia racemosa (R.Br.) Zotov = Rytidosperma racemosum	4b:314
	Notodanthonia remota (D.I.Morris) H.P.Linder = Rytidosperma remotum	4b:316
	Notodanthonia semiannularis (Labill.) Zotov = Rytidosperma semiannulare	4b:308
	Notodanthonia setacea (R.Br.) Veldkamp = Rytidosperma setaceum	4b:311
	Notodanthonia tenuior (Steud.) Conert = Rytidosperma tenuius	4b:310
	Oryzopsis miliacea (L.) Benth. & Hook.f. ex Asch. & Schweinf. = Piptatherum miliaceum	4b:194
i *	<i>Panicum capillare</i> L.	4b:335
	<i>Panicum capillare</i> var. <i>occidentale</i> Rydb. = Panicum capillare	4b:335
i *	<i>Panicum gilvum</i> Launert	4b:335
	<i>Panicum gracile</i> R.Br. sensu Rodway (1903) = Paspalidium gracile	
i	Panicum hillmanii Chase, J. Wash. Acad. Sci. 14: 345 (1934)	4b:334
i	Panicum miliaceum L., Sp. Pl. 1: 58 (1753)	4b:333
	<i>Panicum sanguinale</i> L. = Digitaria sanguinalis	4b:346
	<i>Panicum schinzii</i> Hack. sensu Curtis & Morris (1994) = Panicum gilvum	4b:335
i	Parapholis incurva (L.) C.E.Hubb., Blumea Suppl. 3: 14 (1946)	4b:226
i	Parapholis strigosa (Dumort.) C.E.Hubb., Blumea suppl. 3: 14 (1946)	4b:226
	<i>Paspalidium gracile</i> (R.Br.) Hughes sensu Townrow (1969) a name of uncertain application	
i	Paspalum dilatatum Poir., Encycl. (Lamarck) 5: 35 (1804)	4b:340
i	Paspalum distichum L., Syst. Nat., ed. 10. 2: 855 (1759)	4b:340
i	Paspalum urvillei Steud., Syn. Pl. Glumac. 1: 24 (1853)	4b:340
	<i>Pennisetum alopecuroides</i> (L.) Spreng. = Cenchrus purpurascens	
	<i>Pennisetum clandestinum</i> Hochst. ex Chiov. = Cenchrus clandestinus	4b:348
	<i>Pennisetum macrourum</i> Trin. = Cenchrus macrourus	4b:351
	<i>Pennisetum villosum</i> R.Br. ex Fresen. = Cenchrus longisetus	4b:349
	<i>Pentapogon billardierei</i> R.Br. sensu Rodway (1903) = Pentapogon quadrifidus	4b:275
	<i>Pentapogon billardierei</i> var. <i>parviflorus</i> Benth. = Pentapogon quadrifidus var. parviflorus	
e	Pentapogon quadrifidus var. parviflorus (Benth.) D.I.Morris, Muellera 7: 167 (1990)	4b:276
	Pentapogon quadrifidus (Labill.) Baill. var. quadrifidus , Hist. Pl. (Baillon) 12: 280 (1893)	4b:275
i	Phalaris aquatica L., Cent. Pl. 1: 4 (1755)	4b:252
i	Phalaris arundinacea L. var. arundinacea , Sp. Pl. 1: 55 (1753)	4b:251
i	Phalaris canariensis L., Sp. Pl. 1: 54 (1753)	4b:251
i	Phalaris minor Retz., Observ. Bot. (Retzius) 3: 8 (1783)	4b:252

i	Phalaris paradoxa L., Sp. Pl., ed. 2. 2: 1665 (1763)	4b:251
	Phalaris tuberosa L. = Phalaris aquatica	4b:252
i	Phleum pratense L. subsp. pratense , Sp. Pl. 1: 59 (1753)	4b:286
	Phragmites australis (Cav.) Trin. ex Steud., Nomencl. Bot. [Steudel], ed. 2. 2: 324 (1841)	4b:322
	Phragmites communis Trin. sensu Rodway (1903) = Phragmites australis	4b:322
i	Piptatherum miliaceum (L.) Coss., Notes sur quelques Plantes Critiques, Rares ou Nouvelles: 129 (1851)	4b:194
	Poa affinis R.Br. sensu Hooker (1860) a name of uncertain application	
i	Poa annua L., Sp. Pl. 1: 68 (1753)	4b:211
	Poa australis R.Br. = Poa poiformis	
	Poa billardierei (Spreng.) St.-Yves sensu Rodway (1903) = Poa poiformis var. poiformis	4b:220
i	Poa bulbosa L., Sp. Pl. 1: 70 (1753)	4b:213
	Poa caespitosa var. alpina F.Muell. ex Benth. sensu Rodway (1903) = Poa gunnii	4b:218
	Poa caespitosa var. australis (R.Br.) Benth. sensu Rodway (1903) = Poa rodwayi	4b:215
	Poa caespitosa var. laevis (R.Br.) Benth. = Poa poiformis	
	Poa caespitosa var. tenera (F.Muell.) Benth. sensu Rodway (1903) = Poa tenera	4b:217
	Poa clelandii Vickery, Contr. New South Wales Natl. Herb.4: 193 (1970)	4b:221
	Poa clivicola Vickery, Contr. New South Wales Natl. Herb. 4: 213 (1970)	
i	Poa compressa L., Sp. Pl. 1: 69 (1753)	4b:214
	Poa costiniana Vickery, Contr. New South Wales Natl. Herb. 4: 214 (1970)	4b:218
	Poa distichophylla (Labill.) R.Br. = Distichlis distichophylla	
	Poa fawcettiae Vickery, Contr. New South Wales Natl. Herb. 4: 232 (1970)	4b:217
e	Poa gunnii Vickery, Contr. New South Wales Natl. Herb. 4: 217 (1970)	4b:218
	Poa halmaturina J.M.Black, Trans. Roy. Soc. South Australia 66: 248 (1943)	4b:220
	Poa hiemata Vickery, Contr. New South Wales Natl. Herb. 4: 230 (1970)	4b:217
	Poa hookeri Vickery, Contr. New South Wales Natl. Herb. 4: 222 (1970)	4b:216
i	Poa infirma Kunth, Bonpl. & Kunth, Nov. Gen. Sp. [H.B.K.]1: 158 (1816)	4b:213
e	Poa jugicola D.I.Morris, Muelleria 7: 167 (1990)	4b:219
	Poa labillardierei var. acris Vickery, Contr. New South Wales Natl. Herb. 4: 205 (1970)	4b:220
	Poa labillardierei Steud. var. labillardierei , Syn. Pl. Glumac. 1: 262 (1854)	4b:219
	Poa laevis R.Br. = Poa poiformis	
e	Poa mollis Vickery, Contr. New South Wales Natl. Herb. 4: 241 (1970)	4b:215
	Poa poiformis (Labill.) Druce var. poiformis , Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 640 (1917)	4b:220
	Poa poiformis var. ramifer D.I.Morris, Muelleria 7: 169 (1990)	4b:220
i	Poa pratensis L., Sp. Pl. 1: 67 (1753)	4b:214
	Poa pubinervis (Vickery) S.W.L.Jacobs sensu Baker & Duretto (2011) = Austrofestuca littoralis	
	Poa rigida L. = Catapodium rigidum	4b:224
	Poa rodwayi Vickery, Contr. New South Wales Natl. Herb. 4: 235 (1970)	4b:215
	Poa saxicola R.Br. = Saxipoa saxicola	4b:214
	Poa sieberiana var. hirtella Vickery, Contr. New South Wales Natl. Herb. 4: 228 (1970)	
	Poa sieberiana Spreng. var. sieberiana , Syst. Veg. (ed. 16) [Sprengel] 4(2, Cur. Post.): 35 (1827)	4b:216
	Poa tenera F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 124, t.164a (1858)	4b:217

i	Poa trivialis L., Sp. Pl. 1: 67 (1753)	4b:213
	Polypogon littoralis Sm. = Polypogon lutosus	4b:283
i	Polypogon lutosus (Poir.) Hitchc., U.S.D.A. Bull. (1915-23) 772: 138 (1920)	4b:283
i	Polypogon maritimus var. subspatheaceus (Req.) Parl., Fl. Ital. (Parlatore) 1: 200 (1850)	4b:282
i	Polypogon monspeliensis (L.) Desf., Fl. Atlant. 1: 67 (1798)	4b:282
	Polypogon viridis (Gouan) Breistr. = Agrostis viridis	4b:283
	Psamma arenaria (L.) P.Beauv. = Ammophila arenaria	4b:274
i	Puccinellia distans (Jacq.) Parl., Fl. Ital. (Parlatore) 1: 366 (1850)	4b:205
e	Puccinellia harcusiana A.R.Williams, Fl. Australia 44A: 386 (2009)	
	Puccinellia perlaxa (Stapf ex N.G.Walsh) N.G.Walsh & A.R.Williams, Nuytsia 16: 464 (2007)	4b:205
	Puccinellia stricta (Hook.f.) C.H.Blom, Acta Horti Gothob. 5: 89 (1930)	4b:205
	Puccinellia stricta var. perlaxa Stapf ex N.G.Walsh = Puccinellia perlaxa	4b:205
i	Rostraria cristata (L.) Tzvelev, Novosti Sist. Vyssh. Rast. 7: 47 (1971)	4b:241
	Rytidosperma australe (Petrie) Clayton & Renvoize ex Connor & Edgar, New Zealand J. Bot. 25: 166 (1987)	4b:318
	Rytidosperma caespitosum (Gaudich.) Connor & Edgar, New Zealand J. Bot. 17: 325 (1979)	4b:312
	Rytidosperma carphoides (F.Muell. ex Benth.) Connor & Edgar, New Zealand J. Bot. 17: 331 (1979)	4b:306
e	Rytidosperma diemenicum (D.I.Morris) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 358 (2010)	4b:311
	Rytidosperma dimidiatum (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:317
e	Rytidosperma fortuneae-hibernae (Renvoize) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:310
?i	Rytidosperma fulvum (Vickery) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 358 (2010)	
	Rytidosperma geniculatum (J.M.Black) Connor & Edgar, New Zealand J. Bot. 17: 323 (1979)	4b:308
t	Rytidosperma gracile (Hook.f.) Connor & Edgar, New Zealand J. Bot. 17: 330 (1979)	4b:309
	Rytidosperma indutum (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:312
	Rytidosperma laeve (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 325 (1979)	4b:312
e	Rytidosperma nitens (D.I.Morris) H.P.Linder, Telopea 6: 614 (1996)	4b:315
	Rytidosperma nivicola (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:315
	Rytidosperma nudiflorum (P.Morris) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:314
	Rytidosperma oreophilum H.P.Linder & N.G.Walsh, Muelleria 8: 283 (1995)	
	Rytidosperma pallidum (R.Br.) A.M.Humphreys & H.P.Linder recorded in error	
e	Rytidosperma pauciflorum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:309
	Rytidosperma penicillatum (Labill.) Connor & Edgar, New Zealand J. Bot. 17: 327 (1979)	4b:313
	Rytidosperma pilosum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 326 (1979)	4b:313
	Rytidosperma popinensis (D.I.Morris) A.M.Humphreys & H.P.Linder = Rytidosperma fulvum	4b:316
	Rytidosperma procerum (Vickery) Connor & Edgar = Rytidosperma indutum	4b:312
	Rytidosperma racemosum (R.Br.) Connor & Edgar var. racemosum , New Zealand J. Bot. 17: 327 (1979)	4b:314
e	Rytidosperma remotum (D.I.Morris) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 359 (2010)	4b:316
	Rytidosperma semiannulare (Labill.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:308
	Rytidosperma setaceum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:311
	Rytidosperma tenuius (Steud.) A.Hansen & Sunding, Fl. Macaronesia, ed. 2, 1: 93 (1979)	4b:310

	Saxipoa saxicola (R.Br.) Soreng, L.J.Gillespie & S.W.L.Jacobs, Austral. Syst. Bot. 22: 407 (2010)	4b:214
	Schedonorus hookerianus (F.Muell. ex Hook.f.) P.Beauv. = Hookerchloa hookeriana	4b:223
	Schedonorus littoralis (Labill.) P.Beauv. = Austrofestuca littoralis	4b:223
	Schedonorus phoenix (Scop.) Holub = Festuca arundinacea	4b:197
i	Sclerochloa dura (L.) P.Beauv., Ess. Agrostogr. 98, 177, t.19 fig.4 (1812)	4b:225
i	Secale cereale L., Sp. Pl. 1: 84 (1753)	4b:302
	Setaria geniculata var. pauciseta Desv. = Setaria parviflora	4b:344
	Setaria gracilis var. pauciseta (Desv.) B.K.Simon = Setaria parviflora	4b:344
i	Setaria italica (L.) P.Beauv., Ess. Agrostogr. 51, 170, 178 (1812)	4b:343
i	Setaria parviflora (Poir.) Kerguélen, Lejeunia 120: 161 (1987)	4b:344
i *	Setaria pumila (Poir.) Roem. & Schult. subsp. pumila	
i	Setaria verticillata (L.) P.Beauv., Ess. Agrostogr. 51, 171, 178 (1812)	4b:342
i	Setaria viridis (L.) P.Beauv., Ess. Agrostogr. 51, 171, 178 (1812)	4b:343
	Sieglingia decumbens (L.) Bernh. = Danthonia decumbens	4b:317
i *	Sorghum bicolor (L.) Moench	
i *	Sorghum halepense (L.) Pers.	
	Spartina anglica C.E.Hubb. = Sporobolus anglicus	4b:330
	Spartina townsendii H.Groves & J.Groves sensu Townrow (1969) = Sporobolus anglicus	4b:330
	Spinifex hirsutus Labill. sensu Rodway (1903) = Spinifex sericeus	4b:351
	Spinifex sericeus R.Br., Prodr. Fl. Nov. Holland. 198 (1810)	4b:351
i	Sporobolus africanus (Poir.) Robyns & Tournay, Bull. Jard. Bot. État Bruxelles 25: 242 (1955)	4b:328
i	Sporobolus anglicus (C.E.Hubb.) P.M.Peterson & Saarela, Taxon 63(6): 1236 (2014)	4b:330
	Sporobolus capensis Kunth = Sporobolus africanus	4b:328
	Sporobolus indicus (L.) R.Br. = Sporobolus africanus	4b:328
	Sporobolus virginicus (L.) Kunth, Révis. Gramin. 1: 67 (1829)	4b:328
	Stenotaphrum americanum Schrank = Stenotaphrum secundatum	4b:344
i	Stenotaphrum secundatum (Walter) Kuntze, Revis. Gen. Pl. 2: 794 (1891)	4b:344
	Stipa aphanoneura Hughes = Austrostipa flavescens	4b:190
	Stipa aphylla (Rodway) J.Townrow = Austrostipa aphylla	4b:192
	Stipa bigeniculata Hughes = Austrostipa bigeniculata	4b:190
	Stipa blackii C.E.Hubb. = Austrostipa blackii	4b:191
	Stipa caudata Trin. = Amelichloa caudata	4b:192
	Stipa compacta Hughes = Austrostipa flavescens	4b:190
	Stipa elatior (Benth.) Hughes = Austrostipa flavescens	4b:190
	Stipa elegantissima Labill. sensu Labillardiere (1805) and Bentham (1878) recorded in error	
	Stipa eremophila Reader sensu Townrow (1969) a name of uncertain application	
	Stipa falcata Hughes sensu Townrow (1978) = Austrostipa scabra p.p.maj.	4b:188
	Stipa flavescens Labill. = Austrostipa flavescens	4b:190
	Stipa mollis R.Br. = Austrostipa mollis	4b:189
	Stipa neesiana Trin. & Rupr. = Nassella neesiana	
	Stipa nervosa var. neutralis sensu Townrow (1978) = Austrostipa rudis subsp. australis	4b:186
	Stipa nodosa S.T.Blake = Austrostipa nodosa	4b:188
	Stipa pubescens R.Br. sensu Rodway (1903) = Austrostipa pubinodis	4b:192

	<i>Stipa pubescens</i> var. <i>aphylla</i> Rodway = <i>Austrostipa aphylla</i>	4b:187
	<i>Stipa pubinodis</i> Trin. & Rupr. = <i>Austrostipa pubinodis</i>	4b:187
	<i>Stipa rudis</i> Spreng. = <i>Austrostipa rudis</i>	4b:186
	<i>Stipa scabra</i> Lindl. = <i>Austrostipa scabra</i>	4b:188
	<i>Stipa semibarbata</i> R.Br. = <i>Austrostipa semibarbata</i>	4b:189
	<i>Stipa setacea</i> R.Br. sensu Rodway (1903) = <i>Austrostipa stuposa</i>	4b:191
	<i>Stipa stipoides</i> (Hook.f.) Veldkamp = <i>Austrostipa stipoides</i>	4b:186
	<i>Stipa stuposa</i> Hughes = <i>Austrostipa stuposa</i>	4b:191
	<i>Stipa teretifolia</i> Steud. = <i>Austrostipa stipoides</i>	4b:186
	<i>Stipa variabilis</i> Hughes sensu Townrow (1969) = <i>Austrostipa nodosa</i>	4b:188
	<i>Tetrarrhena acuminata</i> R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:182
	<i>Tetrarrhena distichophylla</i> (Labill.) R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:183
	<i>Tetrarrhena juncea</i> R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:183
e	<i>Tetrarrhena oreophila</i> var. <i>minor</i> D.I.Morris, Records of the Queen Victoria Museum, n.ser., 55: 4 (1977)	4b:182
e	<i>Tetrarrhena oreophila</i> D.I.Morris var. <i>oreophila</i> , Records of the Queen Victoria Museum, n.ser., 55: 4 (1977)	4b:182
	<i>Tetrarrhena tenacissima</i> Nees sensu Hooker (1860) = <i>Tetrarrhena juncea</i>	
	<i>Themeda australis</i> (R.Br.) Stapf = <i>Themeda triandra</i>	4b:358
	<i>Themeda triandra</i> Forssk., Fl. Aegypt.-Arab. 178 (1775)	4b:358
n	<i>Thinopyrum elongatum</i> (Host) D.R.Dewey = <i>Thinopyrum obtusiflorum</i>	
i	<i>Thinopyrum junceiforme</i> (Á.Löve & D.Löve) Á.Löve, Taxon 29: 351 (1980)	4b:293
i n	<i>Thinopyrum obtusiflorum</i> (DC.) Banfi, Nat. Hist. Sci. 5(2): 60 (2018)	4b:295
	<i>Thonandia gracilis</i> (Hook.f.) H.P.Linder = <i>Rytidosperma gracile</i>	4b:309
	<i>Thonandia semiannularis</i> (Labill.) H.P.Linder = <i>Rytidosperma semiannulare</i>	4b:308
	<i>Trisetum spicatum</i> subsp. <i>australiense</i> Hultén ex Veldkamp, Gard. Bull. Singapore 36: 135 (1983)	4b:239
	<i>Trisetum subspicatum</i> (L.) P.Beauv. sensu Rodway (1903) = <i>Trisetum spicatum</i> subsp. <i>australiense</i>	4b:239
i	<i>Triticum aestivum</i> L., Sp. Pl. 1: 85 (1753)	4b:303
	<i>Triticum pectinatum</i> (Labill.) R.Br. = <i>Australopyrum pectinatum</i>	
	<i>Triticum scabrum</i> R.Br. = <i>Anthosachne scabra</i>	
	<i>Triticum velutinum</i> (Nees) Hook.f. nom. illeg., nom. superfl. = <i>Australopyrum velutinum</i>	
	<i>Uniola distichophylla</i> Labill. = <i>Distichlis distichophylla</i>	
i	<i>Vulpia bromoides</i> (L.) Gray, Nat. Arr. Brit. Pl. 2: 124 (1821)	4b:203
i	<i>Vulpia fasciculata</i> (Forssk.) Fritsch, Exkursionsfl. Oesterreich (Ed. 2): 74 (1909)	4b:204
	<i>Vulpia megalura</i> (Nutt.) Rydb. = <i>Vulpia myuros</i> f. <i>megalura</i>	4b:204
i	<i>Vulpia muralis</i> (Kunth) Nees, Linnaea 19: 694 (1847)	
i	<i>Vulpia myuros</i> f. <i>megalura</i> (Nutt.) Stace & R.Cotton, Watsonia 11: 72 (1976)	4b:204
i	<i>Vulpia myuros</i> (L.) C.C.Gmel. f. <i>myuros</i> , Fl. Bad. 1: 8 (1805)	
	<i>Zoysia macrantha</i> subsp. <i>walshii</i> Night., Fl. Australia 43: 376 (2002)	4b:332
	<i>Zoysia pungens</i> Willd. sensu Rodway (1903) = <i>Zoysia macrantha</i> subsp. <i>walshii</i>	4b:332

POSIDONIACEAE

Caulinia antarctica R.Br. = ***Amphibolis antarctica*** (Cymodoceaceae)

Caulinia oceanica R.Br. = ***Potamogeton australiensis*** (Potamogetonaceae)

	Posidonia australis Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 43 (1858)	4b:25
POTAMOGETONACEAE		
x	Lepilaena australis J.Drumm. ex Harv., Hooker's J. Bot. Kew Gard. Misc. 7: 58 (1855)	4b:22
	Lepilaena bilocularis Kirk, Trans. & Proc. New Zealand Inst. 28: 500 (1896)	4b:24
	Lepilaena cylindrocarpa (Körn. ex Müll.Stuttg) Benth., Fl. Austral. 7: 180 (1878)	4b:22
	Lepilaena marina E.L.Robertson, Marine Benthic Fl. South. Australia 1: 80 (1984)	4b:23
	Lepilaena patentifolia E.L.Robertson, Fl. S. Australia 4: 1736 (1986)	4b:23
	Lepilaena preissii (Lehm.) F.Muell., Fragm. (Mueller) 8: 217 (1874)	4b:24
	Potamogeton australiensis A.Benn., J. Bot. 48: 149 (1910)	4b:19
	Potamogeton cheesemanii A.Benn., J. Bot. 66: 66 (1883)	4b:19
	Potamogeton crispus L., Sp. Pl. 1: 126 (1753)	4b:18
	Potamogeton drummondii Benth., Fl. Austral. 7: 171 (1878)	
	<i>Potamogeton gramineus</i> L. sensu Hooker (1860) = Potamogeton ochreatus identity somewhat uncertain	
	<i>Potamogeton heterophyllus</i> Schreb. sensu Hooker (1860) = Potamogeton perfoliatus identity somewhat uncertain	
	<i>Potamogeton natans</i> L. sensu Rodway (1903) p.p. = Potamogeton australiensis (misapplied in Tasmania)	
	<i>Potamogeton natans</i> L. sensu Rodway (1903) p.p. = Potamogeton drummondii (misapplied in Tasmania)	
	<i>Potamogeton natans</i> L. sensu Rodway (1903) p.p. = Potamogeton cheesemanii (misapplied in Tasmania)	4b:19
	<i>Potamogeton obtusifolius</i> Mert. & W.D.J.Koch sensu Rodway (1903) = Potamogeton crispus	4b:18
	Potamogeton ochreatus Raoul, Ann. Sci. Nat., Bot., sér. 3, 2: 117 (1844)	4b:18
	<i>Potamogeton pectinatus</i> L. = Stuckenia pectinata	4b:18
	Potamogeton perfoliatus L., Sp. Pl. 1: 126 (1753)	4b:18
	<i>Potamogeton praelongus</i> Wulfen sensu Rodway (1903) = Potamogeton ochreatus	4b:18
	<i>Potamogeton tricarinatus</i> F.Muell. & A.Benn. ex A.Benn. sensu Baker & de Salas (2013) p.p. = Potamogeton cheesemanii (misapplied in Tasmania)	4b:19
	<i>Potamogeton tricarinatus</i> F.Muell. & A.Benn. ex A.Benn. sensu Baker & de Salas (2013) p.p. = Potamogeton drummondii (misapplied in Tasmania)	4b:19
	<i>Potamogeton tricarinatus</i> F.Muell. & A.Benn. ex A.Benn. sensu Baker & de Salas (2013) p.p. = Potamogeton australiensis (misapplied in Tasmania)	4b:19
	Stuckenia pectinata (L.) Börner, Fl. Deut. Volk. 713 (1912)	4b:18
	<i>Zannichellia palustris</i> L. sensu Hooker (1860) probably misapplied to Lepilaena spp.	
RESTIONACEAE		
	<i>Acion hookeri</i> (D.I.Morris) B.G.Briggs & L.A.S.Johnson = Chordifex hookeri	4b:46
	<i>Acion monocephalum</i> (R.Br.) B.G.Briggs & L.A.S.Johnson = Chordifex monocephalus	4b:47
	Apodasmia brownii (Hook.f.) B.G.Briggs & L.A.S.Johnson, Telopea 7: 371 (1998)	4b:39
	Baloskion australe (R.Br.) B.G.Briggs & L.A.S.Johnson, Telopea 8: 23 (1998)	4b:46
	Baloskion tetraphyllum (Labill.) B.G.Briggs & L.A.S.Johnson subsp. tetraphyllum , Telopea 8: 23 (1998)	4b:45
	<i>Calorophus ater</i> L.A.S.Johnson & B.G.Briggs = Calorophus erostris	4b:42
	Calorophus elongatus Labill., Nov. Holl. Pl. 2: 78, t.228 (1806)	4b:41

e	Calorophus erostris (C.B.Clarke) L.A.S.Johnson & B.G.Briggs, The Student's Flora of Tasmania 4b: 425 (1994)	4b:42
	Calorophus lateriflorus (R.Br.) F.Muell. = Empodisma minus	4b:43
e	Chordifex hookeri (D.I.Morris) B.G.Briggs, Telopea 10: 685 (2004)	4b:46
e	Chordifex monocephalus (R.Br.) B.G.Briggs, Telopea 10: 685 (2004)	4b:47
	Empodisma minus (Hook.f.) L.A.S.Johnson & D.F.Cutler, Kew Bull. 28: 383 (1974)	4b:43
	Eurychorda complanata (R.Br.) B.G.Briggs & L.A.S.Johnson, Telopea 7: 359 (1998)	4b:46
	Hypolaena exsulca R.Br. recorded in error	
	Hypolaena fastigiata R.Br., Prodr. Fl. Nov. Holland. 251 (1810)	4b:40
	Hypolaena lateriflora (R.Br.) Benth. = Empodisma minus	4b:43
	Hypolaena longissima Benth. sensu Rodway (1903) = Calorophus elongatus	4b:41
	Leptocarpus brownii Hook.f. = Apodasmia brownii	4b:39
	Leptocarpus tenax (Labill.) R.Br., Prodr. Fl. Nov. Holland. 250 (1810)	4b:39
	Lepyrodia muelleri Benth., Fl. Austral. 7: 215 (1878)	4b:43
	Lepyrodia tasmanica Hook.f. = Sporadanthus tasmanicus	4b:44
	Restio australis R.Br. = Baloskion australe	4b:46
	Restio complanatus R.Br. = Eurychorda complanata	4b:46
	Restio glaber (Rodway) L.A.S.Johnson & B.G.Briggs = Chordifex monocephalus	4b:47
	Restio gracilis R.Br. sensu Rodway (1903) = Baloskion australe	4b:46
	Restio hookeri D.I.Morris = Chordifex hookeri	4b:46
	Restio lateriflorus R.Br. nom. illeg. = Calorophus elongatus	
	Restio monocephalus R.Br. = Chordifex monocephalus	4b:47
	Restio oligocephalus F.Muell. = Chordifex monocephalus	4b:46
	Restio oligocephalus var. glabrum Rodway = Chordifex monocephalus	
	Restio oligocephalus var. intermedius Rodway = Chordifex hookeri	
	Restio tetraphyllum Labill. = Baloskion tetraphyllum	4b:45
	Schoenodum tenax Labill. = Leptocarpus tenax	
	Sporadanthus tasmanicus (Hook.f.) B.G.Briggs & L.A.S.Johnson, Telopea 8: 31 (1998)	4b:44
e	Winifredia sola L.A.S.Johnson & B.G.Briggs, Telopea 2: 738 (1986)	4b:47
RUPPIACEAE		
	Ruppia antarctica Labill. = Amphibolis antarctica (Cymodoceaceae)	
	Ruppia maritima L. sensu Rodway (1903) = Ruppia polycarpa (misapplied in Tasmania)	4b:21
	Ruppia megacarpa R.Mason, New Zealand J. Bot. 5: 525 (1967)	4b:21
	Ruppia polycarpa R.Mason, New Zealand J. Bot. 5: 524 (1967)	4b:21
	Ruppia tuberosa J.S.Davis & Toml., J. Arnold Arbor. 55: 60 (1974)	4b:21
TYPHACEAE		
	Typha angustifolia L. sensu Rodway (1903) p.p. = Typha orientalis (misapplied in Tasmania)	
	Typha angustifolia L. sensu Rodway (1903) p.p. = Typha domingensis (misapplied in Tasmania)	
	Typha domingensis Pers., Syn. Pl. (Persoon) 2: 532 (1807)	4b:364
i	Typha latifolia L., Sp. Pl. 2: 971 (1753)	4b:363
	Typha orientalis C.Presl, Epimel. Bot. 239 (1851)	4b:363
XANTHORRHOEACEAE		
e	Xanthorrhoea arenaria D.J.Bedford, Fl. Australia 46: 225 (1986)	4b:421

	Xanthorrhoea australis R.Br., Prodr. Fl. Nov. Holland. 288 (1810)	4b:419
e	Xanthorrhoea bracteata R.Br., Prodr. Fl. Nov. Holland. 288 (1810)	4b:421
	Xanthorrhoea hastilis R.Br. sensu Hooker (1860) = Xanthorrhoea australis (misapplied in Tasmania)	
	Xanthorrhoea minor R.Br. sensu Rodway (1903) p.p. = Xanthorrhoea bracteata (misapplied in Tasmania)	4b:421
	Xanthorrhoea minor R.Br. sensu Rodway (1903) p.p. = Xanthorrhoea arenaria (misapplied in Tasmania)	4b:421

XYRIDACEAE

	Xyris gracilis R.Br. sensu Bentham (1878) p.p. = Xyris muelleri (misapplied in Tasmania)	
	Xyris gracilis R.Br. sensu Bentham (1878) p.p. = Xyris tasmanica (misapplied in Tasmania)	
	Xyris gracilis R.Br. sensu Bentham (1878) p.p. = Xyris marginata (misapplied in Tasmania)	
	Xyris gracilis subsp. tasmanica D.I.Morris = Xyris tasmanica	4b:35
	Xyris gracilis var. bracteata Benth. = Xyris muelleri	
e	Xyris marginata Rendle, J. Bot. 37: 503 (1899)	4b:35
e	Xyris muelleri Malme, Svensk. Bot. Tidskr. 21: 381 (1928)	4b:35
	Xyris operculata Labill., Nov. Holl. Pl. 1: 14, t.10 (1805)	4b:34
e	Xyris tasmanica (D.I.Morris) Doust & B.J.Conn, Austral. Syst. Bot. 10(2): 212 (1997)	4b:35

ZOSTERACEAE

	Heterozostera nigricaulis J.Kuo, Aquatic Bot. 81(2): 110 (2005)	
	Heterozostera tasmanica (G.Martens ex Asch.) Hartog, Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2. 59: 116 (1970)	4b:28
	Nanozostera muelleri (Irmisch ex Asch.) Toml. & Posl. = Zostera muelleri subsp. muelleri	4b:29
	Zostera marina R.Br. = Heterozostera nigricaulis	
	Zostera muelleri Irmisch ex Asch. subsp. muelleri , Linnaea 35: 168 (1868)	4b:29
	Zostera nana Mert. ex Roth sensu Rodway (1903) = Zostera muelleri subsp. muelleri	4b:29
	Zostera tasmanica G.Martens ex Asch. = Heterozostera tasmanica	4b:28

GYMNOSPERMS

CUPRESSACEAE

e	Athrotaxis cupressoides D.Don, Ann. Nat. Hist. 1: 234 (1838)	1:6
e	Athrotaxis × laxifolia Hook., Icon. Pl. 6: t.573 (1843) = A. cupressoides × A. selaginoides	1:6
e	Athrotaxis selaginoides D.Don, Ann. Nat. Hist. 1: 234 (1838)	1:7
	Athrotaxis tetragona Hook. = Microcachrys tetragona (Podocarpaceae)	
	Callitris cupressiformis var. tasmanica (Benth.) Maiden = Callitris rhomboidea	
e	Callitris oblonga Rich. & A.Rich. subsp. oblonga , Comm. Bot. Conif. Cycad. 49, t.18 fig.2 (1826)	1:5
	Callitris rhomboidea R.Br. ex Rich. & A.Rich., Comm. Bot. Conif. Cycad. 47, t.18 fig.1 (1826)	1:5
	Callitris rhomboidea var. tasmanica (Benth.) Ewart, B.Rees & B.Wood = Callitris rhomboidea	
	Callitris tasmanica (Benth.) R.T.Baker & H.G.Sm. = Callitris rhomboidea	
e	Diselma archeri Hook.f., Bot. Antarct. Voy. Ill. (Fl. Tasman.) 1: 353 t.98 (1857)	1:5
	Fitzroya archeri (Hook.f.) Benth. & Hook.f. = Diselma archeri	1:5
	Frenela australis R.Br. ex Benth. nom. illeg., sensu Bentham (1878) = Callitris oblonga	
	Frenela rhomboidea var. tasmanica Benth. = Callitris rhomboidea	
i	Hesperocyparis macrocarpa (Hartw. ex Gordon) Bartel, Phytologia 91: 182 (2009)	

PINACEAE

- i **Pinus pinaster** Aiton, Hort. Kew. [W. Aiton] 3: 367 (1789)
 i **Pinus radiata** D.Don, Trans. Linn. Soc. London 17: 442 (1837) 1:8
 i# **Pinus wallichiana** A.B.Jacks., Bull. Misc. Inform. Kew 1938(2): 85 (1938)

PODOCARPACEAE

- Dacrydium franklinii Hook.f. = **Lagarostrobos franklinii** 1:3
 e **Lagarostrobos franklinii** (Hook.f.) Quinn, Austral. J. Bot. 30: 316 (1982) 1:3
 e **Microcachrys tetragona** (Hook.) Hook.f., London J. Bot. 4: 150 (1845) 1:3
 Microstrobos niphophilus J.Garden & L.A.S.Johnson = **Pherosphaera hookeriana** 1:2
 e **Pherosphaera hookeriana** W.Archer bis, Hooker's J. Bot. Kew Gard. Misc. 2: 52 (1850) 1:2
 e **Phyllocladus aspleniifolius** (Labill.) A.Rich. ex Hook.f., London J. Bot. 4: 151 (1845) 1:2
 Phyllocladus rhomboidalis A.Rich. = **Phyllocladus aspleniifolius** 1:2
 Podocarpus alpinus Hook.f. = **Podocarpus lawrencei** 1:4
 Podocarpus aspleniifolia Labill. = **Phyllocladus aspleniifolius**
Podocarpus lawrencei Hook.f., London J. Bot. 4: 151 (1845) 1:4

PTERIDOPHYTES

ADIANTACEAE

- Adiantum aethiopicum** L., Syst. Nat., ed. 10, 2: 1329 (1759)
 Adiantum assimile Sw. sensu Brown (1810) = **Adiantum aethiopicum**
 Adiantum trigonum Labill. = **Adiantum aethiopicum**
Anogramma leptophylla (L.) Link, Fil. Spec. 137 (1841)
Cheilanthes austrotenuifolia H.M.Quirk & T.C.Chambers, Austral. J. Bot. 31: 510 (1983)
Cheilanthes distans (R.Br.) Mett., Abh. Senckenberg. Naturf. Ges. 3: 69 (1859)
Cheilanthes sieberi Kunze subsp. **sieberi**, Pl. Preiss. [J.G.C.Lehman] 2: 112 (1846)
 Cheilanthes tenuifolia (Burm.f.) Sw. sensu Rodway (1903) = **Cheilanthes austrotenuifolia**
Pellaea calidirupium Brownsey & Lovis, New Zealand J. Bot. 28: 197 (1990)
Pellaea falcata (R.Br.) Fée, Mem. Foug., 5. Gen. Filic. 129 (1850)
 Platyloma falcata (R.Br.) J.Sm. = **Pellaea falcata**

ASPLENIACEAE

- Asplenium appendiculatum** (Labill.) C.Presl subsp. **appendiculatum**, Tent. Pterid. 106 (1836)
 Asplenium brownii J.Sm. sensu Hooker (1860) = **Diplazium australe**
 Asplenium bulbiferum subsp. gracillimum (Colenso) Brownsey = **Asplenium gracillimum**
 Asplenium bulbiferum var. hookeriana (Colenso) Rodway = **Asplenium hookerianum**
Asplenium decurrens Willd., Sp. Pl., ed. 4 [Willdenow] 4, 5(1): 316 (1810)
Asplenium flabellifolium Cav., Descr. Pl. (Cavanilles): 257 (1801)
Asplenium flaccidum G.Forst. subsp. **flaccidum**, Fl. Ins. Austr. 80 (1786)
Asplenium gracillimum Colenso, Trans. & Proc. New Zealand Inst. 22: 453 22: 453 (1890)
Asplenium hookerianum Colenso, Tasmanian J. Nat. Sci. 2: 169 (1844)
 Asplenium laxum R.Br. nom. illeg. = **A. appendiculatum** × **A. gracillimum**
 Asplenium lucidum G.Forst. sensu Hooker (1860) = **Asplenium decurrens**
 Asplenium obliquum G.Forst. sensu Labillardiere (1805) = **Asplenium decurrens** (misapplied in Tasmania)

Asplenium obtusatum subsp. *northlandicum* Brownsey = **Asplenium decurrens**

Asplenium terrestre Brownsey = **Asplenium appendiculatum**

Asplenium trichomanes subsp. **quadrivalens** D.E.Mey., Ber. Deutsch. Bot. Ges. 74: 456 (1961)

Asplenium trichomanes L. subsp. **trichomanes**, Sp. Pl. 2: 1080 (1753)

Asplenium umbrosum J.Sm. sensu Bentham (1878) = **Diplazium australe** (Athyraceae) misapplied in Tasmania

Caenopteris appendiculata Labill. = **Asplenium appendiculatum**

Pleurosorus rutifolius (R.Br.) Fée, Mem. Foug., 5. Gen. Filic. 179, t. 16c (1852)

ATHYRIACEAE

Allantodia australis R.Br. = **Diplazium australe**

Athyrium australe (R.Br.) C.Presl = **Diplazium australe**

Cystopteris fragilis var. *tasmanica* (Hook.) Hook.f. = **Cystopteris tasmanica**

Cystopteris tasmanica Hook., Sp. Fil. 1: 199 (1846)

Diplazium australe (R.Br.) N.A.Wakef., Vict. Naturalist 58: 142 t.3 (1942)

AZOLLACEAE

Azolla filiculoides Lam. = **Azolla rubra**

Azolla rubra R.Br., Prodr. Fl. Nov. Holland. 167 (1810)

BLECHNACEAE

Blechnum aggregatum (Colenso) Tindale sensu Willis (1973) = **Blechnum chambersii**

Blechnum cartilagineum Sw., Syn. Fil. (Swartz): 114 (1806)

Blechnum chambersii Tindale, Flora of the Sydney Region, ed. 2: 86 (1972)

Blechnum deltoides (Colenso) T.C.Chambers, Telopea 22: 48 (2019)

Blechnum fluviatile (R.Br.) E.J.Lowe ex Salomon, Nomencl. Gefässkrypt. 115 (1883)

Blechnum minus (R.Br.) Ettingsh., Denkschr. Kaiserl. Akad. Wiss. Math.-Naturwiss. Kl. 23: 63, t.8 (1864)

Blechnum neohollandicum Christenh., Phytotaxa 19: 20 (2011)

Blechnum nudum (Labill.) Mett. ex Lueress., Iora oder Allgemeinen Botanischer Zeitung 59: 292 (1876)

Blechnum parrisiae Christenh., Phytotaxa 19: 20 (2011)

Blechnum patersonii (R.Br.) Mett. subsp. **patersonii**, Fil. Hort. Bot. Lips.: 64, t.4 figs. 4-10 (1856)

Blechnum pennamarina subsp. **alpina** (R.Br.) T.C.Chambers & P.A.Farrant, Fern Gaz. 15: 96 (1996)

Blechnum procerum (G.Forst.) Sw. sensu Labillardiere (1805) = **Blechnum wattsii**

Blechnum rupestre (Kaulf. ex Link) Christenh. (cited in error) = **Blechnum spinulosum**

Blechnum spinulosum Poir., Encycl. (Lamarck) Suppl. 1: 644 (1810)

Blechnum vulcanicum (Blume) Kuhn = **Blechnum deltoides**

Blechnum wattsii Tindale, Contr. New South Wales Natl. Herb. 3: 247 (1963)

Doodia aspera R.Br. = **Blechnum neohollandicum**

Doodia australis (Parris) Parris = **Blechnum parrisiae**

Doodia caudata (Cav.) R.Br. = **Blechnum spinulosum**

Doodia media subsp. *australis* Parris = **Blechnum parrisiae**

Lomaria alpina (R.Br.) Spreng. = **Blechnum pennamarina** subsp. **alpina**

Lomaria alpina Spreng. = **Blechnum pennamarina** subsp. **alpina**

Lomaria capensis (L.) Willd. sensu Bentham (1878) = **Blechnum wattsii** (misapplied in Tasmania)

Lomaria discolor (G.Forst.) Willd. sensu Rodway (1903) = **Blechnum nudum**

- Lomaria fluviatilis Spreng. = **Blechnum fluviatile**
 Lomaria lanceolata Spreng. = **Blechnum chambersii**
 Lomaria patersonii Spreng. = **Blechnum patersonii**
 Lomaria procera Spreng. sensu Rodway (1903) = **Blechnum wattsii**
 Lomaria procera var. paludosa Rodway = **Blechnum minus**
 Lomaria vulcanica Blume = **Blechnum deltoides**
 Onoclea nuda Labill. = **Blechnum nudum**
 Stegania alpina R.Br. = **Blechnum pennamarina** subsp. **alpina**
 Stegania falcata R.Br. = **Blechnum nudum**
 Stegania fluviatilis R.Br. = **Blechnum fluviatile**
 Stegania lanceolata R.Br. = **Blechnum chambersii**
 Stegania minor R.Br. = **Blechnum minus**
 Stegania nuda R.Br. = **Blechnum nudum**
 Stegania patersonii R.Br. = **Blechnum patersonii**
 Stegania procera R.Br. = **Blechnum wattsii**

CULCITACEAE

- Calochlaena dubia** (R.Br.) M.D.Turner & R.A.White, Amer. Fern J. 78: 92 (1988)
 Culcita dubia (R.Br.) Maxon = **Calochlaena dubia**
 Davallia dubia R.Br. = **Calochlaena dubia**

CYATHEACEAE

- Alsophila australis R.Br. = **Cyathea australis**
Cyathea australis (R.Br.) Domin subsp. **australis**, Pteridophyta 262 (1929)
Cyathea cunninghamii Hook.f., Icon. Pl. 10: t.985 (1854)
Cyathea × **marcescens** N.A.Wakef., Vict. Naturalist 59: 33, figs.1-5 (1942) = **C. australis** × **C. cunninghamii**
 Cyathea medullaris (G.Forst.) Sw. sensu Bentham (1878) = **Cyathea cunninghamii** (misapplied in Tasmania)

DENNSTAEDTIACEAE

- Histiopteris incisa** (Thunb.) J.Sm., Hist. Fil. 295 (1875)
 n **Hiya distans** (Hook.) Brownsey & Perrie, New Zealand J. Bot. 56(4): 412 (2018) = **Hypolepis distans**
Hypolepis amaurochis (Kunze) Hook., Sp. Fil. 2: 62 (1852)
 Hypolepis australis N.A.Wakef. = **Hypolepis amaurochis**
 n Hypolepis distans Hook. = **Hiya distans**
Hypolepis glandulifera Brownsey & Chinnock, J. Adelaide Bot. Gard. 10: 16, fig.8 (1987)
Hypolepis muelleri N.A.Wakef., Vict. Naturalist 60: 42 (1943)
 Hypolepis punctata (Thunb.) Mett. ex Kuhn sensu Willis (1973) = **Hypolepis glandulifera**
Hypolepis rugosula (Labill.) J.Sm., Bot. Mag., 72 (Companion): 8 (1846)
 Hypolepis tenuifolia (G.Forst.) Bernh. ex C.Presl sensu Rodway (1903) p.p. = **Hypolepis rugosula** (misapplied in Tasmania)
 Hypolepis tenuifolia (G.Forst.) Bernh. ex C.Presl sensu Rodway (1903) p.p. = **Hypolepis amaurochis** (misapplied in Tasmania)
 Pteridium esculentum (G.Forst.) Cockayne = **Pteridium esculentum** subsp. **esculentum**
Pteridium esculentum (G.Forst.) Cockayne subsp. **esculentum**, Report of the Botanical Survey of Tongariro National Park: 34 (1908)

DICKSONIACEAE

Cibotium billardi Kaulf. nom. illeg. = **Dicksonia antarctica**

Dicksonia antarctica Labill., Nov. Holl. Pl. 2: 100, t.249 (1807)

Dicksonia dubia (R.Br.) Gaudich. sensu Hooker (1860) = **Calochlaena dubia**

DRYOPTERIDACEAE

Aspidium aculeatum (L.) Sw. sensu Bentham (1878) = **Polystichum proliferum** (misapplied in Tasmania)

Aspidium capense Willd. nom. illeg. = **Rumohra adiantiformis**

Aspidium coriaceum (Sw.) Sw. sensu Brown (1810) = **Rumohra adiantiformis**

Aspidium decompositum (R.Br.) Spreng. sensu Bentham (1878) = **Lastreopsis acuminata** (misapplied in Tasmania)

Aspidium proliferum R.Br. = **Polystichum proliferum**

Lastreopsis acuminata (Houlston) C.V.Morton, Contr. U.S. Natl. Herb. 30: 245 (1973)

Lastreopsis hispida (Sw.) Tindale, Vict. Naturalist 73: 183 (1957)

Lastreopsis shepherdii (Kuntze ex Mett.) Tindale = **Lastreopsis acuminata**

Nephrodium decompositum R.Br. sensu Rodway (1903) = **Lastreopsis acuminata**

Nephrodium hispidum (Sw.) Hook. = **Lastreopsis hispida**

Polystichum coriaceum Schott = **Rumohra adiantiformis**

Polystichum proliferum (R.Br.) C.Presl, Tent. Pterid. 83 (1836)

Polystichum vestitum (G.Forst.) C.Presl sensu Rodway (1903) = **Polystichum proliferum**

Rumohra adiantiformis (G.Forst.) Ching, Sinensia 5: 70 (1934)

EQUISETACEAE

i **Equisetum hyemale** L., Sp. Pl. 2: 1062 (1753)

GLEICHENIACEAE

e **Gleichenia abscida** Rodway, Tasman. Fl. 289 (1903)

e **Gleichenia alpina** R.Br., Prodr. Fl. Nov. Holland. 161 (1810)

Gleichenia circinata Sw. sensu Rodway (1903) = **Gleichenia microphylla**

Gleichenia dicarpa R.Br., Prodr. Fl. Nov. Holland. 161 (1810)

Gleichenia flabellata R.Br. sensu Rodway (1903) p.p. = **Sticherus urceolatus** (misapplied in Tasmania)

Gleichenia flabellata R.Br. sensu Rodway (1903) p.p. = **Sticherus tener** (misapplied in Tasmania)

Gleichenia microphylla R.Br., Prodr. Fl. Nov. Holland. 161 (1810)

Gleichenia tenera R.Br. = **Sticherus tener**

Sticherus lobatus N.A.Wakef., Vict. Naturalist 60: 110 (1943)

Sticherus tener (R.Br.) Ching, Sunyatsenia 5: 285 (1940)

Sticherus tener form A sensu Garrett (1996) = **Sticherus urceolatus**

Sticherus tener form B sensu Garrett (1996) = **Sticherus tener**

Sticherus urceolatus M.Garrett & Kantvilas, Muelleria 11: 103 (1998)

GRAMMITIDACEAE

Ctenopteris heterophylla (Labill.) Tindale = **Notogrammitis heterophylla**

Grammitis sp. A sensu Garrett (1996) = **Notogrammitis garrettii**

Grammitis armstrongii Tindale = **Notogrammitis crassior**

Grammitis australis R.Br. = **Notogrammitis billardi**

Grammitis sp. B sensu Garrett (1996) = **Notogrammitis gunnii**

Grammitis billardi Willd. = **Notogrammitis billardi**

Grammitis garrettii Parris = **Notogrammitis garrettii**

Grammitis gunnii Parris = **Notogrammitis gunnii**

Grammitis heterophylla Labill. = **Notogrammitis heterophylla**

Grammitis leptophylla (L.) Sw. sensu Bentham (1878) = **Anogramma leptophylla** (Adiantaceae)

Grammitis magellanica subsp. nothofagei Parris = **Notogrammitis angustifolia** subsp. **nothofagei**

Grammitis meridionalis Parris = **Notogrammitis angustifolia** subsp. **nothofagei** p.p.maj.

Grammitis poeppigiana (Mett.) Pic.Serm. = **Notogrammitis crassior**

Grammitis pseudociliata Parris = **Notogrammitis pseudociliata**

Grammitis rutifolia R.Br. = **Pleurosorus rutifolius** (Aspleniaceae)

Notogrammitis angustifolia subsp. **nothofagei** (Parris) Parris, New Zealand J. Bot. 50: 466 (2012)

Notogrammitis billardierei (Willd.) Parris, New Zealand J. Bot. 50: 466 (2012)

Notogrammitis crassior (Kirk) Parris, New Zealand J. Bot. 50: 467 (2012)

e **Notogrammitis garrettii** (Parris) Parris, New Zealand J. Bot. 50: 468 (2012)

t **Notogrammitis gunnii** (Parris) Parris, New Zealand J. Bot. 50: 468 (2012)

Notogrammitis heterophylla (Labill.) Parris, New Zealand J. Bot. 50: 469 (2012)

t **Notogrammitis pseudociliata** (Parris) Parris, New Zealand J. Bot. 50: 469 (2012)

HEMIONITIDIACEAE

Gymnogramma leptophylla (L.) Desv. = **Anogramma leptophylla** (Adiantaceae)

Gymnogramma rutaefolia Hook. = **Pleurosorus rutifolius** (Aspleniaceae)

HYMENOPHYLLACEAE

Apteropteris applanata A.M.Gray & R.G.Williams = **Hymenophyllum applanatum**

Crepidomanes venosum (R.Br.) Bostock = **Polyphlebium venosum**

e **Hymenophyllum applanatum** (A.M.Gray & R.G.Williams) Ebihara & K.Iwats., Bull. Natl. Mus. Nat. Sci., Tokyo, B. 36: 43 (2010)

Hymenophyllum australe Willd., Sp. Pl., ed. 4 [Willdenow], 5: 527 (1810)

Hymenophyllum crispatum Hook. & Grev. sensu Hooker (1860) = **Hymenophyllum australe**

Hymenophyllum cupressiforme Labill., Nov. Holl. Pl. 2: 102, t.250 fig.2 (1807)

Hymenophyllum flabellatum Labill., Nov. Holl. Pl. 2: 101, t.250 fig.1 (1807)

Hymenophyllum javanicum Spreng. sensu Rodway (1903) = **Hymenophyllum australe**

Hymenophyllum malingii (Hook.) Mett. sensu Rodway (1903) = **Hymenophyllum applanatum**

Hymenophyllum marginatum Hook. & Grev., Icon. Filic. 1: t.34 (1827)

Hymenophyllum nitens R.Br. = **Hymenophyllum flabellatum**

Hymenophyllum peltatum (Poir.) Desv., Mém. Soc. Linn. Paris 6: 333 (1827)

Hymenophyllum rarum R.Br., Prodr. Fl. Nov. Holland. 159 (1810)

Hymenophyllum tunbridgense (L.) Sm. sensu Rodway (1903) = **Hymenophyllum cupressiforme**

Hymenophyllum unilaterale Willd. sensu Hooker (1860) = **Hymenophyllum peltatum**

Hymenophyllum wilsoni Hook. sensu Rodway (1903) = **Hymenophyllum peltatum**

Mecodium australe (Willd.) Copel. = **Hymenophyllum australe**

Mecodium flabellatum (Labill.) Copel. = **Hymenophyllum flabellatum**

Mecodium rarum (R.Br.) Copel. = **Hymenophyllum rarum**

Polyphlebium venosum (R.Br.) Copel., Philipp. J. Sci. 67: 55 (1938)

Sphaerocionium applanatum (A.M.Gray & R.G.Williams) K.Iwats. = **Hymenophyllum applanatum**

Trichomanes venosum R.Br. = **Polyphlebium venosum**

ISOETACEAE

- Isoetes sp. A sensu Garrett (1996) = **Isoetes jarmaniae**
Isoetes drummondii A.Braun subsp. **drummondii**, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1868: 542 (1869)
- e **Isoetes elatior** F.Muell. ex A.Braun, Linnaea 25: 722 (1853)
- e **Isoetes gunnii** A.Braun, Monatsber. K. Akad. Wiss. Berlin: 535 (1868)
- e **Isoetes humilior** F.Muell. ex A.Braun, Linnaea 25: 722 (1853)
- e **Isoetes jarmaniae** D.F.Brunt, G.Kantvilas & M.Garrett, Phytotaxa 522 (1): 29 (2021)
 Isoetes lacustris L. sensu Rodway (1903) p.p. = **Isoetes gunnii** (misapplied in Tasmania)
 Isoetes lacustris L. sensu Rodway (1903) p.p. = **Isoetes humilior** (misapplied in Tasmania)
 Isoetes lacustris L. sensu Rodway (1903) p.p. = **Isoetes elatior** (misapplied in Tasmania)
 Isoetes sp. Maxwell River (S.J.Jarman HO314082) Tas Herbarium = **Isoetes jarmaniae**
Isoetes muelleri A.Braun, Monatsber. K. Akad. Wiss. Berlin: 541 (1868)

LINDSAEACEAE

- Lindsaea cuneata (G.Forst.) C.Chr. = **Lindsaea trichomanoides**
Lindsaea linearis Sw., J. Bot. (Schr.) 1800(2): 78 (1801)
Lindsaea trichomanoides Dryand., Trans. Linn. Soc. London 3: 43, t.11 (1797)

LYCOPODIACEAE

- Huperzia australiana** (Herter) Holub, Folia Geobot. Phytotax. 20: 70 (1985)
 Huperzia varia (R.Br.) Trevis. = **Phlegmariurus varius**
- t **Lycopodiella diffusa** (R.Br.) B.Ollg., Opera Bot. 92: 176 (1987)
Lycopodiella lateralis (R.Br.) B.Ollg., Opera Bot. 92: 176 (1987)
Lycopodiella serpentina (Kunze) B.Ollg., Opera Bot. 92: 176 (1987)
 Lycopodium australianum Herter = **Huperzia australiana**
 Lycopodium carolinianum L. sensu Benth. (1878) = **Lycopodiella serpentina** (misapplied in Tasmania)
 Lycopodium clavatum var. fastigiatum (R.Br.) Benth. nom. illeg. = **Lycopodium fastigiatum**
 Lycopodium decurrens R.Br. = **Lycopodium scariosum**
 Lycopodium densum Labill. = **Lycopodium deuterodensum**
Lycopodium deuterodensum Herter, Estud. Bot. (Montevideo) 20: 15 (1949)
 Lycopodium diffusum R.Br. = **Lycopodiella diffusa**
Lycopodium fastigiatum R.Br., Prodr. Fl. Nov. Holland. 165 (1810)
 Lycopodium laterale R.Br. = **Lycopodiella lateralis**
 Lycopodium myrtifolium G.Forst. nom. illeg., non L. = **Phlegmariurus varius**
Lycopodium scariosum G.Forst., Fl. Ins. Austr. 87 (1786)
 Lycopodium selago L. sensu Rodway (1903) = **Huperzia australiana**
 Lycopodium serpentinum Kunze = **Lycopodiella serpentina**
 Lycopodium uliginosum Labill. = **Selaginella uliginosa**
 Lycopodium varium R.Br. = **Phlegmariurus varius**
Phlegmariurus varius (R.Br.) A.R.Field & Bostock, Phytokeys 20: 49 (2013)
Phylloglossum drummondii Kunze, Bot. Zeitung (Berlin) 1: 721 (1843)

MARSILEACEAE

- i **Marsilea mutica** Mett., Ann. Sci. Nat., Bot., sér. 4, 15: 88 (1861)
 Pilularia globulifera L. sensu Rodway (1903) = **Pilularia novae-hollandiae**

Pilularia novae-hollandiae A.Braun, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1863: 435 (1863)

OPHIOGLOSSACEAE

- x **Botrychium australe** R.Br., Prodr. Fl. Nov. Holland. 164 (1810)
Botrychium lunaria (L.) Sw., J. Bot. (Schrader) 1800(2): 110 (1801)
Botrychium ternatum (Thunb.) Sw. sensu Rodway (1903) = **Botrychium australe**
Botrychium virginianum (L.) Sw. sensu Hooker (1860) = **Botrychium australe**
Ophioglossum lusitanicum subsp. **coriaceum** (A.Cunn.) R.T.Clausen, Mem. Torrey Bot. Club 19: 161 (1938)
Ophioglossum vulgatum L. sensu Bentham (1878) = **Ophioglossum lusitanicum** (misapplied in Tasmania)

OSMUNDACEAE

- Todea africana* Willd. ex Bernh. nom. illeg. = **Todea barbara**
Todea barbara (L.) T.Moore, Index Fil. (T. Moore): 119 (1857)

POLYPODIACEAE

- Microsorium diversifolium* (Willd.) Copel. = **Microsorium pustulatum** subsp. **pustulatum**
Microsorium pustulatum (G.Forst.) Copel. subsp. **pustulatum**, Gen. Fil. [Copeland]: 196 (1947)
Phymatodes billardierei (R.Br.) C.Presl = **Microsorium pustulatum** subsp. **pustulatum**
Phymatosorus pustulatus (G.Forst.) Large, Braggins & P.S.Green = **Microsorium pustulatum** subsp. **pustulatum**
Polypodium australe (R.Br.) Mett. = **Notogrammitis billardierei** (Grammitidaceae)
Polypodium billardierei R.Br. = **Microsorium pustulatum**
Polypodium grammitidis R.Br. = **Notogrammitis heterophylla** (Grammitidaceae)
Polypodium punctatum Thunb. sensu Rodway (1903) p.p. = **Hypolepis amauro-rachis** (Dennstaedtiaceae - misapplied in Tasmania)
Polypodium punctatum Thunb. sensu Rodway (1903) p.p. = **Hypolepis rugosula** (Dennstaedtiaceae - misapplied in Tasmania)
Polypodium pustulatum G.Forst. = **Microsorium pustulatum**
Polypodium rugosulum Labill. = **Hypolepis rugosula** (Dennstaedtiaceae)
Polypodium scandens Labill. nom. illeg. = **Microsorium pustulatum** subsp. **pustulatum**

PSILOTACEAE

- Psilotum truncatum* R.Br. sensu Brown (1810) = **Tmesipteris obliqua** (misapplied in Tasmania)
Tmesipteris billardierei Endl. = **Tmesipteris obliqua**
Tmesipteris elongata P.A.Dang., Botaniste 2: 213 (1890-91)
Tmesipteris forsteri Endl. nom. illeg. sensu Hooker (1860) = **Tmesipteris obliqua**
Tmesipteris obliqua Chinnock, Muelleria 8: 60 (1993)
Tmesipteris parva N.A.Wakef., Vict. Naturalist 60: 143 (1944)
Tmesipteris tannensis (Spreng.) Bernh. sensu Rodway (1903) = **Tmesipteris obliqua** p.p.maj.
Tmesipteris tugana H.N.Barber = **Tmesipteris elongata**

PTERIDACEAE

- Litobrochia comans* (G.Forst.) C.Presl = **Pteris epaleata** (Australian populations)
Litobrochia incisa (Thunb.) C.Presl = **Histiopteris incisa** (Dennstaedtiaceae)
Pteris aquilina L. sensu Rodway (1903) = **Pteridium esculentum** subsp. **esculentum** (Dennstaedtiaceae)
Pteris comans G.Forst. sensu auctt. non G.Forst (1786) = **Pteris epaleata** (Australian populations)

Pteris endlicheriana J.Agardh sensu Hooker (1860) = ***Pteris epaleata*** (misapplied in Tasmania)

Pteris epaleata D.J.Ohlsen, *Muelleria* 39: 23 (2020)

Pteris esculenta G.Forst. sensu Labillardiere (1805) = ***Pteridium esculentum*** subsp. ***esculentum*** (Dennstaedtiaceae)

Pteris falcata R.Br. = ***Pellaea falcata*** (Adiantaceae)

Pteris incisa Thunb. = ***Histiopteris incisa*** (Dennstaedtiaceae)

Pteris tremula R.Br., *Prodr. Fl. Nov. Holland.* 154 (1810)

Pteris vespertilionis Labill. = ***Histiopteris incisa*** (Dennstaedtiaceae)

SCHIZAEACEAE

Schizaea asperula N.A.Wakef., *Vict. Naturalist* 59: 89 (1942)

Schizaea bifida Willd., *Abh. Kurfurstl.-Mainz. Akad. Nützl. Wiss. Erfurt* 5: 30, t.3 fig.3 (1802)

Schizaea fistulosa Labill., *Nov. Holl. Pl.* 2: 103, t.250 fig.3 (1807)

SELAGINELLACEAE

Selaginella gracillima (Kunze) Spring ex Salomon, *Nomencl. Gefässkrypt.* 353 (1883)

Selaginella preissiana Spring sensu Rodway (1903) = ***Selaginella gracillima***

Selaginella uliginosa (Labill.) Spring, *Mém. Acad. Roy. Sci. Belgique* 24: 60 (1849)

THELYPTERIDACEAE

Cyclosorus penniger (G.Forst.) Ching = ***Pneumatopteris pennigera***

Pneumatopteris pennigera (G.Forst.) Holttum, *Blumea* 21: 305 (1973)

Macquarie Island Vascular Plant Census

EUDICOTS

APIACEAE

- e **Azorella macquariensis** Orchard, Muelleria 7: 16 (1989)
Azorella selago Hook.f. sensu Hooker (1844) = **Azorella macquariensis** (misapplied in MI)

ARALIACEAE

- t **Hydrocotyle novae-zeelandiae** DC., Prodr. [A. P. de Candolle] 4: 67 (1830)
t **Stilbocarpa polaris** (Hombr. & Jacquinot ex Hook.f.) A.Gray, U.S. Expl. Exped., Phan. 15: 714 (1854)

ASTERACEAE

- Cotula plumosa (Hook.f.) Hook.f. = **Leptinella plumosa**
t **Leptinella plumosa** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 26 (1844)
Pleurophyllum criniferum Hook.f. sensu Hooker (1844) = **Pleurophyllum hookeri** (misapplied in MI)
Pleurophyllum gilliesianum Kirk = **Pleurophyllum hookeri**
t **Pleurophyllum hookeri** Buchanan, Trans. & Proc. New Zealand Inst. 16: 395 (1884)

BRASSICACEAE

- Cardamine corymbosa** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 6 (1844)
Cardamine depressa Hook.f. sensu Webb et al. (1988) = **Cardamine corymbosa**
Cardamine depressa var. stellata (Hook.f.) Hook.f. sensu Hewson (1982) = **Cardamine corymbosa** (misapplied in MI)
Cardamine glacialis var. subcarnosa (Hook.f.) O.E.Schulz sensu Cheeseman (1909) = **Cardamine corymbosa** (misapplied in MI)
Cardamine hirsuta var. corymbosa (Hook.f.) Hook.f. = **Cardamine corymbosa**
Cardamine hirsuta var. subcarnosa Hook.f. sensu Kirk (1899) = **Cardamine corymbosa** (misapplied in MI)
Cardamine subcarnosa (Hook.f.) Allan sensu Allan (1961) = **Cardamine corymbosa**

CARYOPHYLLACEAE

- i **Cerastium fontanum** Baumg. subsp. **fontanum**, Enum. Stirp. Transsilv. 1: 425 (1816)
i **Cerastium glomeratum** Thuill., Fl. Env. Paris, ed. 2: 226 (1799) 1:69
Cerastium holosteoides Fr. = **Cerastium fontanum** subsp. **fontanum**
Cerastium triviale Link sensu Hamilton (1895) = **Cerastium fontanum** subsp. **fontanum** (misapplied in MI)
Cerastium vulgatum L. sensu Cheesman (1925) = **Cerastium fontanum** subsp. **fontanum** (misapplied in MI)
Colobanthus affinis (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 45 (1855) 1:74
t **Colobanthus apetalus** var. **alpinus** (Kirk) L.B.Moore, Fl. New Zealand 1: 214 (1961)
Colobanthus billardierei Fenzl sensu Hamilton (1895) = **Colobanthus apetalus** var. **alpinus** (misapplied in Tasmania)
Colobanthus billardieri var. **alpinus** Kirk = **Colobanthus apetalus** var. **alpinus**
Colobanthus crassifolius (d'Urv.) Hook.f. = **Colobanthus apetalus** var. **alpinus**
Colobanthus crassifolius var. **alpinus** (Kirk) Cheesman = **Colobanthus apetalus** var. **alpinus**
t **Colobanthus muscoides** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 14 (1844)

Colobanthus quitensis (Kunth) Bartl. sensu Copson (1984) = **Colobanthus apetalus** var. **alpinus** (misapplied in MI)

Stellaria decipiens Hook.f. sensu Cheeseman (1919) = **Stellaria parviflora** (misapplied in MI)

Stellaria elatinoides Hook.f. sensu Kirk (1891) = **Stellaria parviflora** (misapplied in MI)

i **Stellaria media** (L.) Vill., Hist. Pl. Dauphiné (Villars) 3: 615 (1789) 1:71

t **Stellaria parviflora** Banks & Sol. ex Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 25 (1852)

CRASSULACEAE

t **Crassula moschata** G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 26 (1789)

Tillaea moschata (G.Forst.) DC. = **Crassula moschata**

Tillaea sinclairii Hook.f. sensu Scott (1882) = **Crassula moschata** (misapplied in MI)

HALORAGACEAE

t **Myriophyllum triphyllum** Orchard, Brunonia 2: 259 (1980)

ONAGRACEAE

t **Epilobium brunnescens** (Cockayne) P.H.Raven & Engelhorn subsp. **brunnescens**, New Zealand J. Bot. 9: 350 (1971)

Epilobium linnaeoides Hook.f. = **Epilobium pedunculare**

Epilobium nerterioides A.Cunn. sensu Taylor (1955) = **Epilobium brunnescens** subsp. **brunnescens** (misapplied in MI)

Epilobium nummulariifolium A.Cunn. sensu Hamilton (1895) = **Epilobium brunnescens** subsp. **brunnescens** (misapplied in MI)

t **Epilobium pedunculare** A.Cunn., Ann. Nat. Hist. 3: 31 (1839)

PLANTAGINACEAE

Callitriche antarctica Engelm. ex Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 20 (1867)

POLYGONACEAE

FTO 95

i # x **Rumex crispus** L., Sp. Pl. 1: 335 (1753)

PORTULACACEAE

FTO 100

Montia fontana L. subsp. **fontana**, Sp. Pl. 1: 87 (1753)

RANUNCULACEAE

FTO 47

Ranunculus aucklandicus A.Gray sensu Kirk (1891) = **Ranunculus crassipes** (misapplied in MI)

Ranunculus biternatus Sm. sensu Cheeseman (1919) = **Ranunculus crassipes** (misapplied in MI)

Ranunculus crassipes Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 2: 224 (1845)

ROSACEAE

Acaena adscendens Vahl sensu Hooker (1844) = **Acaena magellanica** (misapplied in MI)

Acaena magellanica (Lam.) Vahl, Enum. Pl. [Vahl] 1: 297 (1804)

t **Acaena minor** (Hook.f.) Allan, Fl. New Zealand 1: 363 (1961)

Acaena sanguisorbae L.f. ex Vahl sensu Hamilton (1895) = **Acaena minor** (misapplied in MI)

Acaena sanguisorbae var. **minor** Hook.f. = **Acaena minor**

Acaena sanguisorbae var. **pilosa** Kirk sensu Cheeseman (1906) = **Acaena minor** (misapplied in MI)

RUBIACEAE

t **Coprosma perpusilla** subsp. **subantarctica** Orchard, Brunonia 9: 133 (1987)

Coprosma pumila Hook.f. sensu Taylor (1955) = **Coprosma perpusilla** subsp. **subantarctica** (misapplied in MI)

Coprosma repens var. **pumila** Hook.f. sensu Kirk (1899) = **Coprosma perpusilla** subsp. **subantarctica** (misapplied in MI)

t **Galium antarcticum** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) I: 303 bis (1846)

MONOCOTS

CYPERACEAE

- t **Carex trifida** Cav., Icon. [Cavanilles] 5: 41, t.465 (1799)
- Isolepis aucklandica** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) I: 88 (1844), pl.50 (1845) 4b:102
- Scirpus aucklandicus (Hook.f.) Boeckeler = **Isolepis aucklandica** 4b:102
- Uncinia compacta R.Br. sensu Copson (1984) = **Uncinia hookeri** (misapplied in MI)
- t **Uncinia divaricata** Boott, Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) I: 286 (1853)
- t **Uncinia hookeri** Boott, Bot. Antarct. Voy. I. (Fl. Antarct.) I: 91 (1844); pl.51 (1845)
- Uncinia meridensis Steyerl. sensu Seppelt et al. (1984) = **Uncinia divaricata** (misapplied in MI)
- Uncinia nervosa Boott sensu Hamilton (1895) = **Uncinia divaricata** (misapplied in MI)
- Uncinia riparia R.Br. sensu Cheeseman (1909) = **Uncinia hookeri** (misapplied in MI)
- Uncinia riparia var. hookeri (Boott) Kük. = **Uncinia hookeri**

JUNCACEAE

- t **Juncus scheuchzerioides** Gaudich., Ann. Sci. Nat. (Paris) 5: 100 (1825)
- Luzula campestris var. crinita (Hook.f.) Buchenau = **Luzula crinita**
- t **Luzula crinita** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) I: 84, pl.48 (1844)

ORCHIDACEAE

- e **Corybas dienemus** D.L.Jones, Fl. Australia 50: 572 (1993) 4a:121
- Corybas macranthus (Hook.f.) Rchb.f. sensu Brown et al. (1978) = **Corybas dienemus** (misapplied in MI)
- e **Corybas sulcatus** (M.A.Clem. & D.L.Jones) G.N.Backh., Vict. Naturalist 127: 56 (2010)
- Corysanthes dienema (D.L.Jones) Szlach. = **Corybas dienemus**
- Nematoceras dienemum (D.L.Jones) D.L.Jones, M.A.Clem. & Molloy = **Corybas dienemus**
- Nematoceras sulcatum M.A.Clem. & D.L.Jones = **Corybas sulcatus**

POACEAE

- Agrostis antarctica Hook.f. Sensu Hamilton (1895) = **Agrostis magellanica** (misapplied in MI)
- i # **Agrostis capillaris** L., Sp. Pl. I: 62 (1753)
- t **Agrostis magellanica** Lam., Tabl. Encycl. I: 160 (1791)
- i # **Agrostis stolonifera** L., Sp. Pl. I: 62 (1753)
- i # x **Anthoxanthum odoratum** L., Sp. Pl. I: 28 (1753)
- Deschampsia cespitosa** (L.) P.Beauv., Ess. Agrostogr. 91: 160, t.18, fig.3 (1812) 4b:242
- t **Deschampsia chapmanii** Petrie, Trans. & Proc. New Zealand Inst. 23: 401 (1891)
- Deschampsia hookeri Kirk sensu Hamilton (1895) = **Deschampsia chapmanii** (misapplied in MI)
- Deschampsia penicillata Kirk = **Deschampsia cespitosa**
- t **Festuca contracta** Kirk, Trans. & Proc. New Zealand Inst. 27: 353 (1895)
- Festuca duriuscula L. sensu Scott (1881) = **Festuca contracta** (misapplied in MI)
- Festuca erecta d'Urv. nom. illeg. = **Festuca contracta**
- Festuca foliosa var. minor = **Poa foliosa**
- i **Poa annua** L., Sp. Pl. I: 68 (1753) 4b:211
- Poa cookii** (Hook.f.) Hook.f., Philos. Trans. 168: 22 (1879)
- t **Poa foliosa** (Hook.f.) Hook.f., Handb. N. Zeal. Fl. 338 (1864)

Poa hamiltonii Kirk = ***Poa cookii***

t ***Poa litorosa*** Cheeseman, Man. New Zealand Fl. 1156 (1906)

e ***Puccinellia macquariensis*** (Cheeseman) Allan & Jansen, Trans. & Proc. Roy. Soc. New Zealand 69: 268 (1939)

Triodia macquariensis Cheeseman = ***Puccinellia macquariensis***

PTERIDOPHYTES

BLECHNACEAE

Blechnum pennamarina subsp. ***alpina*** (R.Br.) T.C.Chambers & P.A.Farrant, Fern Gaz. 15: 96 (1996)

Lomaria alpina (R.Br.) Spreng. = ***Blechnum pennamarina*** subsp. ***alpina***

Lomaria penna-marina Trevis. = ***Blechnum pennamarina***

DRYOPTERIDACEAE

Aspidium aculeatum var. *vestitum* (Sw.) Hook.f. = ***Polystichum vestitum***

Aspidium vestitum (G.Forst.) Sw. = ***Polystichum vestitum***

t ***Polystichum vestitum*** (G.Forst.) C.Presl, Tent. Pterid. 83 (1836)

GRAMMITIDACEAE

Grammitis billardierei Willd. sensu Greene & Greene (1963) = ***Notogrammitis crassior*** (misapplied in MI)

Grammitis poeppigiana (Mett.) Pic.Serm. = ***Notogrammitis crassior***

Notogrammitis crassior (Kirk) Parris, New Zealand J. Bot. 50: 467 (2012)

Polypodium australe (R.Br.) Mett. sensu Scott (1882) = ***Notogrammitis crassior*** (misapplied in MI)

HYMENOPHYLLACEAE

t ***Hymenophyllum falklandicum*** Baker, Syn. Fil. (Hooker & Baker), ed. 2: 68 (1874)

Hymenophyllum peltatum (Poir.) Desv. sensu Hnatiuk (1972) = ***Hymenophyllum falklandicum*** (misapplied in MI)

LYCOPODIACEAE

Huperzia australiana (Herter) Holub, Folia Geobot. Phytotax. 20: 70 (1985)

Lycopodium billardierei var. *varium* sensu Hamilton (1895) = ***Huperzia australiana*** (misapplied in MI)

Lycopodium saururus Lam. sensu Taylor (1955) = ***Huperzia australiana*** (misapplied in MI)

Lycopodium varium R.Br. sensu Cheeseman (1919) = ***Huperzia australiana*** (misapplied in MI)

POLYPODIACEAE

Polypodium billardierei R.Br. sensu Cheeseman (1925) = ***Notogrammitis crassior*** (misapplied in MI)

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2022 AND 2023 EDITIONS

IA: TAXA NEW TO THE TASMANIAN CENSUS

EUDICOTS

BALSAMINACEAE

i **Impatiens balfourii** Hook.f.

FABACEAE

i **Ornithopus perpusillus** L.

LYTHRACEAE

i **Lythrum junceum** Banks & Sol.

MYRTACEAE

e **Eucalyptus dalrympleana** subsp.
lutruwita D.Nicolle

Eucalyptus willisii Ladiges, Humphries
& Brooker

MONOCOTS

POACEAE

Thinopyrum obtusiflorum (DC.) Banfi

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2022 AND 2023 EDITIONS

IB: TAXA THAT HAVE CHANGED NAMES BETWEEN 2022 AND 2023

EUDICOTS

MYRTACEAE

Eucalyptus delegatensis subsp. *tasmaniensis* =
Eucalyptus tasmaniensis

Eucalyptus perriniana = **Eucalyptus perriniana** subsp.
perriniana

RHAMNACEAE

Spyridium eriocephalum subsp. *eriocephalum* =
Spyridium eriocephalum

MONOCOTS

POACEAE

Thinopyrum elongatum = **Thinopyrum**
obtusiflorum

PTERIDOPHYTES

DENNSTAEDTIACEAE

Hypolepis distans = **Hiya distans**

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2023 AND 2022 EDITIONS

IC: TAXA THAT HAVE CHANGED STATUS BETWEEN 2022 AND 2023

EUDICOTS

ASTERACEAE

- i **Onopordum acaulon** L. - no longer considered extirpated

MYRTACEAE

- e **Eucalyptus dalrympleana** subsp. **lutruwita** D.Nicolle — new and only subspecies for tasmania which is endemic

- e **Eucalyptus perriniana** F.Muell. ex Rodway subsp. **perriniana** — new and only subspecies for Tasmania which is endemic

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2022 AND 2023 EDITIONS

ID: TAXA NOW NOT CONSIDERED TO BE PART OF THE TASMANIAN FLORA

MONOCOTS

POACEAE

- Thinopyrum elongatum (Host) D.R.Dewey

APPENDIX 2. FAMILY PLACEMENT OF GENERA IN THIS CENSUS

(see Introduction for details regarding this appendix. Names not in current use in Tasmania are indented and in italics)

Abrotanella	Asteraceae	E	Aloe	Asphodelaceae	M
Acacia	Fabaceae	E	Alopecurus	Poaceae	M
Acaena	Rosaceae	E	<i>Alsophila</i>	Cyatheaceae	P
Acanthus	Acanthaceae	E	Alstroemeria	Alstroemeriaceae	M
Acer	Sapindaceae	E	Alternanthera	Amaranthaceae	E
Acetosa	Polygonaceae	E	<i>Alyssum</i>	Brassicaceae	E
Acetosella	Polygonaceae	E	Alyxia	Apocynaceae	E
Achillea	Asteraceae	E	Amaranthus	Amaranthaceae	E
<i>Achnatherum</i>	Poaceae	M	Amelichloa	Poaceae	M
Acianthus	Orchidaceae	M	Ammi	Apiaceae	E
<i>Acion</i>	Restionaceae	M	Ammobium	Asteraceae	E
<i>Aciphylla</i>	Apiaceae	E	Ammophila	Poaceae	M
Acradenia	Rutaceae	E	Amperea	Euphorbiaceae	E
Acrothamnus	Ericaceae	E	Amphibolis	Cymodoceaceae	M
Acrotriche	Ericaceae	E	Amphibromus	Poaceae	M
Actinotus	Apiaceae	E	Amsinckia	Boraginaceae	E
Actites	Asteraceae	E	<i>Anagallis</i>	Myrsinaceae	E
Adiantum	Adiantaceae	P	Anchusa	Boraginaceae	E
<i>Adonis</i>	Ranunculaceae	E	Androstoma	Ericaceae	E
<i>Adriana</i>	Euphorbiaceae	E	Anemone	Ranunculaceae	E
<i>Aegopodium</i>	Apiaceae	E	Angianthus	Asteraceae	E
Aeonium	Crassulaceae	E	<i>Anguillaria</i>	Colchicaceae	M
Agapanthus	Agapanthaceae	M	Anigozanthos	Haemodoraceae	M
Agastachys	Proteaceae	E	Anisodonteia	Malvaceae	E
Agave	Asparagaceae	M	Anisotome	Apiaceae	E
<i>Agropogon</i>	Poaceae	M	Anodopetalum	Cunoniaceae	E
<i>Agropyron</i>	Poaceae	M	Anogramma	Adiantaceae	P
Agrostemma	Caryophyllaceae	E	Anopterus	Escalloniaceae	E
Agrostis	Poaceae	M	<i>Anredera</i>	Basellaceae	E
Aira	Poaceae	M	Anthemis	Asteraceae	E
Ajuga	Lamiaceae	E	<i>Anthericum</i>	Asphodelaceae	M
<i>Albizia</i>	Fabaceae	E	<i>Anthistiria</i>	Poaceae	M
<i>Alchemilla</i>	Rosaceae	E	<i>Anthocercis</i>	Solanaceae	E
<i>Alepyrum</i>	Centrolepidaceae	M	Anthosachne	Poaceae	M
<i>Aletris</i>	Melanthiaceae	M	Anthoxanthum	Poaceae	M
Alisma	Alismataceae	M	Anthriscus	Apiaceae	E
<i>Allantodia</i>	Athyriaceae	P	<i>Anthyllis</i>	Fabaceae	E
Allittia	Asteraceae	E	Antirrhinum	Plantaginaceae	E
Allium	Alliaceae	M	<i>Anzybas</i>	Orchidaceae	M
Allocauarina	Casuarinaceae	E	Aotus	Fabaceae	E
Almaleea	Fabaceae	E	Apalochlamys	Asteraceae	E
<i>Alnus</i>	Betulaceae	E	Aphanes	Rosaceae	E

Aphelia	Centrolepidaceae	M	Austrostipa	Poaceae	M
Apium	Apiaceae	E	<i>Avellinia</i>	Poaceae	M
Apodasmia	Restionaceae	M	Avena	Poaceae	M
Aponogeton	Aponogetonaceae	M	Azolla	Azollaceae	P
<i>Aptenia</i>	Aizoaceae	E	Azorella	Apiaceae	E
<i>Apteropteris</i>	Hymenophyllaceae	P	Baeckea	Myrtaceae	E
Aquilegia	Ranunculaceae	E	Ballantinia	Brassicaceae	E
Arabidopsis	Brassicaceae	E	Baloskion	Restionaceae	M
<i>Arachnorchis</i>	Orchidaceae	M	Banksia	Proteaceae	E
Arbutus	Ericaceae	E	Barbarea	Brassicaceae	E
Archeria	Ericaceae	E	Bartsia	Orobanchaceae	E
Arctium	Asteraceae	E	<i>Bassia</i>	Amaranthaceae	E
Arctotheca	Asteraceae	E	<i>Batrachium</i>	Ranunculaceae	E
Arctotis	Asteraceae	E	Bauera	Cunoniaceae	E
Arenaria	Caryophyllaceae	E	<i>Baumea</i>	Cyperaceae	M
Argemone	Papaveraceae	E	Bedfordia	Asteraceae	E
Argentina	Rosaceae	E	<i>Bellardia</i>	Orobanchaceae	E
Argentipallium	Asteraceae	E	Bellendena	Proteaceae	E
Argyrotegium	Asteraceae	E	Bellis	Asteraceae	E
Aristida	Poaceae	M	Berberis	Berberidaceae	E
Aristotelia	Elaeocarpaceae	E	Berkheya	Asteraceae	E
Arrhenatherum	Poaceae	M	Bertya	Euphorbiaceae	E
<i>Arthrochilus</i>	Orchidaceae	M	Beta	Amaranthaceae	E
<i>Arthrocnemum</i>	Amaranthaceae	E	Betula	Betulaceae	E
Arthropodium	Laxmanniaceae	M	Beyeria	Euphorbiaceae	E
<i>Arundo</i>	Poaceae	M	Billardiera	Pittosporaceae	E
<i>Ascyrum</i>	Hypericaceae	E	Blandfordia	Blandfordiaceae	M
Asparagus	Asparagaceae	M	Blechnum	Blechnaceae	P
Asperula	Rubiaceae	E	<i>Boisduvalia</i>	Onagraceae	E
Asphodelus	Asphodelaceae	M	Bolboschoenus	Cyperaceae	M
<i>Aspidium</i>	Dryopteridaceae	P	Borago	Boraginaceae	E
Asplenium	Aspleniaceae	P	Boronia	Rutaceae	E
Astelia	Asteliaceae	M	Bossiaea	Fabaceae	E
<i>Aster</i>	Asteraceae	E	Bothriochloa	Poaceae	M
Asterotrachion	Malvaceae	E	Botrychium	Ophioglossaceae	P
<i>Astroloma</i>	Ericaceae	E	<i>Brachyglottis</i>	Asteraceae	E
Atherosperma	Atherospermataceae	MG	Brachyloma	Ericaceae	E
Athrotaxis	Cupressaceae	G	Brachypodium	Poaceae	M
<i>Athyrium</i>	Athyriaceae	P	Brachyscome	Asteraceae	E
Atriplex	Amaranthaceae	E	<i>Bracteantha</i>	Asteraceae	E
Australina	Urticaceae	E	Brassica	Brassicaceae	E
Australopyrum	Poaceae	M	Briza	Poaceae	M
<i>Austrocynoglossum</i>	Boraginaceae	E	Bromus	Poaceae	M
<i>Austrodanthonia</i>	Poaceae	M	<i>Brossaea</i>	Ericaceae	E
Austroderia	Poaceae	M	Brunonia	Goodeniaceae	E
Austrofestuca	Poaceae	M	Buddleja	Scrophulariaceae	E

Buglossoides	Boraginaceae	E	<i>Carrichtera</i>	Brassicaceae	E
Bulbine	Asphodelaceae	M	Carthamus	Asteraceae	E
<i>Bunochilus</i>	Orchidaceae	M	Cassinia	Asteraceae	E
Burchardia	Colchicaceae	M	Cassytha	Lauraceae	MG
Burnettia	Orchidaceae	M	<i>Casuarina</i>	Casuarinaceae	E
Bursaria	Pittosporaceae	E	Catapodium	Poaceae	M
<i>Cacalia</i>	Asteraceae	E	<i>Caucalis</i>	Apiaceae	E
<i>Caenopteris</i>	Aspleniaceae	P	<i>Caulinia</i>	Posidoniaceae	M
Caesia	Hemerocallidaceae	M	Caustis	Cyperaceae	M
Cakile	Brassicaceae	E	Cedronella	Lamiaceae	E
Caladenia	Orchidaceae	M	Celmisia	Asteraceae	E
Calamagrostis	Poaceae	M	<i>Celsia</i>	Scrophulariaceae	E
Calandrinia	Portulacaceae	E	Cenarrhenes	Proteaceae	E
<i>Calassodia</i>	Orchidaceae	M	Cenchrus	Poaceae	M
<i>Caldasia</i>	Apiaceae	E	Centaurea	Asteraceae	E
<i>Calea</i>	Asteraceae	E	Centaurium	Gentianaceae	E
Caleana	Orchidaceae	M	Centella	Apiaceae	E
Calendula	Asteraceae	E	Centipeda	Asteraceae	E
Callistachys	Fabaceae	E	Centranthus	Valerianaceae	E
<i>Callistemon</i>	Myrtaceae	E	Centrolepis	Centrolepidaceae	M
Callitriche	Plantaginaceae	E	Centropappus	Asteraceae	E
Callitris	Cupressaceae	G	Cerastium	Caryophyllaceae	E
Calluna	Ericaceae	E	<i>Ceratochloa</i>	Poaceae	M
Calocephalus	Asteraceae	E	<i>Chaetospora</i>	Cyperaceae	M
Calochilus	Orchidaceae	M	Chamaecytisus	Fabaceae	E
Calochlaena	Culcitaceae	P	Chamaemelum	Asteraceae	E
<i>Calonema</i>	Orchidaceae	M	Chamaescilla	Laxmanniaceae	M
<i>Calonemorchis</i>	Orchidaceae	M	<i>Chamaesyce</i>	Euphorbiaceae	E
Calorophus	Restionaceae	M	Chasmanthe	Iridaceae	M
<i>Caltha</i>	Ranunculaceae	E	<i>Cheesemania</i>	Brassicaceae	E
<i>Calycothrix</i>	Myrtaceae	E	Cheilanthes	Adiantaceae	P
Calystegia	Convolvulaceae	E	Chenopodium	Amaranthaceae	E
Calytrix	Myrtaceae	E	Chiloglottis	Orchidaceae	M
Camelina	Brassicaceae	E	Chionogentias	Gentianaceae	E
<i>Campanula</i>	Campanulaceae	E	<i>Chionohebe</i>	Plantaginaceae	E
Campynema	Campynemataceae	M	Chloris	Poaceae	M
<i>Candollea</i>	Stylidiaceae	E	<i>Chlorophytum</i>	Hemerocallidaceae	M
<i>Canthium</i>	Rubiaceae	E	<i>Chondrilla</i>	Asteraceae	E
Capsella	Brassicaceae	E	Chordifex	Restionaceae	M
Cardamine	Brassicaceae	E	Chorizandra	Cyperaceae	M
<i>Cardaria</i>	Brassicaceae	E	Chrysanthemoides	Asteraceae	E
Carduus	Asteraceae	E	<i>Chrysanthemum</i>	Asteraceae	E
Carex	Cyperaceae	M	Chrysocephalum	Asteraceae	E
Carpha	Cyperaceae	M	<i>Chrysocoma</i>	Asteraceae	E
Carpobrotus	Aizoaceae	E	<i>Gibotium</i>	Dicksoniaceae	P
<i>Carpodontos</i>	Cunoniaceae	E	Cicendia	Gentianaceae	E

Cichorium	Asteraceae	E	<i>Cuphonotus</i>	Brassicaceae	E
Cirsium	Asteraceae	E	Cuscuta	Convolvulaceae	E
Cistus	Cistaceae	E	<i>Cyanicula</i>	Orchidaceae	M
Cladium	Cyperaceae	M	Cyanothamnus	Rutaceae	E
<i>Claytonia</i>	Portulacaceae	E	Cyathea	Cyatheaceae	P
Clematis	Ranunculaceae	E	Cyathodes	Ericaceae	E
<i>Cnicus</i>	Asteraceae	E	<i>Cyclosorus</i>	Thelypteridaceae	P
Coleonema	Rutaceae	E	CyclospERMUM	Apiaceae	E
<i>Collomia</i>	Polemoniaceae	E	Cynogeton	Juncaginaceae	M
Colobanthus	Caryophyllaceae	E	Cymbalaria	Plantaginaceae	E
Comesperma	Polygalaceae	E	Cymbonotus	Asteraceae	E
Conium	Apiaceae	E	<i>Cymodocea</i>	Cymodoceaceae	M
Conospermum	Proteaceae	E	Cynara	Asteraceae	E
Convolvulus	Convolvulaceae	E	Cynodon	Poaceae	M
<i>Conyza</i>	Asteraceae	E	Cynoglossum	Boraginaceae	E
CooperhooKia	Goodeniaceae	E	Cynosurus	Poaceae	M
Coprosma	Rubiaceae	E	Cyperus	Cyperaceae	M
Cordyline	Laxmanniaceae	M	Cyphanthera	Solanaceae	E
Coronidium	Asteraceae	E	Cyrtostylis	Orchidaceae	M
<i>Coronilla</i>	Fabaceae	E	<i>Cystanthe</i>	Ericaceae	E
<i>Coronopus</i>	Brassicaceae	E	Cystopteris	Athyriaceae	P
Correa	Rutaceae	E	Cytisus	Fabaceae	E
Cortaderia	Poaceae	M	<i>Dacrydium</i>	Podocarpaceae	G
Corunastylis	Orchidaceae	M	Dactylis	Poaceae	M
Corybas	Orchidaceae	M	Damasonium	Alismataceae	M
<i>Corysanthes</i>	Orchidaceae	M	Dampiera	Goodeniaceae	E
<i>Cota</i>	Asteraceae	E	Danthonia	Poaceae	M
Cotoneaster	Rosaceae	E	Daphne	Thymelaeaceae	E
Cotula	Asteraceae	E	Datura	Solanaceae	E
Cotyledon	Crassulaceae	E	Daucus	Apiaceae	E
<i>Crangonorchis</i>	Orchidaceae	M	<i>Davallia</i>	Culcitaceae	P
<i>Crantzia</i>	Apiaceae	E	Daviesia	Fabaceae	E
Craspedia	Asteraceae	E	<i>Decaspora</i>	Ericaceae	E
Crassula	Crassulaceae	E	Delairea	Asteraceae	E
Crataegus	Rosaceae	E	<i>Dendrobium</i>	Orchidaceae	M
<i>Crepidomanes</i>	Hymenophyllaceae	P	<i>Derwentia</i>	Plantaginaceae	E
Crepis	Asteraceae	E	Deschampsia	Poaceae	M
<i>Critesion</i>	Poaceae	M	Desmodium	Fabaceae	E
Crocoshmia	Iridaceae	M	<i>Devauxia</i>	Centrolepidaceae	M
Cryptandra	Rhamnaceae	E	Deyeuxia	Poaceae	M
<i>Cryptostemma</i>	Asteraceae	E	Dianella	Hemerocallidaceae	M
Cryptostylis	Orchidaceae	M	Dianthus	Caryophyllaceae	E
<i>Ctenopteris</i>	Grammitidaceae	P	<i>Dichanthium</i>	Poaceae	M
Cucumis	Cucurbitaceae	E	Dichelachne	Poaceae	M
<i>Culcita</i>	Culcitaceae	P	Dichondra	Convolvulaceae	E
Cullen	Fabaceae	E	<i>Dichopogon</i>	Laxmanniaceae	M

Dichosciadium	Apiaceae	E	Ehrharta	Poaceae	M
Dicksonia	Dicksoniaceae	P	Einadia	Amaranthaceae	E
<i>Didiscus</i>	Araliaceae	E	Elaeocarpus	Elaeocarpaceae	E
<i>Didymotheca</i>	Gyrostemonaceae	E	Elatine	Elatinaceae	E
Digitalis	Plantaginaceae	E	Eleocharis	Cyperaceae	M
Digitaria	Poaceae	M	Eleusine	Poaceae	M
<i>Dillenia</i>	Dilleniaceae	E	Elodea	Hydrocharitaceae	M
Dillwynia	Fabaceae	E	<i>Elymus</i>	Poaceae	M
Dimorphotheca	Asteraceae	E	<i>Elynanthus</i>	Cyperaceae	M
Diplarrena	Iridaceae	M	Elytrigia	Poaceae	M
Diplaspis	Apiaceae	E	<i>Embothrium</i>	Proteaceae	E
<i>Diplax</i>	Poaceae	M	Emex	Polygonaceae	E
Diplazium	Athyriaceae	P	Empodisma	Restionaceae	M
<i>Diplodium</i>	Orchidaceae	M	Enneapogon	Poaceae	M
Diploxys	Brassicaceae	E	Epacris	Ericaceae	E
Dipodium	Orchidaceae	M	Epilobium	Onagraceae	E
Dipogon	Fabaceae	E	<i>Epipactis</i>	Orchidaceae	M
Dipsacus	Dipsacaceae	E	Equisetum	Equisetaceae	P
Disa	Orchidaceae	M	Eragrostis	Poaceae	M
<i>Disarrenum</i>	Poaceae	M	<i>Erechtites</i>	Asteraceae	E
Discaria	Rhamnaceae	E	Erica	Ericaceae	E
Diselma	Cupressaceae	G	Erigeron	Asteraceae	E
<i>Disperis</i>	Orchidaceae	M	Eriochilus	Orchidaceae	M
Disphyma	Aizoaceae	E	<i>Eriostemon</i>	Rutaceae	E
Distichlis	Poaceae	M	Erodium	Geraniaceae	E
Dittrichia	Asteraceae	E	Erophila	Brassicaceae	E
Diuris	Orchidaceae	M	<i>Eruca</i>	Brassicaceae	E
Dockrillia	Orchidaceae	M	Eryngium	Apiaceae	E
Dodonaea	Sapindaceae	E	<i>Erythraea</i>	Gentianaceae	E
<i>Dolichos</i>	Fabaceae	E	Erythranthe	Phrymaceae	E
Donatia	Donatiaceae	E	<i>Erythranthera</i>	Poaceae	M
<i>Doodia</i>	Blechnaceae	P	Eschscholzia	Papaveraceae	E
Draba	Brassicaceae	E	Eucalyptus	Myrtaceae	E
Dracophyllum	Ericaceae	E	Euchiton	Asteraceae	E
<i>Drapetes</i>	Thymelaeaceae	E	Eucryphia	Cunoniaceae	E
<i>Drimys</i>	Winteraceae	MG	Euonymus	Celastraceae	E
Drosanthemum	Aizoaceae	E	<i>Eupatorium</i>	Asteraceae	E
Drosera	Droseraceae	E	Euphorbia	Euphorbiaceae	E
Drymophila	Luzuriagaceae	M	Euphrasia	Orobanchaceae	E
Dryopoa	Poaceae	M	<i>Eurybia</i>	Asteraceae	E
Dysphania	Amaranthaceae	E	Eurychorda	Restionaceae	M
Ecballium	Cucurbitaceae	E	Euryomyrtus	Myrtaceae	E
Echinochloa	Poaceae	M	Euryops	Asteraceae	E
Echinopogon	Poaceae	M	Eutaxia	Fabaceae	E
Echium	Boraginaceae	E	Ewartia	Asteraceae	E
Egeria	Hydrocharitaceae	M	<i>Exacum</i>	Gentianaceae	E

<i>Exarrhena</i>	Boraginaceae	E	Glyceria	Poaceae	M
Exocarpos	Santalaceae	E	Glycine	Fabaceae	E
<i>Fabricia</i>	Myrtaceae	E	Gnaphalium	Asteraceae	E
<i>Fagus</i>	Nothofagaceae	E	Gomphocarpus	Asclepidaceae	E
Fallopia	Polygonaceae	E	Gompholobium	Fabaceae	E
<i>Felicia</i>	Asteraceae	E	Gonocarpus	Haloragaceae	E
Festuca	Poaceae	M	Goodenia	Goodeniaceae	E
Ficinia	Cyperaceae	M	Goodia	Fabaceae	E
<i>Filago</i>	Asteraceae	E	<i>Grammitis</i>	Grammitidaceae	P
<i>Fitzroya</i>	Cupressaceae	G	Gratiola	Plantaginaceae	E
Foeniculum	Apiaceae	E	Grevillea	Proteaceae	E
Forstera	Stylidiaceae	E	Griselinia	Griselinaceae	E
Frankenia	Frankeniaceae	E	Gunnera	Gunneraceae	E
Fraxinus	Oleaceae	E	<i>Gunnia</i>	Orchidaceae	M
Freesia	Iridaceae	M	<i>Gymnogramma</i>	Hemionitidiaceae	P
<i>Frenela</i>	Cupressaceae	G	Gymnoschoenus	Cyperaceae	M
Fuchsia	Onagraceae	E	Gynatrix	Malvaceae	E
Fumaria	Fumariaceae	E	Gypsophila	Caryophyllaceae	E
Furcraea	Asparagaceae	M	Gyrostemon	Gyrostemonaceae	E
<i>Fuscospora</i>	Nothofagaceae	E	Hackelia	Boraginaceae	E
Gahnia	Cyperaceae	M	Haemodorum	Haemodoraceae	M
Gaimardia	Centrolepidaceae	M	Hainardia	Poaceae	M
Galenia	Aizoaceae	E	Hakea	Proteaceae	E
Galinsoga	Asteraceae	E	Halophila	Hydrocharitaceae	M
Galium	Rubiaceae	E	Haloragis	Haloragaceae	E
Gamochaeta	Asteraceae	E	Hardenbergia	Fabaceae	E
Gastridium	Poaceae	M	<i>Hebe</i>	Plantaginaceae	E
Gastrodia	Orchidaceae	M	Hedera	Araliaceae	E
Gaudinia	Poaceae	M	Hedycarya	Monimiaceae	MG
Gaultheria	Ericaceae	E	<i>Hedypnois</i>	Asteraceae	E
Gazania	Asteraceae	E	<i>Hedysarum</i>	Fabaceae	E
Genista	Fabaceae	E	Helichrysum	Asteraceae	E
<i>Genoplesium</i>	Orchidaceae	M	<i>Helipterum</i>	Asteraceae	E
<i>Genosiris</i>	Iridaceae	M	<i>Helminthia</i>	Asteraceae	E
<i>Gentiana</i>	Gentianaceae	E	Helminthotheca	Asteraceae	E
Gentianella	Gentianaceae	E	<i>Helxine</i>	Urticaceae	E
Geococcus	Brassicaceae	E	Hemarthria	Poaceae	M
Geranium	Geraniaceae	E	Hemichroa	Amaranthaceae	E
Geum	Rosaceae	E	Heracleum	Apiaceae	E
<i>Githago</i>	Caryophyllaceae	E	Herpolirion	Hemerocallidaceae	M
Gladiolus	Iridaceae	M	Hesperantha	Iridaceae	M
Glaucium	Papaveraceae	E	Hesperocyparis	Cupressaceae	G
Gleichenia	Gleicheniaceae	P	Heterozostera	Zosteraceae	M
<i>Glossadenia</i>	Orchidaceae	M	<i>Hewardia</i>	Iridaceae	M
Glossodia	Orchidaceae	M	Hibbertia	Dilleniaceae	E
Glossostigma	Phrymaceae	E	<i>Hibiscus</i>	Malvaceae	E

<i>Hieracium</i>	Asteraceae	E	<i>Jonesiopsis</i>	Orchidaceae	M
Hierochloa	Poaceae	M	Juncus	Juncaceae	M
Hirschfeldia	Brassicaceae	E	Kelleria	Thymelaeaceae	E
Histiopteris	Dennstaedtiaceae	P	Kennedia	Fabaceae	E
Hiya	Dennstaedtiaceae	P	Kickxia	Plantaginaceae	E
Holcus	Poaceae	M	Kniphofia	Asphodelaceae	M
<i>Homeria</i>	Iridaceae	M	Koeleria	Poaceae	M
Hookerochloa	Poaceae	M	<i>Kohlrauschia</i>	Caryophyllaceae	E
Hordeum	Poaceae	M	Kunzea	Myrtaceae	E
Hornungia	Brassicaceae	E	Laburnum	Fabaceae	E
Hovea	Fabaceae	E	Lachnagrostis	Poaceae	M
Humulus	Cannabaceae	E	Lactuca	Asteraceae	E
Huperzia	Lycopodiaceae	P	<i>Lagarosiphon</i>	Hydrocharitaceae	M
<i>Hutchinsia</i>	Brassicaceae	E	Lagarostrobos	Podocarpaceae	G
Hyalosperma	Asteraceae	E	Lagenophora	Asteraceae	E
<i>Hydatella</i>	Hydatellaceae	B	Lagurus	Poaceae	M
Hydrocotyle	Araliaceae	E	Lamium	Lamiaceae	E
Hydrorchis	Orchidaceae	M	<i>Lampocarya</i>	Cyperaceae	M
<i>Hylogyne</i>	Proteaceae	E	Lampranthus	Aizoaceae	E
<i>Hymenanthera</i>	Violaceae	E	Landoltia	Araceae	M
<i>Hymenochilus</i>	Orchidaceae	M	Lapsana	Asteraceae	E
<i>Hymenolobus</i>	Brassicaceae	E	Lasiopetalum	Malvaceae	E
Hymenophyllum	Hymenophyllaceae	P	Lasiospermum	Asteraceae	E
<i>Hyoscyamus</i>	Solanaceae	E	Lastreopsis	Dryopteridaceae	P
Hypericum	Hypericaceae	E	Lathyrus	Fabaceae	E
Hypochaeris	Asteraceae	E	Lavandula	Lamiaceae	E
Hypolaena	Restionaceae	M	<i>Lavatera</i>	Malvaceae	E
Hypolepis	Dennstaedtiaceae	P	Lawrencia	Malvaceae	E
Hypoxis	Hypoxidaceae	M	Laxmannia	Laxmanniaceae	M
Ilex	Aquifoliaceae	E	Leiocarpa	Asteraceae	E
Impatiens	Balsaminaceae	E	Leionema	Rutaceae	E
Imperata	Poaceae	M	Lemna	Araceae	M
Indigofera	Fabaceae	E	Leonotis	Lamiaceae	E
<i>Inula</i>	Asteraceae	E	Leontodon	Asteraceae	E
Ipomoea	Convolvulaceae	E	Lepidium	Brassicaceae	E
Iris	Iridaceae	M	Lepidosperma	Cyperaceae	M
Isachne	Poaceae	M	Lepilaena	Potamogetonaceae	M
Isoetes	Isoetaceae	P	Leptecophylla	Ericaceae	E
Isoetopsis	Asteraceae	E	Leptinella	Asteraceae	E
Isolepis	Cyperaceae	M	Leptocarpus	Restionaceae	M
Isophysis	Iridaceae	M	Leptoceras	Orchidaceae	M
Isopogon	Proteaceae	E	<i>Leptocyamus</i>	Fabaceae	E
Isotoma	Campanulaceae	E	Leptomeria	Santalaceae	E
Ixia	Iridaceae	M	Leptorhynchos	Asteraceae	E
<i>Ixiolaena</i>	Asteraceae	E	Leptospermum	Myrtaceae	E
<i>Ixodia</i>	Asteraceae	E	<i>Lepturus</i>	Poaceae	M

Lepyrodia	Restionaceae	M	Lyperanthus	Orchidaceae	M
Leucanthemum	Asteraceae	E	Lysimachia	Myrsinaceae	E
Leucochrysum	Asteraceae	E	Lythrum	Lythraceae	E
Leucojum	Amaryllidaceae	M	Machaerina	Cyperaceae	M
Leucophyta	Asteraceae	E	<i>Malaxis</i>	Orchidaceae	M
Leucopogon	Ericaceae	E	Malus	Rosaceae	E
Levenhookia	Stylidiaceae	E	Malva	Malvaceae	E
Leycesteria	Caprifoliaceae	E	<i>Marianthus</i>	Pittosporaceae	E
Leymus	Poaceae	M	Marrubium	Lamiaceae	E
Libertia	Iridaceae	M	Marsilea	Marsileaceae	P
Ligustrum	Oleaceae	E	Matricaria	Asteraceae	E
Lilaeopsis	Apiaceae	E	Matthiola	Brassicaceae	E
<i>Limnanthemum</i>	Menyanthaceae	E	Maytenus	Celastraceae	E
Limonium	Plumbaginaceae	E	Mazus	Mazaceae	E
Limosella	Plantaginaceae	E	<i>Mecodium</i>	Hymenophyllaceae	P
Linaria	Plantaginaceae	E	Medicago	Fabaceae	E
Lindsaea	Lindsaeaceae	P	Meionectes	Haloragaceae	E
<i>Linguella</i>	Orchidaceae	M	Melaleuca	Myrtaceae	E
Linum	Linaceae	E	<i>Melandrium</i>	Caryophyllaceae	E
Liparophyllum	Menyanthaceae	E	Melicytus	Violaceae	E
Lissanthe	Ericaceae	E	Melilotus	Fabaceae	E
Lithospermum	Boraginaceae	E	Melissa	Lamiaceae	E
<i>Litobrochia</i>	Pteridaceae	P	Mentha	Lamiaceae	E
Lobelia	Campanulaceae	E	Mesembryanthemum	Aizoaceae	E
Lobularia	Brassicaceae	E	<i>Mesomelaena</i>	Cyperaceae	M
Logfia	Asteraceae	E	Micranthemum	Picrodendraceae	E
Lolium	Poaceae	M	Microcachrys	Podocarpaceae	G
Lomandra	Asparagaceae	M	Microlaena	Poaceae	M
<i>Lomaria</i>	Blechnaceae	P	Microseris	Asteraceae	E
Lomatia	Proteaceae	E	Microsorium	Polypodiaceae	P
Lonicera	Caprifoliaceae	E	<i>Microstrobos</i>	Podocarpaceae	G
<i>Lophochloa</i>	Poaceae	M	Microtidium	Orchidaceae	M
<i>Lophopyrum</i>	Poaceae	M	Microtis	Orchidaceae	M
<i>Lophozonia</i>	Nothofagaceae	E	Milligania	Asteliaceae	M
Lordhowea	Asteraceae	E	Millotia	Asteraceae	E
Lotus	Fabaceae	E	<i>Mimosa</i>	Fabaceae	E
Lunaria	Brassicaceae	E	<i>Mimulus</i>	Phrymaceae	E
Lupinus	Fabaceae	E	Minuartia	Caryophyllaceae	E
Luzula	Juncaceae	M	Mirabilis	Nyctaginaceae	E
<i>Lychnis</i>	Caryophyllaceae	E	Mirbelia	Fabaceae	E
Lycium	Solanaceae	E	Mitrasacme	Loganiaceae	E
Lycopodiella	Lycopodiaceae	P	<i>Mniarum</i>	Caryophyllaceae	E
Lycopodium	Lycopodiaceae	P	Modiola	Malvaceae	E
<i>Lycopsis</i>	Boraginaceae	E	Moenchia	Caryophyllaceae	E
Lycopus	Lamiaceae	E	<i>Molineriella</i>	Poaceae	M
<i>Lyonsia</i>	Apocynaceae	E	<i>Monerma</i>	Poaceae	M

Monotoca	Ericaceae	E	Oreobolus	Cyperaceae	M
Montia	Portulacaceae	E	Oreomyrrhis	Apiaceae	E
Montitega	Ericaceae	E	<i>Oreoporanthera</i>	Phyllanthaceae	E
Moraea	Iridaceae	M	Orites	Proteaceae	E
Muehlenbeckia	Polygonaceae	E	Ornduffia	Menyanthaceae	E
Muscari	Asparagaceae	M	Ornithogalum	Hyacinthaceae	M
Myoporum	Scrophulariaceae	E	Ornithopus	Fabaceae	E
Myosotis	Boraginaceae	E	Orobanche	Orobanchaceae	E
Myosurus	Ranunculaceae	E	Orthoceras	Orchidaceae	M
<i>Myriogyne</i>	Asteraceae	E	<i>Oryzopsis</i>	Poaceae	M
Myriophyllum	Haloragaceae	E	Oschatzia	Apiaceae	E
<i>Myrsiphyllum</i>	Asparagaceae	M	<i>Osteospermum</i>	Asteraceae	E
Nablonium	Asteraceae	E	Ourisia	Plantaginaceae	E
<i>Nanozostera</i>	Zosteraceae	M	Oxalis	Oxalidaceae	E
Narcissus	Amaryllidaceae	M	Oxylobium	Fabaceae	E
Nardus	Poaceae	M	Ozothamnus	Asteraceae	E
Nassella	Poaceae	M	Pachycladon	Brassicaceae	E
Nasturtium	Brassicaceae	E	<i>Panax</i>	Araliaceae	E
Navarretia	Polemoniaceae	E	Pandorea	Bignoniaceae	E
<i>Nemacianthus</i>	Orchidaceae	M	Panicum	Poaceae	M
<i>Nematoceras</i>	Orchidaceae	M	Papaver	Papaveraceae	E
Nematolepis	Rutaceae	E	Pappochroma	Asteraceae	E
<i>Neopaxia</i>	Portulacaceae	E	<i>Paquerina</i>	Asteraceae	E
Nepeta	Lamiaceae	E	Paracaleana	Orchidaceae	M
<i>Nephrodium</i>	Dryopteridaceae	P	<i>Parahebe</i>	Plantaginaceae	E
Nertera	Rubiaceae	E	Parapholis	Poaceae	M
Netrostylis	Cyperaceae	M	Paraprasophyllum	Orchidaceae	M
Nicotiana	Solanaceae	E	Paraserianthes	Fabaceae	E
<i>Nonea</i>	Boraginaceae	E	Parentucellia	Orobanchaceae	E
Notelaea	Oleaceae	E	Parietaria	Urticaceae	E
Nothofagus	Nothofagaceae	E	Paronychia	Caryophyllaceae	E
<i>Nothopanax</i>	Araliaceae	E	Parsonsia	Apocynaceae	E
Nothoscordum	Alliaceae	M	<i>Paspalidium</i>	Poaceae	M
<i>Notodanthonia</i>	Poaceae	M	Paspalum	Poaceae	M
Notogrammitis	Grammitidaceae	P	Passiflora	Passifloraceae	E
<i>Nymphoides</i>	Menyanthaceae	E	Pastinaca	Apiaceae	E
Odixia	Asteraceae	E	Patersonia	Iridaceae	M
Oenothera	Onagraceae	E	Pauridia	Hypoxidaceae	M
Olearia	Asteraceae	E	Pelargonium	Geraniaceae	E
<i>Oligochaetochilus</i>	Orchidaceae	M	Pellaea	Adiantaceae	P
<i>Onobrychis</i>	Fabaceae	E	<i>Pennisetum</i>	Poaceae	M
<i>Onoclea</i>	Blechnaceae	P	Pentachondra	Ericaceae	E
Ononis	Fabaceae	E	Pentaglottis	Boraginaceae	E
Onopordum	Asteraceae	E	Pentapogon	Poaceae	M
Opercularia	Rubiaceae	E	<i>Pernettya</i>	Ericaceae	E
Ophioglossum	Ophioglossaceae	P	Persicaria	Polygonaceae	E

Persoonia	Proteaceae	E	Podocarpus	Podocarpaceae	G
<i>Petalochilus</i>	Orchidaceae	M	Podolepis	Asteraceae	E
Petasites	Asteraceae	E	<i>Podosperma</i>	Asteraceae	E
Petrorhagia	Caryophyllaceae	E	Podotheca	Asteraceae	E
Petroselinum	Apiaceae	E	Polycarpon	Caryophyllaceae	E
<i>Phacelia</i>	Boraginaceae	E	Polygala	Polygalaceae	E
Phalaris	Poaceae	M	Polygonum	Polygonaceae	E
Phebalium	Rutaceae	E	Polyphlebium	Hymenophyllaceae	P
Pheladenia	Orchidaceae	M	<i>Polypodium</i>	Grammitidaceae	P
Phelodia	Orchidaceae	M	<i>Polypodium</i>	Polypodiaceae	P
Pherosphaera	Podocarpaceae	G	Polypogon	Poaceae	M
Philothea	Rutaceae	E	<i>Polypompholyx</i>	Lentibulariaceae	E
Phlegmariurus	Lycopodiaceae	P	Polyscias	Araliaceae	E
Phleum	Poaceae	M	Polystichum	Dryopteridaceae	P
Phormium	Hemerocallidaceae	M	Pomaderris	Rhamnaceae	E
Phragmites	Poaceae	M	Populus	Salicaceae	E
Phyllachne	Stylidiaceae	E	Poranthera	Phyllanthaceae	E
Phyllangium	Loganiaceae	E	Portulaca	Portulacaceae	E
Phyllanthus	Phyllanthaceae	E	Posidonia	Posidoniaceae	M
Phyllocladus	Podocarpaceae	G	Potamogeton	Potamogetonaceae	M
Phylloglossum	Lycopodiaceae	P	Potentilla	Rosaceae	E
Phyllota	Fabaceae	E	<i>Poterium</i>	Rosaceae	E
<i>Phymatodes</i>	Polypodiaceae	P	Prasophyllum	Orchidaceae	M
<i>Phymatosorus</i>	Polypodiaceae	P	<i>Pratia</i>	Campanulaceae	E
Physalis	Solanaceae	E	Prionotes	Ericaceae	E
Phytolacca	Phytolaccaceae	E	Prostanthera	Lamiaceae	E
Picris	Asteraceae	E	Prunella	Lamiaceae	E
<i>Pilitis</i>	Ericaceae	E	Prunus	Rosaceae	E
Pilosella	Asteraceae	E	<i>Psamma</i>	Poaceae	M
Pilularia	Marsileaceae	P	Pseudanthus	Picrodendraceae	E
Pimelea	Thymelaeaceae	E	<i>Pseudofumaria</i>	Fumariaceae	E
Pinus	Pinaceae	G	<i>Pseudognaphalium</i>	Asteraceae	E
Piptatherum	Poaceae	M	Pseudopanax	Araliaceae	E
Pittosporum	Pittosporaceae	E	<i>Psilotum</i>	Psilotaceae	P
<i>Plagianthus</i>	Malvaceae	E	Psoralea	Fabaceae	E
Planocarpa	Ericaceae	E	Psychrophila	Ranunculaceae	E
Plantago	Plantaginaceae	E	Pteridium	Dennstaedtiaceae	P
Platylobium	Fabaceae	E	Pteris	Pteridaceae	P
<i>Platyloma</i>	Adiantaceae	P	Pterostylis	Orchidaceae	M
<i>Pleurandra</i>	Dilleniaceae	E	Pterygopappus	Asteraceae	E
Pleurophyllum	Asteraceae	E	Ptilotus	Amaranthaceae	E
Pleurosorus	Aspleniaceae	P	Puccinellia	Poaceae	M
<i>Plumatichilos</i>	Orchidaceae	M	Pultenaea	Fabaceae	E
Pneumatopteris	Thelypteridaceae	P	<i>Pygmea</i>	Plantaginaceae	E
Poa	Poaceae	M	Pyrorchis	Orchidaceae	M
Podalyria	Fabaceae	E	<i>Racosperma</i>	Fabaceae	E

Ranunculus	Ranunculaceae	E	<i>Schedonorus</i>	Poaceae	M
<i>Raoulia</i>	Asteraceae	E	Schenkia	Gentianaceae	E
Raphanus	Brassicaceae	E	Schizacme	Loganiaceae	E
Rapistrum	Brassicaceae	E	Schizaea	Schizaeaceae	P
Reseda	Resedaceae	E	<i>Schizostylis</i>	Iridaceae	M
<i>Restio</i>	Restionaceae	M	<i>Schoenodum</i>	Restionaceae	M
Reynoutria	Polygonaceae	E	<i>Schoenoides</i>	Cyperaceae	M
<i>Rhagadiolus</i>	Asteraceae	E	Schoenoplectus	Cyperaceae	M
Rhagodia	Amaranthaceae	E	Schoenus	Cyperaceae	M
Rhamnus	Rhamnaceae	E	Scilla	Hyacinthaceae	M
Rhodanthe	Asteraceae	E	<i>Scirpus</i>	Cyperaceae	M
Rhododendron	Ericaceae	E	Scleranthus	Caryophyllaceae	E
Rhytidosporum	Pittosporaceae	E	Sclerochloa	Poaceae	M
Ribes	Grossulariaceae	E	<i>Scleroleima</i>	Asteraceae	E
<i>Richea</i>	Asteraceae	E	<i>Sclerostegia</i>	Amaranthaceae	E
Richea	Ericaceae	E	Scorzonera	Asteraceae	E
Ricinocarpos	Euphorbiaceae	E	Scrophularia	Scrophulariaceae	E
<i>Roepera</i>	Zygophyllaceae	E	Scutellaria	Lamiaceae	E
Romulea	Iridaceae	M	Sebaea	Gentianaceae	E
Rorippa	Brassicaceae	E	Secale	Poaceae	M
Rosa	Rosaceae	E	Securigera	Fabaceae	E
Rostraria	Poaceae	M	Sedum	Crassulaceae	E
Rubus	Rosaceae	E	Selaginella	Selaginellaceae	P
Rumex	Polygonaceae	E	<i>Selliera</i>	Goodeniaceae	E
Rumohra	Dryopteridaceae	P	<i>Senebiera</i>	Brassicaceae	E
Ruppia	Ruppiaceae	M	Senecio	Asteraceae	E
<i>Rutidosis</i>	Asteraceae	E	Setaria	Poaceae	M
Rytidosperma	Poaceae	M	<i>Sheffieldia</i>	Theophrastaceae	E
Sagina	Caryophyllaceae	E	Sherardia	Rubiaceae	E
Salicornia	Amaranthaceae	E	Sicyos	Cucurbitaceae	E
Salix	Salicaceae	E	<i>Sieglingia</i>	Poaceae	M
Salpichroa	Solanaceae	E	Sigesbeckia	Asteraceae	E
Salsola	Amaranthaceae	E	Silene	Caryophyllaceae	E
Salvia	Lamiaceae	E	Siloxerus	Asteraceae	E
Sambucus	Adoxaceae	E	Silybum	Asteraceae	E
Samolus	Theophrastaceae	E	<i>Simpliglottis</i>	Orchidaceae	M
Sanguisorba	Rosaceae	E	Sinapis	Brassicaceae	E
Saponaria	Caryophyllaceae	E	Sisymbrium	Brassicaceae	E
Sarcochilus	Orchidaceae	M	Sisyrrinchium	Iridaceae	M
<i>Sarcocornia</i>	Amaranthaceae	E	<i>Skirrhophorus</i>	Asteraceae	E
<i>Sarothamnus</i>	Fabaceae	E	Solanum	Solanaceae	E
Saxipoa	Poaceae	M	Soleirolia	Urticaceae	E
Scabiosa	Dipsacaceae	E	Solenogyne	Asteraceae	E
Scaevola	Goodeniaceae	E	Soliva	Asteraceae	E
Scandix	Apiaceae	E	<i>Sollya</i>	Pittosporaceae	E
Scapisenecio	Asteraceae	E	Sonchus	Asteraceae	E

Sorbus	Rosaceae	E	<i>Taurantha</i>	Orchidaceae	M
<i>Sorghum</i>	Poaceae	M	<i>Taurodium</i>	Orchidaceae	M
Sowerbaea	Laxmanniaceae	M	<i>Taxanthera</i>	Plumbaginaceae	E
Sparaxis	Iridaceae	M	Tecticornia	Amaranthaceae	E
<i>Spartina</i>	Poaceae	M	Teesdalia	Brassicaceae	E
Spartium	Fabaceae	E	Telopea	Proteaceae	E
<i>Speculantha</i>	Orchidaceae	M	Tetracarpaea	Tetracarpaeaceae	E
Spergula	Caryophyllaceae	E	Tetragonia	Aizoaceae	E
Spergularia	Caryophyllaceae	E	<i>Tetralia</i>	Cyperaceae	M
<i>Sphaerocionium</i>	Hymenophyllaceae	P	Tetrarrhena	Poaceae	M
Sphaerolobium	Fabaceae	E	Tetratheca	Elaeocarpaceae	E
<i>Spiculaea</i>	Orchidaceae	M	Teucrium	Lamiaceae	E
Spinifex	Poaceae	M	Thelionema	Hemerocallidaceae	M
Spiranthes	Orchidaceae	M	Thelymitra	Orchidaceae	M
<i>Spirodela</i>	Araceae	M	Themeda	Poaceae	M
Sporadanthus	Restionaceae	M	Thesium	Santalaceae	E
Sporobolus	Poaceae	M	Thinopyrum	Poaceae	M
Sprengelia	Ericaceae	E	Thismia	Burmanniaceae	M
Spyridium	Rhamnaceae	E	<i>Thlaspi</i>	Brassicaceae	E
Stachys	Lamiaceae	E	<i>Thonandia</i>	Poaceae	M
Stackhousia	Celastraceae	E	Threlkeldia	Amaranthaceae	E
<i>Stalice</i>	Plumbaginaceae	E	Thryptomene	Myrtaceae	E
<i>Stegania</i>	Blechnaceae	P	Thynninorchis	Orchidaceae	M
<i>Stegostyla</i>	Orchidaceae	M	Thyridia	Phrymaceae	E
Stellaria	Caryophyllaceae	E	Thysanotus	Laxmanniaceae	M
Stenanthemum	Rhamnaceae	E	<i>Tillaea</i>	Crassulaceae	E
Stenanthaera	Ericaceae	E	Tmesipteris	Psilotaceae	P
Stenopetalum	Brassicaceae	E	Todea	Osmundaceae	P
Stenotaphrum	Poaceae	M	Tolpis	Asteraceae	E
Sticherus	Gleicheniaceae	P	Torilis	Apiaceae	E
Stilbocarpa	Araliaceae	E	Townsonia	Orchidaceae	M
<i>Stipa</i>	Poaceae	M	Trachymene	Araliaceae	E
Stonesiella	Fabaceae	E	Tradescantia	Commelinaceae	M
Stuckenia	Potamogetonaceae	M	Tragopogon	Asteraceae	E
Stylidium	Stylidiaceae	E	<i>Trichinium</i>	Amaranthaceae	E
<i>Stypantra</i>	Hemerocallidaceae	M	<i>Trichomanes</i>	Hymenophyllaceae	P
Styphelia	Ericaceae	E	<i>Trichonema</i>	Iridaceae	M
Suaeda	Amaranthaceae	E	Tricoryne	Hemerocallidaceae	M
<i>Sullivania</i>	Orchidaceae	M	Tricostularia	Cyperaceae	M
Swainsona	Fabaceae	E	Trifolium	Fabaceae	E
Symphyotrichum	Asteraceae	E	Triglochin	Juncaginaceae	M
Symphytum	Boraginaceae	E	<i>Trigonella</i>	Fabaceae	E
Syzygium	Myrtaceae	E	<i>Triodia</i>	Poaceae	M
Tanacetum	Asteraceae	E	Tripleurospermum	Asteraceae	E
Taraxacum	Asteraceae	E	Triptilodiscus	Asteraceae	E
Tasmania	Winteraceae	MG	Trisetum	Poaceae	M

Tasmanian Vascular Plant Census 2023

Trithuria	Hydatellaceae	B	Viminaria	Fabaceae	E
Triticum	Poaceae	M	Vinca	Apocynaceae	E
Tritonia	Iridaceae	M	Viola	Violaceae	E
Trochocarpa	Ericaceae	E	Vittadinia	Asteraceae	E
Tropaeolum	Tropaeolaceae	E	Vulpia	Poaceae	M
Typha	Typhaceae	M	Wahlenbergia	Campanulaceae	E
Ulex	Fabaceae	E	Watsonia	Iridaceae	M
Ulmus	Ulmaceae	E	Westringia	Lamiaceae	E
Uncinia	Cyperaceae	M	Wilsonia	Convolvulaceae	E
<i>Uniola</i>	Poaceae	M	Winifredia	Restionaceae	M
<i>Urochilus</i>	Orchidaceae	M	Wolffia	Araceae	M
Urospermum	Asteraceae	E	Wurmbea	Colchicaceae	M
Urtica	Urticaceae	E	Xanthium	Asteraceae	E
Utricularia	Lentibulariaceae	E	Xanthorrhoea	Xanthorrhoeaceae	M
<i>Vaccaria</i>	Caryophyllaceae	E	Xanthosia	Apiaceae	E
Valerianella	Valerianaceae	E	Xerochrysum	Asteraceae	E
Vallisneria	Hydrocharitaceae	M	<i>Xerotes</i>	Asparagaceae	M
<i>Valvaria</i>	Ranunculaceae	E	Xyris	Xyridaceae	M
<i>Velleia</i>	Goodeniaceae	E	<i>Zaleya</i>	Aizoaceae	E
Vellereophyton	Asteraceae	E	<i>Zannichellia</i>	Potamogetonaceae	M
Verbascum	Scrophulariaceae	E	Zantedeschia	Araceae	M
Verbena	Verbenaceae	E	Zieria	Rutaceae	E
Veronica	Plantaginaceae	E	Zostera	Zosteraceae	M
Viburnum	Adoxaceae	E	Zoysia	Poaceae	M
Vicia	Fabaceae	E	Zygophyllum	Zygophyllaceae	E
<i>Villarsia</i>	Menyanthaceae	E			

REFERENCES

- ABRS (Australian Biological Resources Study) (Australian Government: Department of the Environment, Water, Heritage and the Arts). <http://www.environment.gov.au/biodiversity/abrs/index.html>
- Allan HH (1961) *Flora of New Zealand. Vol. I. Indigenous Tracheophyta: Psilopsida, Lycopsidea, Filicopsida, Gymnospermae, Dicotyledones.* (Government Printer: Wellington)
- APG II (2003) An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. *Botanical Journal of the Linnean Society* 141: 399–436.
- APG IV (2016) An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. *Botanical Journal of the Linnean Society* 181: 1–20.
- Baker ML, de Salas MF (2012) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) https://flora.tmag.tas.gov.au/census/2012_Census_of_Tasmanian_Vascular_Plants.pdf
- Baker ML, de Salas MF (2013) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) https://flora.tmag.tas.gov.au/census/2013_Census_of_Tasmanian_Vascular_Plants.pdf
- Baker ML, Duretto MF (2011) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) https://flora.tmag.tas.gov.au/census/2011_Census_of_Tasmanian_Vascular_Plants.pdf
- Barrett RL, Bruhl JJ, Wilson KL (2021) *Netrostylis*, a new genus of Australasian Cyperaceae removed from *Tetraria*. *Telopea* 24: 53–60
- Bentham G (1863) *Flora Australiensis*, Vol. I. (Lovell Reeve and Co.: London)
- Bentham G (1864) *Flora Australiensis*, Vol. II (Lovell Reeve and Co.: London)
- Bentham G (1867) *Flora Australiensis*, Vol. III (Lovell Reeve and Co.: London)
- Bentham G (1868) *Flora Australiensis*, Vol. IV (Lovell Reeve and Co.: London)
- Bentham G (1870) *Flora Australiensis*, Vol. V (Lovell Reeve and Co.: London)
- Bentham G (1873) *Flora Australiensis*, Vol. VI (Lovell Reeve and Co.: London)
- Bentham G (1878) *Flora Australiensis*, Vol. VII (Lovell Reeve and Co.: London)
- Brown MJ, Jenkin JF, Brothers NP, Copson GR (1978) *Corybas macranthus* (Hook. f.) Reichb. f. (Orchidaceae), a new record for Macquarie Island. *New Zealand Journal of Botany* 16: 405–7
- Brown R (1810) *Prodromus Florae Novae Hollandiae et Insulae van-Diemen* (Richard Taylor & Son: London)
- Brunton DF, Garrett M, Sokoloff PC, Kantvilas G (2021) Description, distribution and ecology of endemic Tasmanian quillwort, *Isoetes jarmaniae*, sp. nov. (Isoetaceae; Lycopodiopsida). *Phytotaxa* 552(1): 27–37
- Buchanan AM (1995) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania.* Tasmanian Herbarium Occasional Publication No. 5 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (1999) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania.* 3rd edn. Tasmanian Herbarium Occasional Publication No. 6 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (2004) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au

- Buchanan AM (2005) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania*. 4th edn. Tasmanian Herbarium Occasional Publication No. 7 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (2007) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Buchanan AM (2009) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Buchanan AM, McGeary-Brown A, Orchard AE (1989) *A Census of the Vascular Plants of Tasmania*. Tasmanian Herbarium Occasional Publication No. 2 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Cheeseman TF (1906) *Manual of the New Zealand Flora*. (Government Printer: Wellington)
- Cheeseman TF (1909) On the systematic botany of the islands to the south of New Zealand, Article XIX. In: C Chilton (ed.) *The Subantarctic Islands of New Zealand, Reports on the Geo-physics, Geology, Zoology, and Botany of the Islands Lying to the South of New Zealand*. Vol II. (Government Printer: Wellington). pp. 389–471
- Cheeseman TF (1919) The vascular flora of Macquarie Island. *Australasian Antarctic Expedition 1911–1914. Scientific Reports. Series C. Zoology and Botany*. Volume VII, Part 3. 63 pp. (Government Printer: Sydney)
- Cheeseman TF (1925) *Manual of the New Zealand Flora*, 2nd Ed. (Government Printer: Wellington)
- Clements MA, Jones DL (2019) Notes on Australasian orchids 5: *Paraprasophyllum*, a new genus in Prasophyllinae (Diurideae). *Australian Orchid Review* 84: 28–38
- Copson GR (1984) An Annotated Atlas of the Vascular Flora of Macquarie Island. *ANARE Research Notes* 18. (Antarctic Division: Kingston)
- Cronquist AJ (1981) *An Integrated System of Classification of Flowering Plants*. (Columbia University Press: New York)
- Curtis WM (1953) A census of the orchids of Tasmania. *Papers and Proceedings of the Royal Society of Tasmania* (1952): 137–140.
- Curtis (1956) *The Student's Flora of Tasmania Part I – Gymnospermae; Angiospermae: Ranunculaceae to Myrtaceae*. 1st edn. (Government Printer: Hobart)
- Curtis WM (1963) *The Student's Flora of Tasmania Part 2 – Angiospermae: Lythraceae to Epacridaceae*. (Government Printer: Hobart)
- Curtis WM (1967) *The Student's Flora of Tasmania Part 3 – Angiospermae: Plumbaginaceae to Salicaceae*. (Government Printer: Hobart)
- Curtis WM (1979) *The Student's Flora of Tasmania Part 4A – Angiospermae: Orchidaceae*. (Government Printer: Hobart)
- Curtis WM, Morris DI (1975) *The Student's Flora of Tasmania Part I – Gymnospermae; Angiospermae: Ranunculaceae to Myrtaceae*. 2nd edn. (Government Printer: Hobart)
- Curtis WM, Morris DI (1994) *The Student's Flora of Tasmania Part 4B – Angiospermae: Alismataceae to Burmanniaceae*. (St. Davids Park Publishing: Hobart)
- de Salas MF (2009+) *Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart). <https://flora.tmag.tas.gov.au>

- de Salas MF, Baker ML (2016) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
https://flora.tmag.tas.gov.au/census/2016_Census_of_Tasmanian_Vascular_Plants.pdf
- de Salas MF, Baker ML (2017) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
https://flora.tmag.tas.gov.au/census/2017_Census_of_Tasmanian_Vascular_Plants.pdf
- de Salas MF, Baker ML (2021) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
https://flora.tmag.tas.gov.au/census/2021_Census_of_Tasmanian_Vascular_Plants.pdf
- de Salas MF, Baker ML (2022) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
https://flora.tmag.tas.gov.au/census/2022_Census_of_Tasmanian_Vascular_Plants.pdf
- Garrett M (1996) *The Ferns of Tasmania; Their Ecology and Distribution* (Tasmanian Forest Research Council: Hobart)
- Greene SW, Greene DM (1963) Check list of the sub-Antarctic and Antarctic vascular flora. *Polar Record* 11(73): 411–418
- Hamilton A (1895). Notes on a visit to Macquarie Island. *Transactions of the New Zealand Institute* 27: 559–579
- Harris S, Buchanan A, Connolly A (2001) *One Hundred Islands: The Flora of the Outer Fureaux*. (Tasmanian DPIWE: Hobart). p. 197
- Henderson RJF in George AS (Ed) (1987) *Flora of Australia* 45: 209–214, 477–479 (ABRS: Canberra)
- Hewson HJ in George AS (Ed) (1982) *Flora of Australia* 8 (ABRS: Canberra)
- Hnatiuk RJ (1972) *Hymenophyllum peltatum* (Poiret) Desvaux, a new Macquarie Island Record. *New Zealand Journal of Botany* 10: 701
- Hooker JD (1844) *The Botany of the Antarctic Voyage of H. M. Discovery Ships Erebus and Terror in the Years 1839 – 1843 Under the Command of Captain Sir James Clark Ross. Part I: Flora Antarctica* (Reeve Brothers: London)
- Hooker JD (1847) Contributions towards a Flora of Van Diemen's Land. *London Journal of Botany* 6: 461 (bis)–479(bis)
- Hooker JD (1860) *The Botany of the Antarctic Voyage of H. M. Discovery Ships Erebus and Terror in the Years 1839 – 1843 Under the Command of Captain Sir James Clark Ross. Part III: Flora Tasmaniae* (Reeve Brothers: London)
- Jobson, RW, Baleeiro PC (2020) Radiations of fairy-aprons (*Utricularia dichotoma*, Lentibulariaceae) in Australia and New Zealand: molecular evidence and proposal of new subspecies. *Australian Systematic Botany* 33: 278–310
- Jones DL, Wapstra H, Tonelli P, Harris S (1999) *The Orchids of Tasmania*. (Melbourne University Press: Carlton South, Victoria, Australia)
- Kellermann J, Monro AM (2021) *×Phelodia*, a new nothogenus in Australian Orchidaceae. *Swainsona* 35: 65–66
- Kirk T (1891) On the botany of the Antarctic islands. In: Hector J (Ed) *Report of the Third Meeting of the Australasian Association for the Advancement of Science* (Government Printer: Wellington) pp. 213–231
- Kirk T (1899) *The Students' Flora of New Zealand and the Outlying Islands*. (Government Printer: Wellington)

- Labillardiere JJH de (1804–1807) *Novae Hollandiae Plantarum Specimen* (Typographia Dominae Huzard: Paris)
- Linder HP (2005) Tribe Danthoniaeae. *Flora of Australia* 44B (ABRS/CSIRO Publishing: Melbourne)
- McCarthy PM (1998) Ferns, Gymnosperms and Allied Groups. *Flora of Australia* 48. (ABRS: Canberra)
- Meisner CDF (1856) *Prodromus Systematis Naturalis Regni Vegetabilis* 14(1): 354
- Morris DI (1977) Miscellaneous notes on endemic Tasmanian plants in the genera *Olearia*, *Ixodia*, *Danthonia*, *Tetrarrhena*. *Records of the Queen Victoria Museum* 55: 1–5
- Peterson PM, Romaschenko K, Herrera Arrieta Y, Saarela JM (2014) A molecular phylogeny and new subgeneric classification of *Sporobolus* (Poaceae: Chloridoideae: Sporobolinae). *Taxon* 63(6): 1236
- Raphael TD (1955) Tasmanian garden escapes. *Papers and Proceedings of the Royal Society of Tasmania* 89: 147–150
- Rodway L (1903) *The Tasmanian Flora*. (Government Printer: Hobart)
- Rye BL (1990) Thymelaeaceae. *Flora of Australia* 18: 181, Map 247 (ABRS: Canberra)
- Schuster TM, Reveal JL, Bayly MJ, Kron KA (2015) An updated molecular phylogeny of Polygonoideae (Polygonaceae): Relationships of *Oxygonum*, *Pteroxygonum*, and *Rumex*, and a new circumscription of *Koenigia*. *Taxon*, 64(6): 1188–1208
- Scott JH (1882) Macquarie Island. *Transactions and Proceedings of the Royal Society of New Zealand* 15: 484–498
- Seppelt RD, Copson GR, Brown MJ (1984) Vascular flora and vegetation of Macquarie Island. *Tasmanian Naturalist* 78: 7–12
- Spicer WW (1878) *A Handbook of the Plants of Tasmania*. (J. Walch & Sons: Hobart Town)
- Taylor BW (1955) The Flora, Vegetation and Soils of Macquarie Island. *Australian National Antarctic Research Expeditions Reports, Series B, Vol II*. (Antarctic Division: Melbourne) pp. 1–92
- Townrow JES (1969) A species list of and keys to the grasses of Tasmania. *Papers and Proceedings of the Royal Society of Tasmania* 103: 69–96
- Townrow J (1978) *Papers and Proceedings of the Royal Society of Tasmania* 112
- Walsh NG, Entwisle TJ (1996) *Flora of Victoria Vol. 3, Dicotyledons Winteraceae to Myrtaceae*. (Inkata Press: Melbourne)
- Webb CJ, Sykes WR, Garnock-Jones PJ (1988) *Flora of New Zealand. Vol. IV. Naturalised Pteridophytes, Gymnosperms, Dicotyledons*. (Botany Division DSIR: Christchurch)
- Willis JH (1970) *A Handbook to Plants in Victoria*. (Melbourne Uni. Press: Melbourne)
- Willis JH (1973) *A Handbook to Plants of Victoria. Vol. 1 – Ferns, Conifers and Monocotyledons*. Ed. 2 (Melbourne Uni. Press: Melbourne)